

CLEF 2026 SimpleText Track

Simplify Scientific Text (and Nothing More)

Liana Ermakova¹ **Hosein Azarbonyad**² **Jan Bakker**³
Berkay Chakar³ **Gautam Kishore Shahi**⁴ **Jaap Kamps**³

¹Université de Bretagne Occidentale

²Elsevier

³University of Amsterdam

⁴University of Duisburg-Essen



CLEF, September 21-24, 2026, Jena, Germany

Motivation



- Simplify Scientific Text ...
 - Everyone agrees on the importance of objective scientific information
 - But scientific documents are inherently complex...
 - Can we improve science literacy for everyone?
 - Generative models for text simplification can help!
- ...And Nothing More!
 - LLMs prone to overgeneration (informally called "*hallucination*")
 - Have created a huge collection of spurious/over-generation content!
 - In 2025 : 29% of submissions > 25% spurious sentences, 21% > 50%...

Overview



- SimpleText Track
 - Major changes in setup and corpora in 2025
 - Boost in participation and results
 - Updated tasks and corpora in 2026
- CLEF 2026 SimpleText Track
 - *Simplify Scientific Text (and Nothing More)*
- The following *three* tasks :
 - 1 **Text Simplification** : *simplify scientific text*
 - 2 **Controlled Creativity** : *identify and avoid hallucination*
 - 3 **Research Area Classification** : *classification of scientific articles by research area*
- We also encourage submissions for earlier tasks

SimpleText Codabench

[Benchmarks/Competitions](#)[Datasets](#)[liana87](#)

TURN IT SIMPLE

CLEF 2026 SIMPLETEXT TASK 1: SIMPLIFY SCIENTIFIC TEXT


59 PARTICIPANTS

625 SUBMISSIONS

[Edit](#)[Participants](#)[Submissions](#)[Dumps](#)[Migrate](#)[Show workers](#)ORGANIZED BY: [Liana87](#)

CURRENT PHASE ENDS: Never

CURRENT SERVER TIME: 2 Juillet 2026 à 08:07 UTC+1

Docker image: [codalab/codalab-legacy:py312](#)Secret url: https://www.codabench.org/competitions/16108/?secret_key=90d6abbd-4457-4a9e-9017-caf266baff89

SimpleText 2026 Statistics



	Task 1		Task 2			Task 3
	1.1	1.2	2.1	2.2	2.3	
Teams	20	18	10	10	9	7
Runs	169	218	242	125	14	12
Teams	24		17			
Runs	387		381			
Teams			33			
Runs			780			

- Growing steadily : 142 registered teams, 33 submitted 780 valid runs.
- Codabench Task 1 : 628 submissions (59 ppl), Task 2 : 432 submissions (33 ppl)

SimpleText 2026 Statistics



- Growing steadily : 142 registered teams, 33 submitted 780 valid runs.
- Codabench Task 1 : 628 submissions (59 ppl), Task 2 : 432 submissions (33 ppl)

Team	Task 1.1	Task 1.2	Task 2.1	Task 2.2	Task 2.3	Task 1	Task 2	Task 3	Total
A-R	0	0	5	0	0	0	5	0	5
AIIRLab	17	13	8	10	3	30	21	2	53
BioSimplex	3	0	0	0	0	3	0	0	3
CLNN	0	1	0	0	0	1	0	0	1
CYUT	0	0	76	8	0	0	84	0	84
Chennai	3	5	0	0	0	8	0	0	8
DPO-KTO (no paper)	7	6	0	0	0	13	0	0	13
DUTH	10	67	64	14	0	77	78	0	155
DataDumplings	0	0	0	0	0	0	0	1	1
ELIRF-UPV	16	17	0	0	0	33	0	0	33
Elsevier	9	23	0	0	0	32	0	0	32
FOSU-CR	1	2	0	0	0	3	0	0	3
FOSU-YZH	46	15	6	1	0	61	7	0	68
FutureMakers	5	0	6	27	0	5	33	0	38
HULAT-HAI	2	0	0	0	0	2	0	0	2
HULAT-UC3M	4	3	0	0	1	7	1	0	8
Monkey	0	0	0	0	1	0	1	0	1
NIL-UCM	11	20	0	0	1	31	1	0	32
NUQLab	1	1	0	0	0	2	0	0	2
SIM (no paper)	0	0	23	5	2	0	30	0	30
SPU	7	0	0	0	1	7	1	0	8
SRH-ReliableAI	0	0	0	0	0	0	0	2	2
SVNIT (no paper)	0	0	8	0	0	0	8	0	8
StuttgartAI	0	0	0	0	0	0	0	1	1
THM	3	2	9	10	0	5	19	0	24
TUKE-IAI	4	0	0	0	2	4	2	0	6
Tokatrons	2	0	0	0	0	2	0	0	2
UBCS	0	0	0	0	0	0	0	3	3
UBO	0	1	0	0	0	1	0	0	1
UPF	0	10	0	12	0	10	12	0	22
UvA	0	5	0	4	2	5	6	2	13
Writerslogic	15	25	37	34	1	40	72	1	113
Unknown team(s)	3	2	0	0	0	5	0	0	5
Total runs	169	218	242	125	14	387	381	12	780

Task 1 : Text Simplification



● Task 1 : Simplify Scientific Text

- New corpus (EMNLP/TSAR 2024)
 - Cochrane-auto is true document-level text simplification
 - More variation (sentence merge, order swaps) and discourse structure
 - Paragraph-level and sentence-level data realigned and restricted
 - New 2026 data crawled for 2025 (unknown to most models)
- Biomedical text and free to use, same format as existing TS corpora
 - Sentence-level (T1.1) and Document-level (T1.2) text simplification
 - Large-scale aligned train and test data

Cochrane-auto	2024	2025	2026	-full	-sections
# Documents	5,585	217	175	893	6,335
# Sentences	35,800	4,293	3,679	35,970	35,970

● Bonus : Cochrane Abstracts/Plain Language Summaries in English

- + Spanish (es), French (fr), Farsi (fa), Chinese (zh), Japanese (ja), Portuguese (pt), Korean (ko), Thai (th), German (de), ...
- + Abstracts and freely usable full-text systematic reviews
- + Novel section aligned version (EMNLP'25)

Task 1 : Evaluation



● Source :

```
{ "pair_id": "CD012520", "source": "Cochrane", "complex": "We included seven cluster-randomised  
→ trials with 42,489 patient participants from 129 hospitals, conducted in Australia, the UK,  
→ China, and the Netherlands. ... We are uncertain whether a multifaceted implementation  
→ intervention compared to no intervention improves adherence to evidence-based recommendations in  
→ acute stroke settings, because the certainty of evidence is very low." }
```

● References :

```
{ "CD012520": { "simple_auto": "We included seven studies that involved 42,489 acute stroke patients  
→ and an unknown number of health professionals. The studies were conducted in 129 hospitals in  
→ Australia, the UK, China and the Netherlands. ... We do not know if implementation interventions  
→ delivered in acute stroke units lead to better delivery of evidence-based care." }, ... }
```

● Predictions :

```
[{ "pair_id": "CD012520", "prediction": "Researchers conducted studies in hospitals across Australia, the  
→ UK, China, and the Netherlands. ... Overall, the evidence was not strong enough to say for sure  
→ if these strategies help healthcare workers follow best practices in treating stroke  
→ patients.", "run_id": "UBOnlp_task12_gpt4o"}, ... ]
```

- Test set includes : **New 2026 sentence-aligned Cochrane-auto (Abstract/PLS) + Raw Cochrane PLS, Section-level 2026, Full Abstract/PLS 2026, other languages 2026.**

Task 1.1 : Results (doc-level eval)



Team/Method	count	SARI	BLEU	FKGL	Compression ratio	Sentence splits	Levenshtein similarity	Exact copies	Additions proportion	Deletions proportion	Lexical complexity score
Source	32	9.12	14.41	13.81	1.00	1.00	1.00	1.00	0.00	0.00	8.78
Reference	32	100	100	10.82	0.44	0.63	0.45	0.00	0.11	0.69	8.50
ELIRF-UPV PromptingG	15	47.05	12.91	9.27	0.76	1.27	0.55	0.00	0.31	0.56	8.48
Writerslogic pls_pp	18	46.61	12.88	10.06	0.70	1.03	0.55	0.00	0.28	0.59	8.31
FOSU-YZH complete_mi	52	46.26	12.18	10.86	0.70	1.05	0.55	0.00	0.25	0.58	8.46
FOSU-CR cr	1	45.62	16.82	10.33	0.68	1.02	0.63	0.00	0.19	0.51	8.42
AIIRLab EnsembleLLM	18	45.08	10.04	11.35	0.73	0.98	0.45	0.00	0.30	0.58	8.35
SPU delete_fix	6	44.96	12.68	10.59	0.70	1.09	0.58	0.00	0.22	0.55	8.55
DKSLA QWEN 3.5 9B	1	44.52	15.53	11.10	0.74	1.07	0.60	0.00	0.20	0.48	8.60
NIL-UCM Llama3Prompt	10	44.44	9.26	10.10	0.67	1.00	0.50	0.00	0.30	0.64	8.33
DUTH DeBERTaSelectV1	12	44.17	7.97	11.44	0.83	1.07	0.51	0.00	0.40	0.57	8.25
Elsevier FS3_BestMat	13	44.05	14.66	8.41	0.65	1.05	0.61	0.00	0.18	0.52	8.32
Monkey promptDeepsee	1	43.66	19.41	11.81	0.59	0.80	0.64	0.00	0.09	0.53	8.48
CLNN Task1.1_P3	3	43.18	7.04	10.38	0.74	1.02	0.49	0.00	0.38	0.63	8.24
Chennai Task1_1_llam	3	42.97	6.90	9.26	0.77	1.23	0.49	0.00	0.39	0.62	8.29
TUKE RAG	6	42.49	11.08	7.11	0.67	1.23	0.59	0.00	0.22	0.53	8.47
HULAT-HAI with-orig	2	42.38	6.86	12.47	0.81	0.97	0.51	0.00	0.36	0.59	8.41
NUQLab janbakker_o_b	1	41.40	22.27	12.36	0.39	0.52	0.54	0.00	0.00	0.64	8.66
HULAT-UC3M task11_Qw	3	40.70	5.79	11.72	0.81	1.10	0.51	0.00	0.34	0.57	8.56
BioSimplex SciBERT_F	3	40.01	17.81	10.05	0.50	0.89	0.62	0.00	0.04	0.58	8.73
AUTH DPO on our synt	6	39.68	5.25	10.37	1.85	2.69	0.50	0.00	0.60	0.25	8.50
Tokatrons task11_BAR	2	34.42	9.17	13.22	1.71	1.96	0.58	0.00	0.52	0.15	8.54

- Evaluated on 32 aligned new 2026 Cochrane-auto Abstract/PLS.
- Codabench evaluation doc-level also for Task 1.1 (identical to 1.2).

Task 1.1 : Results (snt-level eval)



Team/Method	count	SARI	BLEU	FKGL	Compression ratio	Sentence splits	Levenshtein similarity	Exact copies	Additions proportion	Deletions proportion	Lexical complexity score
Source	346	10.76	17.92	14.12	1.00	1.00	1.00	1.00	0.00	0.00	8.54
Reference	346	100	100	10.77	0.93	1.10	0.55	0.03	0.33	0.50	8.24
FOSU-CR cr	1	47.08	19.05	10.11	0.80	1.03	0.67	0.03	0.24	0.42	8.19
ELIRF-UPV PromptingG	15	46.66	14.28	9.18	0.97	1.44	0.59	0.14	0.38	0.44	8.26
Writerslogic V4	18	45.86	12.69	9.02	0.59	1.00	0.58	0.00	0.17	0.57	8.27
FOSU-YZH Agenticdeep	52	45.72	14.68	11.17	0.78	0.99	0.62	0.01	0.29	0.51	8.09
DKSLA QWEN 3.5 9B	1	44.81	17.39	10.58	0.93	1.12	0.64	0.14	0.26	0.40	8.41
SPU executor	6	44.58	13.34	10.57	0.82	1.10	0.63	0.08	0.30	0.49	8.32
AIIRLab llama	18	44.29	12.88	12.37	1.15	1.23	0.58	0.06	0.40	0.45	8.35
Elsevier FS3_BestMat	13	43.11	15.91	8.43	0.74	1.06	0.63	0.00	0.26	0.48	8.06
BioSimplex SciBERT_F	3	43.09	23.05	11.27	0.79	1.01	0.78	0.20	0.07	0.30	8.39
NIL-UCM Llama3Prompt	10	42.68	9.84	10.19	0.80	1.03	0.53	0.00	0.42	0.60	8.14
DUTH Gemma2_9B_Sourc	12	42.39	9.11	11.60	0.92	1.03	0.55	0.03	0.45	0.53	8.10
TUKE RAG	6	41.84	12.76	6.92	0.81	1.28	0.62	0.00	0.31	0.46	8.22
Monkey promptDeepsee	1	41.51	18.50	10.64	0.72	0.98	0.69	0.15	0.13	0.42	8.21
CLNN Task1.1_P2	3	41.10	6.03	14.61	1.23	1.14	0.52	0.00	0.58	0.46	8.17
Chennai Task1_1_llam	3	40.60	7.11	9.04	0.86	1.28	0.50	0.00	0.50	0.64	8.11
HULAT-HAI with-orig	2	40.41	7.26	12.43	0.93	0.99	0.52	0.00	0.47	0.58	8.25
NUQLab janbakker_o_b	1	40.20	13.72	11.95	0.54	0.65	0.57	0.29	0.01	0.48	9.27
AUTH SFT on open dat	6	39.45	2.05	8.41	5.73	7.16	0.46	0.05	0.63	0.31	8.50
Tokatrons task11_BAR	2	38.87	11.58	13.22	2.50	2.00	0.54	0.00	0.54	0.14	8.43
HULAT-UC3M task11_Qw	3	37.48	3.26	12.69	1.34	1.31	0.48	0.00	0.53	0.57	8.48

- Evaluated on 346 sentence pairs of 32 new 2026 Cochrane-auto data

Task 1.1 : Results (raw doc-level)



Team/Method	count	SARI	BLEU	FKGL	Compression ratio	Sentence splits	Levenshtein similarity	Exact copies	Additions proportion	Deletions proportion	Lexical complexity score
Source	175	8.88	12.40	13.02	1.00	1.00	1.00	1.00	0.00	0.00	8.85
Reference	175	46.84	0.01	10.82	0.08	0.11	0.08	0.00	0.02	0.94	10.40
Writerslogic pls_pp	18	47.43	14.21	10.19	0.73	1.02	0.55	0.00	0.29	0.58	8.38
FOSU-YZH hybrid_safe	52	47.01	11.97	10.55	0.70	1.04	0.55	0.00	0.26	0.58	8.50
ELIRF-UPV PromptingG	15	46.36	9.91	7.87	0.95	1.77	0.54	0.00	0.45	0.50	8.44
AIIRLab EnsembleLLM	18	46.24	10.80	11.36	0.77	0.98	0.45	0.00	0.33	0.57	8.40
DUTH PlainBestV1	12	46.09	8.85	11.75	0.87	1.02	0.51	0.00	0.43	0.56	8.28
NIL-UCM Llama3Prompt	10	45.51	8.99	10.04	0.70	0.99	0.50	0.00	0.32	0.63	8.34
FOSU-CR cr	1	45.07	14.92	10.49	0.72	1.01	0.63	0.00	0.21	0.50	8.42
SPU DeepSimplify_tas	6	45.00	11.46	10.19	0.74	1.10	0.57	0.00	0.25	0.54	8.57
CLNN Task1.1_P3	3	44.93	7.74	10.41	0.79	1.02	0.49	0.00	0.41	0.61	8.26
Chennai Task1_1_llam	3	44.89	7.51	9.31	0.80	1.21	0.48	0.00	0.42	0.62	8.32
HULAT-HAI with-orig	2	44.20	7.80	12.71	0.88	0.98	0.51	0.00	0.40	0.55	8.49
DKSLA QWEN 3.5 9B	1	42.92	13.46	11.25	0.79	1.08	0.61	0.00	0.22	0.46	8.65
HULAT-UC3M task11_Qw	3	42.86	6.94	11.64	0.85	1.11	0.51	0.00	0.36	0.56	8.58
Monkey promptDeepsee	1	42.79	13.07	11.37	0.59	0.78	0.62	0.00	0.10	0.54	8.54
Elsevier SentencePro	13	42.07	12.81	8.12	0.69	1.07	0.62	0.00	0.20	0.49	8.42
TUKE RAG	6	41.76	9.90	7.14	0.69	1.23	0.59	0.00	0.23	0.51	8.50
AUTH DPO on our synt	6	41.11	5.65	10.74	2.09	2.87	0.49	0.00	0.61	0.22	8.52
NUQLab janbakker_o_b	1	38.96	6.98	12.00	0.37	0.48	0.51	0.00	0.00	0.66	8.72
BioSimplex SciBERT_F	3	37.98	8.31	9.81	0.51	0.88	0.63	0.00	0.04	0.57	8.80
Tokatrons task11_BAR	2	34.30	8.76	12.84	1.78	2.01	0.58	0.00	0.53	0.13	8.55

● Evaluated on 175 (unaligned) new 2026 Cochrane Abstract/PLS

Task 1.2 : Results (doc-level eval)



Team/Method	count	SARI	BLEU	FKGL	Compression ratio	Sentence splits	Levenshtein similarity	Exact copies	Additions proportion	Deletions proportion	Lexical complexity score
Source	32	9.12	14.41	13.81	1.00	1.00	1.00	1.00	0.00	0.00	8.78
Reference	32	80.82	45.86	10.32	0.96	1.40	0.47	0.00	0.39	0.48	8.51
FOSU-CR cr	1	47.97	16.96	8.54	0.55	0.97	0.48	0.00	0.18	0.63	8.47
ELIRF-UPV PromptingG	18	47.48	17.59	10.19	0.51	0.81	0.51	0.00	0.15	0.65	8.52
Writerslogic top3min	22	47.16	15.35	11.04	0.55	0.84	0.51	0.00	0.17	0.67	8.50
UvA RAG_BoN_k4_Q32	5	46.81	15.04	10.87	0.57	0.84	0.51	0.00	0.18	0.65	8.45
Elsevier FS3_BestMat	18	45.94	12.80	8.85	0.32	0.58	0.39	0.00	0.09	0.77	8.31
UPF MBR-SARI-ALL	10	45.79	11.60	9.89	0.70	1.11	0.51	0.00	0.26	0.58	8.51
NIL-UCM Agents	19	45.32	10.99	9.29	0.83	1.28	0.56	0.00	0.33	0.51	8.35
FOSU-YZH AgenticRAG4	15	45.31	13.91	8.10	0.37	0.68	0.43	0.00	0.09	0.73	8.42
TUKE Gemma2_9B_IT_Do	1	44.97	13.50	9.88	0.54	0.97	0.42	0.00	0.22	0.71	8.40
DKSLA QWEN 3.6 27B	2	44.28	18.68	12.29	0.61	0.83	0.57	0.00	0.12	0.55	8.63
DUTH Gemma2_9B_Hybri	61	44.28	10.49	10.19	0.52	0.82	0.44	0.00	0.21	0.70	8.31
AIIRLab concat	14	44.19	11.53	12.29	0.93	1.25	0.57	0.00	0.34	0.48	8.60
CLNN Task1.2_P5	3	43.91	12.17	11.32	0.42	0.55	0.41	0.00	0.14	0.72	8.56
UBO PASTIS	1	42.97	8.21	9.48	0.61	0.97	0.45	0.00	0.27	0.67	8.34
Chennai Task1_2_Mist	5	42.93	10.32	11.84	0.39	0.53	0.41	0.00	0.11	0.74	8.59
NUQLab janbakker_o_b	1	41.40	22.27	12.36	0.39	0.52	0.54	0.00	0.00	0.64	8.66
HULAT-UC3M task12_Qw	3	41.09	18.63	12.59	0.70	0.90	0.68	0.00	0.11	0.45	8.66
AUTH KTO on our synt	6	39.13	9.14	8.61	0.47	0.74	0.48	0.00	0.14	0.68	8.68
SIM Task23_Copy_Grou	2	9.12	14.41	13.81	1.00	1.00	1.00	1.00	0.00	0.00	8.78

● Evaluated on 32 aligned new 2026 Cochrane-auto Abstract/PLS

Task 1.2 : Results (raw doc-level eval)



Team/Method	count	SARI	BLEU	FKGL	Compression ratio	Sentence splits	Levenshtein similarity	Exact copies	Additions proportion	Deletions proportion	Lexical complexity score
Source	175	8.88	12.40	13.02	1.00	1.00	1.00	1.00	0.00	0.00	8.85
Reference	175	100	100	11.26	0.79	1.05	0.44	0.00	0.34	0.59	8.63
FOSU-CR cr	1	48.85	12.22	8.80	0.52	0.88	0.45	0.00	0.18	0.66	8.47
UvA RAG_BoN_k4_Q32L7	5	47.57	12.80	12.34	0.75	0.90	0.51	0.00	0.31	0.60	8.44
TUKE Gemma2_9B_IT_Do	1	47.18	10.42	9.91	0.52	0.85	0.42	0.00	0.22	0.73	8.52
Writerslogic top3min	22	46.91	10.20	11.13	0.54	0.78	0.49	0.00	0.17	0.67	8.57
ELIRF-UPV PromptingG	18	46.22	9.69	7.77	0.56	1.10	0.50	0.00	0.20	0.65	8.43
DUTH PlainBestV1	61	46.16	8.93	11.75	0.86	1.01	0.51	0.00	0.43	0.57	8.28
UPF MBR-SARI-Rank-Pr	10	45.84	11.25	10.17	0.76	1.11	0.51	0.00	0.28	0.55	8.56
NIL-UCM Agents	19	45.34	10.86	9.33	0.79	1.18	0.54	0.00	0.32	0.53	8.42
Elsevier FS3_V3_Seed	18	45.33	6.92	9.59	0.40	0.61	0.43	0.00	0.10	0.71	8.42
UBO PASTIS	1	44.25	6.84	9.53	0.60	0.92	0.45	0.00	0.27	0.68	8.36
FOSU-YZH AgenticRAG4	15	44.09	5.22	7.98	0.36	0.64	0.41	0.00	0.09	0.74	8.44
AIIRLab concat	14	43.80	10.53	12.34	0.95	1.21	0.56	0.00	0.36	0.48	8.59
CLNN Task1.2_P5	3	43.80	4.91	11.38	0.39	0.51	0.39	0.00	0.13	0.75	8.60
DKSLA QWEN 3.6 27B	2	43.59	10.43	11.80	0.55	0.73	0.51	0.00	0.13	0.60	8.65
Chennai Task1_2_llam	5	42.62	3.99	10.27	0.40	0.56	0.38	0.00	0.18	0.78	8.46
AUTH KTO on our synt	6	39.06	3.73	9.05	0.42	0.64	0.45	0.00	0.12	0.71	8.69
NUQLab janbakker_o_b	1	38.97	6.97	12.01	0.36	0.48	0.51	0.00	0.00	0.66	8.72
HULAT-UC3M task12_Qw	3	37.73	13.94	12.39	0.65	0.80	0.67	0.00	0.07	0.46	8.72
SIM Task23_Copy_Grou	2	8.88	12.40	13.02	1.00	1.00	1.00	1.00	0.00	0.00	8.85

● Evaluated on 175 (unaligned) new 2026 Cochrane Abstract/PLS



Task 1 : Scores hide differences...

● Conservative (Contextual BART model) :

CD012019 We included eight studies involving 646 participants , most of which were of poor methodological quality . | The urinary biomarkers were evaluated either in a specific phase of menstrual cycle or irrespective of the cycle phase . | Five studies evaluated the diagnostic performance of four urinary biomarkers for endometriosis , including three biomarkers distinguishing women with and without endometriosis (enolase 1 (NNE) ; vitamin D binding protein (VDBP) ; and urinary peptide profiling) ; and one biomarker (cytokeratin 19 (CK 19)) showing no significant difference between the two groups . | All of these biomarkers were assessed in small individual studies and could not be statistically evaluated in a meaningful way . | None of the biomarkers met the criteria for a replacement test or a triage test . | Three studies evaluated three biomarkers that did not differentiate women with endometriosis from disease-free controls . | There was insufficient evidence to recommend any urinary biomarker for use as a replacement or triage test in clinical practice for the diagnosis of endometriosis . | Several urinary biomarkers may have diagnostic potential , but require further evaluation before being introduced into routine clinical practice . | Laparoscopy remains the gold standard for the diagnosis of endometriosis , and diagnosis of endometriosis using urinary biomarkers should only be undertaken in a research setting . |

● Completely rewoded (GPT4o model) :

CD012019 We included looked at eight studies involving with 646 participants , most people . Most of which these studies were of poor methodological quality not done well . | The urinary biomarkers were evaluated either in a specific phase of Researchers checked urine tests to see if the timing within the menstrual cycle mattered or irrespective of the cycle phase not . | Five studies evaluated the diagnostic performance of looked at four urinary biomarkers urine tests for endometriosis , including three biomarkers distinguishing . Three tests could tell the difference between women with and without endometriosis (enolase 1 (NNE) ; vitamin D binding protein (VDBP) ; and urinary urine peptide profiling patterns) , and one biomarker . One test , called cytokeratin 19 (CK 19) , showing no significant , did not show a difference between the two groups . | All of these biomarkers tests were assessed tried in small individual studies and could . There were not be statistically evaluated enough people in a meaningful way the studies to give strong results . | None of the biomarkers met the criteria for urine tests were good enough to use as a replacement main test or a triage first test to decide who gets more testing . | Three studies evaluated tested three biomarkers that different urine markers , but these did not differentiate tell the difference between women with endometriosis from disease-free controls and women without it . | There was insufficient evidence is not enough proof to recommend suggest any urinary biomarker urine test should be used instead of current tests or to decide who needs them for use as a replacement or triage test in clinical practice for the diagnosis of endometriosis . | Several urinary biomarkers may have diagnostic potential Some urine tests might help diagnose endometriosis in the future , but require further evaluation more studies are needed before being introduced into routine clinical practice doctors can use them regularly . | Laparoscopy remains (a minor surgery to look inside the gold standard belly) is still the best way to find endometriosis . Urine tests for the diagnosis of endometriosis , and diagnosis of endometriosis using urinary biomarkers should only be undertaken used in a research setting studies right now . |

Task 1 : Examples



CLEF 2026

JENA



● Useful Additions?

CD012019 We included eight studies ~~involving~~ with 646 ~~participants~~, ~~most~~ people taking part . Most of ~~which~~ these studies were ~~of~~ not done very well (had poor ~~methodological~~ quality in how they were carried out) . The substances in urine (urinary biomarkers) were ~~evaluated~~ checked either ~~in~~ during a ~~specific phase~~ certain part of the menstrual cycle or ~~irrespective~~ without considering which part of the cycle ~~phase~~ it was . Five studies ~~evaluated the diagnostic performance of~~ looked at how well four different substances found in urine (urinary biomarkers ~~for~~) can help doctors find endometriosis , ~~including three biomarkers distinguishing women with and without endometriosis (a disease where tissue similar to the lining inside the uterus grows outside it) . Three of these substances (enolase 1 (NNE) ÷ , vitamin D binding protein (VDBP) ÷ , and urinary peptide profiling) ÷ were able to tell the difference between women who have endometriosis and one biomarker those who do not . One substance (cytokeratin 19 (CK 19)) showing no significant did not show a clear difference between the two groups .~~

● Noisy and LLM commentary!

CD012520 We included 8 . 'We looked at seven ~~cluster-randomised trials with~~ studies where groups of people were randomly assigned to different treatments . These studies involved 42,489 ~~patient participants~~ patients from 129 hospitals , ~~conducted~~ in Australia , the UK , China , and the Netherlands . ¶ Health Okay , everyone , so in this study , we had a group of participants who were health professional participants . This means we had people working in healthcare . The text tells us that this group included nurses , doctors (~~numbers not specified~~ that 's the medical professionals) ~~included nursing , medical and allied health professionals~~ . Think of allied health professionals as other healthcare workers who are n't doctors or nurses , but still provide important services like physical therapists , occupational therapists , or dieticians , for example . The text also notes that it does n't specify exactly * how many * people from each of these professions participated . |

Task 1 : Findings



- Novel **document-level** text simplification resource (Cochrane-auto)
 - References based on **real-world plain language summaries**
 - References are no direct sentence simplifications
 - Evaluated sentence and document level
 - High correlation sentence-aligned Cochrane-auto and "raw" PLS
- **Record participation** with CodaBench
 - **Document (abstract) level TS is more effective** than sentence level TS
 - **LLMs**, both open and closed source, are highly effective
 - More attention to **overgeneration** (details in Task 2)
- Remaining issues
 - Already data for other languages, Section-level, Full abstracts.
 - Still **complex terminology** (approaches to explain biomedical terms)
 - **LLMs change the wording** (also when not needed)
 - Overgeneration ("**hallucination**") remains an issue for long input/output

Task 2 : Controlled Creativity

CLEF 2026
JENA

- **Task 2 : Identify and Avoid Hallucination**

- Task 2.1 : *to identify creative generation at document level*
 - to detect what sentences are fully grounded on source input (a) without and (b) with access to the source sentences
 - → also labels those introducing **significant new content**
- Task 2.2 : *to detect and classify information distortion errors in simplified sentences*
 - Can LLMs do detailed "human evaluation" ?
- Task 2.3 : *to avoid creative generation and perform grounded generation by design*
 - Submit pairs of simplified abstracts with/without "hallucinations"

Task 2 : Example



Document-level example — Simplified Cochrane abstract (CD014920).

Prediction : "We studied 3 experiments with 1144 participants. Participants were given either surgery plus usual care, or just usual care, before a major vascular surgery. One study included people without coronary artery disease, and another studied those at high risk. Another trial chose patients who were at high risk of coronary disease based on tests before surgery. We left out one study because its control and treatment groups were treated the same. We found that the trials had a high risk of some types of bias. The risk of bias was low in some areas, but not others. (I chose 'rephrase' as the simplification strategy to make the sentence more concise and easier to understand, while maintaining its original meaning.) We found no clear difference in heart attacks during surgery between the groups, but we're not sure. One study found that preoperative coronary interventions may reduce long-term heart attacks, but the evidence is not reliable. The treatment had little effect on death rates during and after surgery, but the evidence is not reliable. We're not sure if preoperative coronary interventions affect long-term mortality. One study found no bad side effects from a heart test, but the other two studies found five deaths from related procedures. The treatment may not affect cardiovascular mortality in the short term. The treatment may shorten hospital stays by about a day. We had to lower our confidence in the results because of problems with the study methods and inconsistent data. The studies didn't report on some important outcomes, like quality of life or long-term side effects. Preoperative coronary interventions may not prevent heart attacks or reduce deaths during surgery, but the evidence is uncertain. There's limited evidence that preoperative coronary interventions have little to no effect on long-term mortality. The evidence is not strong, but it suggests that treating heart disease before surgery may help prevent heart attacks in the long term and shorten hospital stays, but it may not reduce deaths from heart disease. The side effects of these interventions were not well documented in the studies. The studies didn't report on quality of life or graft success. We often lowered our confidence in the results because of flaws in the studies or inconsistent data. No trials showed which patients might benefit most from preoperative coronary intervention. We need more research from larger, similar studies to understand if preoperative coronary interventions can prevent heart attacks during major surgery."

Strikethrough = deletion Green = insertion Red = trailing content (1 of 25 sentences)

Task 2 : Labels & Examples



- **leaked_instructions**

Src Studies in general were small with a median sample size of 42.

Prd Most studies were small, with 42 participants on average. (I chose 'rephrase' as the internal simplification strategy)

- **generation_failure**

Src We included 50 RCTs with 1407 participants.

Prd We included 50 RCTs. Output : We included 50 RCTs. Output : We included 50 RCTs.: : : : : - : - : - : - : - : - :

- **ungrounded_injection**

Src The harm profiles of the antibiotic regimes featured in this review remain unknown.

Prd The harm profiles of the antibiotic regimes featured in this review remain unknown.
Harm profiles : information about possible side effects or risks of the treatments.

- **repetitive_content**

Src Of the statins we evaluated, only rosuvastatin seemed to be associated with a reduced incidence of VTE.

Prd semantically, rosuvastatin appears to be associated with VTE trim. rosuvastatin appears to be associated with VTE trim.

- **grounded_overgeneration**

Src The safety profile is unknown.

Prd The safety profile is unknown. We don't know how safe it is.

Task 2 : Data



- Massive set of data created by submissions from 2025 :

	Train	Dev	Test	Manual
# Documents	21,057	1,120	5,608	154
# Sentences	350,583	18,638	86,363	2,688

- Test split label composition :

Category	<i>n</i>	%	<i>n</i>	Hum. T	Tax. T	Agr.
leaked_instructions	17,199	43.4	227	97.8	99.6	98.2
generation_failure	13,232	33.4	176	94.9	97.7	93.8
ungrounded_injection	7,211	18.2	215	13.5	3.3	87.9
repetitive_content	1,808	4.6	14	85.7	100.0	85.7
grounded_overgeneration	136	0.3	6	33.3	16.7	83.3
other			8	62.5	25.0	62.5
Total positive labels	39,586	100.0	Pos. label agreement			93.4%

Task 2.1 : Results



Team/Method	count	Document			Sentence		
		F1	Prec	Rec	F1	Prec	Rec
AIIRLab majorityvote	7	0.82	0.81	0.82	0.86	0.83	0.90
writerslogic v13_deb_t40	37	0.81	0.81	0.81	0.86	0.85	0.88
CYUT DeBERTa_XGB_QwenAudit_v1	76	0.81	0.80	0.82	0.86	0.84	0.89
DUTH TH0524_DocFlip_Add1_Rem0	64	0.80	0.81	0.79	0.86	0.84	0.88
A-R A_R Team	4	0.79	0.83	0.75	0.85	0.84	0.86
FutureMakers MyTeam_Task21_Pub	8	0.78	0.79	0.77	0.83	0.80	0.85
FOSU-YZH-Group DeBERTa075_RoBE	6	0.77	0.83	0.72	0.84	0.85	0.84
THM BertOnly_roberta	9	0.74	0.83	0.67	0.60	0.62	0.58
SIM PerLabelBinaryUnion	22	0.60	0.62	0.58	0.72	0.72	0.72
No source	3	0.43	0.32	0.66	0.41	0.28	0.74

- GenAI can detect overgeneration in GenAI !
 - Document-level F1 above 80%
 - Sentence-level F1 above 85%
 - Source comparison is essential...
 - No source still F1 over 40%

Task 2.2 : Results



Team/Method	count	Acc.	Document			Sentence		
			F1	Prec	Rec	F1	Prec	Rec
AIIRLab NLI_CrossEncoder	10	0.85	0.75	0.63	0.92	0.79	0.68	0.94
writerslogic v28_union_70	34	0.81	0.78	0.72	0.85	0.85	0.81	0.89
CYUT CrossEncoder_Weighted_RAG	8	0.80	0.79	0.74	0.84	0.84	0.79	0.91
FutureMakers MyTeam_PubMedBERT	33	0.79	0.47	0.31	0.92	0.42	0.28	0.91
DUTH SciBERTMulti_SourceAware_	14	0.79	0.79	0.82	0.76	0.85	0.85	0.85
UPF Ensemble	12	0.78	0.47	0.32	0.92	0.32	0.19	0.92
THM BertOnly_distilbert	10	0.74	0.72	0.73	0.70	0.81	0.82	0.81
SIM GeneralizationBalanced	5	0.64	0.58	0.55	0.61	0.70	0.67	0.72
UvA GPT41Mini_GroundedV1	4	0.50	0.41	0.28	0.77	0.31	0.19	0.79
FOSU-YZH-Group DocAgent_Detect	1	0.44	0.40	0.27	0.84	0.29	0.17	0.84
UBO test_submission	1	0.03	0.34	0.20	0.91	0.07	0.04	0.15
No source	3	0.45	0.43	0.32	0.66	0.41	0.28	0.74

- GenAI can classify overgeneration in GenAI !
 - Accuracy at 85%
 - Most systems two stage, slightly lower detection F1
 - Source comparison is essential...
 - No source still Accuracy over 45%

Task 2.3 : Analysis of T1 submissions



% Over-generation	Sentence			Document		
	Subm.	Number	Fraction	Subm.	Number	Fraction
≥ 50%	179	5	2.8%	210	37	17.6%
≥ 25%	179	17	9.5%	210	88	41.9%
≥ 10%	179	69	38.5%	210	115	54.8%
≥ 5%	179	82	45.8%	210	164	78.6%

- We still observe considerable overgeneration in the submissions
 - Content at the end of the prediction, such as a sentence without any corresponding token in the source.
 - Can be noise, LLM commentary, or potentially useful information injection (e.g., explaining jargon).
 - Far fewer documents than sentences, hence higher fractions. One ungrounded sentence taints the entire document.
 - Evaluation of overlap with the references is "blind" to detect this. In fact, repeating output is not uncommon and can increase scores for submissions that "optimize" BLEU/SARI.

Task 3 : Research Area Classification

CLEF 2026
JENA

- *Task 3 : Classification of scientific articles by research area*
- The task asks to classify scientific articles using a given taxonomy
 - Corpus : scientific publications crawled from arXiv.
 - Labels : DFG Subject Area classification
 - Evaluation : Accuracy in terms of exact match and graded on semantic distance.
- New task in 2026 !

Classify with DFG Subject Area



- DFG Subject Areas (Training stats)

Discipline Area		Field Area	
Descriptor	Number	Descriptor	Number
Natural Sciences	9,409	Physics	4,995
		Mathematics	4,001
		Chemistry	240
		Geosciences	173
		Computer Science	1,254
Engineering Sciences	1,601	Electrical Engineering and Information Technology	207
		Mechanical and Industrial Engineering	69
		Systems Engineering	50
		Civil Engineering	12
		Materials Science	7
		Process Engineering	2
		Biology	696
		Medicine	211
Life Sciences	907	Veterinary Medicine	0
		Social and Behavioural Sciences	194
		Psychology	91
Social Sciences	361	Education	76
		Social Sciences	0
		Linguistics	15
		Archeology	5
Humanities	23	Literary Studies	3
		Anthropology	0
		Humanities	0
			0

Task 3 : Results



Team Name	Discipline Area			Field Area		
	EM	SD	ED	EM	SD	ED
Data Dumplings	0.5983	0.6909	0.7836	0.8448	0.9080	0.9242
UBCS_2	0.5915	0.6877	0.7738	0.7684	0.8538	0.8912
UBCS_1	0.5518	0.6483	0.7533	0.7573	0.8481	0.8804
SRH-Reliable AI	0.6056	0.7003	0.7780	0.7390	0.8284	0.8689
AIIRLab_2	0.6539	0.7356	0.8068	0.7353	0.8270	0.8695
AIIRLab_1	0.5838	0.6746	0.7696	0.7288	0.8244	0.8698
UAmsterdam_2	0.6122	0.7035	0.7759	0.7033	0.8279	0.8472
Writerslogic Inc	0.4439	0.5676	0.6571	0.5561	0.7471	0.7924
UAmsterdam_1	0.0625	0.2281	0.4099	0.2000	0.6225	0.6659

- Task is relatively simple, best approach 85% accuracy (EM)

Task 3 : Analysis



Exact Match	Team Name	Natural Sciences	Life Sciences	Engineering Sciences	Social Sciences	Humanities	Macro Average
	Data Dumplings	0.91	0.75	0.79	0.84	0.60	0.78
	Stuttgart AI	0.92	0.78	0.85	0.76	0.30	0.72
	UBCS_3	0.92	0.76	0.86	0.80	0.20	0.71
	UBCS_2	0.92	0.75	0.82	0.79	0.20	0.69
	UBCS_1	0.92	0.75	0.83	0.73	0.20	0.69
	SRH Reliable AI_2	0.92	0.81	0.86	0.82	0.00	0.68
	SRH-Reliable AI_1	0.92	0.81	0.86	0.82	0.00	0.68
	AIIRLab_2	0.91	0.82	0.87	0.75	0.00	0.67
	AIIRLab_1	0.92	0.80	0.78	0.82	0.00	0.66
	UAmsterdam_1	0.81	0.54	0.86	0.48	0.40	0.62
	Writerslogic Inc	0.79	0.32	0.11	0.62	0.00	0.37
	UAmsterdam_2	0.54	0.00	0.00	0.00	0.00	0.11

- Most models ignore minority classes...



Pilot Task : Cochrane Sections+Full

Technical abstract

Background

Surgeons and their assistants are especially at risk of exposure to blood due to glove perforations and needle stick injuries during operations. The use of blunt needles can reduce this risk because they don't penetrate skin easily but still perform sufficiently in other tissues.

Objectives

To determine the effectiveness of blunt needles compared to sharp needles for preventing percutaneous exposure incidents among surgical staff.

Search methods

We searched MEDLINE and EMBASE (until May 2011), CENTRAL, NHSEED, Science Citation Index Expanded, CINAHL, Nioshtic, CISdoc, PsycINFO, and LILACS (until September 2010).

Selection criteria

Randomised controlled trials (RCTs) of blunt versus sharp suture needles for preventing needle stick injuries among surgical staff measured as glove perforations or self-reported needle stick injuries.

Data collection and analysis

Two authors independently assessed study eligibility and risk of bias in trials and extracted data. We synthesized study results with a fixed-effect model meta-analysis.

Main results

We located 10 RCTs involving 2961 participating surgeons performing an operation in which the use of blunt needles was compared to the use of sharp needles. Four studies focused on abdominal closure, two on caesarean section, two on vaginal repair and two on hip replacement. On average, a surgeon that used sharp needles sustained one glove perforation in three operations. The use of blunt needles reduced the risk of glove perforations with a relative risk (RR) of 0.46 (95% confidence interval (CI) 0.38 to 0.54) compared to sharp needles. The use of blunt needles will thus prevent one glove perforation in every six operations.

In four studies, the use of blunt needles reduced the number of self-reported needle stick injuries with a RR of 0.31 (95% CI 0.14 to 0.68). Because the force needed for the blunt needles is higher, their use was rated as more difficult but still acceptable in five out of six studies.

The quality of the evidence was rated as high.

Authors' conclusions

There is high quality evidence that the use of blunt needles appreciably reduces the risk of exposure to blood and bodily fluids for surgeons and their assistants over a range of operations. It is unlikely that future research will change this conclusion.

Plain language summary

Surgeons and their assistants are especially at risk of needle stick injuries during operations. This can lead to infection with HIV or other blood-borne viruses. The use of blunt needles is proposed to prevent needle stick injuries. We reviewed the literature to evaluate the preventive effect of blunt needles compared to sharp needles on needle stick injuries among surgical staff. We searched multiple medical databases (to May 2011). We included studies if they were randomised controlled trials (RCTs) of blunt versus sharp suture needles for preventing needle stick injuries among surgical staff. We located 10 RCTs with 2961 operations in which blunt needles were compared to sharp needles. Six studies focused on abdominal operations, two on vaginal repair and two on hip replacement. On average, a surgeon that used sharp needles sustained one glove perforation per three operations. The use of blunt needles reduced the risk of glove perforations by 54% (95% confidence interval 46% to 62%) compared to sharp needles. The use of blunt needles in six operations will thus prevent one glove perforation. In four studies the use of blunt needles also reduced the number of self-reported needle stick injuries by 69% (95% confidence interval 14% to 68%). Even though surgeons reported that the force needed for the blunt needles was higher, their use of the needles was still rated as acceptable in five out of six studies. We concluded that there is high quality evidence that the use of blunt needles appreciably reduces the risk of contracting infectious diseases for surgeons and their assistants over a range of operations by reducing the number of needle stick injuries. It is unlikely that future research will change this conclusion.

 CLEF 2026
JENA

- All earlier research used only the last two sections !
- Cochrane Sections (Bakker & Kamps, EMNLP'25) adds each individual section
- We also add the complete abstract (all 7 or 12 sections)
- New Middle ground : sentences too short, documents too long

English : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	8.88	6.74	11.07	6.79	3.20	5.61	2.36	7.09	11.08	9.73
Reference	2	100.00	97.11	98.81	98.02	95.67	97.59	95.93	95.62	98.16	100.00
Nazarii Tymochko.js	1	47.18	42.39	40.94	40.74	48.36	39.69	38.57	45.25	43.21	46.12
UPF MBR_SARI_Propri	10	45.67	41.88	47.28	41.09	39.23	40.94	37.36	42.09	45.14	49.61
task12 2026_submissi	22	43.96	41.25	42.21	41.30	39.08	40.49	37.24	44.93	43.50	41.05
FOSU-CR cr_document	1	48.85	41.19	45.99	38.75	38.50	37.01	36.52	47.05	44.49	47.03
UvA RAG_BoN_k4_Q32L7	5	47.57	40.93	44.83	40.15	37.59	40.16	34.53	44.22	44.99	49.68
ELIRF-UPV PromptingG	17	46.22	40.08	45.02	38.39	34.15	38.06	36.47	45.10	43.35	45.57
FOSU-YZH DocAgent_Co	1	39.77	40.05	44.77	39.93	34.51	39.59	35.04	43.73	42.76	37.28
CLNN Task1.2_P4.json	3	43.56	39.26	43.53	40.41	30.46	39.85	34.66	44.06	41.88	41.04
submit task1_2_v33_2	5	42.62	39.13	42.80	37.99	33.86	39.13	35.92	43.55	40.67	40.61
NIL-UCM Llama3Prompt	1	44.11	39.01	46.47	37.52	31.93	38.27	32.62	43.26	43.00	44.96
AIIRLab LLaMABaseLin	9	42.67	38.05	44.03	38.24	29.18	38.72	32.61	42.71	40.86	42.19
HULAT-UC3M task12_Qw	3	36.79	37.47	37.56	37.09	33.64	36.96	40.00	39.19	37.87	33.37
KTO task12_Team AUT	1	39.06	37.28	43.24	39.13	27.76	37.19	33.67	38.98	41.00	38.49
SFTNormal task12_Te	1	38.78	37.01	45.91	39.48	21.06	33.90	33.80	41.93	42.97	42.88
DPO task12_Team AUT	3	38.75	36.90	44.25	38.91	28.98	37.65	30.79	36.54	41.19	40.53
SFTBest task12_Team	1	38.87	36.76	43.29	37.52	28.31	37.48	31.58	38.33	40.84	39.11
task1_2_2	2	43.59	33.55	34.55	31.94	28.52	32.59	29.65	41.24	36.38	42.98
NUQLab jankbakker_o_b	1	38.97	29.06	31.84	19.45	25.48	24.25	30.23	37.09	35.10	38.39
DUTH Strategy6_Ensem	61	46.13	15.56	20.35	15.37	3.65	14.25	11.90	12.69	30.68	13.79
SIM Task23_Copy_Tas	2	8.88	6.74	11.07	6.79	3.20	5.61	2.36	7.09	11.08	9.73

• SARI scores : 172 English Abstracts, Sections, Full Abstracts

Pilot Task : Cochrane Beyond English



Language	Abstract	Plain Language Summary
English	Typhoid fever is a major cause of enteric disease-related morbidity and mortality. Vaccination reduces disease burden and prevents outbreaks, but policies and programmes should be informed by the most recent evidence as newer vaccines become available.	More robust research in typhoid-endemic countries (countries where typhoid occurs regularly) in this area is needed. The bacteria have an outer layer of sugar molecules (called the Vi polysaccharide).
Spanish	La fiebre tifoidea es una de las principales causas de morbilidad y mortalidad relacionadas con las enfermedades entéricas. La vacunación reduce la carga de morbilidad y previene los brotes, pero las políticas y los programas deben estar informados por la evidencia más reciente a medida que se disponga de vacunas más nuevas.	Se necesitan estudios de investigación en esta área más consistentes en países donde la fiebre tifoidea es endémica (países donde la fiebre tifoidea ocurre de forma habitual).
Farsi	تب (typhoid fever) دبیو فیت بآ تسآ یاهدور یامرامیب.	دبیو فیت هک ییاهروشک (دبیو فیت بموب یاهروشک رد یرت یوق تاقیقحت ماجنا تسآ زاین دروم هنیمز نیا رد (دهلیم خراج نآ رد مظن روط هب
French	La fièvre typhoïde est une cause majeure de morbidité et mortalité liées aux maladies entériques. La vaccination réduit le fardeau de la maladie et prévient les flambées épidémiques, mais les politiques et les programmes doivent s'appuyer sur les données probantes les plus récentes, à mesure que de nouveaux vaccins deviennent disponibles.	Des recherches plus approfondies dans ce domaine sont nécessaires dans les pays où la typhoïde est endémique (pays où la typhoïde survient régulièrement).
Thai	ไข้ Typhoid เป็นสาเหตุสำคัญของการเจ็บป่วยและการเสียชีวิตที่เกี่ยวข้องกับโรคสำไส้	มีเลย เมื่อเทียบกับ TCV อื่นๆ จำเป็นต้องมีการวิจัยที่เข้มงวดยิ่งขึ้นในประเทศที่มีโรค Typhoid ระบาด (ประเทศที่มีโรคไทฟอยด์เกิดขึ้นเป็นประจำ)

- Parallel corpora in many languages – perfectly aligned !

Pilot Task : Cochrane Beyond English



Language	language	# Abstracts (2026)	# Doc. (All)	# Sent. (All)
English	"en"	172	3,289	20,259
Spanish	"es"	159	1,286	7,553
Farsi	"fa"	152	1,223	6,986
French	"fr"	137	1,122	7,220
Korean	"ko"	61	494	3,146
Thai	"th"	43	347	843
Portuguese	"pt"	24	195	1,201
Chinese	"zh_HANS"	15	85	1,434
Hindi	"hi"	2	16	44
German	"de"	1	8	67
Japanese	"ja"	1	4	56

- We have all new 2026 Cochrane pairs in all available languages !
- Cochrane Sections (Bakker & Kamps, EMNLP'25) plus full abstract
- Offers new data for Monolingual Non-English TS, but also
Cross-language TS, with directly comparable crosslingual corpora

Spanish : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	7.53	12.54	7.59	4.00	5.95	2.62	7.66	12.37	10.69
Reference	2	0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
UPF MBR_SARI_Propri	10	0.00	42.79	47.17	42.43	45.23	40.82	38.21	40.97	44.70	48.72
FOSU-YZH DocAgent_Co	1	0.00	41.03	41.56	42.56	44.37	39.63	36.53	40.80	41.72	36.38
submit task1_2_v2_M	5	0.00	40.68	43.27	42.25	41.06	39.48	37.98	40.64	40.08	37.92
task12_2026_submissi	22	0.00	40.61	42.24	40.05	41.41	38.67	36.66	43.90	41.34	39.27
Nazarii Tymochko.js	1	0.00	39.96	42.54	38.83	36.83	40.79	38.28	42.09	40.36	41.82
AIIRLab LLaMABaseLin	8	0.00	37.84	43.09	38.56	32.93	35.66	31.70	41.48	41.50	42.02
NIL-UCM Llama3Prompt	1	0.00	35.40	41.73	34.23	28.85	34.17	26.20	42.54	40.07	43.46
FOSU-CR cr_document	1	0.00	33.61	32.90	32.68	34.08	34.62	33.86	33.59	33.50	31.36
CLNN task1.2_P5.json	3	0.00	33.18	30.77	37.44	32.09	35.71	32.62	32.88	30.70	31.25
task1_2_2	2	0.00	33.00	34.75	29.68	30.25	34.04	27.71	39.53	35.01	40.41
DPO KTO_task12_Team	3	0.00	32.95	37.43	33.34	30.66	32.75	28.33	34.41	33.74	35.18
ELIRF-UPV PromptingG	17	0.00	32.59	30.75	32.87	32.97	34.06	33.50	33.31	30.66	31.08
SFTNormal task12_Te	1	0.00	32.36	29.76	32.53	33.09	34.17	33.13	33.67	30.16	31.29
SFTBest task12_Team	1	0.00	32.18	30.50	32.57	31.94	34.49	33.00	32.54	30.21	30.36
KTO task12_Team AUT	1	0.00	32.16	30.53	32.67	31.76	34.27	33.00	32.57	30.30	30.78
UvA LLM_Q32_LLM_Q32	5	0.00	27.31	30.40	32.45	6.26	26.27	31.98	33.27	30.51	31.45
HULAT-UC3M task12_Qw	3	0.00	26.46	32.79	17.60	26.72	28.11	17.75	35.43	26.80	35.56
DUTH PlainLex_Plain	61	0.00	14.07	14.82	11.06	10.69	11.22	5.77	30.85	14.10	26.81
SIM Task23_Copy_Grou	2	0.00	7.53	12.54	7.59	4.00	5.95	2.62	7.66	12.37	10.69
NUQLab janbakker_o_b	1	0.00	7.53	12.54	7.59	4.00	5.95	2.62	7.66	12.37	10.69

• SARI scores : 159 Spanish Abstracts, Sections, Full Abstracts

Farsi : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	6.31	10.87	6.67	2.07	5.21	1.60	6.74	10.98	9.37
Reference	2	0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
UPF MBR_SARI_Proprie	10	0.00	40.80	45.19	41.00	37.68	41.63	37.16	39.89	43.08	46.06
FOSU-YZH DocAgent_Co	1	0.00	38.84	41.05	40.37	35.58	40.09	35.41	39.11	40.27	35.33
task12 2026_submissi	22	0.00	38.59	40.58	37.45	37.22	38.98	35.73	41.39	38.75	36.84
submit task1_2_v2_M	5	0.00	38.44	42.32	39.89	33.56	39.18	35.61	39.76	38.78	36.71
AIIRLab LLaMABaseLin	8	0.00	36.67	40.68	37.90	30.77	37.01	32.07	38.29	39.97	40.43
ELIRF-UPV PromptingG	17	0.00	35.97	35.41	33.29	34.72	39.08	34.93	40.40	33.98	31.68
FOSU-CR_cr_document	1	0.00	35.88	39.34	33.16	34.14	37.01	34.13	39.60	33.77	33.12
Nazarii Tymochko.js	1	0.00	35.87	38.84	37.64	30.36	38.88	37.00	34.86	33.52	38.80
CLNN Task1.2_P4.json	3	0.00	33.11	32.26	35.53	34.43	34.52	31.86	32.16	31.00	31.23
NIL-UCM Llama3Prompt	1	0.00	32.98	38.24	33.58	24.43	34.25	24.30	39.99	36.06	40.17
SFTBest task12_Team	1	0.00	32.72	31.50	33.00	35.09	33.61	32.69	32.56	30.58	30.95
KTO task12_Team AUT	1	0.00	32.71	31.55	32.87	34.94	33.63	32.92	32.40	30.66	31.34
DPO task12_Team AUT	3	0.00	32.70	31.87	33.00	34.68	33.71	32.19	32.54	30.93	31.16
task1_2_2	2	0.00	32.32	33.49	30.39	28.43	32.72	29.16	38.30	33.76	37.25
SFTNormal task12_Te	1	0.00	31.99	31.16	28.67	34.38	33.58	32.83	32.24	31.07	31.73
UvA LLM_Q32_LLM_Q32	5	0.00	26.27	31.64	33.64	2.07	20.79	32.00	32.91	30.81	31.54
HULAT-UC3M task12_Qw	3	0.00	26.08	26.73	31.13	21.97	28.57	14.79	35.10	24.27	34.85
DUTH PlainLex_Plain	61	0.00	10.59	13.29	8.44	3.62	7.96	3.66	25.97	11.21	21.79
SIM Task23_Copy_Grou	2	0.00	6.31	10.87	6.67	2.07	5.21	1.60	6.74	10.98	9.37
NUQLab janbakker_o_b	1	0.00	6.31	10.87	6.67	2.07	5.21	1.60	6.74	10.98	9.37

● SARI scores : 152 Farsi Abstracts, Sections, Full Abstracts

French : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	7.17	11.98	7.51	2.69	6.44	2.32	7.42	11.82	10.61
Reference	2	0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
UPF MBR_SARI_Proprie	10	0.00	41.81	47.49	41.07	38.80	42.53	36.80	40.96	45.03	47.95
FOSU-YZH DocAgent_Co	1	0.00	40.09	42.54	39.90	40.23	39.69	36.04	40.68	41.52	35.89
task12 2026_submissi	22	0.00	40.07	43.66	39.63	36.56	39.41	35.04	44.45	41.74	38.52
submit task1_2_v2_M	5	0.00	39.27	43.66	40.18	35.03	39.92	36.14	39.96	40.00	35.79
Nazarii Tymochko.js	1	0.00	38.26	42.22	38.47	33.61	36.08	37.17	40.92	39.34	41.47
AIIRLab LeanPipeline	8	0.00	37.06	37.71	36.54	35.81	37.58	35.59	39.83	36.38	40.40
FOSU-CR_cr_document	1	0.00	34.85	34.96	36.04	35.56	35.78	33.15	33.69	34.79	31.82
NIL-UCM Llama3Prompt	1	0.00	34.55	41.13	33.82	26.56	35.17	24.70	41.93	38.57	42.85
task1_2_2	2	0.00	34.13	35.11	34.54	29.90	32.79	28.96	40.82	36.80	41.10
CLNN Task1.2_P4.json	3	0.00	33.11	31.33	36.29	32.88	34.69	32.77	32.84	30.99	31.16
ELIRF-UPV PromptingG	17	0.00	32.99	31.19	33.06	35.05	34.19	33.47	33.22	30.73	31.15
SFTNormal task12_Te	1	0.00	32.78	30.67	33.06	32.79	33.08	33.54	35.09	31.24	31.38
DPO KTO_task12_Team	3	0.00	32.49	35.80	32.47	28.02	33.51	30.19	33.69	33.76	33.51
SFTBest task12_Team	1	0.00	32.38	30.77	32.68	32.83	34.05	32.91	32.81	30.59	30.24
KTO task12_Team AUT	1	0.00	32.33	30.99	32.71	32.57	33.86	32.94	32.58	30.62	30.84
UvA LLM_Q32_LLM_Q32	5	0.00	27.17	30.83	32.98	4.40	26.98	31.28	33.06	30.68	31.35
HULAT-UC3M task23d_Q	3	0.00	26.13	28.78	24.07	25.58	27.50	17.18	35.04	24.78	36.42
DUTH PlainLex_Plain	61	0.00	10.94	13.23	8.49	5.16	9.11	4.27	23.81	12.49	21.96
SIM Task23_Copy_Tas	2	0.00	7.17	11.98	7.51	2.69	6.44	2.32	7.42	11.82	10.61
NUQLab janbakker_o_b	1	0.00	7.17	11.98	7.51	2.69	6.44	2.32	7.42	11.82	10.61

● SARI scores : 137 French Abstracts, Sections, Full Abstracts

Korean : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	4.44	8.49	2.90	1.59	4.31	1.10	4.58	8.09	6.69
Reference	2	0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
UPF MBR_SARI_Propri	10	0.00	38.58	41.01	35.61	39.39	38.52	35.24	38.81	41.49	43.27
submit task1_2_v2_M	5	0.00	37.01	39.79	38.14	33.06	36.61	34.93	37.87	38.66	36.21
task12 2026_submissi	22	0.00	36.91	38.68	34.25	34.43	38.51	33.51	39.68	39.31	37.80
FOSU-YZH DocAgent_Co	1	0.00	36.77	37.76	33.97	35.84	37.81	34.62	38.29	39.09	36.10
Nazarii Tymochko.js	1	0.00	35.49	35.87	33.23	33.67	36.32	34.97	37.77	36.62	37.85
FOSU-CR cr_document	1	0.00	35.35	38.22	34.24	31.96	38.24	32.70	35.51	36.59	35.06
ELIRF-UPV PromptingG	17	0.00	35.11	35.85	34.63	33.38	36.74	35.19	35.19	34.79	34.67
AIIRLab LeanPipeline	8	0.00	35.09	35.13	34.94	33.03	35.67	34.59	37.36	34.89	37.74
DPO KTO_task12_Team	3	0.00	34.56	37.96	35.07	28.38	37.67	33.93	34.52	34.38	32.43
CLNN Task1.2_P6.json	3	0.00	34.34	36.44	34.77	28.99	37.88	33.10	34.39	34.83	33.37
SFTNormal task12_Te	1	0.00	34.25	36.32	33.36	29.20	37.65	34.08	34.41	34.75	33.70
KTO task12_Team AUT	1	0.00	34.18	36.61	34.93	29.02	37.67	33.24	33.33	34.48	33.51
SFTBest task12_Team	1	0.00	34.11	36.03	34.47	28.63	38.34	33.22	33.96	34.13	33.26
NIL-UCM Llama3Prompt	1	0.00	31.05	35.07	29.79	24.91	30.67	26.04	37.14	33.74	34.74
task1_2_2	2	0.00	30.56	29.17	28.31	28.25	34.29	25.37	36.82	31.71	34.72
UvA LLM_Q32_LLM_Q32	5	0.00	28.43	34.66	34.72	2.63	25.03	32.37	34.95	34.68	34.72
HULAT-UC3M task12_Qw	3	0.00	27.23	28.53	27.41	27.66	28.77	18.97	34.38	24.91	35.17
DUTH PlainLex_Plain	61	0.00	9.20	10.83	4.75	4.70	5.03	4.63	26.15	8.31	21.78
SIM Task23_Copy_Grou	2	0.00	4.44	8.49	2.90	1.59	4.31	1.10	4.58	8.09	6.69
NUQLab janbakker_o_b	1	0.00	4.44	8.49	2.90	1.59	4.31	1.10	4.58	8.09	6.69

• SARI scores : 61 Korean Abstracts, Sections, Full Abstracts

Thai : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	2.54	5.93	2.20	1.97	1.91	0.17	2.21	3.42	3.15
Reference	2	0.00	97.62	100.00	100.00	91.67	100.00	91.67	100.00	100.00	100.00
UPF MBR_SARI_Proprie	10	0.00	39.61	45.44	36.43	42.81	36.19	33.61	39.37	43.43	42.97
ELIRF-UPV PromptingG	17	0.00	38.20	44.14	38.98	33.19	36.24	32.81	40.68	41.40	39.42
task12 2026_submissi	22	0.00	38.14	44.04	37.30	32.23	34.67	34.19	41.80	42.72	37.82
submit task1_2_v2_M	5	0.00	38.10	45.61	41.26	31.01	34.88	33.17	37.29	43.47	36.78
FOSU-CR cr_document	1	0.00	37.61	42.54	38.22	29.52	37.55	32.72	37.71	45.00	39.33
FOSU-YZH DocAgent_Co	1	0.00	37.55	41.05	36.35	40.25	35.87	33.34	36.62	39.35	34.62
AIIRLab GSI_doc_gemm	8	0.00	35.90	43.19	36.31	28.10	35.21	33.26	36.31	38.96	37.34
Nazarii Tymochko.js	1	0.00	35.12	36.61	40.12	34.00	35.37	33.26	36.51	29.96	37.88
KTO task12_Team AUT	1	0.00	34.46	41.46	34.54	25.19	33.65	31.67	34.37	40.33	32.39
DPO task12_Team AUT	3	0.00	34.37	42.45	36.34	24.26	33.55	31.34	33.98	38.65	32.60
CLNN Task1.2_P6.json	3	0.00	34.32	39.40	38.78	24.87	33.88	29.32	35.18	38.85	37.14
SFTBest task12_Team	1	0.00	33.97	38.75	34.14	25.60	33.52	31.76	35.62	38.38	32.58
SFTNormal task12_Te	1	0.00	32.55	33.64	31.50	25.42	33.11	31.68	33.97	38.54	32.07
task1_2_2	2	0.00	30.66	32.17	35.23	24.78	31.72	25.23	34.57	30.91	31.26
NIL-UCM Llama3Prompt	1	0.00	29.00	34.01	30.34	22.00	29.15	21.81	33.89	31.78	33.45
HULAT-UC3M task23d_Q	3	0.00	23.83	26.13	16.57	28.87	21.52	15.27	34.63	23.82	36.26
UvA LLM_Q32_LLM_Q32	5	0.00	22.43	41.61	31.55	1.97	1.91	11.33	27.76	40.86	33.02
DUTH PlainLex_Plain	61	0.00	8.47	8.42	3.42	7.04	3.31	2.99	27.34	6.75	22.63
SIM Task23_Copy_Grou	2	0.00	2.54	5.93	2.20	1.97	1.91	0.17	2.21	3.42	3.15
NUQLab janbakker_o_b	1	0.00	2.54	5.93	2.20	1.97	1.91	0.17	2.21	3.42	3.15

• SARI scores : 43 Thai Abstracts, Sections, Full Abstracts

Portuguese : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	6.96	10.22	7.17	4.03	6.03	1.86	7.02	12.37	9.98
Reference	2	0.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
UPF MBR_SARI_Proprie	10	0.00	43.54	48.25	44.46	47.20	41.83	35.64	42.36	45.07	49.32
submit task1_2_v2_M	5	0.00	41.19	46.12	44.21	35.43	42.25	37.81	42.19	40.31	37.84
FOSU-YZH DocAgent_Co	1	0.00	40.39	43.96	41.54	37.32	40.13	34.52	43.80	41.44	37.45
task12_2026_submissi	22	0.00	40.33	43.24	39.25	39.00	39.58	34.54	44.93	41.77	39.94
Nazarii Tymochko.js	1	0.00	38.02	40.05	34.54	32.87	41.86	34.98	40.85	41.01	41.73
AIIRLab LLaMABaseLin	8	0.00	37.92	44.25	39.70	30.47	35.57	30.70	41.67	43.03	41.86
NIL-UCM Llama3Prompt	1	0.00	36.12	40.66	37.15	29.26	34.44	25.25	42.66	43.44	43.15
FOSU-CR cr_document	1	0.00	33.48	33.38	32.86	35.51	33.84	33.22	34.70	30.83	31.69
CLNN Task1.2_P4.json	3	0.00	33.42	32.54	36.86	33.53	34.30	32.58	33.52	30.60	31.74
ELIRF-UPV PromptingG	17	0.00	33.04	32.84	32.67	33.56	33.64	33.70	34.25	30.63	31.66
DPO task12_Team AUT	3	0.00	32.70	34.31	32.58	32.87	33.47	32.71	32.46	30.49	31.90
SFTBest task12_Team	1	0.00	32.67	31.93	32.69	33.33	33.63	33.19	33.51	30.39	31.06
KTO task12_Team AUT	1	0.00	32.65	31.98	32.78	33.22	33.54	33.08	33.57	30.38	31.46
SFTNormal task12_Te	1	0.00	32.61	31.63	32.60	33.41	33.22	33.70	33.41	30.32	31.54
task1_2_2	2	0.00	30.75	28.60	24.94	28.72	28.61	27.93	41.18	35.27	36.69
UvA LLM_Q32_LLM_Q32	5	0.00	28.73	31.97	32.44	10.90	29.55	31.09	34.46	30.72	32.06
HULAT-UC3M task23d_Q	3	0.00	24.53	24.26	20.38	27.07	22.83	19.31	33.91	23.94	34.75
DUTH PlainLex_Plain	61	0.00	12.07	11.78	13.34	5.89	8.74	3.71	28.35	12.65	24.23
SIM Task23_Copy_Grou	2	0.00	6.96	10.22	7.17	4.03	6.03	1.86	7.02	12.37	9.98
NUQLab janbakker_o_b	1	0.00	6.96	10.22	7.17	4.03	6.03	1.86	7.02	12.37	9.98

● SARI scores : 24 Portuguese Abstracts, Sections, Full Abstracts

Hindi : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	5.62	7.99	3.66	3.47	3.53	0.62	2.96	17.14	6.80
Reference	2	0.00	92.86	91.67	91.67	100.00	91.67	75.00	100.00	100.00	100.00
UPF Random_All_Rand	10	0.00	40.35	49.38	35.88	34.91	37.67	31.87	40.71	51.99	46.04
task12_2026_submissi	22	0.00	38.29	36.39	38.44	35.29	37.50	32.66	43.49	44.26	40.35
FOSU-YZH DocAgent_Co	1	0.00	37.54	37.63	36.56	38.47	39.26	31.63	40.28	38.93	36.62
FOSU-CR cr_document	1	0.00	37.45	41.32	33.68	49.46	40.63	31.35	38.59	27.12	40.00
submit task1_2_v2_M	5	0.00	37.16	34.32	39.87	34.57	37.18	33.23	42.75	38.20	38.73
AIIRLab LeanPipeline	8	0.00	36.06	34.60	35.67	37.32	40.01	33.12	39.34	32.33	36.29
Nazarii Tymochko.jso	1	0.00	35.96	39.83	30.29	33.88	32.62	33.26	43.24	38.58	44.50
ELIRF-UPV PromptingG	17	0.00	33.32	29.74	35.37	32.31	39.20	33.15	37.74	25.68	31.81
KTO task12_Team AUT	1	0.00	31.85	30.45	33.97	33.44	32.57	32.73	34.12	25.68	18.84
CLNN Task1.2_P6.json	3	0.00	31.82	30.45	33.83	34.07	32.41	32.65	33.68	25.68	31.85
DPO task12_Team AUT	3	0.00	31.49	30.45	32.38	33.49	31.69	32.65	33.93	25.82	18.99
NIL-UCM Llama3Prompt	1	0.00	31.38	36.49	30.87	31.88	31.26	22.52	34.05	32.57	47.20
SFTBest task12_Team	1	0.00	31.37	30.45	32.19	32.78	31.90	32.94	33.60	25.68	18.73
SFTNormal task12_Te	1	0.00	29.89	29.25	32.04	33.02	32.06	25.28	32.85	24.76	18.82
task1_2_2	2	0.00	26.84	19.99	38.04	36.38	25.61	20.78	12.01	35.07	33.51
HULAT-UC3M task12_Qw	3	0.00	25.59	26.50	34.73	20.58	23.57	11.91	38.86	23.01	32.53
UvA PG_PCW_Q32_PG_P	5	0.00	20.97	30.45	3.66	3.47	24.47	25.14	33.23	26.37	31.36
DUTH PlainLex_Plain	61	0.00	7.34	7.99	3.66	3.47	3.53	0.62	14.97	17.14	16.54
NUQLab janbakker_o_b	1	0.00	5.62	7.99	3.66	3.47	3.53	0.62	2.96	17.14	6.80
SIM Task23_Copy_Tas	2	0.00	5.62	7.99	3.66	3.47	3.53	0.62	2.96	17.14	6.80

● SARI scores : 2 Hindi Abstracts, Sections, Full Abstracts

German : Sections, Full Abstract



Team/Method	count	Cochrane 2026 (org)	Sections (Macro)	S1 : Background	S2 : Objectives	S3 : Search Methods	S4 : Selection Criteria	S5 : Data col./ana.	S6 : Main results	S7 : Authors' concl.	Cochrane full
Source	1	0.00	6.98	9.36	10.48	3.38	3.71	1.69	6.07	14.18	9.28
Reference	2	0.00	95.24	100.00	91.67	100.00	91.67	83.33	100.00	100.00	100.00
UPF MBR_SARI_Rank_M	10	0.00	43.29	56.55	50.81	35.53	48.30	35.66	35.06	41.15	40.76
task12 doc_v5_tuned_	22	0.00	41.92	55.82	51.26	33.17	34.55	38.12	45.35	35.19	41.70
AIIRLab LLaMABaseLin	9	0.00	40.90	59.71	43.93	50.00	35.08	27.71	30.98	38.90	40.08
FOSU-YZH DocAgent_Co	1	0.00	39.36	42.16	35.83	49.54	36.97	34.51	38.93	37.57	33.85
submit task1_2_v33_2	5	0.00	38.95	39.97	39.44	49.92	32.05	35.73	38.66	36.87	38.53
Nazarii Tymochko.js	1	0.00	38.54	39.18	43.32	34.43	41.67	34.73	45.05	31.37	41.15
NIL-UCM Llama3Prompt	1	0.00	36.10	40.79	51.09	31.32	30.67	24.49	41.78	32.55	39.07
FOSU-CR cr_document	1	0.00	35.52	51.37	31.36	30.26	39.91	33.85	33.60	28.30	31.00
CLNN task1.2_P5.json	3	0.00	33.13	34.92	38.23	32.63	34.06	32.76	30.67	28.65	31.22
task1_2_2	2	0.00	32.81	42.29	38.91	26.13	31.19	24.94	36.96	29.24	31.87
HULAT-UC3M task23d_Q	3	0.00	32.74	36.21	34.14	50.68	39.85	19.09	32.11	17.12	29.76
ELIRF-UPV PromptingG	17	0.00	32.69	34.42	31.26	32.39	34.72	34.32	33.50	28.25	31.14
SFTBest task12_Team	1	0.00	32.12	35.03	31.26	29.68	34.38	33.88	32.71	27.92	30.79
KTO task12_Team AUT	1	0.00	32.09	35.03	31.26	30.33	33.48	33.91	32.79	27.84	31.04
DPO task12_Team AUT	3	0.00	31.69	34.67	31.47	30.27	33.48	32.95	30.75	28.25	30.32
SFTNormal task12_Te	1	0.00	31.33	34.58	27.79	32.31	32.11	33.28	31.51	27.72	31.47
UvA LLM_Q32_LLM_Q32	5	0.00	24.16	34.32	31.26	3.38	3.71	35.05	33.48	27.93	31.33
DUTH PlainLex_Plain	61	0.00	13.52	9.36	10.48	6.54	11.75	9.53	32.83	14.18	30.24
SIM Task23_Copy_Tas	2	0.00	6.98	9.36	10.48	3.38	3.71	1.69	6.07	14.18	9.28
NUQLab janbakker_o_b	1	0.00	6.98	9.36	10.48	3.38	3.71	1.69	6.07	14.18	9.28

• SARI scores : 2 German Abstracts, Sections, Full Abstracts

CLEF 2026 SimpleText Track



Simplify Scientific Text (and Nothing More) :

- **Task 1 : Text Simplification** : *simplify scientific text*
 - + New aligned biomedical data (Cochrane-auto)
 - + both sentence, paragraph and document level simplification
 - + analysis of information distortion (“hallucination?”)
- **Task 2 : Controlled Creativity** : *identify and avoid hallucination*
 - + Real “hallucination” data from CLEF generative text tasks
 - + What output is (not) grounded on source(s) ? (w/wo source access)
 - + Fine-grained information distortion categorization
- **Task 3 : Research Area Classification** : *classification of scientific articles by research area*
 - New pilot task in 2026.
- We encourage submissions for earlier tasks

CLEF 2026 SimpleText Track Sessions



Date	Event
Sep 21 14:00-14:45	SimpleText Task Overview Talks
Sep 21 14:45-15:30	Participant's talks (3x)
Sep 21 16:00-17:30	Participant's talks (6x)
Sep 22 12:05 - 12:30	Best of Labs, SimpleText 2025
Sep 22 14:00-15:00	Participant's talks (4x)
Sep 22 15:00-15:30	Planning Session : New corpus, new tasks, exciting challenges and opportunities

- Please join the SimpleText sessions in Room 113!

New task in 2027 !

Sycophancy detection in scientific IR



- Does a model's answer to a scientific question exhibit sycophantic behavior in the domains of climate and health ?

- ☐ : We keep running 2025/2026 tasks in Codabench

SimpleText Codabench

[Benchmarks/Competitions](#)[Datasets](#)[liana87](#)

CLEF 2026 SIMPLETEXT TASK 1: SIMPLIFY SCIENTIFIC TEXT

59 PARTICIPANTS

625 SUBMISSIONS

[Edit](#)[Participants](#)[Submissions](#)[Dumps](#)[Migrate](#)[Show workers](#)ORGANIZED BY: [Liana87](#)

CURRENT PHASE ENDS: Never

CURRENT SERVER TIME: 2 Juillet 2026 à 08:07 UTC+1

Docker image: [codalab/codalab-legacy:py312](#)Secret url: https://www.codabench.org/competitions/16108/?secret_key=90d6abbd-4457-4a9e-9017-caf266baff89



Please join the SimpleText Track

Website : <https://simpletext-project.com>

E-mail : contact@simpletext-project.com

Twitter : <https://twitter.com/SimpletextW>

Google group : <https://groups.google.com/g/simpletext>

**This research was funded, in whole or in part, by the French National Research Agency (ANR) under project ANR-22-CE23-0019-01.*