

# CLEF 2026 SimpleText Track

## Simplify Scientific Text (and Nothing More)

**Liana Ermakova**<sup>1</sup>   **Hosein Azarbonyad**<sup>2</sup>   **Jan Bakker**<sup>3</sup>  
**Berkay Chakar**<sup>3</sup>   **Gautam Kishore Shahi**<sup>4</sup>   **Jaap Kamps**<sup>3</sup>

<sup>1</sup>Université de Bretagne Occidentale

<sup>2</sup>Elsevier

<sup>3</sup>University of Amsterdam

<sup>4</sup>University of Duisburg-Essen



CLEF, September 21-24, 2026, Jena, Germany

# Motivation



- Simplify Scientific Text ...
  - Everyone agrees on the importance of objective scientific information
  - But scientific documents are inherently complex...
  - Can we improve science literacy for everyone ?
  - Generative models for text simplification can help !
- ...And Nothing More !
  - LLMs prone to overgeneration (informally called "*hallucination*")
  - Have created a huge collection of spurious/over-generation content !
  - In 2025 : 29% of submissions > 25% spurious sentences, 21% > 50%...

# Overview



- SimpleText Track
  - Major changes in setup and corpora in 2025
  - Boost in participation and results
  - Updated tasks and corpora in 2026
- CLEF 2026 SimpleText Track
  - *Simplify Scientific Text (and Nothing More)*
- The following *three* tasks :
  - 1 **Text Simplification** : *simplify scientific text*
  - 2 **Controlled Creativity** : *identify and avoid hallucination*
  - 3 **Research Area Classification** : *classification of scientific articles by research area*
- We also encourage submissions for earlier tasks

# SimpleText 2026 Statistics



|       | Task 1 |     | Task 2 |     |     | Task 3 |
|-------|--------|-----|--------|-----|-----|--------|
|       | 1.1    | 1.2 | 2.1    | 2.2 | 2.3 |        |
| Teams | 20     | 18  | 10     | 10  | 9   | 7      |
| Runs  | 169    | 218 | 242    | 125 | 14  | 12     |
| Teams | 24     |     | 17     |     |     |        |
| Runs  | 387    |     | 381    |     |     |        |
| Teams |        |     | 33     |     |     |        |
| Runs  |        |     | 780    |     |     |        |

- Growing steadily : 142 registered teams, 33 submitted 780 valid runs.
- Codabench Task 1 : 628 submissions (59 ppl), Task 2 : 432 submissions (33 ppl)

# Task 1 : Text Simplification



## ● Task 1 : Simplify Scientific Text

- New corpus (EMNLP/TSAR 2024)
  - Cochrane-auto is true document-level text simplification
  - More variation (sentence merge, order swaps) and discourse structure
  - Paragraph-level and sentence-level data realigned and restricted
  - New 2026 data crawled for 2025 (unknown to most models)
- Biomedical text and free to use, same format as existing TS corpora
  - Sentence-level (T1.1) and Document-level (T1.2) text simplification
  - Large-scale aligned train and test data

## ● Bonus : Cochrane Abstracts/Plain Language Summaries in English

- + Spanish (es), French (fr), Farsi (fa), Chinese (zh), Japanese (ja), Portuguese (pt), Korean (ko), Thai (th), German (de), ...
- + Abstracts and freely usable full-text systematic reviews
- + Novel section aligned version (EMNLP'25)

# Task 1 : Evaluation



## ● Source :

```
{ "pair_id": "CD012520", "source": "Cochrane", "complex": "We included seven cluster-randomised  
→ trials with 42,489 patient participants from 129 hospitals, conducted in Australia, the UK,  
→ China, and the Netherlands. ... We are uncertain whether a multifaceted implementation  
→ intervention compared to no intervention improves adherence to evidence-based recommendations in  
→ acute stroke settings, because the certainty of evidence is very low." }
```

## ● References :

```
{ "CD012520": { "simple_auto": "We included seven studies that involved 42,489 acute stroke patients  
→ and an unknown number of health professionals. The studies were conducted in 129 hospitals in  
→ Australia, the UK, China and the Netherlands. ... We do not know if implementation interventions  
→ delivered in acute stroke units lead to better delivery of evidence-based care." }, ... }
```

## ● Predictions :

```
[{"pair_id": "CD012520", "prediction": "Researchers conducted studies in hospitals across Australia, the  
→ UK, China, and the Netherlands. ... Overall, the evidence was not strong enough to say for sure  
→ if these strategies help healthcare workers follow best practices in treating stroke  
→ patients.", "run_id": "UBOnlp_task12_gpt4o"}, ... ]
```

- Test set includes : **New 2026 sentence-aligned Cochrane-auto (Abstract/PLS) + Raw Cochrane PLS, Section-level 2026, Full Abstract/PLS 2026, other languages 2026.**

# Task 1.1 : Results (snt-level eval)



| Team/Method          | count | SARI  | BLEU  | FKGL  | Compression ratio | Sentence splits | Levenshtein similarity | Exact copies | Additions proportion | Deletions proportion | Lexical complexity score |
|----------------------|-------|-------|-------|-------|-------------------|-----------------|------------------------|--------------|----------------------|----------------------|--------------------------|
| Source               | 346   | 10.76 | 17.92 | 14.12 | 1.00              | 1.00            | 1.00                   | 1.00         | 0.00                 | 0.00                 | 8.54                     |
| Reference            | 346   | 100   | 100   | 10.77 | 0.93              | 1.10            | 0.55                   | 0.03         | 0.33                 | 0.50                 | 8.24                     |
| FOSU-CR cr           | 1     | 47.08 | 19.05 | 10.11 | 0.80              | 1.03            | 0.67                   | 0.03         | 0.24                 | 0.42                 | 8.19                     |
| ELIRF-UPV PromptingG | 15    | 46.66 | 14.28 | 9.18  | 0.97              | 1.44            | 0.59                   | 0.14         | 0.38                 | 0.44                 | 8.26                     |
| Writerslogic V4      | 18    | 45.86 | 12.69 | 9.02  | 0.59              | 1.00            | 0.58                   | 0.00         | 0.17                 | 0.57                 | 8.27                     |
| FOSU-YZH Agenticdeep | 52    | 45.72 | 14.68 | 11.17 | 0.78              | 0.99            | 0.62                   | 0.01         | 0.29                 | 0.51                 | 8.09                     |
| DKSLA QWEN 3.5 9B    | 1     | 44.81 | 17.39 | 10.58 | 0.93              | 1.12            | 0.64                   | 0.14         | 0.26                 | 0.40                 | 8.41                     |
| SPU executor         | 6     | 44.58 | 13.34 | 10.57 | 0.82              | 1.10            | 0.63                   | 0.08         | 0.30                 | 0.49                 | 8.32                     |
| AIIRLab llama        | 18    | 44.29 | 12.88 | 12.37 | 1.15              | 1.23            | 0.58                   | 0.06         | 0.40                 | 0.45                 | 8.35                     |
| Elsevier FS3_BestMat | 13    | 43.11 | 15.91 | 8.43  | 0.74              | 1.06            | 0.63                   | 0.00         | 0.26                 | 0.48                 | 8.06                     |
| BioSimplex SciBERT_F | 3     | 43.09 | 23.05 | 11.27 | 0.79              | 1.01            | 0.78                   | 0.20         | 0.07                 | 0.30                 | 8.39                     |
| NIL-UCM Llama3Prompt | 10    | 42.68 | 9.84  | 10.19 | 0.80              | 1.03            | 0.53                   | 0.00         | 0.42                 | 0.60                 | 8.14                     |
| DUTH Gemma2_9B_Sourc | 12    | 42.39 | 9.11  | 11.60 | 0.92              | 1.03            | 0.55                   | 0.03         | 0.45                 | 0.53                 | 8.10                     |
| TUKE RAG             | 6     | 41.84 | 12.76 | 6.92  | 0.81              | 1.28            | 0.62                   | 0.00         | 0.31                 | 0.46                 | 8.22                     |
| Monkey promptDeepsee | 1     | 41.51 | 18.50 | 10.64 | 0.72              | 0.98            | 0.69                   | 0.15         | 0.13                 | 0.42                 | 8.21                     |
| CLNN Task1.1_P2      | 3     | 41.10 | 6.03  | 14.61 | 1.23              | 1.14            | 0.52                   | 0.00         | 0.58                 | 0.46                 | 8.17                     |
| Chennai Task1_1_llam | 3     | 40.60 | 7.11  | 9.04  | 0.86              | 1.28            | 0.50                   | 0.00         | 0.50                 | 0.64                 | 8.11                     |
| HULAT-HAI with-orig  | 2     | 40.41 | 7.26  | 12.43 | 0.93              | 0.99            | 0.52                   | 0.00         | 0.47                 | 0.58                 | 8.25                     |
| NUQLab janbakker_o_b | 1     | 40.20 | 13.72 | 11.95 | 0.54              | 0.65            | 0.57                   | 0.29         | 0.01                 | 0.48                 | 9.27                     |
| AUTH SFT on open dat | 6     | 39.45 | 2.05  | 8.41  | 5.73              | 7.16            | 0.46                   | 0.05         | 0.63                 | 0.31                 | 8.50                     |
| Tokatrons task11_BAR | 2     | 38.87 | 11.58 | 13.22 | 2.50              | 2.00            | 0.54                   | 0.00         | 0.54                 | 0.14                 | 8.43                     |
| HULAT-UC3M task11_Qw | 3     | 37.48 | 3.26  | 12.69 | 1.34              | 1.31            | 0.48                   | 0.00         | 0.53                 | 0.57                 | 8.48                     |

- Evaluated on 346 sentence pairs of 32 new 2026 Cochrane-auto data

# Task 1.2 : Results (doc-level eval)



| Team/Method          | count | SARI  | BLEU  | FKGL  | Compression ratio | Sentence splits | Levenshtein similarity | Exact copies | Additions proportion | Deletions proportion | Lexical complexity score |
|----------------------|-------|-------|-------|-------|-------------------|-----------------|------------------------|--------------|----------------------|----------------------|--------------------------|
| Source               | 32    | 9.12  | 14.41 | 13.81 | 1.00              | 1.00            | 1.00                   | 1.00         | 0.00                 | 0.00                 | 8.78                     |
| Reference            | 32    | 80.82 | 45.86 | 10.32 | 0.96              | 1.40            | 0.47                   | 0.00         | 0.39                 | 0.48                 | 8.51                     |
| FOSU-CR cr           | 1     | 47.97 | 16.96 | 8.54  | 0.55              | 0.97            | 0.48                   | 0.00         | 0.18                 | 0.63                 | 8.47                     |
| ELIRF-UPV PromptingG | 18    | 47.48 | 17.59 | 10.19 | 0.51              | 0.81            | 0.51                   | 0.00         | 0.15                 | 0.65                 | 8.52                     |
| Writerslogic top3min | 22    | 47.16 | 15.35 | 11.04 | 0.55              | 0.84            | 0.51                   | 0.00         | 0.17                 | 0.67                 | 8.50                     |
| UvA RAG_BoN_k4_Q32   | 5     | 46.81 | 15.04 | 10.87 | 0.57              | 0.84            | 0.51                   | 0.00         | 0.18                 | 0.65                 | 8.45                     |
| Elsevier FS3_BestMat | 18    | 45.94 | 12.80 | 8.85  | 0.32              | 0.58            | 0.39                   | 0.00         | 0.09                 | 0.77                 | 8.31                     |
| UPF MBR-SARI-ALL     | 10    | 45.79 | 11.60 | 9.89  | 0.70              | 1.11            | 0.51                   | 0.00         | 0.26                 | 0.58                 | 8.51                     |
| NIL-UCM Agents       | 19    | 45.32 | 10.99 | 9.29  | 0.83              | 1.28            | 0.56                   | 0.00         | 0.33                 | 0.51                 | 8.35                     |
| FOSU-YZH AgenticRAG4 | 15    | 45.31 | 13.91 | 8.10  | 0.37              | 0.68            | 0.43                   | 0.00         | 0.09                 | 0.73                 | 8.42                     |
| TUKE Gemma2_9B_IT_Do | 1     | 44.97 | 13.50 | 9.88  | 0.54              | 0.97            | 0.42                   | 0.00         | 0.22                 | 0.71                 | 8.40                     |
| DKSLA QWEN 3.6 27B   | 2     | 44.28 | 18.68 | 12.29 | 0.61              | 0.83            | 0.57                   | 0.00         | 0.12                 | 0.55                 | 8.63                     |
| DUTH Gemma2_9B_Hybri | 61    | 44.28 | 10.49 | 10.19 | 0.52              | 0.82            | 0.44                   | 0.00         | 0.21                 | 0.70                 | 8.31                     |
| AIIRLab concat       | 14    | 44.19 | 11.53 | 12.29 | 0.93              | 1.25            | 0.57                   | 0.00         | 0.34                 | 0.48                 | 8.60                     |
| CLNN Task1.2_P5      | 3     | 43.91 | 12.17 | 11.32 | 0.42              | 0.55            | 0.41                   | 0.00         | 0.14                 | 0.72                 | 8.56                     |
| UBO PASTIS           | 1     | 42.97 | 8.21  | 9.48  | 0.61              | 0.97            | 0.45                   | 0.00         | 0.27                 | 0.67                 | 8.34                     |
| Chennai Task1_2_Mist | 5     | 42.93 | 10.32 | 11.84 | 0.39              | 0.53            | 0.41                   | 0.00         | 0.11                 | 0.74                 | 8.59                     |
| NUQLab janbakker_o_b | 1     | 41.40 | 22.27 | 12.36 | 0.39              | 0.52            | 0.54                   | 0.00         | 0.00                 | 0.64                 | 8.66                     |
| HULAT-UC3M task12_Qw | 3     | 41.09 | 18.63 | 12.59 | 0.70              | 0.90            | 0.68                   | 0.00         | 0.11                 | 0.45                 | 8.66                     |
| AUTH KTO on our synt | 6     | 39.13 | 9.14  | 8.61  | 0.47              | 0.74            | 0.48                   | 0.00         | 0.14                 | 0.68                 | 8.68                     |
| SIM Task23_Copy_Grou | 2     | 9.12  | 14.41 | 13.81 | 1.00              | 1.00            | 1.00                   | 1.00         | 0.00                 | 0.00                 | 8.78                     |

● Evaluated on 32 aligned new 2026 Cochrane-auto Abstract/PLS



# Task 1 : Scores hide differences...

## ● Conservative (Contextual BART model) :

**CD012019** We included eight studies involving 646 participants , most of which were of poor methodological quality . | The urinary biomarkers were evaluated either in a specific phase of menstrual cycle or irrespective of the cycle phase . | Five studies evaluated the diagnostic performance of four urinary biomarkers for endometriosis , including three biomarkers distinguishing women with and without endometriosis ( enolase 1 ( NNE ) ; vitamin D binding protein ( VDBP ) ; and urinary peptide profiling ) ; and one biomarker ( cytokeratin 19 ( CK 19 ) ) showing no significant difference between the two groups . | All of these biomarkers were assessed in small individual studies and could not be statistically evaluated in a meaningful way . | None of the biomarkers met the criteria for a replacement test or a triage test . | Three studies evaluated three biomarkers that did not differentiate women with endometriosis from disease-free controls . | There was insufficient evidence to recommend any urinary biomarker for use as a replacement or triage test in clinical practice for the diagnosis of endometriosis . | Several urinary biomarkers may have diagnostic potential , but require further evaluation before being introduced into routine clinical practice . | Laparoscopy remains the gold standard for the diagnosis of endometriosis , and diagnosis of endometriosis using urinary biomarkers should only be undertaken in a research setting . |

## ● Completely rewoded (GPT4o model) :

**CD012019** We included looked at eight studies involving with 646 participants , most people . Most of which these studies were of poor methodological quality not done well . | The urinary biomarkers were evaluated either in a specific phase of Researchers checked urine tests to see if the timing within the menstrual cycle mattered or irrespective of the cycle phase not . | Five studies evaluated the diagnostic performance of looked at four urinary biomarkers urine tests for endometriosis , including three biomarkers distinguishing . Three tests could tell the difference between women with and without endometriosis ( enolase 1 ( NNE ) ; vitamin D binding protein ( VDBP ) ; and urinary urine peptide profiling patterns ) , and one biomarker . One test , called cytokeratin 19 ( CK 19 ) , showing no significant , did not show a difference between the two groups . | All of these biomarkers tests were assessed tried in small individual studies and could . There were not be statistically evaluated enough people in a meaningful way the studies to give strong results . | None of the biomarkers met the criteria for urine tests were good enough to use as a replacement main test or a triage first test to decide who gets more testing . | Three studies evaluated tested three biomarkers that different urine markers , but these did not differentiate tell the difference between women with endometriosis from disease-free controls and women without it . | There was insufficient evidence is not enough proof to recommend suggest any urinary biomarker urine test should be used instead of current tests or to decide who needs them for use as a replacement or triage test in clinical practice for the diagnosis of endometriosis . | Several urinary biomarkers may have diagnostic potential Some urine tests might help diagnose endometriosis in the future , but require further evaluation more studies are needed before being introduced into routine clinical practice doctors can use them regularly . | Laparoscopy remains ( a minor surgery to look inside the gold standard belly ) is still the best way to find endometriosis . Urine tests for the diagnosis of endometriosis , and diagnosis of endometriosis using urinary biomarkers should only be undertaken used in a research setting studies right now . |

# Task 1 : Findings



- Novel **document-level** text simplification resource (Cochrane-auto)
  - References based on **real-world plain language summaries**
  - References are no direct sentence simplifications
  - Evaluated sentence and document level
  - High correlation sentence-aligned Cochrane-auto and "raw" PLS
- **Record participation** with CodaBench
  - **Document (abstract) level TS is more effective** than sentence level TS
  - **LLMs**, both open and closed source, are highly effective
  - More attention to **overgeneration** (details in Task 2)
- Remaining issues
  - Already data for other languages, Section-level, Full abstracts.
  - Still **complex terminology** (approaches to explain biomedical terms)
  - **LLMs change the wording** (also when not needed)
  - Overgeneration ("**hallucination**") remains an issue for long input/output

# Task 2 : Controlled Creativity



- *Task 2 : Identify and Avoid Hallucination*
  - Task 2.1 : *to identify creative generation at document level*
    - to detect what sentences are fully grounded on source input (a) without and (b) with access to the source sentences
    - → also labels those introducing **significant new content**
  - Task 2.2 : *to detect and classify information distortion errors in simplified sentences*
    - Can LLMs do detailed "human evaluation" ?
  - Task 2.3 : *to avoid creative generation and perform grounded generation by design*
    - Submit pairs of simplified abstracts with/without "hallucinations"

# Task 2 : Example



## Document-level example — Simplified Cochrane abstract (CD014920).

**Prediction :** "We studied 3 experiments with 1144 participants. Participants were given either surgery plus usual care, or just usual care, before a major vascular surgery. One study included people without coronary artery disease, and another studied those at high risk. Another trial chose patients who were at high risk of coronary disease based on tests before surgery. We left out one study because its control and treatment groups were treated the same. We found that the trials had a high risk of some types of bias. The risk of bias was low in some areas, but not others. (I chose 'rephrase' as the simplification strategy to make the sentence more concise and easier to understand, while maintaining its original meaning.) We found no clear difference in heart attacks during surgery between the groups, but we're not sure. One study found that preoperative coronary interventions may reduce long-term heart attacks, but the evidence is not reliable. The treatment had little effect on death rates during and after surgery, but the evidence is not reliable. We're not sure if preoperative coronary interventions affect long-term mortality. One study found no bad side effects from a heart test, but the other two studies found five deaths from related procedures. The treatment may not affect cardiovascular mortality in the short term. The treatment may shorten hospital stays by about a day. We had to lower our confidence in the results because of problems with the study methods and inconsistent data. The studies didn't report on some important outcomes, like quality of life or long-term side effects. Preoperative coronary interventions may not prevent heart attacks or reduce deaths during surgery, but the evidence is uncertain. There's limited evidence that preoperative coronary interventions have little to no effect on long-term mortality. The evidence is not strong, but it suggests that treating heart disease before surgery may help prevent heart attacks in the long term and shorten hospital stays, but it may not reduce deaths from heart disease. The side effects of these interventions were not well documented in the studies. The studies didn't report on quality of life or graft success. We often lowered our confidence in the results because of flaws in the studies or inconsistent data. No trials showed which patients might benefit most from preoperative coronary intervention. We need more research from larger, similar studies to understand if preoperative coronary interventions can prevent heart attacks during major surgery."

Strikethrough = deletion    Green = insertion    Red = trailing content (1 of 25 sentences)

 **CLEF 2026**  
**JENA**

- **Src** Studies in general were small with a median sample size of 42.  
**Prd** Most studies were small, with 42 participants on average. (I chose 'rephrase' as the internal simplification strategy)
- **generation\_failure**  
**Src** We included 50 RCTs with 1407 participants.  
**Prd** We included 50 RCTs. Output : We included 50 RCTs. Output : We included 50 RCTs.: :::::::::::- :-:-:-:-:
- **ungrounded\_injection**  
**Src** The harm profiles of the antibiotic regimes featured in this review remain unknown.  
**Prd** The harm profiles of the antibiotic regimes featured in this review remain unknown.  
Harm profiles : information about possible side effects or risks of the treatments.
- **repetitive\_content**  
**Src** Of the statins we evaluated, only rosuvastatin seemed to be associated with a reduced incidence of VTE.  
**Prd** semantically, rosuvastatin appears to be associated with VTE trim. rosuvastatin appears to be associated with VTE trim.
- **grounded\_overgeneration**  
**Src** The safety profile is unknown.  
**Prd** The safety profile is unknown. We don't know how safe it is.

# Task 2 : Data



- Massive set of data created by submissions from 2025 :

|             | Train   | Dev    | Test   | Manual |
|-------------|---------|--------|--------|--------|
| # Documents | 21,057  | 1,120  | 5,608  | 154    |
| # Sentences | 350,583 | 18,638 | 86,363 | 2,688  |

- Test split label composition :

| Category                | <i>n</i> | %     | <i>n</i>             | Hum. T | Tax. T | Agr.  |
|-------------------------|----------|-------|----------------------|--------|--------|-------|
| leaked_instructions     | 17,199   | 43.4  | 227                  | 97.8   | 99.6   | 98.2  |
| generation_failure      | 13,232   | 33.4  | 176                  | 94.9   | 97.7   | 93.8  |
| ungrounded_injection    | 7,211    | 18.2  | 215                  | 13.5   | 3.3    | 87.9  |
| repetitive_content      | 1,808    | 4.6   | 14                   | 85.7   | 100.0  | 85.7  |
| grounded_overgeneration | 136      | 0.3   | 6                    | 33.3   | 16.7   | 83.3  |
| other                   |          |       | 8                    | 62.5   | 25.0   | 62.5  |
| Total positive labels   | 39,586   | 100.0 | Pos. label agreement |        |        | 93.4% |

# Task 2.1 : Results



| Team/Method                    | count | Document |      |      | Sentence |      |      |
|--------------------------------|-------|----------|------|------|----------|------|------|
|                                |       | F1       | Prec | Rec  | F1       | Prec | Rec  |
| AIIRLab majorityvote           | 7     | 0.82     | 0.81 | 0.82 | 0.86     | 0.83 | 0.90 |
| writerslogic v13_deb_t40       | 37    | 0.81     | 0.81 | 0.81 | 0.86     | 0.85 | 0.88 |
| CYUT DeBERTa_XGB_QwenAudit_v1  | 76    | 0.81     | 0.80 | 0.82 | 0.86     | 0.84 | 0.89 |
| DUTH TH0524_DocFlip_Add1_Rem0  | 64    | 0.80     | 0.81 | 0.79 | 0.86     | 0.84 | 0.88 |
| A-R A_R Team                   | 4     | 0.79     | 0.83 | 0.75 | 0.85     | 0.84 | 0.86 |
| FutureMakers MyTeam_Task21_Pub | 8     | 0.78     | 0.79 | 0.77 | 0.83     | 0.80 | 0.85 |
| FOSU-YZH-Group DeBERTa075_RoBE | 6     | 0.77     | 0.83 | 0.72 | 0.84     | 0.85 | 0.84 |
| THM BertOnly_roberta           | 9     | 0.74     | 0.83 | 0.67 | 0.60     | 0.62 | 0.58 |
| SIM PerLabelBinaryUnion        | 22    | 0.60     | 0.62 | 0.58 | 0.72     | 0.72 | 0.72 |
| No source                      | 3     | 0.43     | 0.32 | 0.66 | 0.41     | 0.28 | 0.74 |

- GenAI can detect overgeneration in GenAI !
  - Document-level F1 above 80%
  - Sentence-level F1 above 85%
  - Source comparison is essential...
  - No source still F1 over 40%

## Task 2.2 : Results



| Team/Method                    | count | Acc. | Document |      |      | Sentence |      |      |
|--------------------------------|-------|------|----------|------|------|----------|------|------|
|                                |       |      | F1       | Prec | Rec  | F1       | Prec | Rec  |
| AIIRLab NLI_CrossEncoder       | 10    | 0.85 | 0.75     | 0.63 | 0.92 | 0.79     | 0.68 | 0.94 |
| writerslogic v28_union_70      | 34    | 0.81 | 0.78     | 0.72 | 0.85 | 0.85     | 0.81 | 0.89 |
| CYUT CrossEncoder_Weighted_RAG | 8     | 0.80 | 0.79     | 0.74 | 0.84 | 0.84     | 0.79 | 0.91 |
| FutureMakers MyTeam_PubMedBERT | 33    | 0.79 | 0.47     | 0.31 | 0.92 | 0.42     | 0.28 | 0.91 |
| DUTH SciBERTMulti_SourceAware_ | 14    | 0.79 | 0.79     | 0.82 | 0.76 | 0.85     | 0.85 | 0.85 |
| UPF Ensemble                   | 12    | 0.78 | 0.47     | 0.32 | 0.92 | 0.32     | 0.19 | 0.92 |
| THM BertOnly_distilbert        | 10    | 0.74 | 0.72     | 0.73 | 0.70 | 0.81     | 0.82 | 0.81 |
| SIM GeneralizationBalanced     | 5     | 0.64 | 0.58     | 0.55 | 0.61 | 0.70     | 0.67 | 0.72 |
| UvA GPT41Mini_GroundedV1       | 4     | 0.50 | 0.41     | 0.28 | 0.77 | 0.31     | 0.19 | 0.79 |
| FOSU-YZH-Group DocAgent_Detect | 1     | 0.44 | 0.40     | 0.27 | 0.84 | 0.29     | 0.17 | 0.84 |
| UBO test_submission            | 1     | 0.03 | 0.34     | 0.20 | 0.91 | 0.07     | 0.04 | 0.15 |
| No source                      | 3     | 0.45 | 0.43     | 0.32 | 0.66 | 0.41     | 0.28 | 0.74 |

- GenAI can classify overgeneration in GenAI !
  - Accuracy at 85%
  - Most systems two stage, slightly lower detection F1
  - Source comparison is essential...
  - No source still Accuracy over 45%

## Task 2.3 : Analysis of T1 submissions



| % Over-generation | Sentence |        |          | Document |        |          |
|-------------------|----------|--------|----------|----------|--------|----------|
|                   | Subm.    | Number | Fraction | Subm.    | Number | Fraction |
| ≥ 50%             | 179      | 5      | 2.8%     | 210      | 37     | 17.6%    |
| ≥ 25%             | 179      | 17     | 9.5%     | 210      | 88     | 41.9%    |
| ≥ 10%             | 179      | 69     | 38.5%    | 210      | 115    | 54.8%    |
| ≥ 5%              | 179      | 82     | 45.8%    | 210      | 164    | 78.6%    |

- We still observe considerable overgeneration in the submissions
  - Content at the end of the prediction, such as a sentence without any corresponding token in the source.
  - Can be noise, LLM commentary, or potentially useful information injection (e.g., explaining jargon).
  - Far fewer documents than sentences, hence higher fractions. One ungrounded sentence taints the entire document.
  - Evaluation of overlap with the references is "blind" to detect this. In fact, repeating output is not uncommon and can increase scores for submissions that "optimize" BLEU/SARI.

# Task 3 : Research Area Classification



- *Task 3 : Classification of scientific articles by research area*
- The task asks to classify scientific articles using a given taxonomy
  - Corpus : scientific publications crawled from arXiv.
  - Labels : DFG Subject Area classification
  - Evaluation : Accuracy in terms of exact match and graded on semantic distance.
- New task in 2026 !

# Classify with DFG Subject Area



- DFG Subject Areas (Training stats)

| Discipline Area             |        | Field Area                                               |        |
|-----------------------------|--------|----------------------------------------------------------|--------|
| Descriptor                  | Number | Descriptor                                               | Number |
| <i>Natural Sciences</i>     | 9,409  | <i>Physics</i>                                           | 4,995  |
|                             |        | <i>Mathematics</i>                                       | 4,001  |
|                             |        | <i>Chemistry</i>                                         | 240    |
|                             |        | <i>Geosciences</i>                                       | 173    |
| <i>Engineering Sciences</i> | 1,601  | <i>Computer Science</i>                                  | 1,254  |
|                             |        | <i>Electrical Engineering and Information Technology</i> | 207    |
|                             |        | <i>Mechanical and Industrial Engineering</i>             | 69     |
|                             |        | <i>Systems Engineering</i>                               | 50     |
|                             |        | <i>Civil Engineering</i>                                 | 12     |
|                             |        | <i>Materials Science</i>                                 | 7      |
|                             |        | <i>Process Engineering</i>                               | 2      |
|                             |        | <i>Biology</i>                                           | 696    |
| <i>Life Sciences</i>        | 907    | <i>Medicine</i>                                          | 211    |
|                             |        | <i>Veterinary Medicine</i>                               | 0      |
|                             |        | <i>Social and Behavioural Sciences</i>                   | 194    |
| <i>Social Sciences</i>      | 361    | <i>Psychology</i>                                        | 91     |
|                             |        | <i>Education</i>                                         | 76     |
|                             |        | <i>Social Sciences</i>                                   | 0      |
|                             |        | <i>Linguistics</i>                                       | 15     |
|                             |        | <i>Archeology</i>                                        | 5      |
| <i>Humanities</i>           | 23     | <i>Literary Studies</i>                                  | 3      |
|                             |        | <i>Anthropology</i>                                      | 0      |
|                             |        | <i>Humanities</i>                                        | 0      |

# Task 3 : Results



| Team Name        | Discipline Area |        |        | Field Area |        |        |
|------------------|-----------------|--------|--------|------------|--------|--------|
|                  | EM              | SD     | ED     | EM         | SD     | ED     |
| Data Dumplings   | 0.5983          | 0.6909 | 0.7836 | 0.8448     | 0.9080 | 0.9242 |
| UBCS_2           | 0.5915          | 0.6877 | 0.7738 | 0.7684     | 0.8538 | 0.8912 |
| UBCS_1           | 0.5518          | 0.6483 | 0.7533 | 0.7573     | 0.8481 | 0.8804 |
| SRH-Reliable AI  | 0.6056          | 0.7003 | 0.7780 | 0.7390     | 0.8284 | 0.8689 |
| AIIRLab_2        | 0.6539          | 0.7356 | 0.8068 | 0.7353     | 0.8270 | 0.8695 |
| AIIRLab_1        | 0.5838          | 0.6746 | 0.7696 | 0.7288     | 0.8244 | 0.8698 |
| UAmsterdam_2     | 0.6122          | 0.7035 | 0.7759 | 0.7033     | 0.8279 | 0.8472 |
| Writerslogic Inc | 0.4439          | 0.5676 | 0.6571 | 0.5561     | 0.7471 | 0.7924 |
| UAmsterdam_1     | 0.0625          | 0.2281 | 0.4099 | 0.2000     | 0.6225 | 0.6659 |

- Task is relatively simple, best approach 85% accuracy (EM)

# Task 3 : Analysis



| Exact Match | Team Name         | Natural Sciences | Life Sciences | Engineering Sciences | Social Sciences | Humanities | Macro Average |
|-------------|-------------------|------------------|---------------|----------------------|-----------------|------------|---------------|
|             | Data Duplications | 0.91             | 0.75          | 0.79                 | 0.84            | 0.60       | 0.78          |
|             | Stuttgart AI      | 0.92             | 0.78          | 0.85                 | 0.76            | 0.30       | 0.72          |
|             | UBCS_3            | 0.92             | 0.76          | 0.86                 | 0.80            | 0.20       | 0.71          |
|             | UBCS_2            | 0.92             | 0.75          | 0.82                 | 0.79            | 0.20       | 0.69          |
|             | UBCS_1            | 0.92             | 0.75          | 0.83                 | 0.73            | 0.20       | 0.69          |
|             | SRH Reliable AI_2 | 0.92             | 0.81          | 0.86                 | 0.82            | 0.00       | 0.68          |
|             | SRH-Reliable AI_1 | 0.92             | 0.81          | 0.86                 | 0.82            | 0.00       | 0.68          |
|             | AIIRLab_2         | 0.91             | 0.82          | 0.87                 | 0.75            | 0.00       | 0.67          |
|             | AIIRLab_1         | 0.92             | 0.80          | 0.78                 | 0.82            | 0.00       | 0.66          |
|             | UAmsterdam_1      | 0.81             | 0.54          | 0.86                 | 0.48            | 0.40       | 0.62          |
|             | Writerslogic Inc  | 0.79             | 0.32          | 0.11                 | 0.62            | 0.00       | 0.37          |
|             | UAmsterdam_2      | 0.54             | 0.00          | 0.00                 | 0.00            | 0.00       | 0.11          |

- Most models ignore minority classes...

# CLEF 2026 SimpleText Track



Simplify Scientific Text (and Nothing More) :

- **Task 1 : Text Simplification** : *simplify scientific text*
  - + New aligned biomedical data (Cochrane-auto)
  - + both sentence, paragraph and document level simplification
  - + analysis of information distortion (“hallucination?”)
- **Task 2 : Controlled Creativity** : *identify and avoid hallucination*
  - + Real “hallucination” data from CLEF generative text tasks
  - + What output is (not) grounded on source(s) ? (w/wo source access)
  - + Fine-grained information distortion categorization
- **Task 3 : Research Area Classification** : *classification of scientific articles by research area*
  - New pilot task in 2026.
- We encourage submissions for earlier tasks

# CLEF 2026 SimpleText Track Sessions



| Date                 | Event                                                                           |
|----------------------|---------------------------------------------------------------------------------|
| Sep 21 14:00-14:45   | SimpleText Task Overview Talks                                                  |
| Sep 21 14:45-15:30   | Participant's talks (3x)                                                        |
| Sep 21 16:00-17:30   | Participant's talks (6x)                                                        |
| Sep 22 12:05 - 12:30 | Best of Labs, SimpleText 2025                                                   |
| Sep 22 14:00-15:00   | Participant's talks (4x)                                                        |
| Sep 22 15:00-15:30   | Planning Session : New corpus, new tasks, exciting challenges and opportunities |

- Please join the SimpleText sessions in Room 113!