Welcome to FluJado

Beta user guide | 0.9.0-beta.6 | 16 October 2026

Your simulator. Simplified.
Less setup. More golf.

What does the Hub do?

FluJado Golf Sim Hub brings your golf simulator apps and their startup steps together in one Windows dashboard. Each tile runs a saved workflow: for example, opening a connector, waiting for a connection, then starting the simulator.

Inside this guide

1. Installation and updates
2. First setup and screens
3. Starting, switching and stopping
4. Custom tiles and workflows
5. Trial and license activation
6. Saved configurations and Pro features
7. Troubleshooting and beta feedback

Before you begin


Use your own Windows account. Install your simulator software and the connector required for your launch monitor first. Check that this combination works outside the Hub, including delivery of a real shot. The Hub does not include simulator software, firmware, connector plugins or their licenses.

About this closed beta

Use only the installer and test license supplied by FluJado. This beta installer is not digitally signed. The presence of a workflow profile does not guarantee compatibility with your hardware. Do not purchase a license just to test this beta. Questions and feedback: info@flujado.com | https://flujado.com/

Your dashboard

Choose a configured tile to run its workflow. Use Settings for setup, and the license button at the top right for activation. This real example has two ShotForge routes; your tiles may differ.



Actual beta.6 screenshot. Your configuration may differ.

1. Installation and updates

Install for the first time

1. Extract the supplied beta ZIP if you received a ZIP package.
2. Open GolfSimHub-0.9.0-beta.6.exe.
3. Use Browse... to choose your installation folder. If you select a parent folder, the installer adds a GolfSimHub subfolder. Choose a location your Windows account can write to.
4. Optionally select Create a desktop shortcut and Start Golf Sim Hub with Windows.
5. Keep Open Golf Sim Hub when I click Finish selected if you want to begin immediately.
6. Click Install / Update, then Finish.

Windows reports an unknown publisher

This beta is unsigned. First confirm that the file came directly from FluJado. If Windows SmartScreen offers the option, you can then choose More info > Run anyway. Do not bypass managed security policies or antivirus blocks; contact support if you are unsure.

Install a newer beta

Let any active workflow finish, then close the Hub. Run the newly supplied installer and select the same GolfSimHub folder. Updates preserve your personal settings and license status. Check the installed version through Updates afterwards. The online update feed may still offer an earlier beta; use the supplied installer for this test.

Uninstall

Open Windows > Settings > Apps > Installed apps > FluJado Golf Sim Hub > Uninstall. You can also use the uninstall shortcut under Start > Golf Sim Hub. Personal data is kept by default. Select complete local removal only if you also want to erase settings, images, saved data, recorded recovery backups and local license information. The uninstaller briefly waits for files to be released. If files remain in use, close the Hub and try again.

Moving your license?

First use License > Deactivate this PC. Uninstalling alone does not release an online activation. Complete local removal can also erase shared local license information used by other Hub installations on this Windows account.

2. First setup and screens

Open the setup wizard

Follow setup when you first open the Hub. You can return through Settings > Setup wizard... . If you only see Set up your first app, click that tile, then open Setup wizard... . This starter tile opens settings; it does not launch a simulator.

Step 1 - Choose screens and your connection route

Choose the game display or projector under Simulator screen. Choose where launcher and update windows should appear under Controls and updates screen. You may use the same screen for both. Use Identify screens to recognize your physical displays, and Refresh screens after connecting or disconnecting one. Select only simulator apps you actually have. For each app, choose the correct hardware and connector route. The name in parentheses identifies the connection, such as rēlā or VX Connector. Two ShotForge routes are two different workflows leading to the same simulator.

Step 2 - Check executable paths

Click Next and check every Executable path. Detect apps searches for existing installations. Use Browse selected app... if an app is installed elsewhere, and select the correct .exe file. Click Check paths. Fix missing or incorrect paths before continuing. A valid path does not prove that the device is connected.

Step 3 - Review and save


Click Next, review the summary, then use the save button. Saving does not start any golf app. The wizard replaces selected built-in workflows and disables unselected built-in tiles. Custom tiles and branding are retained. Save any Settings edits first: the wizard uses the saved configuration, not unsaved editor changes.

Screens and resolution

The Hub saves monitor identity rather than relying only on Windows Display 1 or 2. Check your choices again if a screen is missing or a connection changes. Set resolution and aspect ratio in Windows, your graphics driver and/or the simulator itself. A Hub tile selects the destination screen; it does not guarantee that a simulator will adopt your custom resolution.

Choose your screens and connector

Select Simulator screen and Controls and updates screen, then use Identify screens to check your choice. Below, choose the app and its connector route. The monitor brands and numbers shown here are examples from this PC.



Actual beta.6 screenshot. Your configuration may differ.

3. Starting, switching and stopping

Start a workflow

1. Turn on your launch monitor and make sure its required cable or network connection is available.
2. Click the desired tile once.
3. Follow the status at the bottom of the dashboard. The Hub runs the steps in order.
4. Wait for the workflow to finish, then test a real shot in the simulator.

Waiting for a connection or update

A wait often checks whether an app is ready, rather than simply pausing for a fixed time. The supported rēlā workflow checks its connection and opens rēlā minimized. Other workflows may need a manual step. Click Continue only after completing the instruction shown.
If ProTee or another app requests an update, perform it in that app. Supported workflows wait for readiness to return. If the workflow reports an error or keeps waiting, use the troubleshooting steps on page 8; do not simply bypass the check.

Switch to another simulator or route

Wait for the current workflow to finish, then click the other tile. Switching between the built-in ShotForge routes performs a clean start: the involved apps and connectors are closed and reopened. Finish your session first. Custom workflows perform only the steps saved in them.

Dashboard controls

Retry retries a failed step when available. Cancel stops the active workflow; apps already opened may remain running. Close all apps closes the apps listed in Settings > Hub and shutdown. Review that list before using the button. Full screen or F11 toggles the Hub's full-screen view; Esc goes back.

A practical startup test

Start the same tile three times, switch to another app or route if available, then restart the PC. Check window placement and actual shot delivery. Record your launch monitor, firmware, simulator version and connector version. Successful startup alone is not proof of a working golf connection.

4. Custom tiles and workflows

Add an app

Open Settings > Apps. Click Add app, give the app a recognizable name, then use Choose .exe... to select its executable. Use Arguments only if the app needs them. Additional process paths identifies an extra process opened by a launcher; change this only when you know which process belongs to the app.

Create a tile

Open Tiles and workflows > Add tile. Enter Name and Subtitle, choose the destination under Open on display, and enable the tile. A tile contains steps that refer to your configured apps. The setup starter tile disappears once a real enabled tile exists. Use Move up and Move down to reorder tiles or selected steps.

Add workflow steps

Select a tile and click Add step. Choose Action and App.
ensureStarted: makes sure the app is running.
waitReady: waits for the app's configured readiness check.
launch: launches the selected app as part of the workflow.
close: closes the selected app.
restart: closes and starts the app again.
waitUser: asks for manual confirmation.
invokeButton and connectAwesomeGolf are specialized steps; use the supplied profiles for these whenever possible.

A simple example


For an app without a connector, add the app, create a tile and add an ensureStarted step for that app. Click Save and test the tile. For a simulator with a connector, start with the Setup wizard instead. A readiness step requires the correct readiness rules for that app. Do not copy status words from a different launch monitor.

Save and share

Click Save to keep your edits; Close without saving discards ordinary editor changes. Use Share workflows to export a tile or import a shared workflow. Imports are reviewed first and added as disabled tiles. Configure all local app paths and any additional process paths, review the steps, enable the tile and click Save. A community workflow is not a compatibility guarantee. Do not share a full backup when you only want to share a workflow.

Read a workflow from top to bottom

Select a tile on the left. Its ordered steps appear on the right. Close steps stop conflicting apps; ensureStarted and waitReady prepare the launch monitor software. Review the full flow before saving. This image shows an existing GSPro setup, not universal settings for every launch monitor.



Actual beta.6 screenshot. Your configuration may differ.

5. Trial and license activation

An automatic 14-day Pro trial

The full Pro trial begins when you first open the Hub. No key or payment details are needed. Updating or reopening does not renew the trial. After 14 days, all Hub functions are locked except the license screen and exiting. Your settings, workflows and images are retained. A valid Home or Pro activation restores access to your existing setup.

Activate a test license

1. Connect to the internet and check your Windows date and time.
2. Click License at the top, or Activate Home or Pro after the trial ends.
3. Check Licensing channel: this beta uses the test channel. Use the Home or Pro test key supplied by FluJado.
4. Paste it into License key and click Activate.
5. Wait for License activated successfully. Check that the correct edition is shown, then close the window.
6. Test your existing tile again. Activation does not require replacing your setup.

Home and Pro

Home includes the dashboard, app launching and management, custom workflows, workflow import/export and saved configurations. There is no limit based on the number of launch monitors you add. Pro adds custom branding, text, logos and backgrounds, Presentation mode and local Backup & Restore. The trial provides Pro. One license is intended for one active simulator PC.

Offline use and moving to another PC


Initial activation, Check online and Deactivate this PC require internet access. A locally activated license can then be used offline; include this in your beta test. To move: on the old PC, open License > Deactivate this PC and wait for confirmation, then activate on the new PC. Do not copy a local license file.

Clock warnings or activation errors

Do not turn the PC clock back to extend the trial. The Hub checks for clock rollback and remembers trial expiry. If a clock warning appears, restore the correct Windows date, time and time zone. Contact support if it persists. If activation was interrupted, try Activate again with the same key. Test keys are not proof of purchase. The website button opens FluJado.com; a live checkout is not yet guaranteed.

Activate your supplied license

Open the license button on the dashboard. Paste your own supplied key into License key and click Activate while online. No key is shown in this example. Trial days and licensing channel depend on your installation; do not copy values from screenshots.



Actual beta.6 screenshot. Your configuration may differ.

6. Configurations and Pro features

Saved configurations - Home and Pro

Save Settings first. Open Configurations on the dashboard, enter a recognizable name and click Save current configuration. Later, select a saved item and click Use selected configuration. This changes Hub settings; running apps stay open. The Hub automatically saves the previous configuration before switching. A configuration is a saved setup, not a license for a second PC.

Customize the appearance - Pro

Use Settings > Appearance and company logo for your logo, tagline, welcome text and colors. Set the background under Hub and shutdown. Adjust individual tile images under Tiles and workflows. A transparent PNG is recommended for logos. Click Save. Home uses the default appearance.

Presentation mode - Pro

In Settings > Presentation mode, use Set / reset administrator code... and enter the code twice. This change applies immediately, without Save. Open Presentation on the dashboard for the guest view. Use the code to return to normal controls. Forgotten the code? Close and reopen the Hub, go to normal Settings and set a new code. Presentation mode is not a secure Windows kiosk.

Create a local backup - Pro


Save Settings first. Open Backup and restore > Create backup... and store the file somewhere safe. The export includes your current saved configuration, workflows, paths, screen choices, appearance and configured images. It does not include simulator installations, their data or licenses, the Hub license or Windows startup registration. Named Configurations and their images are included too. Beta.6 backups require beta.6 or later; beta.5 backups remain readable.

Restore a backup - Pro

Choose Restore backup..., review the proposed changes and confirm only the restore you want. Restore replaces the current saved configuration and discards unsaved editor changes. Named configurations are added as new copies; existing saved configurations are retained. A recovery backup of the current configuration and named library is created automatically first. On another PC, app paths and screens may be unavailable. Fix these before re-enabling disabled tiles. A full backup contains local paths and settings; share it only deliberately.

Back up before making changes

Save Settings first, then open Backup and restore. Create backup includes your current setup, named configurations and their images. Restore backup shows a review before applying changes. Keep full backups private because they contain local paths and settings.



Actual beta.6 screenshot. Your configuration may differ.

7. Troubleshooting and feedback

No tile or an app will not start

If you see Set up your first app, no real tile is enabled yet. Use the wizard or add and enable a tile, then click Save. For a startup error, check executable paths under Apps, the selected route and whether the app opens on its own. If the trial has expired, activate a valid license first.

A workflow keeps waiting

Read the exact status. Check the relevant app for an update, error or missing connection. Use Retry after fixing the cause. If it still fails, cancel the workflow and save the message and log. Mention whether you quickly entered Range or another mode. The built-in ShotForge workflow recognizes several modes, but software updates may require new readiness checks.

Wrong screen or resolution

Use the wizard to select Simulator screen and Controls and updates screen again. Confirm them with Identify screens and save. Set game resolution in the simulator or Windows rather than choosing an unrelated screen profile. If the problem returns, report your display, cable routing and resolution.

Installation or removal fails

For The destination belongs to another program, select a dedicated GolfSimHub folder or the actual existing Hub installation. For files in use, let the workflow finish, close the Hub, wait briefly and try again. Do not delete unknown folders to bypass a warning. If an update backup exists, use Start > Golf Sim Hub > Restore previous Golf Sim Hub to return to the previous version. Close the Hub first.

Send a useful issue report

Click Export Diagnostic Report on the dashboard and review the file before sharing it. Email info@flujado.com with the Hub version, Windows version, hardware and firmware, simulator and connector versions, selected workflow, reproduction steps, expected result and actual result. Add a screenshot and the reviewed report if helpful. Hide license keys, passwords and personal information. Reports are not sent automatically.

Quick beta checklist

Mark each item passed, failed, unavailable or not tested.
Installation and first setup / correct screens / three startups / real shot / switching / PC restart / activation and offline launch / custom workflow / Pro appearance / Presentation mode / backup and restore / update preserving personal data.
Thank you for testing. Your specific findings help FluJado prepare for a reliable release.