

Name: M. Aashir Sheraz

Roll No: 23i-0025

Section: CS-D

CNET PROJECT – CISCO



FAST National University of Computer and Emerging Sciences


Date: 7/12/2025

Table of Contents

Screenshots:.....	3
DHCP2 Assigned IP's to Block1, 2 and 3.....	3

Screenshots:

Topology:



DHCP2 Assigned IP's to Block1, 2 and 3

IP Configuration	
☒ DHCP	☐ Static
IPv4 Address	210.7.9.10
Subnet Mask	255.255.224.0
Default Gateway	210.7.0.1
DNS Server	210.7.72.2
IPv6 Configuration	
☐ Automatic	☒ Static
IPv6 Address	
Link Local Address	FE80::260:5CFF:FEBC:4AE3
Default Gateway	
DNS Server	

Laptop11

IP Configuration

☒ DHCP ☐ Static

IPv4 Address: 210.5.168.10

Subnet Mask: 255.255.255.0

Default Gateway: 210.5.168.1

DNS Server: 210.7.72.2

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::201:64FF:FE5D:7D1B

Default Gateway:

DNS Server:

Server4

SERVICES

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP
- PRP

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 210 7 72 0

Subnet Mask: 255 255 255 0

Maximum Number of Users: 512

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
NetworkH	210.7.64.1	210.7.72.2	210.7.64.10	255.255....	790	0.0.0.0	0.0.0.0
NetworkF	210.0.0.1	210.7.72.2	210.0.0.10	255.254.0.0	10...	0.0.0.0	0.0.0.0
NetworkD	210.7.0.1	210.7.72.2	210.7.9.10	255.255....	2401	0.0.0.0	0.0.0.0
NetworkC	210.6.128.1	210.7.72.2	210.6.12	255.255	8169	0.0.0.0	0.0.0.0

Server7

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP
- PRP

DHCP

Interface: **FastEthernet0** Service: ☒ On ☐ Off

Pool Name: **serverPool**

Default Gateway: **0.0.0.0**

DNS Server: **0.0.0.0**

Start IP Address: **210** **7** **74** **0**

Subnet Mask: **255** **255** **255** **0**

Maximum Number of Users: **512**

TFTP Server: **0.0.0.0**

WLC Address: **0.0.0.0**

Add **Save** **Remove**

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
Router9Laptop	210.6.194.1	210.7.74.2	210.6.19...	255.255...	50	0.0.0.0	0.0.0.0
NetworkN	210.6.192.1	210.7.74.2	210.6.19...	255.255...	100	0.0.0.0	0.0.0.0
Router8-Laptop	210.6.162.1	210.7.74.2	210.6.16	255.255	50	0.0.0.0	0.0.0.0

Laptop17

IP Configuration

☒ DHCP ☐ Static

IPv4 Address: **210.6.160.12**

Subnet Mask: **255.255.255.0**

Default Gateway: **210.6.160.1**

DNS Server: **210.7.74.2**

IPv6 Configuration

☐ Automatic ☒ Static


IPv6 Address: **/**

Link Local Address: **FE80::202:16FF:FECD:5D4B**

Default Gateway:


DNS Server:

OSPF, RIP Configurations Working



Before ACL

Network A in block1 sent packets successfully in block4.



After applying ACL on Router3

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 210.7.73.3

Pinging 210.7.73.3 with 32 bytes of data:

Request timed out.
```

Figure 1: Network A to Block4