### **Drowsiness Detection System**

Bhakti Dwivedi, 21 Simran Gupta, 26 Vaishnavi Kadamm, 32

Usha Mittal Institute of Technology SNDT Women's University

April 28, 2023

### Overview

- Introduction
- 2 Problem Statement
- 3 Literature Survey
- 4 Existing System
- Proposed System
- 6 Algorithm
- Architecture
- 8 Hardware and Software requirements
- Implementation
- Future Scope
- Conclusion

#### Introduction

- Driver fatigue is a major factor in vehicle accidents, with 1,200 deaths and 76,000 injuries annually. To counter its effects, technologies must be developed to detect and avoid drowsiness at the wheel.
- Drowsiness detection is a safety technology that can prevent accidents caused by drivers and watchmen, and help students stay alert and focus on their studies.
- The project "drowsiness detection" is based on deep learning concepts, which mimic the human brain's activity and enable it to learn from massive amounts of data.
- Drowsiness detection systems use cameras, sensors, and wearable devices to monitor the driver's eye movements, head position, and facial expressions, and provide an alert if drowsiness is detected.

#### Problem Statement

While engaging in tasks that require constant concentration, like driving a car, studying online being drowsy might be risky. Driving when sleepy increases drowsiness, which increases the risk of accidents. The main challenge is detecting the user's condition and deciding whether or not they are drowsy. The primary idea of this project is to create a deep learning-based alert system i.e. drowsiness detection system. The objective is to create a tool that can accurately assess whether or not a user is sleepy. The concept majorly impacts the automotive industry, improving driving safety and reducing the number of fatalities brought on by drowsy driving.

# Literature Survey

No.	Paper Name, Author(s), Year of Publishment	Methodology and Technologies	Observations/Findings and Remarks
1	Driver drowsiness detection using ANN image processing Vesselenyi, T., Moca, S., Rus, A., Mitran, T., Tätaru, B. Year: 2017	This paper has 3 types of methods that are used for detecting drowsiness of drivers using ANN image processing. They are: driver image analysis, EOG signal processing and EEG. It is related to pictures captured during driving and analysing the driver 's eyes that are opened or closed or half-opened.	The classification success rate was increased with the training of the re- spective networks. Cropping of images and down sampling is not possible for image pro- cessing.
2	Fatigue state de- tection based on multi-index fusion and state recognition network Y. Ji, S. Wang, Y. Zhao, J. Wei, and Y. Lu Year: 2019	This paper has built a drowsy situation recognition-based technique. Firstly, the human face will be detected using MTCNN (multitask convolutional neural network). Some open-source libraries were used for locating the facial points with help of DLIB that is used to extract the drowsiness symptoms.	This technique has a 95 percent average accuracy rate in identifying essential facial features. Creating an information fusion model and gathering different types of information is challenging.

# Literature Survey

3	Comparative Analysis	The system uses	This technique has a
٥	of Driver Drowsiness Detection using Machine Learning Techniques Neha Bhondve, Ashutosh Dalvi, Vinit Dhande, Neeraw Bhamare, Prof. Shikha Pachouly Year: 2019	Inc system uses using mages for detection of drowsiness using machine learning. Metrics such as eye closure analysis, eye blink rate are considered. A model will be constructed using CNN and a dataset containing the images of the driver. This dataset will contain both drowsy as well as non-drowsy images. Once the model is trained, the system will start capturing images of the driver while drivier while drivier.	Into technique in a 59.518 percent average ac- curacy rate in identifying sessential eye features anc is also reliable and accu- rate. The result can be affected by the lighting conditions and presence of sunglasses Spectacles can interrupt the func- tioning.
4	Real-Time Fatigue Detection System using Computer Vision Rishika Ti- wari, Drashit Patel, Shruti Pandey, Prof. Rushikesh Nikam Year: 2020	The system works on Computer vision. It has been proposed using Image Processing and Machine Learning. It focuses mainly on facial expressions. It has 5 stages - Face detection, Facial landmark detection, Feature extraction, Eventure extraction, Eventure extraction, Eventure extraction, Eventure extraction, Feature extraction, Feature extraction, Fourth extraction, Fourth extraction, Fourth extraction, Fourth extraction, Fourth extraction, Fourth extraction, Eventure extraction, Eventure extraction, Feature extraction, Fourth extraction, F	The results are accurate and reliable for detection of eyes and mouth. In extracts and detect the features in real-time. System provides e. 90.88 percent average accuracy rate. There are chances some frames will be missed and not fulfill in real-time category.


# Literature Survey

5	Real-time driver drowsiness detection system based on convolutional neural network. Hashemi, M., Mirrashid, A., Beheshti Shirazi, A. Year: 2020	This system holds a stream of frames in its initial phase. Coming to the pre-processing unit, the system land-marks facial points to access ROI in the image. And the eye region is selected. And that will be input to the FDNN net-work which classifies whether the person is drowsy or not.	FDNN, VGG-16, VGG-16, VGG-19 gives an accuracy of 98.15percent, 95.45percent and 94.96percent respectively.  The parameters extracted with good performance will require larger datasets using more hidden layers of deeper networks.
6	Intelligent Driver Drowsiness Detection for Traffic Safety Based on Multi CNN Deep Model and Fa- cial Subsampling. M. Ahmed, S. Masood, M. Ahmad, and A. A.A. El-Lati Year: 2021	An ensemble model is proposed which consists of two modules that will feature extraction of eyes along with mouth samples that were taken with MTCNN from face pictures and the result of the system determines if the driver is drowsy or not.	Precision, sensitivity, and F1 scores are 97.38percent, 99.2percent, and 97.46percent, respectively, for the overall training. Face detection is not always possible for working with maximum accuracy on all samples of input and also there are some chances of missing frames that can contain important data.

## **Existing System**

- Eye-Tracking Systems
- Steering Wheel Sensors
- Facial Expression Analysis
- EEG Systems
- Smart-phone based system
- Heart Rate Monitors

### Proposed System



## Algorithm

#### Step 1

In the first step, the video is extracted through a webcam using OpenCV and then the video is divided into frames.

### Step 2

Process of conversion of image to grayscale has been held for faster processing using OpenCV. After converting into grayscale, it will check the eyes are opened/closed.

#### Step 3

A frame is displayed capturing the face, and the eyes are monitored. If it gives 1 then eye is opened because 1 is assigned to opened and 0 for closed.

## Algorithm


#### Step 4

The score increment/decrements based on eye state. If both eyes are closed increment the score, and if opened decrement the score. The system will determine whether there are any signs of drowsiness in the closed state of eyes for continuous frames.

### Step 5

If eyes are closed for score greater than 16 and any unwanted object detected then the system will sound an alarm using the play sound library to alert the user, else more frames to process.

#### Architecture



## Hardware and Software requirements

#### **Hardware**

- System Processor: Pentium IV processor or higher
- RAM: Minimum 64 MB primary memory
- Hard disk: Minimum 1 GB hard disk space.
- Display: SVGA Monitor
- Key board: Windows compatible.
- Web Camera

#### Software

- Coding Language: Python
- Operating System: Windows 7 or above
- Libraries Used: Keras, OpenCV, Numpy, Playsound, Pygame.
- Tool: VsCode and Jupyter Notebook.
- Web Technologies: HTML, CSS
- Web Framework: Flask

#### **Implementation**



### Future Scope

- Integration with AI and machine learning: AI and machine learning algorithms can be used to improve the accuracy and reliability of early warning systems, leading to more effective early warning systems.
- Wearable technology: Wearable devices can be integrated with drowsiness detection systems to monitor drowsiness levels in real-time, particularly useful for high-risk jobs.
- Expansion into new industries: Drowsiness detection systems could be used in new industries to reduce accidents and injuries caused by worker fatigue.
- Integration with autonomous vehicles: Drowsiness detection systems could help ensure the safety of passengers in autonomous vehicles by monitoring the driver's drowsiness and alerting the vehicle's control system.

#### Conclusion

Drowsiness detection systems are an important technology for promoting safety and preventing accidents caused by drowsiness. They use sensors and algorithms to detect signs of drowsiness such as changes in eye movement, blinking patterns, and head posture. However, they are not foolproof and may not detect all instances of drowsiness or fatigue. Therefore, they should be used in conjunction with other strategies for preventing drowsy driving and working, such as getting enough sleep and taking breaks during long shifts.

# THANK YOU