

---

# Amazon Polly

## Developer Guide



## **Amazon Polly: Developer Guide**

Copyright © 2023 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

# Table of Contents

What Is Amazon Polly?	1
Are You a First-time User of Amazon Polly?	1
How it works	3
What's Next?	3
Getting Started	4
Setting up Amazon Polly	4
Sign up for an AWS account	4
Create an administrative user	5
Using Amazon Polly on the Console	5
Step 1.1: Synthesizing speech quick start (Console)	6
Step 1.2: Synthesizing speech with plain text input (Console)	6
Using Amazon Polly on the AWS CLI	7
Step 2.1: Set up the AWS CLI	7
Step 2.2: Getting started exercise using the AWS CLI	8
Python Examples	10
Set Up Python and Test an Example (SDK)	10
Voices in Amazon Polly	12
Available Voices	12
Bilingual Voices	16
Accented bilingual voices	16
Fully bilingual voices	16
Listening to Voices	17
Voice Speed	17
Changing Your Voice Speed	18
Languages Supported by Amazon Polly	19
Phoneme and Viseme Tables for Supported Languages	20
Neural TTS	116
Feature and Region Compatibility	116
The Voice Engine	117
Choosing the Voice Engine (Console)	117
Choosing the Voice Engine (CLI)	118
Neural Voices	119
NTTS Newscaster Speaking Style	121
Speech Marks	124
Speech Mark Types	124
Visemes and Amazon Polly	124
Using Speech Marks	125
Requesting Speech Marks	125
Speech Mark Output	126
Speech Mark Examples	127
Requesting Speech Marks (Console)	128
Using SSML	130
Reserved Characters	130
Using SSML in the Console	132
Using SSML in the AWS CLI	133
Using SSML With the Synthesize-Speech Command	133
Synthesizing an SSML-enhanced Document	134
Using SSML for Common Amazon Polly Tasks	135
Supported SSML Tags	137
Identifying SSML-Enhanced Text	138
Adding a Pause	138
Emphasizing Words	139
Specifying Another Language for Specific Words	140
Placing a Custom Tag in Your Text	141

Adding a Pause Between Paragraphs .....	141
Using Phonetic Pronunciation .....	141
Controlling Volume, Speaking Rate, and Pitch .....	143
Setting a Maximum Duration for Synthesized Speech .....	144
Adding a Pause Between Sentences .....	147
Controlling How Special Types of Words Are Spoken .....	147
Pronouncing Acronyms and Abbreviations .....	149
Improving Pronunciation by Specifying Parts of Speech .....	150
Adding the Sound of Breathing .....	151
Newscaster speaking style .....	153
Adding Dynamic Range Compression .....	154
Speaking Softly .....	155
Controlling Timbre .....	156
Whispering .....	157
Managing Lexicons .....	158
Applying Multiple Lexicons .....	158
Managing Lexicons Using the Console .....	159
Uploading Lexicons Using the Console .....	159
Applying Lexicons Using the Console (Synthesize Speech) .....	160
Filtering the Lexicon List Using the Console .....	161
Downloading Lexicons Using the Console .....	161
Deleting a Lexicon Using the Console .....	162
Managing Lexicons Using the AWS CLI .....	162
PutLexicon .....	162
GetLexicon .....	167
ListLexicons .....	167
DeleteLexicon .....	168
Creating Long Audio Files .....	169
Setting Up the IAM Policy for Asynchronous Synthesis .....	169
Creating Long Audio Files (Console) .....	170
Creating Long Audio Files (CLI) .....	171
Code and Application Examples .....	174
Sample Code .....	174
Java Samples .....	174
Python Samples .....	180
Example Applications .....	185
Python Example .....	185
Java Example .....	195
iOS Example .....	199
Android Example .....	201
Amazon Polly for Windows (SAPI) .....	203
Installing and Configuring Amazon Polly for Windows (SAPI) .....	203
Create an IAM user for the AWS Client .....	203
Install the AWS CLI for Windows .....	204
Create a Profile for the AWS Client .....	204
Install the Amazon Polly for Windows Plugin .....	204
Using Amazon Polly in Applications .....	205
Quotas .....	208
Supported Regions .....	208
Throttling .....	208
Pronunciation Lexicons .....	208
SynthesizeSpeech API Operation .....	209
SpeechSynthesisTask API Operations .....	209
Speech Synthesis Markup Language (SSML) .....	209
Security .....	210
Data Protection .....	210
Encryption at Rest .....	211

Encryption in Transit .....	211
Internetwork Traffic Privacy .....	211
Identity and Access Management .....	211
Audience .....	211
Authenticating with identities .....	212
Managing access using policies .....	214
How Amazon Polly works with IAM .....	215
Identity-based policy examples .....	221
Amazon Polly API Permissions Reference .....	225
Troubleshooting .....	226
Logging and Monitoring .....	228
Compliance Validation .....	228
Resilience .....	229
Infrastructure Security .....	229
Security Best Practices .....	229
Using Interface VPC Endpoints .....	229
Availability .....	230
Creating a VPC endpoint for Amazon Polly .....	230
Testing the connection between your VPC and Amazon Polly .....	230
Controlling access to your Amazon Polly endpoint .....	230
Support for VPC context keys .....	231
Logging Amazon Polly API Calls with AWS CloudTrail .....	232
Amazon Polly Information in CloudTrail .....	232
Example: Amazon Polly Log File Entries .....	233
CloudWatch Integration .....	234
Getting CloudWatch Metrics (Console) .....	234
Getting CloudWatch Metrics (CLI) .....	234
Amazon Polly Metrics .....	235
Dimensions for Amazon Polly Metrics .....	236
API Reference .....	237
Actions .....	237
DeleteLexicon .....	238
DescribeVoices .....	240
GetLexicon .....	243
GetSpeechSynthesisTask .....	245
ListLexicons .....	247
ListSpeechSynthesisTasks .....	249
PutLexicon .....	251
StartSpeechSynthesisTask .....	253
SynthesizeSpeech .....	259
Data Types .....	263
Lexicon .....	264
LexiconAttributes .....	265
LexiconDescription .....	267
SynthesisTask .....	268
Voice .....	271
Document History .....	273
AWS glossary .....	280

# What Is Amazon Polly?

Amazon Polly is a cloud service that converts text into lifelike speech. You can use Amazon Polly to develop applications that increase engagement and accessibility. Amazon Polly supports multiple languages and includes a variety of lifelike voices, so you can build speech-enabled applications that work in multiple locations and use the ideal voice for your customers. With Amazon Polly, you only pay for the text you synthesize. You can also cache and replay Amazon Polly's generated speech at no additional cost.

Additionally, Amazon Polly includes a number of Neural Text-to-Speech (NTTS) voices, delivering ground-breaking improvements in speech quality through a new machine learning approach, thereby offering to customers the most natural and human-like text-to-speech voices possible. Neural TTS technology also supports a Newscaster speaking style that is tailored to news narration use cases.

Common use cases for Amazon Polly include, but are not limited to, mobile applications such as newsreaders, games, eLearning platforms, accessibility applications for visually impaired people, and the rapidly growing segment of Internet of Things (IoT).

Amazon Polly is certified for use with regulated workloads for HIPAA (the Health Insurance Portability and Accountability Act of 1996), and Payment Card Industry Data Security Standard (PCI DSS).

Some of the benefits of using Amazon Polly include:

- **High quality** – Amazon Polly offers both new neural TTS and best-in-class standard TTS technology to synthesize the superior natural speech with high pronunciation accuracy (including abbreviations, acronym expansions, date/time interpretations, and homograph disambiguation).
- **Low latency** – Amazon Polly ensures fast responses, which make it a viable option for low-latency use cases such as dialog systems.
- **Support for a large portfolio of languages and voices** – Amazon Polly supports dozens of voices languages, offering male and female voice options for most languages. Neural TTS currently supports three British English voices and eight US English voices. This number will continue to increase as we bring more neural voices online. US English voices Matthew and Joanna can also use the Neural Newscaster speaking style, similar to what you might hear from a professional news anchor.
- **Cost-effective** – Amazon Polly's pay-per-use model means there are no setup costs. You can start small and scale up as your application grows.
- **Cloud-based solution** – On-device TTS solutions require significant computing resources, notably CPU power, RAM, and disk space. These can result in higher development costs and higher power consumption on devices such as tablets, smart phones, and so on. In contrast, TTS conversion done in the AWS Cloud dramatically reduces local resource requirements. This enables support of all the available languages and voices at the best possible quality. Moreover, speech improvements are instantly available to all end-users and do not require additional updates for devices.

## Are You a First-time User of Amazon Polly?

If you are a first-time user of Amazon Polly, we recommend that you read the following sections in the listed order:

1. [How Amazon Polly works \(p. 3\)](#) – This section introduces various Amazon Polly inputs and options that you can work with in order to create an end-to-end experience.

2. [Getting Started with Amazon Polly \(p. 4\)](#) – In this section, you set up your account and test Amazon Polly speech synthesis.
3. [Example Applications \(p. 185\)](#) – This section provides additional examples that you can use to explore Amazon Polly.

# How Amazon Polly works

Amazon Polly converts input text into life-like speech. You call one of the speech synthesis methods, provide the text that you want to synthesize, choose one of the Neural Text-to-Speech (NTTS) or Standard Text-to-Speech (TTS) voices, and specify an audio output format. Amazon Polly then synthesizes the provided text into a high-quality speech audio stream.

- **Input text** – Provide the text that you want to synthesize, and Amazon Polly returns an audio stream. You can provide the input as plain text or in Speech Synthesis Markup Language (SSML) format. With SSML you can control various aspects of speech, such as pronunciation, volume, pitch, and speech rate. For more information, see [Generating Speech from SSML Documents \(p. 130\)](#).
- **Available voices** – Amazon Polly provides a portfolio of languages and a variety of voices, including a bilingual voice (for both English and Hindi). For most languages you can choose from several voices, both male and female. When launching a speech synthesis task, you specify the voice ID, and then Amazon Polly uses this voice to convert the text to speech. Amazon Polly is not a translation service—the synthesized speech is in the same language as the text. However, if the text is in a different language than designated for the voice, numbers represented as digits (for example, 53, not *fifty-three*) are synthesized in the language of the voice and not the text. For more information, see [Voices in Amazon Polly](#).
- **Output format** – Amazon Polly can deliver the synthesized speech in multiple formats. You can select the audio format that suits your needs. For example, you might request the speech in the MP3 or Ogg Vorbis format for consumption by web and mobile applications. Or, you might request the PCM output format for consumption by AWS IoT devices and telephony solutions.

## What's Next?

If you are new to Amazon Polly, we recommend that you to read the following topics in order:

- [Getting Started with Amazon Polly \(p. 4\)](#)
- [Example Applications \(p. 185\)](#)
- [Quotas in Amazon Polly \(p. 208\)](#)



# Getting Started with Amazon Polly

Amazon Polly provides simple API operations that you can easily integrate with your existing applications. For a list of supported operations, see [Actions \(p. 237\)](#). You can use either of the following options:

- **AWS SDKs** – When using the SDKs, your requests to Amazon Polly are automatically signed and authenticated using the credentials you provide. This is the recommended choice for building your applications.
- **AWS CLI** – You can use the AWS CLI to access any of Amazon Polly functionality without having to write any code.

The following sections describe how to get started using Amazon Polly.

## Topics

- [Setting up Amazon Polly \(p. 4\)](#)
- [Using Amazon Polly on the Console \(p. 5\)](#)
- [Using Amazon Polly on the AWS CLI \(p. 7\)](#)
- [Python Examples \(p. 10\)](#)

## Setting up Amazon Polly

Before you use Amazon Polly for the first time, you will need to sign up for AWS and create an IAM user. When you sign up for Amazon Web Services (AWS), your AWS account is automatically signed up for all services in AWS, including Amazon Polly, and you are charged only for the services and resources that you use. If you are a new AWS customer, you can get started with Amazon Polly for free. For more information, see [AWS Free Usage Tier](#).

If you already have an AWS account, you can move on to either of the following activities:

- [Using Amazon Polly on the Console \(p. 5\)](#)
- [Using Amazon Polly on the AWS CLI \(p. 7\)](#)

## Sign up for an AWS account

If you do not have an AWS account, complete the following steps to create one.

### To sign up for an AWS account

1. Open <https://portal.aws.amazon.com/billing/signup>.
2. Follow the online instructions.

Part of the sign-up procedure involves receiving a phone call and entering a verification code on the phone keypad.

When you sign up for an AWS account, an *AWS account root user* is created. The root user has access to all AWS services and resources in the account. As a security best practice, [assign administrative access to an administrative user](#), and use only the root user to perform [tasks that require root user access](#).

AWS sends you a confirmation email after the sign-up process is complete. At any time, you can view your current account activity and manage your account by going to <https://aws.amazon.com/> and choosing **My Account**.

## Create an administrative user

After you sign up for an AWS account, create an administrative user so that you don't use the root user for everyday tasks.

### Secure your AWS account root user

1. Sign in to the [AWS Management Console](#) as the account owner by choosing **Root user** and entering your AWS account email address. On the next page, enter your password.

For help signing in by using root user, see [Signing in as the root user](#) in the *AWS Sign-In User Guide*.

2. Turn on multi-factor authentication (MFA) for your root user.

For instructions, see [Enable a virtual MFA device for your AWS account root user \(console\)](#) in the *IAM User Guide*.

### Create an administrative user

- For your daily administrative tasks, grant administrative access to an administrative user in AWS IAM Identity Center (successor to AWS Single Sign-On).

For instructions, see [Getting started](#) in the *AWS IAM Identity Center (successor to AWS Single Sign-On) User Guide*.

### Sign in as the administrative user

- To sign in with your IAM Identity Center user, use the sign-in URL that was sent to your email address when you created the IAM Identity Center user.

For help signing in using an IAM Identity Center user, see [Signing in to the AWS access portal](#) in the *AWS Sign-In User Guide*.

For more information about IAM, see the following:

- [AWS Identity and Access Management \(IAM\)](#)
- [Getting started](#)
- [IAM User Guide](#)

#### Note

Note your AWS account ID because you'll need it in the next steps.

## Using Amazon Polly on the Console

The Amazon Polly Console is the easiest way to start testing and using Amazon Polly's speech synthesizing features. The Amazon Polly Console supports synthesizing speech from either plain text or SSML input.

### Topics

- [Step 1.1: Synthesizing speech quick start \(Console\) \(p. 6\)](#)

- [Step 1.2: Synthesizing speech with plain text input \(Console\) \(p. 6\)](#)

## Step 1.1: Synthesizing speech quick start (Console)

This Quick Start walks you through the fastest way to test the Amazon Polly speech synthesis for speech quality.

### To quickly test Amazon Polly (Console)

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Text-to-Speech** tab. The text field will load with example text so you can quickly try out Amazon Polly.
3. Turn off **SSML**.
4. Under **Engine**, choose Standard or Neural.
5. Choose a language and AWS Region, then choose a voice. If you choose Neural for **Engine**, only the languages and voices that support NTTS are available. All Standard voices are disabled.
6. Choose **Listen**.

For more in-depth testing, see the following topics:

- [Step 1.2: Synthesizing speech with plain text input \(Console\) \(p. 6\)](#)
- [Using SSML \(Console\) \(p. 132\)](#)
- [Applying Lexicons Using the Console \(Synthesize Speech\) \(p. 160\)](#)

## Step 1.2: Synthesizing speech with plain text input (Console)

The following procedure synthesizes speech using plain text input. Note how "W3C" and the date "10/3" (October 3rd) are synthesized.

### To synthesize speech using plain text input (console)

1. After logging on to the Amazon Polly console, choose **Try Amazon Polly**, and then choose the **Text-to-Speech** tab.
2. Turn off **SSML**.
3. Type or paste this text into the input box.

```
He was caught up in the game.  
In the middle of the 10/3/2014 W3C meeting  
he shouted, "Score!" quite loudly.
```

4. For **Engine**, choose Standard or Neural.
5. Choose a language and AWS Region, then choose a voice. If you choose Neural for **Engine**, only the languages and voices that support NTTS are available. All Standard voices are disabled.
6. To listen to the speech immediately, choose **Listen**.
7. To save the speech to a file, do one of the following:
  - a. Choose **Download**.
  - b. To change to a different file format, expand **Additional settings**, turn on **Speech file format settings**, choose the file format that you want, and then choose **Download**.

For more in-depth examples, see the following topics:

- [Applying Lexicons Using the Console \(Synthesize Speech\) \(p. 160\)](#)
- [Using SSML \(Console\) \(p. 132\)](#)

## Using Amazon Polly on the AWS CLI

You can perform almost all of the same operations on the Amazon Polly console and the AWS Command Line Interface (AWS CLI), however you can't listen to synthesized speech on the AWS CLI. To work with audio on the AWS CLI, save your text to a file and then open the file in an application that can play it.

### Topics

- [Step 2.1: Set up the AWS CLI \(p. 7\)](#)
- [Step 2.2: Getting started exercise using the AWS CLI \(p. 8\)](#)

## Step 2.1: Set up the AWS CLI

Follow the steps to download and configure the AWS CLI.

### Important

You don't need the AWS CLI to perform the steps in this exercise. However, some of the exercises in this guide use the AWS CLI. You can skip this step and go to [Step 2.2: Getting started exercise using the AWS CLI \(p. 8\)](#), and then set up the AWS CLI later when you need it.

### To set up the AWS CLI

1. Download and configure the AWS CLI. For instructions, see the following topics in the *AWS Command Line Interface User Guide*:
  - [Getting Set Up with the AWS Command Line Interface](#)
  - [Configuring the AWS Command Line Interface](#)
2. Add a named profile for the administrator user in the AWS CLI config file. You use this profile when running the AWS CLI commands. For more information about named profiles, see [Named Profiles](#) in the *AWS Command Line Interface User Guide*.

```
[profile adminuser]
aws_access_key_id = adminuser access key ID
aws_secret_access_key = adminuser secret access key
region = aws-region
```

For a list of available AWS Regions and those supported by Amazon Polly, see [Regions and Endpoints](#) in the *Amazon Web Services General Reference*.

### Note

If you're using the Region supported by Amazon Polly that you specified when you configured the AWS CLI, omit the following line from the AWS CLI code examples.

```
--region aws-region
```

3. Verify the setup by typing the following help command at the command prompt.

```
aws help
```

A list of valid AWS commands should appear in the AWS CLI window.

### To enable Amazon Polly in the AWS CLI (optional)

If you have previously downloaded and configured the AWS CLI, Amazon Polly might not be available unless you reconfigure the AWS CLI. This procedure checks to see if this is necessary and provides instructions if Amazon Polly is not automatically available.

1. Verify the availability of Amazon Polly by typing the following help command at the AWS CLI command prompt.

```
aws polly help
```

If a description of Amazon Polly and a list of valid commands appears in the AWS CLI window, Amazon Polly is available in the AWS CLI and can be used immediately. In this case, you can skip the rest of this procedure. If this is not displayed, continue with Step 2.

2. Use one of the two following options to enable Amazon Polly:

- a. Uninstall and reinstall the AWS CLI.

For instructions, see [Installing the AWS Command Line Interface](#) in the *AWS Command Line Interface User Guide*.

or

- b. Download the file [service-2.json](#).

At the command prompt, run the following command.

```
aws configure add-model --service-model file://service-2.json --service-name polly
```

3. Reverify the availability of Amazon Polly.

```
aws polly help
```

The description of Amazon Polly should be visible.

## Step 2.2: Getting started exercise using the AWS CLI

Now you can test the speech synthesis offered by Amazon Polly. In this exercise, you call the `SynthesizeSpeech` operation by passing in sample text. You can save the resulting audio as a file and verify its content.

1. Run the `synthesize-speech` AWS CLI command to synthesize sample text to an audio file (`hello.mp3`).

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \  
  --output-format mp3 \  
  --voice-id Joanna \  
  --text 'Hello, my name is Joanna. I learned about the W3C on 10/3 of last year.' \  
  --output-file hello.mp3
```

```
hello.mp3
```

In the call to `synthesize-speech`, you provide sample text for the synthesis, the voice to use (by providing a voice ID, explained in the following step 3), and the output format. The command saves the resulting audio to the `hello.mp3` file.

In addition to the MP3 file, the operation sends the following output to the console.

```
{
  "ContentType": "audio/mpeg",
  "RequestCharacters": "71"
}
```

2. Play the resulting `hello.mp3` file to verify the synthesized speech.
3. Get the list of available voices by using the `DescribeVoices` operation. Run the following `describe-voices` AWS CLI command.

```
aws polly describe-voices
```

In response, Amazon Polly returns the list of all available voices. For each voice, the response provides the following metadata: voice ID, language code, language name, and the gender of the voice. The following is a sample response.

```
{
  "Voices": [
    {
      "Gender": "Female",
      "Name": "Salli",
      "LanguageName": "US English",
      "Id": "Salli",
      "LanguageCode": "en-US"
    },
    {
      "Gender": "Female",
      "Name": "Joanna",
      "LanguageName": "US English",
      "Id": "Joanna",
      "LanguageCode": "en-US"
    }
  ]
}
```

Optionally, you can specify the language code to find the available voices for a specific language. Amazon Polly supports dozens of voices. The following example lists all the voices for Brazilian Portuguese.

```
aws polly describe-voices \
  --language-code pt-BR
```

For a list of language codes, see [Languages Supported by Amazon Polly \(p. 19\)](#). These language codes are W3C language identification tags (*ISO 639 code for the language name-ISO 3166 country code*). For example, `en-US` (US English), `en-GB` (British English), and `es-ES` (Spanish), etc.

You can also use the `help` option in the AWS CLI to get the list of language codes:

```
aws polly describe-voices help
```

## Python Examples

This guide provides additional examples, some of which are Python code examples that use AWS SDK for Python (Boto) to make API calls to Amazon Polly. We recommend that you set up Python and test the example code provided in the following section. For additional examples, see [Example Applications \(p. 185\)](#).

### Set Up Python and Test an Example (SDK)

To test the Python example code, you need the AWS SDK for Python (Boto). For instruction, see [AWS SDK for Python \(Boto3\)](#).

#### To test the example Python code

The following Python code example performs the following actions:

- Uses the AWS SDK for Python (Boto) to send a SynthesizeSpeech request to Amazon Polly (by providing simple text as input).
- Accesses the resulting audio stream in the response and saves the audio to a file (speech.mp3) on your local disk.
- Plays the audio file with the default audio player for your local system.

Save the code to a file (example.py) and run it.

```
"""Getting Started Example for Python 2.7+/3.3+"""
from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError
from contextlib import closing
import os
import sys
import subprocess
from tempfile import gettempdir

# Create a client using the credentials and region defined in the [adminuser]
# section of the AWS credentials file (~/.aws/credentials).
session = Session(profile_name="adminuser")
polly = session.client("polly")

try:
    # Request speech synthesis
    response = polly.synthesize_speech(Text="Hello world!", OutputFormat="mp3",
                                      VoiceId="Joanna")
except (BotoCoreError, ClientError) as error:
    # The service returned an error, exit gracefully
    print(error)
    sys.exit(-1)

# Access the audio stream from the response
if "AudioStream" in response:
    # Note: Closing the stream is important because the service throttles on the
    # number of parallel connections. Here we are using contextlib.closing to
    # ensure the close method of the stream object will be called automatically
    # at the end of the with statement's scope.
    with closing(response["AudioStream"]) as stream:
        output = os.path.join(gettempdir(), "speech.mp3")
```

```
        try:
            # Open a file for writing the output as a binary stream
            with open(output, "wb") as file:
                file.write(stream.read())
        except IOError as error:
            # Could not write to file, exit gracefully
            print(error)
            sys.exit(-1)

    else:
        # The response didn't contain audio data, exit gracefully
        print("Could not stream audio")
        sys.exit(-1)

    p
    # Play the audio using the platform's default player
    if sys.platform == "win32":
        os.startfile(output)
    else:
        # The following works on macOS and Linux. (Darwin = mac, xdg-open = linux).
        opener = "open" if sys.platform == "darwin" else "xdg-open"
        subprocess.call([opener, output])
```

For additional examples including an example application, see [Example Applications \(p. 185\)](#).



# Voices in Amazon Polly

Amazon Polly provides a number of different voices for you to use. To hear example voices, see the [Amazon Polly product overview](#). To hear a specific voice speak a sample that you provide, you can use the Amazon Polly console. For instructions, see [Listening to the Voices \(p. 17\)](#).

## Available Voices

Amazon Polly provides a variety of different voices in multiple languages for synthesizing speech from text.

Language and language variants	Language code	Name/ID	Gender	Neural Voice	Standard Voice
Arabic	arb	Zeina	Female	No	Yes
Arabic (Gulf)	ar-AE	Hala*	Female	Yes	No
Dutch (Belgian)	nl-BE	Lisa	Female	Yes	No
Catalan	ca-ES	Arlet	Female	Yes	No
Chinese (Cantonese)	yue-CN	Hiujin	Female	Yes	No
Chinese (Mandarin)	cmn-CN	Zhiyu	Female	Yes	Yes
Danish	da-DK	Naja	Female	No	Yes
		Mads	Male	No	Yes
		Sofie	Female	Yes	No
Dutch	nl-NL	Laura	Female	Yes	No
		Lotte	Female	No	Yes
		Ruben	Male	No	Yes
English (Australian)	en-AU	Nicole	Female	No	Yes
		Olivia	Female	Yes	No
		Russell	Male	No	Yes
English (British)	en-GB	Amy**	Female	Yes	Yes
		Emma	Female	Yes	Yes
		Brian	Male	Yes	Yes
		Arthur	Male	Yes	No

Language and language variants	Language code	Name/ID	Gender	Neural Voice	Standard Voice
<b>English (Indian)</b>	en-IN	Aditi*	Female	No	Yes
		Raveena	Female	No	Yes
		Kajal*	Female	Yes	No
<b>English (Ireland)</b>	en-IE	Niamh	Female	Yes	No
<b>English (New Zealand)</b>	en-NZ	Aria	Female	Yes	No
<b>English (South African)</b>	en-ZA	Ayanda	Female	Yes	No
<b>English (US)</b>	en-US	Ivy	Female (child)	Yes	Yes
		Joanna**	Female	Yes	Yes
		Kendra	Female	Yes	Yes
		Kimberly	Female	Yes	Yes
		Salli	Female	Yes	Yes
		Joey	Male	Yes	Yes
		Justin	Male (child)	Yes	Yes
		Kevin	Male (child)	Yes	No
		Matthew**	Male	Yes	Yes
		Ruth	Female	Yes	No
		Stephen	Male	Yes	No
<b>English (Welsh)</b>	en-GB-WLS	Geraint	Male	No	Yes
<b>Finnish</b>	fi-FI	Suvi	Female	Yes	No
<b>French</b>	fr-FR	Céline/Celine	Female	No	Yes
		Léa	Female	Yes	Yes
		Mathieu	Male	No	Yes
		Rémi	Male	Yes	No
<b>French (Belgian)</b>	fr-BE	Isabelle	Female	Yes	No

Language and language variants	Language code	Name/ID	Gender	Neural Voice	Standard Voice
<b>French (Canadian)</b>	fr-CA	Chantal	Female	No	Yes
		Gabrielle	Female	Yes	No
		Liam	Male	Yes	No
<b>German</b>	de-DE	Marlene	Female	No	Yes
		Vicki	Female	Yes	Yes
		Hans	Male	No	Yes
		Daniel	Male	Yes	No
<b>German (Austrian)</b>	de-AT	Hannah	Female	Yes	No
<b>Hindi</b>	hi-IN	Aditi*	Female	No	Yes
		Kajal*	Female	Yes	No
<b>Icelandic</b>	is-IS	Dóra/Dora	Female	No	Yes
		Karl	Male	No	Yes
<b>Italian</b>	it-IT	Carla	Female	No	Yes
		Bianca	Female	Yes	Yes
		Giorgio	Male	No	Yes
		Adriano	Male	Yes	No
<b>Japanese</b>	ja-JP	Mizuki	Female	No	Yes
		Takumi	Male	Yes	Yes
		Kazuha	Female	Yes	No
		Tomoko	Female	Yes	No
<b>Korean</b>	ko-KR	Seoyeon	Female	Yes	Yes
<b>Norwegian</b>	nb-NO	Liv	Female	No	Yes
		Ida	Female	Yes	No
<b>Polish</b>	pl-PL	Ewa	Female	No	Yes
		Maja	Female	No	Yes
		Jacek	Male	No	Yes
		Jan	Male	No	Yes
		Ola	Female	Yes	No

Language and language variants	Language code	Name/ID	Gender	Neural Voice	Standard Voice
<b>Portuguese (Brazilian)</b>	pt-BR	Camila	Female	Yes	Yes
		Vitória/Vitoria	Female	Yes	Yes
		Ricardo	Male	No	Yes
		Thiago	Male	Yes	No
<b>Portuguese (European)</b>	pt-PT	Inês/Ines	Female	Yes	Yes
		Cristiano	Male	No	Yes
<b>Romanian</b>	ro-RO	Carmen	Female	No	Yes
<b>Russian</b>	ru-RU	Tatyana	Female	No	Yes
		Maxim	Male	No	Yes
<b>Spanish (European)</b>	es-ES	Conchita	Female	No	Yes
		Lucia	Female	Yes	Yes
		Enrique	Male	No	Yes
		Sergio	Male	Yes	No
<b>Spanish (Mexican)</b>	es-MX	Mia	Female	Yes	Yes
		Andrés	Male	Yes	No
<b>Spanish (US)</b>	es-US	Lupe**	Female	Yes	Yes
		Penélope/ Penélope	Female	No	Yes
			Male	No	Yes
		Miguel	Male	Yes	No
		Pedro			
<b>Swedish</b>	sv-SE	Astrid	Female	No	Yes
		Elin	Female	Yes	No
<b>Turkish</b>	tr-TR	Filiz	Female	No	Yes
<b>Welsh</b>	cy-GB	Gwyneth	Female	No	Yes

\* This voice is bilingual. For more information, see [Bilingual Voices \(p. 16\)](#).

\*\* These voices can be used with Newscaster speaking styles when used with the Neural format. For more information, see [NTTS Newscaster Speaking Style \(p. 121\)](#).

In addition to the above voices, Amazon Polly can build you a custom Brand Voice that reflects your brand persona, providing you the opportunity to offer unique and exclusive NTTS voices to your customers. To learn more about Amazon Polly Brand Voices, please see [Brand Voice](#).

## Bilingual Voices

Amazon Polly has two ways of producing bilingual voices:

- [Accented bilingual voices \(p. 16\)](#)
- [Fully bilingual voices \(p. 16\)](#)

### Accented bilingual voices

Accented bilingual voices can be created using any Amazon Polly voice, but only when using SSML tags.

Normally, all words in the input text are spoken in the default language of the voice specified you're using.

For example, if you're using the voice of Joanna (who speaks US English), Amazon Polly speaks the following in the Joanna voice without a French accent:

```
< speak>
  Why didn't she just say, 'Je ne parle pas français?'
</ speak>
```

In this case, the words *Je ne parle pas français* are spoken as they would be if they were English.

However, if you use the Joanna voice with the `<lang>` tag, Amazon Polly speaks the sentence in the Joanna voice in American-accented French:

```
< speak>
  Why didn't she just say, < lang xml:lang="fr-FR">'Je ne parle pas français?'</ lang>.
</ speak>
```

Because Joanna is not a native French voice, pronunciation is based on her native language, US English. For instance, although perfect French pronunciation features an uvular trill /R/ in the word *français*, Joanna's US English voice pronounces this phoneme as the corresponding sound /r/.

If you use the voice of Giorgio, who speaks Italian, with the following text, Amazon Polly speaks the sentence in Giorgio's voice with an Italian pronunciation:

```
< speak>
  Mi piace Bruce Springsteen.
</ speak>
```

### Fully bilingual voices

A fully bilingual voice like Aditi or Kajal (Indian English and Hindi) can speak two languages fluently. This gives you the ability to use words and phrases from both languages in a single text using the same voice.

Currently, Aditi, Kajal, and Hala are the only fully bilingual voices available.

#### Using a Bilingual Voice (example: Aditi)

Aditi speaks both Indian English (en-IN) and Hindi (hi-IN) fluently. You can synthesize speech in both English and Hindi, and the voice can switch between the two languages even within the same sentence.

Hindi can be used in two different forms:

- Devanagari: "उसेन कहाँ, खेल तोह अब शुरू होगा"
- Romanagari (using the Latin alphabet): "Usne kahan, khel toh ab shuru hoga"

Additionally, it's possible to mix English and Hindi of either or both forms within a single sentence:

- Devanagari + English: "This is the song कभी कभी अदिति"
- Romanagari + English: "This is the song from the movie Jaane Tu Ya Jaane Na."
- Devanagari + Romanagari + English: "This is the song कभी कभी अदिति from the movie Jaane Tu Ya Jaane Na."

Because Aditi is a bilingual voice, text in all of these cases will be read correctly, as Amazon Polly can differentiate between the languages and scripts.

Amazon Polly also supports numbers, dates, times, and currency expansion in both English (Arabic numerals) and Hindi (Devanagari numerals). By default, Arabic numerals are read in Indian English. To make Amazon Polly read them in Hindi, you must use the `hi-IN` language code parameter.

## Listening to the Voices

Amazon Polly provides dozens of lifelike voices and support for a variety of languages. Each voice is created using native language speakers, so there are variations from voice to voice, even within the same language. To hear example voices, refer to the [Amazon Polly feature overview](#).

You can also use the AWS Management Console to test each voice with text of your choice. For most languages, there will be at least one male and one female voice, and often more than one of each. A few languages only have a single voice. For a complete list, see [Voices in Amazon Polly \(p. 12\)](#).

### To listen to Amazon Polly voices with text of your choice

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Text-to-Speech** tab.
3. For **Engine**, choose **Standard** or **Neural**.
4. Choose a language and a Region, then choose a voice.
5. Enter text for the voice to speak or use the default phrase, and then choose **Listen**.

#### Note

The inventory of voices and the number of languages included is continually being updated to include additional choices. To suggest a new language or voice, provide feedback on this page. Unfortunately, we are not able to comment on plans for specific new languages before they are released.

## Voice Speed

Because of the natural variation between voices, each available voice will speak the text at slightly different speeds. For instance, with US English voices, Ivy and Joanna are slightly faster than Matthew when saying "Mary had a little lamb," and considerably faster than Joey.

Since there is so much variation between voices, and the degree of that variation can depend on the text being spoken, no standard speed (words per minute) is available for Amazon Polly voices. However,

you can find how long it takes for your voice to say the selected text using SpeechMarks. For more information on using speechmarks in Amazon Polly, see [Using Speech Marks \(p. 125\)](#)

### To see approximately how long it takes to speak a text passage

1. Open the AWS CLI.
2. Run the following code, filling in as needed

```
aws polly synthesize-speech \
  --language-code optional language code if needed \
  --output-format json \
  --voice-id [name of desired voice] \
  --text '[desired text]' \
  --speech-mark-types='["viseme"]' \
  LengthOfText.txt
```

3. Open LengthOfText.txt

If the text were "Mary had a little lamb," the last few lines returned by Amazon Polly would be:

```
{"time":882,"type":"viseme","value":"t"}
{"time":964,"type":"viseme","value":"a"}
{"time":1082,"type":"viseme","value":"p"}
```

The last viseme, essentially the sound for the final letters in "lamb" starts 1082 milliseconds after the beginning of the speech. While this is not exactly the length of the audio, it's close and can serve as the basis for comparison between voices.

## Changing Your Voice Speed

For certain applications, you may find that you'd prefer the voice you like be slowed down, or speeded up. If the speed of the voice is a concern, Amazon Polly provides the ability to modify this using SSML tags.

For example:

Your organization is making an application that reads books to immigrant audiences. The audience speaks English, but their fluency is limited. In this case, you might consider slowing the rate of speech to give your audience a little more time for comprehension while the application is speaking.

Amazon Polly helps you slow down the rate of speech using the SSML `<prosody>` tag, as in:

```
<speaking>
  In some cases, it might help your audience to <prosody rate="85%">slow
  the speaking rate slightly to aid in comprehension.</prosody>
</speaking>
```

or

```
<speaking>
  In some cases, it might help your audience to <prosody rate="slow">slow
  the speaking rate slightly to aid in comprehension.</prosody>
</speaking>
```

Two speed options are available to you when using SSML with Amazon Polly:

- Preset speeds: x-slow, slow, medium, fast, and x-fast. In these cases, the speed of each option is approximate, depending on your preferred voice. The medium option is the normal speed of the voice.
- n% of speech rate: any percentage of the speech rate, between 20% and 200% can be used. In these cases, you can choose exactly the speed you want. However, the actual speed of the voice is approximate, depending on the voice you've chosen. 100% is considered to be the normal speed of the voice.

Because the speed of each option is approximate and depends on the voice you choose, we recommend that you test your selected voice at various speeds to see what exactly meets your needs.

For more information on using the prosody tag to best effect, see [Controlling Volume, Speaking Rate, and Pitch](#) (p. 143)

## Languages Supported by Amazon Polly

The following languages are supported by Amazon Polly and can be used to synthesize speech. With each language is the language code. These language codes are W3C language identification tags (*ISO 639-3* for the language name and *ISO 3166* for the country code).

For in-depth tables showing the phonemes and visemes associated with each language, choose the link on each language in the table below.

Language	Language Code
<a href="#">Arabic</a> (p. 21)	arb
<a href="#">Arabic (Gulf)</a> (p. 24)	ar-AE
<a href="#">Catalan</a> (p. 28)	ca-ES
<a href="#">Chinese (Cantonese)</a> (p. 30)	yue-CN
<a href="#">Chinese (Mandarin)</a> (p. 33)	cmn-CN
<a href="#">Danish</a> (p. 35)	da-DK
<a href="#">Dutch (Belgian)</a> (p. 38)	nl-BE
<a href="#">Dutch</a> (p. 40)	nl-NL
<a href="#">English (Australian)</a> (p. 45)	en-AU
<a href="#">English (British)</a> (p. 47)	en-GB
<a href="#">English (Indian)</a> (p. 50)	en-IN
<a href="#">English (New Zealand)</a> (p. 55)	en-NZ
<a href="#">English (South African)</a> (p. 58)	en-ZA
<a href="#">English (US)</a> (p. 43)	en-US
<a href="#">English (Welsh)</a> (p. 61)	en-GB-WLS
<a href="#">Finnish</a> (p. 64)	fi-FI



Language	Language Code
<a href="#">French (p. 67)</a>	fr-FR
<a href="#">French (Belgian) (p. 69)</a>	fr-BE
<a href="#">French (Canadian) (p. 71)</a>	fr-CA
<a href="#">Hindi (p. 78)</a>	hi-IN
<a href="#">German (p. 73)</a>	de-DE
<a href="#">German (Austrian) (p. 76)</a>	de-AT
<a href="#">Icelandic (p. 80)</a>	is-IS
<a href="#">Italian (p. 83)</a>	it-IT
<a href="#">Japanese (p. 85)</a>	ja-JP
<a href="#">Korean (p. 88)</a>	ko-KR
<a href="#">Norwegian (p. 89)</a>	nb-NO
<a href="#">Polish (p. 92)</a>	pl-PL
<a href="#">Portuguese (Brazilian) (p. 96)</a>	pt-BR
<a href="#">Portuguese (European) (p. 94)</a>	pt-PT
<a href="#">Romanian (p. 98)</a>	ro-RO
<a href="#">Russian (p. 100)</a>	ru-RU
<a href="#">Spanish (European) (p. 102)</a>	es-ES
<a href="#">Spanish (Mexican) (p. 104)</a>	es-MX
<a href="#">Spanish (US) (p. 106)</a>	es-US
<a href="#">Swedish (p. 108)</a>	sv-SE
<a href="#">Turkish (p. 110)</a>	tr-TR
<a href="#">Welsh (p. 113)</a>	cy-GB

For more information, see [Phoneme and Viseme Tables for Supported Languages \(p. 20\)](#).

## Phoneme and Viseme Tables for Supported Languages

The following tables list the phonemes for the languages supported by Amazon Polly, along with examples and the corresponding visemes.

### Topics

- [Arabic \(arb\) \(p. 21\)](#)
- [Arabic \(Gulf\) \(ar-AE\) \(p. 24\)](#)

- [Catalan \(ca-ES\) \(p. 28\)](#)
- [Chinese \(Cantonese\) \(yue-CN\) \(p. 30\)](#)
- [Chinese \(Mandarin\) \(cmn-CN\) \(p. 33\)](#)
- [Danish \(da-DK\) \(p. 35\)](#)
- [Dutch \(Belgian\) \(nl-BE\) \(p. 38\)](#)
- [Dutch \(nl-NL\) \(p. 40\)](#)
- [English \(US\) \(en-US\) \(p. 43\)](#)
- [English \(Australian\) \(en-AU\) \(p. 45\)](#)
- [English \(British\) \(en-GB\) \(p. 47\)](#)
- [English \(Indian\) \(en-IN\) \(p. 50\)](#)
- [English \(Ireland\) \(en-IE\) \(p. 52\)](#)
- [English \(New Zealand\) \(en-NZ\) \(p. 55\)](#)
- [English \(South African\) \(en-ZA\) \(p. 58\)](#)
- [English \(Welsh\) \(en-GB-WLS\) \(p. 61\)](#)
- [Finnish \(fi-FI\) \(p. 64\)](#)
- [French \(fr-FR\) \(p. 67\)](#)
- [French \(Belgian\) \(fr-BE\) \(p. 69\)](#)
- [French \(Canadian\) \(fr-CA\) \(p. 71\)](#)
- [German \(de-DE\) \(p. 73\)](#)
- [German \(Austrian\) \(de-AT\) \(p. 76\)](#)
- [Hindi \(hi-IN\) \(p. 78\)](#)
- [Icelandic \(is-IS\) \(p. 80\)](#)
- [Italian \(it-IT\) \(p. 83\)](#)
- [Japanese \(ja-JP\) \(p. 85\)](#)
- [Korean \(ko-KR\) \(p. 88\)](#)
- [Norwegian \(nb-NO\) \(p. 89\)](#)
- [Polish \(pl-PL\) \(p. 92\)](#)
- [Portuguese \(pt-PT\) \(p. 94\)](#)
- [Portuguese \(Brazilian\) \(pt-BR\) \(p. 96\)](#)
- [Romanian \(ro-RO\) \(p. 98\)](#)
- [Russian \(ru-RU\) \(p. 100\)](#)
- [Spanish \(es-ES\) \(p. 102\)](#)
- [Spanish \(Mexican\) \(es-MX\) \(p. 104\)](#)
- [Spanish \(US\) \(es-US\) \(p. 106\)](#)
- [Swedish \(sv-SE\) \(p. 108\)](#)
- [Turkish \(tr-TR\) \(p. 110\)](#)
- [Welsh \(cy-GB\) \(p. 113\)](#)

## Arabic (arb)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Arabic voice of Zeina that is supported by Amazon Polly.

## Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
ʔ	ʔ	glottal stop	أنا	
ʕ	ʔ\	voiced pharyngeal fricative	عُمَر	k
b	b	voiced bilabial plosive	بَلَد	p
d	d	voiced alveolar plosive	داري	t
dʕ	d_ʔ\	emphatic voiced alveolar plosive	ضَوء	t
dʒ	dZ	voiced postalveolar affricate	جَمِيل	S
ð	D	voiced dental fricative	ذَكَ	T
ðʕ	D_ʔ\	emphatic voiced dental fricative	ظَلَام	T
f	f	voiceless labiodental fricative	فَصَل	f
g	g	voiced velar plosive	إنجلترا	k
ɣ	G	voiced velar fricative	عَرَب	k
h	h	voiceless glottal fricative	هذا	k
j	j	palatal approximant	يَمَشِي	i
k	k	voiceless velar plosive	كَلَب	k
l	l	alveolar lateral approximant	لاقى	t
lʕ	l_G	emphatic alveolar lateral approximant	عبدالله	t
m	m	bilabial nasal	ماذا	p
n	n	alveolar nasal	نور	t
p	p	voiceless bilabial plosive	حَبَس	p
q	q	voiceless uvular plosive	قَرِيب	k
r	r	alveolar trill	رَمَل	r

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	سُؤَال	s
sʕ	s_?\\	emphatic voiceless alveolar fricative	صَاحِب	s
ʃ	S	voiceless postalveolar fricative	شُكْر	S
t	t	voiceless alveolar plosive	تَمَر	t
tʕ	t_?\\	emphatic voiceless alveolar plosive	طَالِب	t
θ	T	voiceless dental fricative	ثَلَاث	T
v	v	voiced labiodental fricative	فِي تَامِيْن	f
w	w	labio-velar approximant	وَلَد	u
x	x	voiceless velar fricative	خَوْف	k
ħ	X\\	voiceless pharyngeal fricative	حَوْلَ	k
z	z	voiced alveolar fricative	زَهْوَر	s
<b>Vowels</b>				
a	a	open front unrounded vowel	بَرْد	a
a:	a:	long open front unrounded vowel	دَار	a
ɑʕ	A_?\\	emphatic open back unrounded vowel	طَابَل	a
ɑʕ:	A_?\\:	emphatic long open back unrounded vowel	طَالِم	a
u	u	close back rounded vowel	شُرْب	u
u:	u:	long close back rounded vowel	سُور	u
uʕ	u_?\\	emphatic close back rounded vowel	بُدّ	u
uʕ:	u_?\\:	emphatic long close back rounded vowel	طُول	u

IPA	X-SAMPA	Description	Example	Viseme
i	i	close front unrounded vowel	بنت	i
i:	i:	long close front unrounded vowel	حَزِين	i
iʕ	i_?\\	emphatic close front unrounded vowel	ضدّ	i
iʕ:	i_?:	emphatic long close front unrounded vowel	ماضي	i
e	e	close-mid front unrounded vowel	ماركت	e
e:	e:	long close-mid front unrounded vowel	موديل	e
ɔ	O	open-mid back rounded vowel	تكنولوجي	O
ɔ:	O:	long open-mid back rounded vowel	تلفزيون	O

## Arabic (Gulf) (ar-AE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Arabic voice of Hala that is supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Pronunciation	Viseme
<b>Consonants</b>					
b	b	voiced bilabial plosive	بلد	/" b a . l a d /	b
d	d	voiced alveolar plosive	رد	/" r a d d /	d
dʕ	d_?\\	pharyngealised voiced alveolar plosive	ضوء	/" d_?\\ a w ? /	D
f	f	voiceless labiodental fricative	فرن	/" f l . r l n /	f
g	g	voiced velar plosive	قال	/" g a : l /	k
j	j	voiced palatal approximant	يمشي	/" j l m . S i : /	i

IPA	X-SAMPA	Description	Example	Pronunciation	Viseme
k	k	voiceless velar plosive	كامل	/ " k a : m i l /	k
l	l	voiced alveolar lateral approximant	للي	/ " l e : l /	t
l̤	l_G	pharyngealised voiced alveolar lateral approximant	عبدالله	/ ? \ a b . " d A_? \ l_G . l_G A_? \ /	t
m	m	bilabial nasal stop	مئة	/ " m l j . j a /	p
n	n	alveolar nasal stop	نور	/ " n u : r /	t
p	p	voiceless bilabial plosive	أوبرا	/ " ? O . p e . r a : /	p
q	q	voiceless uvular plosive	قصر	/ " q A_? \ s_? \ r /	k
r	r	alveolar trill	رمل	/ " r a . m l l /	r
s	s	voiceless alveolar fricative	سمسم	/ " s l m . s l m /	s
s̤	s_? \	pharyngealised voiceless alveolar fricative	صاحب	/ " s_? \ A_? : . X \ l b /	s
t	t	voiceless alveolar plosive	تمر	/ " t a . m a r /	t
t̤	t_? \	pharyngealised voiceless alveolar fricative	طالب	/ " t_? \ A_? : . l l b /	t
v	v	voiced labiodental fricative	فيتامين	/ v i : . t A . " m i : n /	f
w	w	voiced labiovelar approximant	وايد	/ " w a : . j l d /	u
x	x	voiceless velar fricative	خروف	/ x a . " r u : f /	k
z	z	voiceless velar fricative	زهور	/ " z h u : r /	s
ð	D	voiced interdental fricative	ذلك	/ " D a : . l l k /	D

IPA	X-SAMPA	Description	Example	Pronunciation	Viseme
ðˤ	D_?\\	pharyngealised voiced interdental fricative	ظلام	/ D_?\\ A_?\\ . " l a: m /	D
ħ	X\\	voiceless pharyngeal fricative	الحِجِّين	/ ? a l . " X\\ i: n /	k
ŋ	N	velar nasal stop	هونغ كونغ	/ h O N . " k O N g /	k
ɣ	G	voiced velar fricative	غريبة	/ G l . " r i: . b a /	k
ʃ	S	voiceless postalveolar fricative	شمس	/ " S a m s /	S
ʒ	Z	voiced postalveolar fricative	جاكيت	/ Z a . " k e: t /	S
ʔ	?	glottal stop	مؤسسة	/ m u . " ? a s . s a . s a /	
ʕ	?\\	voiced pharyngeal fricative	عام	/ " ?\\ a: m m /	k
dʒ	dZ	voiced postalveolar affricate	جامعة	/ " dZ a: m . ?\\ a /	S
θ	T	voiced interdental fricative	ثلاثة	/ T a . " l a: . T a /	T
ɦ	h	voiced glottal fricative	هلال	/ " h l a: l /	k
<b>Vowels</b>					
æ	a	mid-open front unrounded short vowel	سفر	/ " s a . f a r /	a
ɑˤ	A_?\\	pharyngealised open back unrounded short vowel	صلب	/ " s_?\\ A_?\\ l b /	a
æ:	a:	mid-open front unrounded long vowel	باب	/ " b a: b /	a

IPA	X-SAMPA	Description	Example	Pronunciation	Viseme
ɑː	A_?ː	pharyngealised open back unrounded long vowel	ناضج	/ " n A_?ː . D_?ː i_?ː dZ /	a
a	A	open central unrounded short vowel	wifi	/ " w A j . f A j /	a
i	i	tense close front unrounded short vowel (MSA)	إسحاق	/ ? i s . " X\ A_?ː q /	i
ɪ	l	lax close front unrounded short vowel	بنت	/ " b l n t /	i
iː	i_?ː	pharyngealised close front unrounded short vowel	طفل	/ " t_?ː i_?ː f l l /	i
i:	i:	close front unrounded long vowel	سبيل	/ s a . " b i: l /	i
iː	i_?ː	pharyngealised close front unrounded long vowel	رطيّب	/ r A_?ː . " t_?ː i_?ː b /	i
u	u	tense close back rounded short vowel (MSA)	مخترع	/ " m u x . t a . r i ?ː /	u
ʊ	U	lax close back rounded short vowel	رسوم	/ r U . " s u: m /	u
uː	u_?ː	pharyngealised close back rounded short vowel	عصفور	/ ?\ u_?ː s_?ː . " f u: r /	u
u:	u:	close back rounded long vowel	توت	/ " t u: t /	u
uː	u_?ː	pharyngealised close back rounded long vowel	صور	/ " s_?ː u_?ː r /	u
e	e	mid front unrounded short vowel	إِنْتَرِنِت	/ " s e n t /	e



IPA	X-SAMPA	Description	Example	Pronunciation	Viseme
e:	e:	mid front unrounded long vowel	إيش	/ " ? e: S /	e
ɔ	O	open-mid back rounded short vowel	دولار	/ d O . " l A r /	O
ɔ:	O:	open-mid back rounded long vowel	لون	/ " l O: n /	O

## Catalan (ca-ES)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Catalan voice of Arlet that is supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
p	p	voiceless bilabial plosive	ploure	p
t	t	voiceless alveolar plosive	Tarragona	t
k	k	voiceless velar plosive	com	k
b	b	voiced bilabial plosive	bata	p
d	d	voiced alveolar plosive	endoll	t
g	g	voiced velar plosive	gros	k
m	m	voiced bilabial nasal	manera	p
n	n	voiced alveolar nasal	donar	t
ɲ	J	voiced palatal nasal	any	J
ŋ	N	voiced velar nasal	pingüí	k
ɫ	5	voiced velarized alveolar lateral approximant (dark l)	albercoc	l
ʎ	L	voiced palatal lateral approximant	llop	J
r	r	voiced alveolar trill	parra	r

IPA	X-SAMPA	Description	Example	Viseme
r	4	voiced alveolar tap	para	t
f	f	voiceless labiodental fricative	èmfasi	f
s	s	voiceless alveolar fricative	sac	s
z	z	voiced alveolar fricative	calzes	s
ʃ	S	voiceless postalveolar fricative	guix	S
ʒ	Z	voiced postalveolar fricative	col·legi	S
tʃ	tS	voiceless postalveolar affricate	cotxe	S
dʒ	dZ	voiced postalveolar affricate	platja	S
β	B	voiced bilabial approximant	obert	B
ð	D	voiced dental approximant	bedoll	T
j	j	voiced palatal approximant	noia	i
ɣ	G	voiced velar approximant	pega	k
v	v	voiced labiodental fricative	afgà	f
w	w	voiced labiovelar approximant	aigua	u
x	x	voiceless velar fricative	Jiménez	k
ɟ	j\	voiced palatal fricative	yeso	J
l	l	voiced alveolar lateral approximant	alondra	t
θ	T	voiceless dental fricative	González	T
<b>Vowels</b>				
a	a	open back vowel	casa	a
e	e	close-mid front unrounded vowel	llenya	e

IPA	X-SAMPA	Description	Example	Viseme
ɛ	E	open-mid front unrounded vowel	xec	E
i	i	closed front unrounded vowel	visca	i
o	o	close-mid back rounded vowel	gos	o
ɔ	O	open-mid back rounded vowel	joc	O
u	u	closed back rounded vowel	un	u
ə	@	mid-central vowel	casa	@
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Chinese (Cantonese) (yue-CN)

The following table lists the Jyutping and International Phonetic Alphabet (IPA) phonemes for the Cantonese voice that is supported by Amazon Polly. Jyutping is a romanization system of Cantonese which is commonly used in academia and among Cantonese speakers. IPA and X-SAMPA are not commonly used but are available for English support. The IPA and X-SAMPA symbols in the table are for reference only and should not be used for Chinese transcription. Jyutping examples and the corresponding visemes are also shown.

To make Amazon Polly use phonetic pronunciation with Jyutping, use the phoneme `alphabet="x-amazon-jyutping"` tag.

The following examples show this with each standard.

Jyutping:

```
<speaK>
  ## <phoneme alphabet="x-amazon-jyutping" ph="sing2">#</phoneme>#
  ## <phoneme alphabet="x-amazon-jyutping" ph="seng2">#</phoneme>#
</speaK>
```

IPA:

```
<speaK>
  ## <phoneme alphabet="ipa" ph="p##k##n">pecan</phoneme>#
  ## <phoneme alphabet="ipa" ph="#pi.kæn">pecan</phoneme>#
</speaK>
```

X-SAMPA:

```
<speaK>
  ## <phoneme alphabet='x-sampa' ph='pI"KA:n'>pecan</phoneme>#
```

```
## <phoneme alphabet='x-sampa' ph='''pi.k{n'}>pecan</phoneme>#  
</speak>
```

### Note

Amazon Polly accepts Cantonese input encoded in UTF-8 only.

### Phoneme/Viseme Table

Jyutping	IPA	X-SAMPA	Description	Jyutping Example	Viseme
<b>Consonants</b>					
b	p	p	voiceless bilabial plosive	巴, baa1	p
c	ts <sup>h</sup>	ts_h	aspirated voiceless alveolar affricate	叉, caa1	s
d	t	t	voiceless alveolar plosive	打, daa2	t
f	f	f	voiceless labiodental fricative	花, faa1	f
g	k	k	voiceless velar plosive	家, gaa1	k
gw	k <sup>w</sup>	k_w	labialized voiceless velar plosive	瓜, gwaa1	u
h	h	h	voiceless glottal fricative	哈, haa1	k
k	k <sup>h</sup>	k_h	aspirated voiceless velar plosive	卡, kaa1	k
kw	k <sup>wh</sup>	k_wh	labialized aspirated voiceless velar plosive	誇, kwaa1	u
l	l	l	alveolar lateral approximant	啦, laa1	t
m	m	m	bilabial nasal	媽, maa1	p
m	m	m=	syllabic bilabial nasal	唔, m4	p
ng	ŋ	N	velar nasal	牙, ngaa4	k
ng	ŋ	N=	syllabic velar nasal	吳, ng4	k
n	n	n	alveolar nasal	拿, naa4	t
p	p <sup>h</sup>	p_h	aspirated voiceless bilabial plosive	趴, paa1	p
s	s	s	voiceless alveolar fricative	沙, saa1	s
t	t <sup>h</sup>	t_h	aspirated voiceless alveolar plosive	他, taa1	t
w	w	w	labio-velar approximant	娃, waa1	u
y	j	j	palatal approximant	也, jaa5	i
z	ts	ts	voiceless alveolar affricate	渣, zaa1	s

Jyutping	IPA	X-SAMPA	Description	Jyutping Example	Viseme
<b>Vowels</b>					
a	ɐ	6	near-open central vowel	吉, gat1	a
aa	ɑ	A	open back unrounded vowel	家, gaa1	a
aai	ai	Ai	diphthong	街, gaai1	a
aaü	au	Au	diphthong	交, gaau1	a
ai	ei	6i	diphthong	雞, gai1	a
au	eu	6u	diphthong	溝, kau1	a
e	ɛ	E	open-mid front unrounded vowel	爹, de1	E
ei	ei	ei	diphthong	基, gei1	e
eo	ə	8	close-mid central rounded vowel	春, ceon1	o
eoü	øy	8y	diphthong	居, geoi1	o
eu	ɛu	Eu	diphthong	掉 in 掉垃圾, deu6	E
i	i	i	close front unrounded vowel	斯, si1	i
i	ɪ	l	near-close near-front unrounded vowel	激, gik1	i
iu	iu	iu	diphthong	驕, giu1	i
o	ɔ	O	open-mid back rounded vowel	哥, go1	O
oe	œ	9	open-mid front rounded vowel	鋸, goe3	O
oi	ɔi	Oi	diphthong	該, goi1	O
ou	ou	ou	diphthong	高, gou1	o
u	u	u	close back rounded vowel	姑, gu1	u
u	ʊ	U	near-close near-back rounded vowel	谷, guk5	u
ui	ui	ui	diphthong	刼, gui6	u
yu	y	y	close front rounded vowel	於, jyu1	u
<b>Tone marks and Additional Symbols</b>					
1			high level	詩, si1	

Jyutping	IPA	X-SAMPA	Description	Jyutping Example	Viseme
2			medium rising	史, si2	
3			medium level	試, si3	
4			very low level	時, si4	
5			low rising	市, si5	
6			low level	是, si6	
-	.	.	syllable boundary	語音 jyu5-jam1	

## Chinese (Mandarin) (cmn-CN)

The following table lists the Pinyin and International Phonetic Alphabet (IPA) phonemes for the Mandarin Chinese voice that is supported by Amazon Polly. Pinyin is the international standard for Standard Chinese romanization. IPA and X-SAMPA are not commonly used but are available for English support. The IPA and X-SAMPA symbols in the table are for reference only and should not be used for Chinese transcription. Pinyin examples and the corresponding visemes are also shown.

To make Amazon Polly use phonetic pronunciation with Pinyin, use the phoneme `alphabet="x-amazon-phonetic standard used"` tag.

The following examples show this with each standard.

Pinyin:

```
<speack>
  ## <phoneme alphabet="x-amazon-pinyin" ph="bo2">#</phoneme>#
  ## <phoneme alphabet="x-amazon-pinyin" ph="bao2">#</phoneme>#
</speack>
```

IPA:

```
<speack>
  ## <phoneme alphabet="ipa" ph="p##k##n">pecan</phoneme>#
  ## <phoneme alphabet="ipa" ph="#pi.kæn">pecan</phoneme>#
</speack>
```

X-SAMPA:

```
<speack>
  ## <phoneme alphabet='x-sampa' ph='pI''kA:n'>pecan</phoneme>#
  ## <phoneme alphabet='x-sampa' ph='''pi.k{n'>pecan</phoneme>#
</speack>
```

### Note

Amazon Polly accepts Mandarin Chinese input encoded in UTF-8 only. The GB 18030 encoding standard is not currently supported by Amazon Polly.

### Phoneme/Viseme Table

Pinyin	IPA	X-SAMPA	Description	Pinyin Example	Viseme
<b>Consonants</b>					
f	f	f	voiceless labiodental fricative	发, fa1	f
h	h	h	voiceless glottal fricative	和, he2	k
g	k	k	voiceless velar plosive	古, gu3	k
k	k <sup>h</sup>	k_h	aspirated voiceless velar plosive	苦, ku3	k
l	l	l	alveolar lateral approximant	拉, la1	t
m	m	m	bilabial nasal	骂, ma4	p
n	n	n	alveolar nasal	那, na4	t
ng	ŋ	N	velar nasal	正, zheng4	k
b	p	p	voiceless bilabial plosive	爸, ba4	p
p	p <sup>h</sup>	p_h	aspirated voiceless bilabial plosive	怕, pa4	p
s	s	s	voiceless alveolar fricative	四, si4	s
x	ç	s\	voiceless alveolo-palatal fricative	西, xi1	J
sh	ʃ	s`	voiceless retroflex fricative	是, shi4	S
d	t	t	voiceless alveolar plosive	打, da3	t
t	t <sup>h</sup>	t_h	aspirated voiceless alveolar plosive	他, ta1	t
zh	ʈʂ	t`s`	voiceless retroflex affricate	之, zhi1	S
ch	ʈʂ <sup>h</sup>	t`s`_h	aspirated voiceless retroflex affricate	吃, chi1	S
s	ʈʂ	ts	voiceless alveolar affricate	字, zi4	s
j	tɕ	ts\	voiceless alveolo-palatal affricate	鸡, ji1	J
q	tɕ <sup>h</sup>	ts\_h	aspirated voiceless alveolo-palatal affricate	七, qi1	J
c	ʈʂ <sup>h</sup>	ts_h	aspirated voiceless alveolar affricate	次, ci4	s
w	w	w	labio-velar approximant	我, wo3	u
r	ʐ	z`	voiced retroflex fricative	日, ri4	S

Pinyin	IPA	X-SAMPA	Description	Pinyin Example	Viseme
<b>"er" and "r" colored syllables</b>					
er	ɤ	@`	r-coloured mid central vowel	二, <b>er4</b>	@
-r			r-colored syllable	馅儿, <b>xianr4</b>	@
<b>Vowels</b>					
e	ɤ	7	close-mid back unrounded vowel	恶, <b>e4</b>	e
e	ə	@	mid central vowel	恩, <b>en1</b>	@
a	a	a	open front unrounded vowel	安, <b>an1</b>	a
ai	aɪ	al	diphthong	爱, <b>ai4</b>	a
ao	aʊ	aU	diphthong	奥, <b>ao4</b>	a
ei	eɪ	e	diphthong	诶, <b>ei4</b>	e
e	ɛ	E	open-mid front unrounded vowel	姐, <b>jie3</b>	E
i	i	i	close front unrounded vowel	鸡, <b>ji1</b>	i
ou	oʊ	oU	diphthong	欧, <b>ou1</b>	o
o	ɔ	O	open-mid back rounded vowel	哦, <b>o4</b>	o
u	u	u	close back rounded vowel	主, <b>zhu3</b>	u
yu	y	y	close front rounded vowel	于, <b>yu2</b>	u
<b>Tone marks and Additional Symbols</b>					
1			high level tone	淤, <b>yu1</b>	
2			rising tone	鱼, <b>yu2</b>	
3			low (falling-rising) tone	语, <b>yu3</b>	
4			falling tone	育, <b>yu4</b>	
0			neutral tone	的, <b>de0</b>	
-	.	.	syllable boundary	语音 <b>yu3-yin1</b>	

## Danish (da-DK)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Danish voices that are supported by Amazon Polly.



### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bat	p
d	d	voiced alveolar plosive	da	t
ð	D	voiced dental fricative	mad, thriller	T
f	f	voiceless labiodental fricative	fat	f
g	g	voiced velar plosive	gat	k
h	h	voiceless glottal fricative	hat	k
j	j	palatal approximant	jo	i
k	k	voiceless velar plosive	kat	k
l	l	alveolar lateral approximant	ladt	t
m	m	bilabial nasal	mat	p
n	n	alveolar nasal	nay	t
ŋ	N	velar nasal	lang	k
p	p	voiceless bilabial plosive	pande	p
r	r	alveolar trill	thriller, story	r
ʀ	R	voiced uvular fricative	rat	k
s	s	voiceless alveolar fricative	sat	s
t	t	voiceless alveolar plosive	tal	t
v	v	voiced labiodental fricative	vat	f
w	w	labial-velar approximant	hav, weekend	u
<b>Vowels</b>				
ø	2	close-mid front rounded vowel	øst	o

IPA	X-SAMPA	Description	Example	Viseme
ø:	2:	long close-mid front rounded vowel	øse	o
ɐ	6	near-open central vowel	mor	a
œ	9	open-mid front rounded vowel	skøn, grønt	O
œ:	9:	long open-mid front rounded vowel	høne, gøre	O
ə	@	mid central vowel	ane	@
æ:	{:	long near-open front unrounded vowel	male	a
a	a	open front unrounded vowel	man	a
æ	{	near-open front unrounded vowel	adresse	a
ɑ	A	open back unrounded vowel	lak, tak	a
ɑ:	A:	long open back unrounded vowel	rase	a
e	e	close-mid front unrounded vowel	midt	e
e:	e:	long close-mid front unrounded vowel	mele	e
ɛ	E	open-mid front unrounded vowel	mæt	E
ɛ:	E:	long open-mid front unrounded vowel	mæle	E
i	i	close front unrounded vowel	mit	i
i:	i:	long close front unrounded vowel	mile	i
o	o	close-mid back rounded vowel	foto	o
o:	o:	long close-mid back rounded vowel	mole	o
ɔ	O	open-mid back rounded vowel	mund	O
ɔ:	O:	long open-mid back rounded vowel	måle	O

IPA	X-SAMPA	Description	Example	Viseme
ɒ:	Q:	long open back rounded vowel	morse	O
u	u	close back rounded vowel	lusk	u
u:	u:	long close back rounded vowel	mule	u
ʌ	V	open-mid back unrounded	kører	E
y	y	close front rounded vowel	yt	u
y:	y:	long close front rounded vowel	hyle	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
ˈ	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Dutch (Belgian) (nl-BE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Belgian Dutch (Flemish) voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bak	p
d	d	voiced alveolar plosive	dak	t
dʒ	dZ	voiced postalveolar affricate	manager	S
f	f	voiceless labiodental fricative	fel	f
g	g	voiced velar plosive	goal	k
ɣ	G	voiced velar fricative	hoed	k
ɦ	h\	voiced glottal fricative	hand	k

IPA	X-SAMPA	Description	Example	Viseme
j	j	palatal approximant	ja	i
k	k	voiceless velar plosive	kap	k
l	l	alveolar lateral approximant	land	t
m	m	bilabial nasal	met	p
n	n	alveolar nasal	net	t
ŋ	N	velar nasal	bang	k
p	p	voiceless bilabial plosive	pak	p
r	r	alveolar trill	rand	r
s	s	voiceless alveolar fricative	sein	s
ʃ	S	voiceless postalveolar fricative	show	S
t	t	voiceless alveolar plosive	tak	t
v	v	voiced labiodental fricative	vel	f
ʋ	ʋ\	labiodental approximant	wit	f
x	x	voiceless velar fricative	toch	k
z	z	voiced alveolar fricative	ziin	s
ʒ	Z	voiced postalveolar fricative	bagage	S
<b>Vowels</b>				
ø:	2:	long close-mid front rounded vowel	neus	o
œy	9y	diphthong	buit	O
ə	@	mid central vowel	de	@
a:	a:	long open front unrounded vowel	baad	a
ɑ:	A	open back unrounded vowel	bad	a

IPA	X-SAMPA	Description	Example	Viseme
e:	e:	long close-mid front unrounded vowel	beet	e
ɜ:	3:	long open-mid central unrounded vowel	barrière	E
ɛ	E	open-mid front unrounded vowel	bed	E
ɛi	Ei	diphthong	beet	E
i	i	close front unrounded vowel	vier	i
ɪ	l	near-close near-front unrounded vowel	pit	i
o:	o:	long close-mid back rounded vowel	boot	o
ɔ	O	open-mid back rounded vowel	pot	O
u	u	close back rounded vowel	hoed	u
ʌu	Vu	diphthong	fout	E
y:	y:	long close front rounded vowel	fuut	u
ʏ	Y	near-close near-front rounded vowel	hut	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Dutch (nl-NL)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Dutch voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bak	p

IPA	X-SAMPA	Description	Example	Viseme
d	d	voiced alveolar plosive	<b>dak</b>	t
ɖ	dZ	voiced postalveolar affricate	<b>manager</b>	S
f	f	voiceless labiodental fricative	<b>fel</b>	f
g	g	voiced velar plosive	<b>goal</b>	k
ɣ	G	voiced velar fricative	<b>hoed</b>	k
ɦ	h\	voiced glottal fricative	<b>hand</b>	k
j	j	palatal approximant	<b>ja</b>	i
k	k	voiceless velar plosive	<b>kap</b>	k
l	l	alveolar lateral approximant	<b>land</b>	t
m	m	bilabial nasal	<b>met</b>	p
n	n	alveolar nasal	<b>net</b>	t
ŋ	N	velar nasal	<b>bang</b>	k
p	p	voiceless bilabial plosive	<b>pak</b>	p
r	r	alveolar trill	<b>rand</b>	r
s	s	voiceless alveolar fricative	<b>sein</b>	s
ʃ	S	voiceless postalveolar fricative	<b>show</b>	S
t	t	voiceless alveolar plosive	<b>tak</b>	t
v	v	voiced labiodental fricative	<b>vel</b>	f
ʋ	v\	labiodental approximant	<b>wit</b>	f
x	x	voiceless velar fricative	<b>toch</b>	k
z	z	voiced alveolar fricative	<b>ziin</b>	s
ʒ	Z	voiced postalveolar fricative	<b>bagage</b>	S

IPA	X-SAMPA	Description	Example	Viseme
<b>Vowels</b>				
ø:	2:	long close-mid front rounded vowel	neus	o
œy	9y	diphthong	buit	O
ə	@	mid central vowel	de	@
a:	a:	long open front unrounded vowel	baad	a
ɑ:	A	open back unrounded vowel	bad	a
e:	e:	long close-mid front unrounded vowel	beet	e
ɜ:	3:	long open-mid central unrounded vowel	barrière	E
ɛ	E	open-mid front unrounded vowel	bed	E
ɛi	Ei	diphthong	beet	E
i	i	close front unrounded vowel	vier	i
ɪ	l	near-close near-front unrounded vowel	pit	i
o:	o:	long close-mid back rounded vowel	boot	o
ɔ	O	open-mid back rounded vowel	pot	O
u	u	close back rounded vowel	hoed	u
ʌu	Vu	diphthong	fout	E
y:	y:	long close front rounded vowel	fuut	u
ʏ	Y	near-close near-front rounded vowel	hut	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (US) (en-US)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the American English voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f
g	g	voiced velar plosive	game	k
h	h	voiceless glottal fricative	house	k
j	j	palatal approximant	yes	i
k	k	voiceless velar plosive	cat	k
l	l	alveolar lateral approximant	lay	t
m	m	bilabial nasal	mouse	p
n	n	alveolar nasal	nap	t
ŋ	N	velar nasal	thing	k
p	p	voiceless bilabial plosive	speak	p
r	r\	alveolar approximant	red	r
s	s	voiceless alveolar fricative	seem	s
ʃ	S	voiceless postalveolar fricative	ship	S
t	t	voiceless alveolar plosive	trap	t



IPA	X-SAMPA	Description	Example	Viseme
tʃ	tS	voiceless postalveolar affricate	<b>chart</b>	S
θ	T	voiceless dental fricative	<b>thin</b>	T
v	v	voiced labiodental fricative	<b>vest</b>	f
w	w	labial-velar approximant	<b>west</b>	u
z	z	voiced alveolar fricative	<b>zero</b>	s
ʒ	Z	voiced postalveolar fricative	<b>vision</b>	S
<b>Vowels</b>				
ə	@	mid-central vowel	<b>arena</b>	@
æ̃	@`	mid-central r-colored vowel	<b>reader</b>	@
æ	{	near open-front unrounded vowel	<b>trap</b>	a
aɪ	al	diphthong	<b>price</b>	a
aʊ	aU	diphthong	<b>mouth</b>	a
ɑ	A	long open-back unrounded vowel	<b>father</b>	a
eɪ	el	diphthong	<b>face</b>	e
ɜ̃	3`	open mid-central unrounded r-colored vowel	<b>nurse</b>	E
ɛ	E	open mid-front unrounded vowel	<b>dress</b>	E
i	i	long close front unrounded vowel	<b>fleece</b>	i
ɪ	I	near-close near-front unrounded vowel	<b>kit</b>	i
oʊ	oU	diphthong	<b>goat</b>	o
ɔ	O	long open mid-back rounded vowel	<b>thought</b>	O
ɔɪ	OI	diphthong	<b>choice</b>	O
u	u	long close-back rounded vowel	<b>goose</b>	u

IPA	X-SAMPA	Description	Example	Viseme
ʊ	U	near-close near-back rounded vowel	foot	u
ʌ	V	open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (Australian) (en-AU)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Australian English voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f
g	g	voiced velar plosive	game	k
h	h	voiceless glottal fricative	house	k
j	j	palatal approximant	yes	i
k	k	voiceless velar plosive	cat	k
l	l	alveolar lateral approximant	lay	t
ɭ	l=	syllabic alveolar lateral approximant	battle	t
m	m	bilabial nasal	mouse	p

IPA	X-SAMPA	Description	Example	Viseme
m̥	m=	syllabic bilabial nasal	anthem	p
n	n	alveolar nasal	nap	t
ɳ	n=	syllabic alveolar nasal	button	t
ŋ	N	velar nasal	thing	k
p	p	voiceless bilabial plosive	pin	p
ɹ	r\	alveolar approximant	red	r
s	s	voiceless alveolar fricative	seem	s
ʃ	S	voiceless postalveolar fricative	ship	S
t	t	voiceless alveolar plosive	task	t
tʃ	tS	voiceless postalveolar affricate	chart	S
θ	T	voiceless dental fricative	thin	T
v	v	voiced labiodental fricative	vest	f
w	w	labial-velar approximant	west	u
z	z	voiced alveolar fricative	zero	s
ʒ	Z	voiced postalveolar fricative	vision	S
<b>Vowels</b>				
ə	@	mid central vowel	arena	@
əʊ	@U	diphthong	goat	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e

IPA	X-SAMPA	Description	Example	Viseme
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
ɪ	l	near-close near-front unrounded vowel	kit	i
ɪə	l@	diphthong	near	i
ɔ:	OI	long open-mid back rounded vowel	thought	O
ɔɪ	OI	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (British) (en-GB)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the British English voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p

IPA	X-SAMPA	Description	Example	Viseme
d	d	voiced alveolar plosive	<b>dig</b>	t
ɖʒ	dZ	voiced postalveolar affricate	<b>jump</b>	S
ð	D	voiced dental fricative	<b>then</b>	T
f	f	voiceless labiodental fricative	<b>five</b>	f
g	g	voiced velar plosive	<b>game</b>	k
h	h	voiceless glottal fricative	<b>house</b>	k
j	j	palatal approximant	<b>yes</b>	i
k	k	voiceless velar plosive	<b>cat</b>	k
l	l	alveolar lateral approximant	<b>lay</b>	t
ɭ	l=	syllabic alveolar lateral approximant	<b>battle</b>	t
m	m	bilabial nasal	<b>mouse</b>	p
ɱ	m=	syllabic bilabial nasal	<b>anthem</b>	p
n	n	alveolar nasal	<b>nap</b>	t
ɳ	n=	syllabic alveolar nasal	<b>button</b>	t
ŋ	N	velar nasal	<b>thing</b>	k
p	p	voiceless bilabial plosive	<b>pin</b>	p
ɹ	r\	alveolar approximant	<b>red</b>	r
s	s	voiceless alveolar fricative	<b>seem</b>	s
ʃ	S	voiceless postalveolar fricative	<b>ship</b>	S
t	t	voiceless alveolar plosive	<b>task</b>	t
tʃ	tS	voiceless postalveolar affricate	<b>chart</b>	S
θ	T	voiceless dental fricative	<b>thin</b>	T

IPA	X-SAMPA	Description	Example	Viseme
v	v	voiced labiodental fricative	vest	f
w	w	labial-velar approximant	west	u
z	z	voiced alveolar fricative	zero	s
ʒ	Z	voiced postalveolar fricative	vision	S
<b>Vowels</b>				
ə	@	mid central vowel	arena	@
əʊ	@U	diphthong	goat	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
ɪ	l	near-close near-front unrounded vowel	kit	i
ɪə	l@	diphthong	near	i
ɔ:	O:	long open-mid back rounded vowel	thought	O
ɔɪ	OI	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u

IPA	X-SAMPA	Description	Example	Viseme
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (Indian) (en-IN)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Indian English voice supported by Amazon Polly.

For additional phonemes used in conjunction with Indian English, see [Hindi \(hi-IN\) \(p. 78\)](#).

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f
g	g	voiced velar plosive	game	k
h	h	voiceless glottal fricative	house	k
j	j	palatal approximant	yes	i
k	k	voiceless velar plosive	cat	k
l	l	alveolar lateral approximant	lay	t

IPA	X-SAMPA	Description	Example	Viseme
ɫ	l=	syllabic alveolar lateral approximant	<b>battle</b>	t
m	m	bilabial nasal	<b>mouse</b>	p
ɱ	m=	syllabic bilabial nasal	<b>anthem</b>	p
n	n	alveolar nasal	<b>nap</b>	t
ɳ	n=	syllabic alveolar nasal	<b>nap</b>	t
ŋ	N	velar nasal	<b>thing</b>	k
p	p	voiceless bilabial plosive	<b>pin</b>	p
ɹ	r\	alveolar approximant	<b>red</b>	r
s	s	voiceless alveolar fricative	<b>seem</b>	s
ʃ	S	voiceless postalveolar fricative	<b>ship</b>	S
t	t	voiceless alveolar plosive	<b>task</b>	t
tʃ	tS	voiceless postalveolar affricate	<b>chart</b>	S
θ	T	voiceless dental fricative	<b>thin</b>	T
v	v	voiced labiodental fricative	<b>vest</b>	f
w	w	labial-velar approximant	<b>west</b>	u
z	z	voiced alveolar fricative	<b>zero</b>	s
ʒ	Z	voiced postalveolar fricative	<b>vision</b>	S
<b>Vowels</b>				
ə	@	mid central vowel	<b>arena</b>	@
əʊ	@U	diphthong	<b>goat</b>	@
æ	{	near open-front unrounded vowel	<b>trap</b>	a
aɪ	al	diphthong	<b>price</b>	a
aʊ	aU	diphthong	<b>mouth</b>	a



IPA	X-SAMPA	Description	Example	Viseme
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	eɪ	diphthong	face	e
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
ɪ	ɪ	near-close near-front unrounded vowel	kit	i
ɪə	ɪ@	diphthong	near	i
ɔ:	Oɪ	long open-mid back rounded vowel	thought	O
ɔɪ	Oɪ	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (Ireland) (en-IE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Irish English voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f
g	g	voiced velar plosive	game	k
h	h	voiceless glottal fricative	house	k
j	j	palatal approximant	yes	i
k	k	voiceless velar plosive	cat	k
l	l	alveolar lateral approximant	lay	t
m	m	bilabial nasal	mouse	p
n	n	alveolar nasal	nap	t
ŋ	N	velar nasal	thing	k
p	p	voiceless bilabial plosive	speak	p
r	r\	alveolar approximant	red	r
s	s	voiceless alveolar fricative	seem	s
ʃ	S	voiceless postalveolar fricative	ship	S
t	t	voiceless alveolar plosive	trap	t
tʃ	tS	voiceless postalveolar affricate	chart	S
θ	T	voiceless dental fricative	thin	T
v	v	voiced labiodental fricative	vest	f

IPA	X-SAMPA	Description	Example	Viseme
w	w	labial-velar approximant	west	u
z	z	voiced alveolar fricative	zero	s
ʒ	Z	voiced postalveolar fricative	vision	S
<b>Vowels</b>				
ə	@	mid-central vowel	arena	@
ə̃	@`	mid-central r-colored vowel	reader	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ	A	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e
ɜ̃	3`	open mid-central unrounded r-colored vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
i	i	long close front unrounded vowel	fleece	i
ɪ	l	near-close near-front unrounded vowel	kit	i
oʊ	oU	diphthong	goat	o
ɔ	O	long open mid-back rounded vowel	thought	O
ɔɪ	OI	diphthong	choice	O
u	u	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʌ	V	open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				

IPA	X-SAMPA	Description	Example	Viseme
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (New Zealand) (en-NZ)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the New Zealand English voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f
g	g	voiced velar plosive	game	k
h	h	voiceless glottal fricative	house	k
j	j	palatal approximant	yes	i
k	k	voiceless velar plosive	cat	k
l	l	alveolar lateral approximant	lay	t
ɭ	l=	syllabic alveolar lateral approximant	battle	t
m	m	bilabial nasal	mouse	p
ɱ	m=	syllabic bilabial nasal	anthem	p
n	n	alveolar nasal	nap	t
ɳ	n=	syllabic alveolar nasal	button	t

IPA	X-SAMPA	Description	Example	Viseme
ŋ	N	velar nasal	thing	k
p	p	voiceless bilabial plosive	pin	p
ɹ	r\	alveolar approximant	red	r
s	s	voiceless alveolar fricative	seem	s
ʃ	S	voiceless postalveolar fricative	ship	S
t	t	voiceless alveolar plosive	task	t
tʃ	tS	voiceless postalveolar affricate	chart	S
θ	T	voiceless dental fricative	thin	T
v	v	voiced labiodental fricative	vest	f
w	w	labial-velar approximant	west	u
z	z	voiced alveolar fricative	zero	s
ʒ	Z	voiced postalveolar fricative	vision	S
<b>Vowels</b>				
ə	@	mid central vowel	arena	@
əʊ	@U	diphthong	goat	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E

IPA	X-SAMPA	Description	Example	Viseme
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
ɪ	ɪ	near-close near-front unrounded vowel	kit	i
ɪə	ɪ@	diphthong	near	i
ɔ:	O:	long open-mid back rounded vowel	thought	O
ɔɪ	Oɪ	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

The Aria voice speaks New Zealand English and offers limited support for Maori. It can pronounce the following Maori words and phrases. The Maori phrases are case-sensitive.

English	Maori
Hello/cheers	Kia ora
Welcome (to)	Nau mai (ki)
Hello (one person)/thank you	Tēnā koe
Hello (three or more people)/thank you	Tēnā koutou
Good morning	Ata mārie
Good morning	Mōrena
Thank you	Ngā mihi
Take care	Ngā manaakitanga

English	Maori
See you	Ka kite
See you later	Mā te wā
Have a good day	Kia pai tō rā
Merry Christmas	Meri Kirihimete
Maori	Māori
Maori language	te reo Māori
Maori language week	Te wiki o te reo Māori
New Zealand	Aotearoa
Maori New Year	Mātariki
Town in New Zealand / Waitangi Day is the national day of New Zealand	Waitangi
One	tahi
Two	rua
Three	toru
Four	whā
Five	rima
Six	ono
Seven	whitu
Eight	waru
Nine	iwa
Ten	tekau
Twenty	rua tekau
Thirty	Toru tekau

## English (South African) (en-ZA)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the South African English voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p

IPA	X-SAMPA	Description	Example	Viseme
d	d	voiced alveolar plosive	<b>dig</b>	t
ɖʒ	dZ	voiced postalveolar affricate	<b>jump</b>	S
ð	D	voiced dental fricative	<b>then</b>	T
f	f	voiceless labiodental fricative	<b>five</b>	f
g	g	voiced velar plosive	<b>game</b>	k
h	h	voiceless glottal fricative	<b>house</b>	k
j	j	palatal approximant	<b>yes</b>	i
k	k	voiceless velar plosive	<b>cat</b>	k
l	l	alveolar lateral approximant	<b>lay</b>	t
ɭ	l=	syllabic alveolar lateral approximant	<b>battle</b>	t
ɬ	K	voiceless lateral fricative	<b>umhlanga</b>	t
m	m	bilabial nasal	<b>mouse</b>	p
ɱ	m=	syllabic bilabial nasal	<b>anthem</b>	p
n	n	alveolar nasal	<b>nap</b>	t
ɳ	n=	syllabic alveolar nasal	<b>button</b>	t
ŋ	N	velar nasal	<b>thing</b>	k
p	p	voiceless bilabial plosive	<b>pin</b>	p
ɹ	r\	alveolar approximant	<b>red</b>	r
r	r	alveolar trill	<b>pareis</b>	r
s	s	voiceless alveolar fricative	<b>seem</b>	s
ʃ	S	voiceless postalveolar fricative	<b>ship</b>	S
t	t	voiceless alveolar plosive	<b>task</b>	t



IPA	X-SAMPA	Description	Example	Viseme
tʃ	tS	voiceless postalveolar affricate	chart	S
θ	T	voiceless dental fricative	thin	T
v	v	voiced labiodental fricative	vest	f
w	w	labial-velar approximant	west	u
x	x	voiceless velar fricative	gauteng	k
z	z	voiced alveolar fricative	zero	s
!	!\	post-alveolar click	gqeberha	k
	\	dental click	ncube	t
	\	lateral click	xhosa	t
<b>Vowels</b>				
ə	@	mid central vowel	arena	@
əi	@i	diphthong	neslpruit	i
əʊ	@U	diphthong	goat	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
iə	l@	diphthong	du preez	i
ɪ	l	near-close near-front unrounded vowel	kit	i

IPA	X-SAMPA	Description	Example	Viseme
ɪə	l@	diphthong	near	i
ɔ:	O:	long open-mid back rounded vowel	thought	O
ɔɪ	Oɪ	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
y	y	close front rounded vowel	van vuuren	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## English (Welsh) (en-GB-WLS)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Welsh English voice supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bed	p
d	d	voiced alveolar plosive	dig	t
dʒ	dZ	voiced postalveolar affricate	jump	S
ð	D	voiced dental fricative	then	T
f	f	voiceless labiodental fricative	five	f

IPA	X-SAMPA	Description	Example	Viseme
g	g	voiced velar plosive	<b>game</b>	k
h	h	voiceless glottal fricative	<b>house</b>	k
j	j	palatal approximant	<b>yes</b>	i
k	k	voiceless velar plosive	<b>cat</b>	k
l	l	alveolar lateral approximant	<b>lay</b>	t
ɭ	l=	syllabic alveolar lateral approximant	<b>battle</b>	t
m	m	bilabial nasal	<b>mouse</b>	p
ɱ	m=	syllabic bilabial nasal	<b>anthem</b>	p
n	n	alveolar nasal	<b>nap</b>	t
ɳ	n=	syllabic alveolar nasal	<b>nap</b>	t
ŋ	N	velar nasal	<b>thing</b>	k
p	p	voiceless bilabial plosive	<b>pin</b>	p
ɹ	r\	alveolar approximant	<b>red</b>	r
s	s	voiceless alveolar fricative	<b>seem</b>	s
ʃ	S	voiceless postalveolar fricative	<b>ship</b>	S
t	t	voiceless alveolar plosive	<b>task</b>	t
tʃ	tS	voiceless postalveolar affricate	<b>chart</b>	S
θ	T	voiceless dental fricative	<b>thin</b>	T
v	v	voiced labiodental fricative	<b>vest</b>	f
w	w	labial-velar approximant	<b>west</b>	u
z	z	voiced alveolar fricative	<b>zero</b>	s
ʒ	Z	voiced postalveolar fricative	<b>vision</b>	S

IPA	X-SAMPA	Description	Example	Viseme
<b>Vowels</b>				
ə	@	mid central vowel	arena	@
əʊ	@U	diphthong	goat	@
æ	{	near open-front unrounded vowel	trap	a
aɪ	al	diphthong	price	a
aʊ	aU	diphthong	mouth	a
ɑ:	A:	long open-back unrounded vowel	father	a
eɪ	el	diphthong	face	e
ɜ:	3:	long open mid-central unrounded vowel	nurse	E
ɛ	E	open mid-front unrounded vowel	dress	E
ɛə	E@	diphthong	square	E
i:	i	long close front unrounded vowel	fleece	i
ɪ	l	near-close near-front unrounded vowel	kit	i
ɪə	l@	diphthong	near	i
ɔ:	OI	long open-mid back rounded vowel	thought	O
ɔɪ	OI	Diphthong	choice	O
ɒ	Q	open back rounded vowel	lot	O
u:	u:	long close-back rounded vowel	goose	u
ʊ	U	near-close near-back rounded vowel	foot	u
ʊə	U@	diphthong	cure	u
ʌ	V	Open-mid-back unrounded vowel	strut	E
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	

IPA	X-SAMPA	Description	Example	Viseme
.	.	syllable boundary	A.la.ba.ma	

## Finnish (fi-FI)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Finnish voice that is supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Finnish consonants</b>				
p	p	voiceless bilabial plosive	[p]ankki	p
t	t	voiceless alveolar plosive	[t]alo	t
k	k	voiceless velar plosive	[k]aali	k
d	d	voiced alveolar plosive	[d]ata	t
s	s	voiceless alveolar fricative	[s]ali	s
h	h	voiceless glottal fricative	[h]attu	k
u	v\	voiced labiodental approximant	[v]aivā	v
j	j	palatal approximant	[j]oki	i
l	l	alveolar lateral approximant	[l]oma	t
r	r	voiced alveolar trill	[r]iita	r
m	m	bilabial nasal	[m]ato	p
n	n	alveolar nasal	[n]enäa	t
ŋ	N	velar nasal	he[n]ki	k
<b>Consonants found in loanwords</b>				
b	b	voiced bilabial plosive	[b]ussi	p
f	f	voiceless labiodental fricative	[f]irma	v
w	w	labial-velar approximant	[w]iki	u

IPA	X-SAMPA	Description	Example	Viseme
z	z	voiced alveolar fricative	[z]ulu	s
g	g	voiced velar plosive	[g]aala	k
ʃ	S	voiceless postalveolar fricative	[sh]akki	S
ʒ	Z	voiced postalveolar fricative	[g]enre	S
θ	T	voiceless dental fricative	ear[th]	T
ð	D	voiced dental fricative	ei[th]er	T
<b>Short vowels</b>				
i	i	close front unrounded vowel	k[i]lo	i
ɛ	E	open mid-front unrounded vowel	k[e]sä	E
æ	{	near open-front unrounded vowel	k[ä]ly	A
y	y	close front rounded vowel	k[y]lä	u
ø	2	close mid-front rounded vowel	p[ö]ly	O
u	u	close back rounded vowel	k[u]lo	u
ɔ	O	open mid-back rounded vowel	k[o]lo	O
ɑ	A	open back unrounded vowel	k[a]la	A
<b>Long vowels</b>				
i:	i:	long close front unrounded vowel	s[ii]li	i
ɛ:	E:	long open mid-front unrounded vowel	[ee]tu	E
æ:	{:	long near open-front unrounded vowel	t[ää]llä	A
y:	y:	long close front unrounded vowel	u	
ø:	2:	long close mid-front rounded vowel	t[öö]lö	O

IPA	X-SAMPA	Description	Example	Viseme
u:	u:	long close back rounded vowel	t[uu]li	u
ɔ:	O:	long open mid-back rounded vowel	r[oo]li	O
ɑ:	A:	long open back unrounded vowel	k[aa]su	A
<b>Diphthongs</b>				
ɛi	Ei	diphthong	l[ei]pä	E
æi	{i	diphthong	[äi]ti	A
ui	ui	diphthong	k[ui]n	u
ai	Ai	diphthong	k[ai]kki	A
ɔi	Oi	diphthong	p[oi]ka	O
øi	2i	diphthong	s[öi]n	O
yi	yi	diphthong	l[yi]jy	u
au	Au	diphthong	s[au]na	A
ɔu	Ou	diphthong	k[ou]lu	O
ɛu	Eu	diphthong	r[eu]na	E
iu	iu	diphthong	v[iu]lu	i
æy	{y	diphthong	t[äy]nnä	A
øy	2y	diphthong	k[öy]hä	O
ɛy	Ey	diphthong	pes[ey]tyä	E
iy	iy	diphthong	käär[iy]tyä	i
iɛ	iE	diphthong	t[ie]	i
yø	y2	diphthong	[yö]	u
uɔ	uO	diphthong	t[uo]	u
<b>Vowels found in English loanwords</b>				
ɪ	I	near-close near-front unrounded vowel	b[i]t	i
ʊ	U	near-close near-back rounded vowel	b[oo]k	u
ə	@	mid-central vowel	[a]bout	@
ʌ	V	open-mid-back unrounded vowel	c[u]t	E

## French (fr-FR)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the French voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	boire	p
d	d	voiced alveolar plosive	madame	t
f	f	voiceless labiodental fricative	femme	f
g	g	voiced velar plosive	grand	k
ɥ	H	labial-palatal approximant	bruit	u
j	j	palatal approximant	meilleur	i
k	k	voiceless velar plosive	quatre	k
l	l	alveolar lateral approximant	malade	t
m	m	bilabial nasal	maison	p
n	n	alveolar nasal	astronome	t
ɲ	J	palatal nasal	baigner	J
ŋ	N	velar nasal	parking	k
p	p	voiceless bilabial plosive	pomme	p
ʁ	R	voiced uvular fricative	amoureux	k
s	s	voiceless alveolar fricative	santé	s
ʃ	S	voiceless postalveolar fricative	chat	S
t	t	voiceless alveolar plosive	téléphone	t
v	v	voiced labiodental fricative	vrai	f



IPA	X-SAMPA	Description	Example	Viseme
w	w	labial-velar approximant	soir	u
z	z	voiced alveolar fricative	raison	s
ʒ	Z	voiced postalveolar fricative	aubergine	S
<b>Vowels</b>				
ø	2	close-mid front rounded vowel	deux	o
œ	9	open-mid front rounded vowel	neuf	O
œ̃	9~	nasal open-mid front rounded vowel	brun	O
ə	@	mid central vowel	je	@
a	a	open front unrounded vowel	table	a
ã	A~	nasal open back unrounded vowel	camembert	a
e	e	close-mid front unrounded vowel	marché	e
ɛ	E	open-mid front unrounded vowel	neige	E
ẽ	E~	nasal open-mid front unrounded vowel	sapin	E
i	i	close front unrounded vowel	mille	i
o	o	close-mid back rounded vowel	hôpital	o
ɔ	O	open-mid back rounded vowel	homme	O
õ	O~	nasal open-mid back rounded vowel	bon	O
u	u	close back rounded vowel	sous	u
y	y	close front rounded vowel	dur	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	

IPA	X-SAMPA	Description	Example	Viseme
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## French (Belgian) (fr-BE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Belgian French voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	boire	p
d	d	voiced alveolar plosive	madame	t
f	f	voiceless labiodental fricative	femme	f
g	g	voiced velar plosive	grand	k
ɥ	H	labial-palatal approximant	bruit	u
j	j	palatal approximant	meilleur	i
k	k	voiceless velar plosive	quatre	k
l	l	alveolar lateral approximant	malade	t
m	m	bilabial nasal	maison	p
n	n	alveolar nasal	astronome	t
ɲ	J	palatal nasal	baigner	J
ŋ	N	velar nasal	parking	k
p	p	voiceless bilabial plosive	pomme	p
ʁ	R	voiced uvular fricative	amoureux	k
s	s	voiceless alveolar fricative	santé	s
ʃ	S	voiceless postalveolar fricative	chat	S

IPA	X-SAMPA	Description	Example	Viseme
t	t	voiceless alveolar plosive	téléphone	t
v	v	voiced labiodental fricative	vrai	f
w	w	labial-velar approximant	soir	u
z	z	voiced alveolar fricative	raison	s
ʒ	Z	voiced postalveolar fricative	aubergine	S
<b>Vowels</b>				
ø	2	close-mid front rounded vowel	deux	o
œ	9	open-mid front rounded vowel	neuf	O
œ̃	9~	nasal open-mid front rounded vowel	brun	O
ə	@	mid central vowel	je	@
a	a	open front unrounded vowel	table	a
ã	A~	nasal open back unrounded vowel	camembert	a
e	e	close-mid front unrounded vowel	marché	e
ɛ	E	open-mid front unrounded vowel	neige	E
ẽ	E~	nasal open-mid front unrounded vowel	sapin	E
i	i	close front unrounded vowel	mille	i
o	o	close-mid back rounded vowel	hôpital	o
ɔ	O	open-mid back rounded vowel	homme	O
õ	O~	nasal open-mid back rounded vowel	bon	O
u	u	close back rounded vowel	sous	u

IPA	X-SAMPA	Description	Example	Viseme
y	y	close front rounded vowel	dur	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## French (Canadian) (fr-CA)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the French Canadian voice supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	boire	p
d	d	voiced alveolar plosive	madame	t
f	f	voiceless labiodental fricative	femme	f
g	g	voiced velar plosive	grand	k
ɥ	H	labial-palatal approximant	bruit	u
j	j	palatal approximant	meilleur	i
k	k	voiceless velar plosive	quatre	k
l	l	alveolar lateral approximant	malade	t
m	m	bilabial nasal	maison	p
n	n	alveolar nasal	astronome	t
ɲ	J	palatal nasal	baigner	J
ŋ	N	velar nasal	parking	k
p	p	voiceless bilabial plosive	pomme	p
ʁ	R	voiced uvular fricative	amoureux	k

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	santé	s
ʃ	S	voiceless postalveolar fricative	chat	S
t	t	voiceless alveolar plosive	téléphone	t
v	v	voiced labiodental fricative	vrai	f
w	w	labial-velar approximant	soir	u
z	z	voiced alveolar fricative	raison	s
ʒ	Z	voiced postalveolar fricative	aubergine	S
<b>Vowels</b>				
ø	2	close-mid front rounded vowel	deux	o
œ	9	open-mid front rounded vowel	neuf	O
œ̃	9~	nasal open-mid front rounded vowel	brun	O
ə	@	mid central vowel	je	@
a	a	open front unrounded vowel	table	a
ã	A~	nasal open back unrounded vowel	camembert	a
e	e	close-mid front unrounded vowel	marché	e
ɛ	E	open-mid front unrounded vowel	neige	E
ẽ	E~	nasal open-mid front unrounded vowel	sapin	E
i	i	close front unrounded vowel	mille	i
o	o	close-mid back rounded vowel	hôpital	o
ɔ	O	open-mid back rounded vowel	homme	O

IPA	X-SAMPA	Description	Example	Viseme
õ	O~	nasal open-mid back rounded vowel	bon	O
u	u	close back rounded vowel	sous	u
y	y	close front rounded vowel	dur	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## German (de-DE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the German voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
ʔ	ʔ	glottal stop		
b	b	voiced bilabial plosive	Bier	p
d	d	voiced alveolar plosive	Dach	t
ç	C	voiceless palatal fricative	ich	k
ɖʒ	dZ	voiced postalveolar affricate	Dschungel	S
f	f	Voiceless labiodental fricative	Vogel	f
g	g	Voiced velar plosive	Gabel	k
h	h	Voiceless glottal fricative	Haus	k
j	j	Voiceless glottal fricative	jemand	i
k	k	Voiceless velar plosive	Kleid	k

IPA	X-SAMPA	Description	Example	Viseme
l	l	Alveolar lateral approximant	Loch	t
m	m	Bilabial nasal	Milch	p
n	n	Alveolar nasal	Natur	t
ŋ	N	Velar nasal	klingen	k
p	p	Voiceless bilabial plosive	Park	p
pf	pf	Voiceless labiodental affricate	Apfel	
ʀ	R	Uvular trill	Regen	
s	s	voiceless alveolar fricative	Messer	s
ʃ	S	Voiceless postalveolar fricative	Fischer	S
t	t	Voiceless alveolar plosive	Topf	T
ts	Ts	Voiceless alveolar affricate	Zahl	
tʃ	tS	Voiceless postalveolar affricate	deutsch	S
v	v	Voiced labiodental fricative	Wasser	f
x	x	Voiceless velar fricative	kochen	k
z	z	Voiced alveolar fricative	See	s
ʒ	Z	Voiced postalveolar fricative	Orange	S
<b>Vowels</b>				
ø:	2:	long close-mid front rounded vowel	böse	o
ɐ	6	near-open central vowel	besser	a
ɐ̯	6_^	non-syllabic near-open central vowel	Klar	a
œ	9	open-mid front rounded vowel	können	O
ə	@	mid central vowel	Rede	@

IPA	X-SAMPA	Description	Example	Viseme
a	a	open front unrounded vowel	Salz	a
a:	a:	long open front unrounded vowel	Sahne	a
aɪ	aɪ	diphthong	nein	a
aʊ	aʊ	diphthong	Augen	a
ã	A~	nasal open back unrounded vowel	Restaurant	a
e:	e:	long close-mid front unrounded vowel	Rede	e
ɛ	E	open-mid front unrounded vowel	Keller	E
ẽ	E~	nasal open-mid front unrounded vowel	Terrain	E
i:	i:	long close front unrounded vowel	Lied	i
ɪ	ɪ	near-close near-front unrounded vowel	bitte	i
o:	o:	long close-mid back rounded vowel	Kohl	o
ɔ	O	open-mid back rounded vowel	Koffer	O
õ	O~	nasal open-mid back rounded vowel	Annonce	O
ɔʏ	OY	diphthong	neu	O
u:	u:	long close back rounded vowel	Bruder	u
ʊ	U	near-close near-back rounded vowel	Wunder	u
y:	y:	long close front rounded vowel	kühl	u
ʏ	Y	near-close near-front rounded vowel	Küche	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	



## German (Austrian) (de-AT)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Austrian German voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
ʔ	ʔ	glottal stop		
b	b	voiced bilabial plosive	Bier	p
d	d	voiced alveolar plosive	Dach	t
ç	C	voiceless palatal fricative	ich	k
ɖʒ	dZ	voiced postalveolar affricate	Dschungel	S
f	f	Voiceless labiodental fricative	Vogel	f
g	g	Voiced velar plosive	Gabel	k
h	h	Voiceless glottal fricative	Haus	k
j	j	Voiceless glottal fricative	jemand	i
k	k	Voiceless velar plosive	Kleid	k
l	l	Alveolar lateral approximant	Loch	t
m	m	Bilabial nasal	Milch	p
n	n	Alveolar nasal	Natur	t
ŋ	N	Velar nasal	klingen	k
p	p	Voiceless bilabial plosive	Park	p
ɸf	pf	Voiceless labiodental affricate	Apfel	
ʀ	R	Uvular trill	Regen	
s	s	voiceless alveolar fricative	Messer	s

IPA	X-SAMPA	Description	Example	Viseme
ʃ	S	Voiceless postalveolar fricative	Fischer	S
t	t	Voiceless alveolar plosive	Topf	T
ts	Ts	Voiceless alveolar affricate	Zahl	
tʃ	tS	Voiceless postalveolar affricate	deutsch	S
v	v	Voiced labiodental fricative	Wasser	f
x	x	Voiceless velar fricative	kochen	k
z	z	Voiced alveolar fricative	See	s
ʒ	Z	Voiced postalveolar fricative	Orange	S
<b>Vowels</b>				
ø:	2:	long close-mid front rounded vowel	böse	o
ɐ	6	near-open central vowel	besser	a
ɐ̯	6_^	non-syllabic near-open central vowel	Klar	a
œ	9	open-mid front rounded vowel	können	O
ə	@	mid central vowel	Rede	@
a	a	open front unrounded vowel	Salz	a
a:	a:	long open front unrounded vowel	Sahne	a
aɪ	al	diphthong	nein	a
aʊ	aU	diphthong	Augen	a
ã	A~	nasal open back unrounded vowel	Restaurant	a
e:	e:	long close-mid front unrounded vowel	Rede	e
ɛ	E	open-mid front unrounded vowel	Keller	E

IPA	X-SAMPA	Description	Example	Viseme
ɛ̃	E~	nasal open-mid front unrounded vowel	Terrain	E
i:	i:	long close front unrounded vowel	Lied	i
ɪ	ɪ	near-close near-front unrounded vowel	bitte	i
o:	o:	long close-mid back rounded vowel	Kohl	o
ɔ	O	open-mid back rounded vowel	Koffer	O
ɔ̃	O~	nasal open-mid back rounded vowel	Annonce	O
ɔʏ	OY	diphthong	neu	O
u:	u:	long close back rounded vowel	Bruder	u
ʊ	U	near-close near-back rounded vowel	Wunder	u
y:	y:	long close front rounded vowel	kühl	u
ʏ	Y	near-close near-front rounded vowel	Küche	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Hindi (hi-IN)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the phoneme's sound type for the Hindi voices that are supported by Amazon Polly.

For additional phonemes used in conjunction with Hindi, see [English \(Indian\) \(en-IN\) \(p. 50\)](#).

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example
<b>Consonants</b>			
p <sup>h</sup>	p_h	voiceless aspirated bilabial plosive	फूल (phool)

IPA	X-SAMPA	Description	Example
b <sup>h</sup>	b_h	voiced aspirated bilabial plosive	भारी (bhaari)
t̪	t_d	voiceless dental plosive	तापमान (taapmaan)
t̪ <sup>h</sup>	t_d_h	voiceless aspirated dental plosive	थोड़ा (thoda)
d̪	d_d	voiced dental plosive	दिल्ली (dilli)
d̪ <sup>h</sup>	d_d_h	voiced aspirated dental plosive	धोबी (dhobi)
ɖ	t`	voiceless retroflex plosive	कटोरा (katora)
ɖ <sup>h</sup>	t`_h	voiceless aspirated retroflex plosive	ठंड (thand)
ɗ	d`	voiced retroflex plosive	डर (darr)
ɗ <sup>h</sup>	d`_h	voiced aspirated retroflex plosive	ढाल (dhal)
tʃ <sup>h</sup>	tS_h	voiceless aspirated palatal affricate	छाल (chaal)
dʒ <sup>h</sup>	dZ_h	voiced aspirated palatal affricate	झाल (jhaal)
k <sup>h</sup>	k_h	voiceless aspirated velar plosive	खान (khan)
g <sup>h</sup>	g_h	voiced aspirated velar plosive	घान (ghaan)
ɳ	n`	retroflex nasal	क्षण (kshan)
r	4	alveolar flap	राम (ram)
ɾ	r`	plain retroflex flap	बड़ा (bada)
ɾ <sup>h</sup>	r`_h	voiced aspirated retroflex flap	बढ़ी (barhi)
ʋ	v\	bilabial approximant	वसूल (wasool)
<b>Vowels</b>			
ə	@_o	mid central vowel	अच्छा (achhaa)
ẽ	@~	nasalised mid central vowel	हँसना (hansnaa)
a	A_o	open front unrounded vowel	आग (aag)
a~	A~	nasalised open front unrounded vowel	घड़ियाँ (ghariyaan)
ɪ	I_o	near-close near-front unrounded vowel	इक्कीस (ikkees)

IPA	X-SAMPA	Description	Example
ĩ	l~	nasalised near-close near front unrounded vowel	संचाई (sinchai)
i	i_o	close front unrounded vowel	बलिली (billee)
ĩ	i~	nasalised close front unrounded vowel	नही (nahin)
ʊ	U_o	near-close near-back rounded vowel	उलूल (ullu)
ũ	U~	nasalised near-close near-back rounded vowel	मुँह (munh)
u	u_o	close back rounded vowel	फूल (phool)
u~	u~	nasalised close back rounded vowel	ऊँट (oont)
ɔ	O_o	open-mid back rounded vowel	कौन (kaun)
õ	O~	nasalised open-mid back rounded vowel	भौ (bhaun)
o	o	close-mid back rounded vowel	सोना (sona)
o~	o~	nasalised close-mid back rounded vowel	क्यो (kyon)
ɛ	E_o	open-mid front unrounded vowel	पैसा (paisa)
ẽ	E~	nasalised open-mid front unrounded vowel	मैं (main)
e	e	close-mid front unrounded vowel	एक (ek)
e~	e~	nasalised close-mid front unrounded vowel	कतिबें (kitabein)

## Icelandic (is-IS)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Icelandic voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				

IPA	X-SAMPA	Description	Example	Viseme
b	b	voiced bilabial plosive	gras <b>b</b> akkanum	0
c	c	voiceless palatal plosive	pakkin	k
c <sup>h</sup>	c_h	aspirated voiceless palatal plosive	anarkistai	k
ç	C	voiceless palatal fricative	héðan	k
d	d	voiced alveolar plosive	bón <b>d</b> i	t
ð	D	voiced dental fricative	borð	T
f	f	voiceless labiodental fricative	duft	f
g	g	voiced velar plosive	holgó <b>ma</b>	k
ɣ	G	voiced velar fricative	hugur	k
h	h	voiceless glottal fricative	heili	k
j	j	palatal approximant	jökull	i
k <sup>h</sup>	k_h	aspirated voiceless velar plosive	ósköpunum	k
l	l	alveolar lateral approximant	gó <b>lf</b>	t
ɭ	l_0	voiceless alveolar lateral approximant	fó <b>lk</b>	t
m	m	bilabial nasal	septem <b>ber</b>	p
m̥	m_0	voiceless bilabial nasal	kom <b>pa</b>	p
n	n	alveolar nasal	nú <b>mer</b>	t
n̥	n_0	voiceless alveolar nasal	pöntun	t
ɲ	J	palatal nasal	pælingar	J
ŋ	N	velar nasal	söngvarann	k
ŋ̥	N_0	voiceless velar nasal	fræn <b>ka</b>	k
p <sup>h</sup>	p_h	aspirated voiceless bilabial plosive	af <b>pl</b> ánun	p
r	r	alveolar trill	afskrif <b>ta</b>	r

IPA	X-SAMPA	Description	Example	Viseme
ɾ	r_0	voiceless alveolar trill	andvörpum	r
s	s	voiceless alveolar fricative	baðhús	s
tʰ	t_h	aspirated voiceless alveolar plosive	tanki	t
θ	T	voiceless dental fricative	þeldökki	T
v	v	voiced labiodental fricative	silfur	f
w	w	labial-velar approximant		u
x	x	voiceless velar fricative	samfélags	k
<b>Vowels</b>				
œ	9	open-mid front rounded vowel	þröskuldinum	O
œ:	9:	long open-mid front rounded vowel	tvö	O
a	a	open front unrounded vowel	nefna	a
a:	a:	long open front unrounded vowel	fara	a
au	au	diphthong	átta	a
au:	au:	diphthong	átján	a
ɛ	E	open-mid front unrounded vowel	kennari	E
ɛ:	E:	long open-mid front unrounded vowel	dreka	E
i	i	close front unrounded vowel	Gúlíver	i
i:	i:	long close front unrounded vowel	þrír	i
ɪ	ɪ	near-close near-front unrounded vowel	samspil	i
ɪ:	ɪ:	long near-close near-front unrounded vowel	stíg	i

IPA	X-SAMPA	Description	Example	Viseme
ɔ	O	open-mid back rounded vowel	regndropar	O
ɔ:	O:	long open-mid back rounded vowel	ullarbolur	O
ɔu	Ou	diphthong	tólf	O
ɔu:	Ou:	diphthong	fjórir	O
u	u	close back rounded vowel	stúlkan	u
u:	u:	long close back rounded vowel	frú	u
ʏ	Y	near-close near-front rounded vowel	tíu	u
ʏ:	Y	long near-close near-front rounded vowel	gruninn	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Italian (it-IT)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Italian voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bacca	p
d	d	voiced alveolar plosive	dama	t
dz	dz	voiced alveolar affricate	zero	s
dʒ	dZ	voiced postalveolar affricate	giro	S
f	f	voiceless labiodental fricative	famiglia	f



IPA	X-SAMPA	Description	Example	Viseme
g	g	voiced velar plosive	gatto	k
h	h	voiceless glottal fricative	horror	k
j	j	palatal approximant	dieci	i
k	k	voiceless velar plosive	campo	k
l	l	alveolar lateral approximant	lido	t
ʎ	L	palatal lateral approximant	aglio	J
m	m	bilabial nasal	mille	p
n	n	alveolar nasal	nove	t
ɲ	J	palatal nasal	lasagne	J
p	p	voiceless bilabial plosive	pizza	p
r	r	alveolar trill	risata	r
s	s	voiceless alveolar fricative	sei	s
ʃ	S	voiceless postalveolar fricative	scienza	S
t	t	voiceless alveolar plosive	tavola	t
ts	ts	voiceless alveolar affricate	forza	s
tʃ	tS	voiceless postalveolar affricate	cielo	S
v	v	voiced labiodental fricative	venti	f
w	w	labial-velar approximant	quattro	u
z	z	voiced alveolar fricative	bisogno	s
ʒ	Z	voiced postalveolar fricative	bijou	S
<b>Vowels</b>				
a	a	open front unrounded vowel	arco	a

IPA	X-SAMPA	Description	Example	Viseme
e	e	close-mid front unrounded vowel	tre	e
ɛ	E	open-mid front unrounded vowel	ettaro	E
i	i	close front unrounded vowel	impero	i
o	o	close-mid back rounded vowel	cento	o
ɔ	O	open-mid back rounded vowel	otto	O
u	u	close back rounded vowel	uno	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
ˈ	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Japanese (ja-JP)

Amazon Polly supports the Pronunciation Kana and Yomigana alphabets for Japanese. To make Amazon Polly use phonetic pronunciation with these alphabets, use the phoneme alphabet="x-amazon-*phonetic standard used*" attribute.

- x-amazon-pron-kana – indicates that Pronunciation Kana is used. Pronunciation Kana are special Katakana characters used for phonetic transcription and can encode pitch accent.
- x-amazon-yomigana – indicates that Yomigana is used. Yomigana can be conventional Katakana, Hiragana, and Latin alphabets interpreted as hepburn romanization.

The following examples show how these are used:

### Pronunciation Kana

```
<speaK>
  ###<phoneme alphabet="x-amazon-pron-kana" ph="###'#">##</phoneme>###
</speaK>
```

### Yomigana

```
<speaK>
  ###<phoneme alphabet="x-amazon-yomigana" ph="####">##</phoneme>###
  ###<phoneme alphabet="x-amazon-yomigana" ph="####">##</phoneme>###
  ###<phoneme alphabet="x-amazon-yomigana" ph="Hirokazu">##</phoneme>###
</speaK>
```

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Japanese voice supported by Amazon Polly.

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	練習, renshuu	t
ʔ	ʔ	glottal stop	あつつ, atsu'	
b	b	voiced bilabial plosive	舞踊, buyou	p
β	B	voiced bilabial fricative	ヴィンテージ, vinteeji	B
c	c	voiceless palatal plosive	きぎょう, kikyuu	k
ç	C	voiceless palatal fricative	人, hito	k
d	d	voiced alveolar plosive	濁点, dakuten	t
dz	dz\	voiced alveolo-palatal affricate	純, jun	J
g	g	voiced velar plosive	ご飯, gohan	k
h	h	voiceless glottal fricative	本, hon	k
j	j	palatal approximant	屋根, yane	i
ɟ	J\	voiced palatal plosive	行儀, gyouggi	J
k	k	voiceless velar plosive	漢字, kanji	k
l	l\	alveolar lateral flap	釣り, tsuri	r
lj	l\j	alveolar lateral flap, palatal approximant	流行, ryuukou	r
m	m	bilabial nasal	飯, meshi	p
n	n	alveolar nasal	猫, neko	t
ɲ	J	palatal nasal	日本, nippon	J
ɴ	N\	uvular nasal	缶, kan	k
p	p	voiceless bilabial plosive	パン, pan	p
ɸ	p\	voiceless bilabial fricative	福, huku	f

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	層, sou	s
ɕ	s\	voiceless alveolo-palatal fricative	書簡, shokan	J
t	t	voiceless alveolar plosive	手紙, tegami	t
ts	ts	voiceless alveolar affricate	釣り, tsuri	s
tɕ	ts\	voiceless alveolo-palatal affricate	吉, kichi	J
w	w	labial-velar approximant	電話, denwa	u
z	z	voiced alveolar fricative	座敷, zashiki	s
<b>Vowels</b>				
ä:	a:_"	long open central unrounded vowel	羽蟻, haari	a
ä	a_"	open central unrounded vowel	仮名, kana	a
e:	e:_o	long mid front unrounded vowel	学生, gakusei	@
e	e_o	mid front unrounded vowel	歴, reki	@
i	i	close front unrounded vowel	気, ki	i
i:	i:	long close front unrounded vowel	詩歌, shiika	i
u	M	close back unrounded vowel	運, un	i
u:	M:	long close back unrounded vowel	宗教, shuukyoku	i
o:	o:_o	long mid back rounded vowel	購読, koodoku	o
o	o_o	mid back rounded vowel	読者, dokusha	o

## Korean (ko-KR)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Korean voice supported by Amazon Polly.

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
k	k	voiceless velar plosive	강, [g]ang	k
k#	k_t	strong voiceless velar plosive	깨, [kk]e	k
n	n	alveolar nasal	남, [n]am	t
t	t	voiceless alveolar plosive	도, [d]o	t
t#	t_t	strong voiceless alveolar plosive	때, [tt]e	t
r	4	alveolar flap	사랑, sa[r]ang	t
l	l	alveolar lateral approximant	돌, do[l]	t
m	m	bilabial nasal	무, [m]u	p
p	p	voiceless bilabial plosive	봄, [b]om	p
p#	p_t	strong voiceless bilabial plosive	빨, [pp]eol	p
s	s	voiceless alveolar fricative	새, [s]e	s
s#	s_t	strong voiceless alveolar fricative	씨, [ss]i	s
ŋ	N	velar nasal	방, ba[ng]	k
tɕ	ts\	voiceless alveolo-palatal affricate	조, [j]o	J
tɕ#	ts\_t	strong voiceless alveolo-palatal affricate	찌, [jj]i	J
tɕʰ	ts\_h	aspirated voiceless alveolo-palatal affricate	차, [ch]a	J
kʰ	k_h	aspirated voiceless velar plosive	코, [k]o	k

IPA	X-SAMPA	Description	Example	Viseme
t <sup>h</sup>	t_h	aspirated voiceless alveolar plosive	통, [t]ong	t
p <sup>h</sup>	p_h	aspirated voiceless bilabial plosive	패, [p]e	p
h	h	voiceless glottal fricative	힘, [h]im	k
j	j	palatal approximant	양, [y]ang	i
w	w	labial-velar approximant	왕, [w]ang	u
ɰ	M\	velar approximant>	의, [w]i	i
<b>Vowels</b>				
a	a	open front unrounded vowel	밥, b[a]b	a
ʌ	V	open-mid back unrounded vowel	정, j[eo]ng	E
ɛ	E	open-mid front unrounded vowel	배, b[e]	E
o	o	close-mid back rounded vowel	노, n[o]	o
u	u	close back rounded vowel	둘, d[u]l	u
ɯ	M	close back unrounded vowel	은, [eu]n	i
i	i	close front unrounded vowel	김, k[i]m	i

## Norwegian (nb-NO)

The following chart lists the full set of International Phonetic Alphabet (IPA) phonemes and the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols as well as the corresponding visemes as supported by Amazon Polly for Norwegian language voices.

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	prøv	t
b	b	voiced bilabial plosive	labb	p
ç	C	voiceless palatal fricative	kino	k

IPA	X-SAMPA	Description	Example	Viseme
d	d	voiced alveolar plosive	<b>ladd</b>	t
ɖ	d`	voiced retroflex plosive	<b>verdi</b>	t
f	f	voiceless labiodental fricative	<b>fot</b>	f
g	g	voiced velar plosive	<b>tagg</b>	k
h	h	voiceless glottal fricative	<b>ha</b>	k
j	j	palatal approximant	<b>gi</b>	i
k	k	voiceless velar plosive	<b>takk</b>	k
l	l	alveolar lateral approximant	<b>fall, ball</b>	t
ɭ	l`	retroflex lateral approximant	<b>ærlig</b>	t
m	m	bilabial nasal	<b>lam</b>	p
n	n	alveolar nasal	<b>vann</b>	t
ɳ	n`	retroflex nasal	<b>garn</b>	t
ŋ	N	velar nasal	<b>sang</b>	k
p	p	voiceless bilabial plosive	<b>hopp</b>	p
s	s	voiceless alveolar fricative	<b>lass</b>	s
ʂ	s`	voiceless retroflex fricative	<b>års</b>	S
ʃ	S	voiceless postalveolar fricative	<b>skyt</b>	S
t	t	voiceless alveolar plosive	<b>lat</b>	t
ʈ	t`	voiceless retroflex plosive	<b>hardt</b>	t
ʋ	v\	labiodental approximant	<b>vin</b>	f
w	w	labial-velar approximant	<b>will</b>	x
<b>Vowels</b>				

IPA	X-SAMPA	Description	Example	Viseme
ø:	2:	long close-mid front rounded vowel	søt	o
œ	9	open-mid front rounded vowel	søtt	O
ə	@	mid central vowel	ape	@
æ:	{:	long near-open front unrounded vowel	vær	a
ʊ	}	close central rounded vowel	lund	u
ʊ:	}::	long close central rounded vowel	lun	u
æ	{	near-open front unrounded vowel	vært	a
ɑ	A	open back unrounded vowel	hatt	a
ɑ:	A:	long open back unrounded vowel	hat	a
e:	e:	long close-mid front unrounded vowel	sen	e
ɛ	E	open-mid front unrounded vowel	send	E
i:	i:	long close front unrounded vowel	vin	i
ɪ	I	near-close near-front unrounded vowel	vind	i
o:	o:	long close-mid back rounded vowel	våt	o
ɔ	O	open-mid back rounded vowel	vått	O
u:	u:	long close back rounded vowel	bok	u
ʊ	U	near-close near-back rounded vowel	bukk	u
y:	y:	long close front rounded vowel	lyn	u
ʏ	Y	near-close near-front rounded vowel	lynne	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	



IPA	X-SAMPA	Description	Example	Viseme
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Polish (pl-PL)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Polish voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bobas, belka	p
d	d	voiced alveolar plosive	dar, do	t
dz	dz	voiced alveolar affricate	dzwon, widzowie	s
ɖ͡ʑ	dz\	voiced alveolo-palatal affricate	dźwięk	J
ɖ͡ʑ̤	dz`	voiced retroflex affricate	dżem, dżungla	S
f	f	voiceless labiodental fricative	furtka, film	f
g	g	voiced velar plosive	gazeta, waga	k
h	h	voiceless glottal fricative	chleb, handel	k
j	j	palatal approximant	jak, maja	i
k	k	voiceless velar plosive	kura, marek	k
l	l	alveolar lateral approximant	lipa, alicja	t
m	m	bilabial nasal	matka, molo	p
n	n	alveolar nasal	norka	t
ɲ	J	palatal nasal	koń, toruń	J
p	p	voiceless bilabial plosive	pora, stop	p
r	r	alveolar trill	rok, park	r

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	sum, pas	s
ɕ	s\	voiceless alveolo-palatal fricative	śruba, śnieg	J
ʂ	s`	voiceless retroflex fricative	szum, masz	S
t	t	voiceless alveolar plosive	tok, stół	t
ts	ts	voiceless alveolar affricate	car, co	s
tɕ	ts\	voiceless alveolo-palatal affricate	ćma, mieć	J
tʂ	ts`	voiceless retroflex affricate	czas, raczej	S
v	v	voiced labiodental fricative	worek, mewa	f
w	w	labial-velar approximant	łaska, mało	u
z	z	voiced alveolar fricative	zero	s
ʐ	z\	voiced alveolo-palatal fricative	żrebię, bieliźnie	J
ʑ	z`	voiced retroflex fricative	żar, żona	S
<b>Vowels</b>				
a	a	open front unrounded vowel	ja	a
ɛ	E	open-mid front unrounded vowel	echo	E
ɛ̃	E~	nasal open-mid front unrounded vowel	węże	E
i	i	close front unrounded vowel	ile	i
ɔ	O	open-mid back rounded vowel	oczy	O
ɔ̃	O~	nasal open-mid back rounded vowel	wąż	O
u	u	close back rounded vowel	uczta	u

IPA	X-SAMPA	Description	Example	Viseme
i	1	close central unrounded vowel	byk	i
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Portuguese (pt-PT)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Portuguese voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	pira	t
b	b	voiced bilabial plosive	dato	p
d	d	voiced alveolar plosive	dato	t
f	f	voiceless labiodental fricative	facto	f
g	g	voiced velar plosive	gato	k
j	j	palatal approximant	paraguay	i
k	k	voiceless velar plosive	cacto	k
l	l	alveolar lateral approximant	galo	t
ʎ	L	palatal lateral approximant	galho	J
m	m	bilabial nasal	mato	p
n	n	alveolar nasal	nato	t
ɲ	J	palatal nasal	pinha	J
p	p	voiceless bilabial plosive	pato	p
ʀ	R\	uvular trill	barroso	k

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	saca	s
ʃ	S	voiceless postalveolar fricative	chato	S
t	t	voiceless alveolar plosive	tacto	t
v	v	voiced labiodental fricative	vaca	f
w	w	labial-velar approximant	mau	u
z	z	voiced alveolar fricative	zaca	s
ʒ	Z	voiced postalveolar fricative	jacto	S
<b>Vowels</b>				
a	a	open front unrounded vowel	parto	a
a~	a~	nasal open front unrounded vowel	pega	a
e	e	close-mid front unrounded vowel	pega	e
e~	e~	nasal close-mid front unrounded vowel	movem	e
ɛ	E	open-mid front unrounded vowel	café	E
i	i	close front unrounded vowel	lingueta	i
i~	i~	nasal close front unrounded vowel	cinto	i
o	o	close-mid back rounded vowel	poder	o
o~	o~	nasal close-mid back rounded vowel	compra	o
ɔ	O	open-mid back rounded vowel	cotó	O
u	u	close back rounded vowel	fui	u
u~	u~	nasal close back rounded vowel	sunto	u

IPA	X-SAMPA	Description	Example	Viseme
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Portuguese (Brazilian) (pt-BR)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Brazilian Portuguese voices that are supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	pira	t
b	b	voiced bilabial plosive	bato	p
d	d	voiced alveolar plosive	dato	t
ɖʒ	dʒ	voiced postalveolar affricate	idade	s
f	f	voiceless labiodental fricative	facto	f
g	g	voiced velar plosive	gato	k
j	j	palatal approximant	paraguay	i
k	k	voiceless velar plosive	cacto	k
l	l	alveolar lateral approximant	galo	t
ʎ	L	palatal lateral approximant	galho	j
m	m	bilabial nasal	mato	p
n	n	alveolar nasal	nato	t
ɲ	J	palatal nasal	pinha	j
p	p	voiceless bilabial plosive	pato	p
s	s	voiceless alveolar fricative	saca	s

IPA	X-SAMPA	Description	Example	Viseme
ʃ	S	voiceless postalveolar fricative	chato	S
t	t	voiceless alveolar plosive	tacto	t
tʃ	tS	voiceless postalveolar affricate	noite	S
v	v	voiced labiodental fricative	vaca	f
w	w	labial-velar approximant	mau	u
χ	X	voiceless uvular fricative	carro	k
z	z	voiced alveolar fricative	zaca	s
ʒ	Z	voiced postalveolar fricative	jacto	S
<b>Vowels</b>				
a	a	open front unrounded vowel	parto	a
ã	a~	nasal open front unrounded vowel	pensamos	a
e	e	close-mid front unrounded vowel	pega	e
ẽ	e~	nasal close-mid front unrounded vowel	movem	e
ɛ	E	open-mid front unrounded vowel	café	E
i	i	close front unrounded vowel	lingueta	i
ĩ	i~	nasal close front unrounded vowel	cinto	i
o	o	close-mid back rounded vowel	poder	o
õ	o~	nasal close-mid back rounded vowel	compra	o
ɔ	O	open-mid back rounded vowel	cotó	O
u	u	close back rounded vowel	fui	u

IPA	X-SAMPA	Description	Example	Viseme
u̥	u̥	nasal close back rounded vowel	sunto	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Romanian (ro-RO)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Romanian voice supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bubă	p
d	d	voiced alveolar plosive	după	t
dʒ	dZ	voiced postalveolar affricate	george	S
f	f	voiceless labiodental fricative	afacere	f
g	g	voiced velar plosive	agriș	k
h	h	voiceless glottal fricative	harpă	k
j	j	palatal approximant	baie	i
k	k	voiceless velar plosive	coș	k
l	l	alveolar lateral approximant	lampa	t
m	m	bilabial nasal	mama	p
n	n	alveolar nasal	nor	t
p	p	voiceless bilabial plosive	pilă	p
r	r	alveolar trill	rampă	r

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	soare	s
ʃ	S	voiceless postalveolar fricative	mașină	S
t	t	voiceless alveolar plosive	tata	t
ts	ts	voiceless alveolar affricate	țară	s
tʃ	tS	voiceless postalveolar affricate	ceai	S
v	v	voiced labiodental fricative	viață	f
w	w	labial-velar approximant	beau	u
z	z	voiced alveolar fricative	mozol	s
ʒ	Z	voiced postalveolar fricative	joacă	S
<b>Vowels</b>				
ə	@	mid central vowel	babă	@
a	a	open front unrounded vowel	casa	a
e	e	close-mid front unrounded vowel	elan	e
ɐ	e_^	non-syllabic close-mid front unrounded vowel	beau	e
i	i	close front unrounded vowel	mie	i
o	o	close-mid back rounded vowel	oră	o
oa	o_^a	diphthong	oare	o
u	u	close back rounded vowel	unde	u
ɨ	1	close central unrounded vowel	România	i
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	



IPA	X-SAMPA	Description	Example	Viseme
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Russian (ru-RU)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Russian voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	борт	p
bʲ	b'	palatalized voiced bilabial plosive	бюро	p
d	d	voiced alveolar plosive	дом	t
dʲ	d'	palatalized voiced alveolar plosive	дядя	t
f	f	voiceless labiodental fricative	флаг	f
fʲ	f'	palatalized voiceless labiodental fricative	февраль	f
g	g	voiced velar plosive	нога	k
gʲ	g'	palatalized voiced velar plosive	герой	k
j	j	palatal approximant	дизайн, ящик	i
k	k	voiceless velar plosive	кот	k
kʲ	k'	palatalized voiceless velar plosive	кино	k
l	l	alveolar lateral approximant	лампа	t
lʲ	l'	palatalized alveolar lateral approximant	лес	t
m	m	bilabial nasal	мама	p
mʲ	m'	palatalized bilabial nasal	мяч	p

IPA	X-SAMPA	Description	Example	Viseme
n	n	alveolar nasal	нос	t
nʲ	nʲ	palatalized alveolar nasal	няня	t
p	p	voiceless bilabial plosive	папа	p
pʲ	pʲ	palatalized voiceless bilabial plosive	перо	p
r	r	alveolar trill	роза	r
rʲ	rʲ	palatalized alveolar trill	рюмка	r
s	s	voiceless alveolar fricative	сыр	s
sʲ	sʲ	palatalized voiceless alveolar fricative	сердце, русь	s
ɕ:	s\:	long voiceless alveolo-palatal fricative	щека	J
ʂ	s`	voiceless retroflex fricative	шум	S
t	t	voiceless alveolar plosive	точка	t
tʲ	tʲ	palatalized voiceless alveolar plosive	тётя	t
ts	ts	voiceless alveolar affricate	царь	s
tɕ	ts\	voiceless alveolo-palatal affricate	час	J
v	v	voiced labiodental fricative	вор	f
vʲ	vʲ	palatalized voiced labiodental fricative	верфь	f
x	x	voiceless velar fricative	хор	k
xʲ	xʲ	palatalized voiceless velar fricative	химия	k
z	z	voiced alveolar fricative	зуб	s
zʲ	zʲ	palatalized voiced alveolar fricative	зима	s

IPA	X-SAMPA	Description	Example	Viseme
ʒ:	z\:	long voiced alveolo-palatal fricative	уезжать	J
ʒ	z`	voiced retroflex fricative	жена	S
<b>Vowels</b>				
ə	@	mid central vowel	канарейка	@
a	a	open front unrounded vowel	два, яблоко	a
e	e	close-mid front unrounded vowel	печь	e
ɛ	E	open-mid front unrounded vowel	это	E
i	i	close front unrounded vowel	один, четыре	i
o	o	close-mid back rounded vowel	кот	o
u	u	close back rounded vowel	муж, вьюга	u
ɪ	1	close central unrounded vowel	мышь	i

## Spanish (es-ES)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Spanish voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	pero, bravo, amor, eterno	t
b	b	voiced bilabial plosive	bestia	p
β	B	voiced bilabial fricative	bebé	B
d	d	voiced alveolar plosive	cuando	t
ð	D	voiced dental fricative	arder	T

IPA	X-SAMPA	Description	Example	Viseme
f	f	voiceless labiodental fricative	fase, café	f
g	g	voiced velar plosive	gato, lengua, guerra	k
ɣ	G	voiced velar fricative	trigo, Argos	k
j	j	palatal approximant	hacia, tierra, radio, viuda	i
ɟ	j\	voiced palatal fricative	enhielar, sayo, inyectado, desyerba	J
k	k	voiceless velar plosive	caña, laca, quisimos	k
l	l	alveolar lateral approximant	lino, calor, principal	t
ʎ	L	palatal lateral approximant	llave, pollo	J
m	m	bilabial nasal	madre, comer, anfibio	p
n	n	alveolar nasal	nido, anillo, sin	t
ɲ	J	palatal nasal	cabaña, ñoquis	J
ŋ	N	velar nasal	cinco, venga	k
p	p	voiceless bilabial plosive	pozo, topo	p
r	r	alveolar trill	perro, enrachado	r
s	s	voiceless alveolar fricative	saco, casa, puertas	s
t	t	voiceless alveolar plosive	tamiz, átomo	t
tʃ	tS	voiceless postalveolar affricate	chubasco	S
θ	T	voiceless dental fricative	cereza, zorro, lacero, paz	T
w	w	labial-velar approximant	fuego, fuimos, cuota, cuadro	u
x	x	voiceless velar fricative	jamón, general, suje, reloj	k
z	z	voiced alveolar fricative	rasgo, mismo	s
<b>Vowels</b>				

IPA	X-SAMPA	Description	Example	Viseme
a	a	open front unrounded vowel	tanque	a
e	e	close-mid front unrounded vowel	peso	e
i	i	close front unrounded vowel	cinco	i
o	o	close-mid back rounded vowel	bosque	o
u	u	close-mid front unrounded vowel	publicar	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Spanish (Mexican) (es-MX)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Mexican Spanish voice that is supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	pero, bravo, amor, eterno	t
b	b	voiced bilabial plosive	bestia	p
β	B	voiced bilabial fricative	bebé	B
d	d	voiced alveolar plosive	cuando	t
ð	D	voiced dental fricative	arder	T
f	f	voiceless labiodental fricative	fase, café	f
g	g	voiced velar plosive	gato, lengua, guerra	k
ɣ	G	voiced velar fricative	trigo, Argos	k

IPA	X-SAMPA	Description	Example	Viseme
j	j	palatal approximant	hacia, tierra, radio, viuda	i
ɟ	j\	voiced palatal fricative	enhielar, sayo, inyectado, desyerba	J
k	k	voiceless velar plosive	caña, laca, quisimos	k
l	l	lateral alveolar approximant	lino, calor, principal	t
m	m	bilabial nasal	madre, comer, anfibio	p
n	n	alveolar nasal	nido, anillo, sin	t
ɲ	J	palatal nasal	cabaña, ñoquis	J
ŋ	N	velar nasal	angosto, increíble	k
p	p	voiceless bilabial plosive	pozo, topo	p
r	r	alveolar trill	perro, enrachado	r
s	s	voiceless alveolar fricative	saco, casa, puertas	s
ʃ	S	voiceless postalveolar fricative	show, flash	S
t	t	voiceless alveolar plosive	tamiz, átomo	t
tʃ	tS	voiceless postalveolar affricate	chubasco	S
w	w	labial-velar approximant	fuego, fuimos, cuota, cuadro	u
x	x	voiceless velar fricative	jamón, general, peaje, reloj	k
z	z	voiced alveolar fricative	rasgo, mismo	s
<b>Vowels</b>				
a	a	central open unrounded vowel	tanque	a
e	e	close-mid front unrounded vowel	peso	e
i	i	close front unrounded vowel	cinco	i

IPA	X-SAMPA	Description	Example	Viseme
o	o	close-mid back rounded vowel	bosque	o
u	u	close back rounded vowel	publicar	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Spanish (US) (es-US)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the US Spanish voices that are supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	pero, bravo, amor, eterno	t
b	b	voiced bilabial plosive	bestia	p
β	B	voiced bilabial fricative	bebé	B
d	d	voiced alveolar plosive	cuando	t
ð	D	voiced dental fricative	arder	T
f	f	voiceless labiodental fricative	fase, café	f
g	g	voiced velar plosive	gato, lengua, guerra	k
ɣ	G	voiced velar fricative	trigo, Argos	k
j	j	palatal approximant	hacia, tierra, radio, viuda	i
ɟ	j\	voiced palatal fricative	enhielar, sayo, inyectado, desyerba	J
k	k	voiceless velar plosive	caña, laca, quisimos	k

IPA	X-SAMPA	Description	Example	Viseme
l	l	lateral alveolar approximant	lino, calor, principal	t
m	m	bilabial nasal	madre, comer, anfibio	p
n	n	alveolar nasal	nido, anillo, sin	t
ɲ	J	palatal nasal	cabaña, ñoquis	J
ŋ	N	velar nasal	angosto, increíble	k
p	p	voiceless bilabial plosive	pozo, topo	p
r	r	alveolar trill	perro, enrachado	r
s	s	voiceless alveolar fricative	saco, casa, puertas	s
ʃ	S	voiceless postalveolar fricative	show, flash	S
t	t	voiceless alveolar plosive	tamiz, átomo	t
tʃ	tS	voiceless postalveolar affricate	chubasco	S
w	w	labial-velar approximant	fuego, fuimos, cuota, cuadro	u
x	x	voiceless velar fricative	jamón, general, peaje, reloj	k
z	z	voiced alveolar fricative	rasgo, mismo	s
<b>Vowels</b>				
a	a	central open unrounded vowel	tanque	a
e	e	close-mid front unrounded vowel	peso	e
i	i	close front unrounded vowel	cinco	i
o	o	close-mid back rounded vowel	bosque	o
u	u	close back rounded vowel	publicar	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	



IPA	X-SAMPA	Description	Example	Viseme
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Swedish (sv-SE)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Swedish voice supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	bil	p
d	d	voiced alveolar plosive	dal	t
ɖ	d`	voiced retroflex plosive	bord	t
f	f	voiceless labiodental fricative	fil	f
g	g	voiced velar plosive	gås	k
h	h	voiceless glottal fricative	hal	k
j	j	palatal approximant	jag	i
k	k	voiceless velar plosive	kal	k
l	l	alveolar lateral approximant	lös	t
ɭ	l`	retroflex lateral approximant	härlig	t
m	m	bilabial nasal	mil	p
n	n	alveolar nasal	nålar	t
ɳ	n`	retroflex nasal	barn	t
ŋ	N	velar nasal	ring	k
p	p	voiceless bilabial plosive	pil	p
r	r	alveolar trill	ris	r

IPA	X-SAMPA	Description	Example	Viseme
s	s	voiceless alveolar fricative	sil	s
ɕ	s\	voiceless alveolo-palatal fricative	tjock	J
ʂ	s`	voiceless retroflex fricative	fors, schlager	S
t	t	voiceless alveolar plosive	tal	t
ɖ	t`	voiceless retroflex plosive	hjort	t
v	v	voiced labiodental fricative	vår	f
w	w	labial-velar approximant	aula, airways	u
ɸ	x\	voiceless palatal-velar fricative	sjuk	k
<b>Vowels</b>				
ø	2	close-mid front rounded vowel	föll, förr	o
ø	2:	long close-mid front rounded vowel	föl, nöt, för	o
ɵ	8	close-mid central rounded vowel	buss, full	o
ə	@	mid central vowel	pojken	@
ʊ:	}:	long close central rounded vowel	hus, ful	u
a	a	open front unrounded vowel	hall, matt	a
æ	{	near-open front unrounded vowel	herr	a
ɑ:	A:	long open back unrounded vowel	hal, mat	a
e:	e:	long close-mid front unrounded vowel	vet, hel	e
ɛ	E	open-mid front unrounded vowel	vett, rätt, hetta, håll	E
ɛ:	E:	long open-mid front unrounded vowel	säl, häl, här	E:

IPA	X-SAMPA	Description	Example	Viseme
i:	i:	long close front unrounded vowel	vit, sil	i:
ɪ	ɪ	near-close near-front unrounded vowel	vitt, sill	ɪ
o:	o:	long close-mid back rounded vowel	hå̂l, må̂l	o
ɔ	O	open-mid back rounded vowel	hå̂ll, moll	O
u:	u:	long close back rounded vowel	sol, bot	u
ʊ	U	near-close near-back rounded vowel	bott	u
y	y	close front rounded vowel	bytt	u
y:	y:	long close front rounded vowel	syl, syl	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	

## Turkish (tr-TR)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Turkish voice supported by Amazon Polly.

### Phoneme/Viseme Table

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
r	4	alveolar flap	durum	t
ɾ	4_0_r	voiceless fricated alveolar flap	bir	t
ɽ	4_r	fricated alveolar flap	raf	t
b	b	voiced bilabial plosive	raf	p
c	c	voiceless palatal plosive	kedi	k

IPA	X-SAMPA	Description	Example	Viseme
d	d	voiced alveolar plosive	dede	t
ɖ	dZ	voiced postalveolar affricate	cam	S
f	f	voiceless labiodental fricative	fare	f
g	g	voiced velar plosiv	galibi	k
h	h	voiceless glottal fricative	hasta	k
j	j	palatal approximant	yat	i
ɟ	J\	voiced palatal plosive	genç	J
k	k	voiceless velar plosive	akıl	k
l	l	alveolar lateral approximant	lale	t
ɭ	ʅ	velarized alveolar lateral approximant	labirent	t
m	m	bilabial nasal	maaş	p
n	n	alveolar nasal	anı	t
p	p	voiceless bilabial plosive	ip	p
s	s	voiceless alveolar fricative	ses	s
ʃ	S	voiceless postalveolar fricative	aşı	S
t	t	voiceless alveolar plosive	ütü	t
ʈ	tS	voiceless postalveolar affricate	çaba	S
v	v	voiced labiodental fricative	ekvator, kahveci, akvaryum, isveçli, teşviki, cetvel	f
z	z	voiced alveolar fricative	ver	s
ʐ	Z	voiced postalveolar fricative	azık	S
<b>Vowels</b>				

IPA	X-SAMPA	Description	Example	Viseme
ø	2	close-mid front rounded vowel	göl	0
œ	9	open-mid front rounded vowel	banliyö	O
a	a	open front unrounded vowel	kal	a
a:	a:	long open front unrounded vowel	davacı	a
æ	{	near-open front unrounded vowel	özlem, güvenlik, gürel, somersault	a
e	e	close-mid front unrounded vowel	keçi	e
ɛ	E	open-mid front unrounded vowel	dede	E
i	i	close front unrounded vowel	bir	i
i:	i:	long close front unrounded vowel	izah	i
ɪ	l	near-close near-front unrounded vowel	keçi	i
ʊ	M	close back unrounded vowel	kıl	i
o	o	close-mid back rounded vowel	kol	o
o:	o:	long close-mid back rounded vowel	dolar	o
u	u	close back rounded vowel	durum	u
u:	u:	long close back rounded vowel	ruhum	u
ʊ	U	near-close near-back rounded vowel	dolu	u
y	y	close front rounded vowel	güvenlik	u
ʏ	Y	near-close near-front rounded vowel	aşı	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	

IPA	X-SAMPA	Description	Example	Viseme
.	.	syllable boundary	A.la.ba.ma	

## Welsh (cy-GB)

The following table lists the International Phonetic Alphabet (IPA) phonemes, the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols, and the corresponding visemes for the Welsh voice supported by Amazon Polly.

**Phoneme/Viseme Table**

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	voiced bilabial plosive	baban	p
d	d	voiced alveolar plosive	deg	t
ɖ	dZ	voiced postalveolar affricate	garej	S
ð	D	voiced dental fricative	deuddeg	T
f	f	voiceless labiodental fricative	ffacs	f
g	g	voiced velar plosive	gadael	k
h	h	voiceless glottal fricative	haearn	k
j	j	palatal approximant	astudio	i
k	k	voiceless velar plosive	cant	k
l	l	alveolar lateral approximant	lan	t
ɬ	K	voiceless alveolar lateral fricative	llan	t
m	m	bilabial nasal	mae	p
ɱ	m_0	voiceless bilabial nasal	ymhen	p
n	n	alveolar nasal	naw	t
ɳ	n_0	voiceless alveolar nasal	anhawster	t
ŋ	N	velar nasal	argyfwng	k
ɳ̥	N_0	voiceless velar nasal	anghenion	k

IPA	X-SAMPA	Description	Example	Viseme
p	p	voiceless bilabial plosive	<b>pump</b>	p
r	r	alveolar trill	<b>rhoi</b>	r
ɾ	r_0	voiceless alveolar trill	<b>garw</b>	r
s	s	voiceless alveolar fricative	<b>saith</b>	s
ʃ	S	voiceless postalveolar fricative	<b>siawns</b>	S
t	t	voiceless alveolar plosive	<b>tegan</b>	t
tʃ	tS	voiceless postalveolar affricate	<b>cytsain</b>	S
θ	T	voiceless dental fricative	<b>aberth</b>	T
v	v	voiced labiodental fricative	<b>prawf</b>	f
w	w	labial-velar approximant	<b>rhagweld</b>	u
χ	X	voiceless uvular fricative	<b>chwech</b>	k
z	z	voiced alveolar fricative	<b>aids</b>	s
ʒ	Z	voiced postalveolar fricative	<b>rouge</b>	S
<b>Vowels</b>				
ə	@	mid central vowel	<b>ychwanega</b>	@
a	a	open front unrounded vowel	<b>acen</b>	a
ai	ai	diphthong	<b>dau</b>	a
au	au	diphthong	<b>awdur</b>	a
ɑ:	A:	long open back unrounded vowel	<b>mab</b>	a
ɑ:i	A:1	diphthong	<b>aelod</b>	a
e:	e:	long close-mid front unrounded vowel	<b>peth</b>	e
ɛ	E	open-mid front unrounded vowel	<b>pedwar</b>	E

IPA	X-SAMPA	Description	Example	Viseme
ɛi	Ei	diphthong	beic	E
i:	i:	long close front unrounded vowel	tri	i
ɪ	ɪ	near-close near-front unrounded vowel	miliwn	i
ɪu	ɪu	diphthong	unigryw	i
o:	o:	long close-mid back rounded vowel	oddi	o
ɔ	O	open-mid back rounded vowel	oddieithr	O
ɔi	Oi	diphthong	troi	O
ɔu	Ou	diphthong	rownd	O
u:	u:	long close back rounded vowel	cwch	u
ʊ	U	near-close near-back rounded vowel	acwstig	u
ʊi	Ui	diphthong	wyth	u
<b>Additional Symbols</b>				
'	"	primary stress	Alabama	
,	%	secondary stress	Alabama	
.	.	syllable boundary	A.la.ba.ma	



# Neural TTS

Amazon Polly has a *Neural TTS (NTTS)* system that can produce even higher quality voices than its standard voices. The NTTS system produces the most natural and human-like text-to-speech voices possible.

Standard TTS voices use concatenative synthesis. This method strings together (concatenates) the phonemes of recorded speech, producing very natural-sounding synthesized speech. However, the inevitable variations in speech and the techniques used to segment the waveforms limits the quality of speech.

The Amazon Polly Neural TTS system doesn't use standard concatenative synthesis to produce speech. It has two parts:

- A neural network that converts a sequence of phonemes—the most basic units of language—into a sequence of *spectrograms*, which are snapshots of the energy levels in different frequency bands
- A vocoder, which converts the spectrograms into a continuous audio signal.

The first component of the neural TTS system is a sequence-to-sequence model. This model doesn't create its results solely from the corresponding input but also considers how the sequence of the elements of the input work together. The model chooses the spectrograms that it outputs so that their frequency bands emphasize acoustic features that the human brain uses when processing speech.

The output of this model then passes to a neural vocoder. This converts the spectrograms into speech waveforms. When trained on the large data sets used to build general-purpose concatenative-synthesis systems, this sequence-to-sequence approach will yield higher-quality, more natural-sounding voices.

The Adriano (Italian), Andrés (Mexican Spanish), Aria (New Zealand English), Arlet (Catalan), Arthur (British English), Ayanda (South African English), Daniel (German), Elin (Swedish), Gabrielle (Canadian French), Hala (Arabic, Gulf), Hannah (Austrian German), Hiujin (Cantonese), Ida (Norwegian), Isabelle (Belgian French), Kajal (Hindi and Indian English), Kazuha (Japanese), Kevin (US English), Laura (Dutch), Liam (Canadian French), Lisa (Belgian Dutch), Niamh (Irish English), Ola (Polish), Olivia (Australian English), Pedro (US Spanish), Rémi (French), Ruth (US English), Sergio (Castilian Spanish), Sofie (Danish), Stephen (US English), Suvi (Finnish), Thiago (Brazilian Portuguese), and Tomoko (Japanese) voices are only supported by Amazon Polly when using NTTS. All other voices have a counterpart created using the standard TTS method. When using an NTTS-only voice, the TTS engine parameter must be set to `neural`, whether using the console or API.

## Topics

- [Feature and Region Compatibility \(p. 116\)](#)
- [The Voice Engine \(p. 117\)](#)
- [Neural Voices \(p. 119\)](#)
- [NTTS Newscaster Speaking Style \(p. 121\)](#)

## Feature and Region Compatibility

Neural voices aren't available in all AWS Regions, nor do they support all Amazon Polly features.

Neural voices are supported in the following Regions:

- US East (N. Virginia): us-east-1
- US West (Oregon): us-west-2
- Africa (Cape Town): af-south-1

- Asia Pacific (Tokyo): ap-northeast-1
- Asia Pacific (Seoul): ap-northeast-2
- Asia Pacific (Osaka): ap-northeast-3
- Asia Pacific (Mumbai): ap-south-1
- Asia Pacific (Singapore): ap-southeast-1
- Asia Pacific (Sydney): ap-southeast-2
- Canada (Central): ca-central-1
- Europe (Frankfurt): eu-central-1
- Europe (Ireland): eu-west-1
- Europe (London): eu-west-2
- Europe (Paris): eu-west-3
- AWS GovCloud (US-West): us-gov-west-1

Endpoints and protocols for these Regions are identical to those used for standard voices. For more information, see [Amazon Polly endpoints and quotas](#).

The following features are supported for neural voices:

- Real-time and asynchronous speech synthesis operations.
- Newscaster speaking style. For more information about the speaking styles, see [NTTS Newscaster Speaking Style \(p. 121\)](#).
- All speechmarks.
- Many (but not all) of the SSML tags that are supported by Amazon Polly. For more information about NTTS-supported SSML tags, see [Supported SSML Tags \(p. 137\)](#).

As with standard voices, you can choose from various sampling rates to optimize the bandwidth and audio quality for your application. Valid sampling rates for standard and neural voices are 8 kHz, 16 kHz, 22 kHz, or 24 kHz. The default for standard voices is 22 kHz. The default for neural voices is 24 kHz. Amazon Polly supports MP3, OGG (Vorbis), and raw PCM audio stream formats.

## The Voice Engine

Amazon Polly enables you to use either neural or standard voice with the engine property. It has two possible values: **Standard** or **Neural**, indicating whether to use a standard or neural voice. **Standard** is the default value.

### Important

If you are not in one of the regions where NTTS is supported, only the standard voice engine will be displayed in the console. If the neural engine is not displayed, check your region. For more information on the regions where NTTS can be used, see [Feature and Region Compatibility \(p. 116\)](#).

When using an NTTS-only voice, the TTS engine parameter must be set to `neural`, whether using the console or API.


## Choosing the Voice Engine (Console)


### To choose a voice engine (console)

1. Open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. On the Text-to-Speech page, for **Engine**, choose **Standard** or **Neural**.

**Text-to-Speech** [Info](#)

Save to S3

 Download

 Listen

**Engine** [Info](#)

☒ **Neural**  
Produces the most natural and human-like speech possible.

☐ **Standard**  
Produces natural-sounding speech.

**Language** [Info](#)

English, US ▼

**Voice** [Info](#)

Joanna, Female ▼

**Input text** [Info](#)

☐ SSML [Info](#)

Hi! My name is Joanna. I will read any text you type here.

58 characters used

Restore default text

Clear text

If you choose **Neural**, only neural voices are available and standard-only voices are disabled.

## Choosing the Voice Engine (CLI)

### To choose a voice engine (CLI)

The engine parameter is optional, with two possible values: `standard` or `Neural`. Use this property when creating a `SynthesisTask` operation.

For example, you can use the following code to run the `start-speech-synthesis-task` AWS CLI command in the US West-2 (Oregon) region

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly start-speech-synthesis-task \
  --engine neural \
  --region us-west-2 \
  --endpoint-url "https://polly.us-west-1.amazonaws.com/" \
  --output-format mp3 \
  --output-s3-bucket-name your-bucket-name \
  --output-s3-key-prefix optional/prefix/path/file \
  --voice-id Joanna \
  --text file://text_file.txt
```

This will result in a response that looks similar to this:

```
"SynthesisTask":
{
  "CreationTime": [...],
  "Engine": "neural",
  "OutputFormat": "mp3",
  "OutputUri": "https://s3.us-west-1.amazonaws.com/your-bucket-name/optional/prefix/
path/file.<task_id>.mp3",
  "TextType": "text",
  "RequestCharacters": [...],
  "TaskStatus": "scheduled",
  "TaskId": [task_id],
  "VoiceId": "Joanna"
}
```

## Neural Voices

Neural voices are available in 32 languages and language variants. The following table lists the voices.

	Language and language variants	Language code	Name/ID	Gender
1	Arabic (Gulf)	ar-AE	Hala**	Female
2	Belgian Dutch (Flemish)	nl-BE	Lisa**	Female
3	Catalan	ca-ES	Arlet**	Female
4	Chinese (Cantonese)	yue-CN	Hiujin**	Female
5	Chinese (Mandarin)	cmn-CN	Zhiyu	Female
6	Danish	da-DK	Sofie**	Female
7	Dutch	nl-NL	Laura**	Female

	Language and language variants	Language code	Name/ID	Gender
8	English (Australian)	en-AU	Olivia**	Female
9	English (British)	en-GB	Amy* Emma Brian Arthur**	Female Female Male Male
10	English (Indian)	en-IN	Kajal**	Female
11	English (Irish)	en-IE	Niamh**	Female
12	English (New Zealand)	en-NZ	Aria**	Female
13	English (South African)	en-ZA	Ayanda**	Female
14	English (US)	en-US	Ivy Joanna* Kendra Kimberly Salli Joey Justin Kevin** Matthew* Ruth** Stephen**	Female (child) Female Female Female Female Male Male (child) Male (child) Male Female Male
15	Finnish	fi-FI	Suvi**	Female
16	French (Belgian)	fr-BE	Isabelle**	Female
17	French (Canadian)	fr-CA	Gabrielle** Liam**	Female Male
18	French	fr-FR	Léa Rémi**	Female Male
19	German	de-DE	Vicki Daniel**	Female Male

	Language and language variants	Language code	Name/ID	Gender
20	German (Austrian)	de-AT	Hannah**	Female
21	Hindi	hi-IN	Kajal**	Female
22	Italian	it-IT	Bianca	Female
			Adriano**	Male
23	Japanese	ja-JP	Takumi	Male
			Kazuha**	Female
			Tomoko**	Female
24	Korean	ko-KR	Seoyeon	Female
25	Norwegian	nb-NO	Ida**	Female
26	Polish	pl-PL	Ola**	Female
27	Portuguese (Brazilian)	pt-BR	Camila	Female
			Vitória/Vitoria	Female
			Thiago**	Male
28	Portuguese (European)	pt-PT	Inês/Ines	Female
29	Spanish (European)	es-ES	Lucia	Female
			Sergio**	Male
30	Spanish (Mexican)	es-MX	Mia	Female
			Andrés**	Male
31	Spanish (US)	es-US	Lupe*	Female
			Pedro**	Male
32	Swedish	sv-SE	Elin**	Female

\*The Amy, Joanna, Lupe, and Matthew voices can be used with the Newscaster speaking style. For more information, see [NTTS Newscaster Speaking Style \(p. 121\)](#).

\*\*The Adriano, Andrés, Aria, Arlet, Arthur, Ayanda, Daniel, Elin, Gabrielle, Hala, Hannah, Hiujin, Ida, Isabelle, Kajal, Kazuha, Kevin, Laura, Liam, Lisa, Niamh, Ola, Olivia, Pedro, Rémi, Ruth, Sergio, Sofie, Stephen, Suvi, Thiago, and Tomoko voices are only available in NTTS and not as standard voices.

## NTTS Newscaster Speaking Style

People use different speaking styles, depending on context. Casual conversation, for example, sounds very different from a TV or radio newscast. Because of the way standard voices are made, they can't

produce different speaking styles. However, neural voices can. They can be trained for a specific speaking style, with the variations and emphasis on certain parts of speech inherent in that style.

In addition to the default neural voices, Amazon Polly provides a newscaster speaking style that uses the neural system to generate speech in the style of a TV or radio newscaster. The Newscaster style is available with the Matthew and Joanna voices in US English (en-US), the Lupe voice in US Spanish (es-US), and the Amy voice in British English (en-GB).

To use the Newscaster style, first choose the neural engine and then use the syntax described in the following steps in your input text.

**Note**

To use any neural speaking style, you must use one of the AWS Regions that support neural voices. This option is not available in all Regions. For more information, see [Feature and Region Compatibility \(p. 116\)](#).

**To apply the Newscaster style (console)**

1. Open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Make sure that you are using an AWS Region where neural voices are supported.
3. On the Text-to-Speech page, for **Engine**, choose **Neural**.
4. Choose the language and voice you want to use.

Only Matthew and Joanna for US English (en-US), Lupe for US Spanish (es-US), and Amy for British English (en-GB) are available in the newscaster voice.

5. Turn on **SSML**.
6. Add input text to your text-to-speech request using the Newscaster style SSML syntax.

```
<amazon:domain name="news">text</amazon:domain>
```

For example, you might use the newscaster tag as follows:

```
<speak>
<amazon:domain name="news">
From the Tuesday, April 16th, 1912 edition of The Guardian newspaper:

The maiden voyage of the White Star liner Titanic, the largest ship ever launched
ended in disaster.

The Titanic started her trip from Southampton for New York on Wednesday. Late on
Sunday night she struck an iceberg off the Grand Banks of Newfoundland. By
wireless telegraphy she sent out signals of distress, and several liners were
near enough to catch and respond to the call.
</amazon:domain>
</speak>
```

7. Choose **Listen**.

**To apply the Newscaster style (CLI)**

1. In your API request, include the engine parameter with the neural value:

```
--engine neural
```

2. Add input text to your API request using the Newscaster style SSML syntax.

```
<amazon:domain name="news">text</amazon:domain>
```

For example, you might use the newscaster tag as follows:

```
<speak>  
<amazon:domain name="news">  
From the Tuesday, April 16th, 1912 edition of The Guardian newspaper:  
  
The maiden voyage of the White Star liner Titanic, the largest ship ever launched  
ended in disaster.  
  
The Titanic started her trip from Southampton for New York on Wednesday. Late on  
Sunday night she struck an iceberg off the Grand Banks of Newfoundland. By  
wireless telegraphy she sent out signals of distress, and several liners were  
near enough to catch and respond to the call.  
</amazon:domain>  
</speak>
```

For more information about SSML, see [Supported SSML Tags \(p. 137\)](#).



# Speech Marks

*Speech marks* are metadata that describe the speech that you synthesize, such as where a sentence or word starts and ends in the audio stream. When you request speech marks for your text, Amazon Polly returns this metadata instead of synthesized speech. By using speech marks in conjunction with the synthesized speech audio stream, you can provide your applications with an enhanced visual experience.

For example, combining the metadata with the audio stream from your text can enable you to synchronize speech with facial animation (lip-syncing) or to highlight written words as they're spoken.

Speechmarks are available when using either neural or standard text-to-speech formats.

## Topics

- [Speech Mark Types \(p. 124\)](#)
- [Using Speech Marks \(p. 125\)](#)
- [Requesting Speech Marks \(Console\) \(p. 128\)](#)

## Speech Mark Types

You request speech marks using the [SpeechMarkTypes](#) option for either the [SynthesizeSpeech](#) or [StartSpeechSynthesisTask](#) commands. You specify the metadata elements that you want to return from your input text. You can request as many as four types of metadata but you must specify at least one per request. No audio output is generated with the request.

In the AWS CLI, for example:

```
--speech-mark-types='["sentence", "word", "viseme", "ssml"]'
```

Amazon Polly generates speech marks using the following elements:

- **sentence** – Indicates a sentence element in the input text.
- **word** – Indicates a word element in the text.
- **viseme** – Describes the face and mouth movements corresponding to each phoneme being spoken. For more information, see [Visemes and Amazon Polly \(p. 124\)](#).
- **ssml** – Describes a <mark> element from the SSML input text. For more information, see [Generating Speech from SSML Documents \(p. 130\)](#).

## Visemes and Amazon Polly

A *viseme* represents the position of the face and mouth when saying a word. It is the visual equivalent of a phoneme, which is the basic acoustic unit from which a word is formed. Visemes are the basic visual building blocks of speech.

Each language has a set of viseme that correspond to their specific phonemes.. In a language, each phoneme has a corresponding viseme that represents the shape that the mouth makes when forming the sound. However, not all visemes can be mapped to a particular phoneme because numerous

phonemes appear the same when spoken, even though they sound different. For example, in English, the words "pet" and "bet" are acoustically different. However, when observed visually (without sound), they look exactly the same.

The following chart shows a partial list of International Phonetic Alphabet (IPA) phonemes and Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) symbols as well as their corresponding visemes for US English voices.

For the complete table and tables for all available languages, see [Phoneme and Viseme Tables for Supported Languages \(p. 20\)](#).

IPA	X-SAMPA	Description	Example	Viseme
<b>Consonants</b>				
b	b	Voiced bilabial plosive	bed	p
d	d	Voiced alveolar plosive	dig	t
dʒ	dZ	Voiced postalveolar affricate	jump	S
ð	D	Voiced dental fricative	then	T
f	f	Voiceless labiodental fricative	five	f
g	g	Voiced velar plosive	game	k
h	h	Voiceless glottal fricative	house	k
...	...	...	...	...

## Using Speech Marks

### Requesting Speech Marks

To request speech marks for input text, use the `synthesize-speech` command. Besides the input text, the following elements are required to return this metadata:

- `output-format`

Amazon Polly supports only the JSON format when returning speech marks.

```
--output-format json
```

If you use an unsupported output format, Amazon Polly throws an exception.

- `voice-id`

To ensure that the metadata matches the associated audio stream, specify the same voice that is used to generate the synthesized speech audio stream. The available voices don't have identical speech

rates. If you use a voice other than the one used to generate the speech, the metadata will not match the audio stream.

```
--voice-id Joanna
```

- **speech-mark-types**

Specify the type or types of speech marks you want. You can request any or all of the speech mark types, but must specify at least one type.

```
--speech-mark-types='["sentence", "word", "viseme", "ssml"]'
```

- **text-type**

Plain text is the default input text for Amazon Polly, so you must use `text-type ssml` if you want to return SSML speech marks.

- **outfile**

Specify the output file to which the metadata is written.

```
MaryLamb.txt
```

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \  
  --output-format json \  
  --voice-id Voice ID \  
  --text 'Input text' \  
  --speech-mark-types='["sentence", "word", "viseme"]' \  
  outfile
```

## Speech Mark Output

Amazon Polly returns speech mark objects in a line-delimited JSON stream. A speech mark object contains the following fields:

- **time** – the timestamp in milliseconds from the beginning of the corresponding audio stream
- **type** – the type of speech mark (sentence, word, viseme, or ssml)
- **start** – the offset in bytes (not characters) of the start of the object in the input text (not including viseme marks)
- **end** – the offset in bytes (not characters) of the object's end in the input text (not including viseme marks)
- **value** – this varies depending on the type of speech mark
  - **SSML**: <mark> SSML tag
  - **viseme**: the viseme name
  - **word** or **sentence**: a substring of the input text, as delimited by the start and end fields

For example, Amazon Polly generates the following word speech mark object from the text "Mary had a little lamb":

```
{"time":373,"type":"word","start":5,"end":8,"value":"had"}
```

The described word ("had") begins 373 milliseconds after the audio stream begins, and starts at byte 5 and ends at byte 8 of the input text.

**Note**

This metadata is for the Joanna voice-id. If you use another voice with the same input text, the metadata might differ.

## Speech Mark Examples

The following examples of speech mark requests show how to make common requests and the output that they generate.

### Example 1: Speech Marks Without SSML

The following example shows you what requested metadata looks like on your screen for the simple sentence: "Mary had a little lamb." For simplicity, we don't include SSML speech marks in this example.

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \  
  --output-format json \  
  --voice-id Joanna \  
  --text 'Mary had a little lamb.' \  
  --speech-mark-types='["viseme", "word", "sentence"]' \  
  MaryLamb.txt
```

When you make this request, Amazon Polly returns the following in the .txt file:

```
{"time":0,"type":"sentence","start":0,"end":23,"value":"Mary had a little lamb."}  
{"time":6,"type":"word","start":0,"end":4,"value":"Mary"}  
{"time":6,"type":"viseme","value":"p"}  
{"time":73,"type":"viseme","value":"E"}  
{"time":180,"type":"viseme","value":"r"}  
{"time":292,"type":"viseme","value":"i"}  
{"time":373,"type":"word","start":5,"end":8,"value":"had"}  
{"time":373,"type":"viseme","value":"k"}  
{"time":460,"type":"viseme","value":"a"}  
{"time":521,"type":"viseme","value":"t"}  
{"time":604,"type":"word","start":9,"end":10,"value":"a"}  
{"time":604,"type":"viseme","value":"@"}  
{"time":643,"type":"word","start":11,"end":17,"value":"little"}  
{"time":643,"type":"viseme","value":"t"}  
{"time":739,"type":"viseme","value":"i"}  
{"time":769,"type":"viseme","value":"t"}  
{"time":799,"type":"viseme","value":"t"}  
{"time":882,"type":"word","start":18,"end":22,"value":"lamb"}  
{"time":882,"type":"viseme","value":"t"}  
{"time":964,"type":"viseme","value":"a"}  
{"time":1082,"type":"viseme","value":"p"}
```

In this output, each part of the text is broken out in terms of speech marks:

- The sentence "Mary had a little lamb."

- Each word in the text: "Mary", "had", "a", "little", and "lamb."
- The viseme for each sound in the corresponding audio stream: "p", "E", "r", "i", and so on. For more information on visemes see [Visemes and Amazon Polly \(p. 124\)](#).

## Example 2: Speech Marks with SSML

The process of generating speech marks from SSML-enhanced text is similar to the process when SSML is not present. Use the `synthesize-speech` command, and specify the SSML-enhanced text and the type of speech marks that you want, as shown in the following example. To make the example easier to read, we do not include viseme speech marks, but these could be included as well.

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \
  --output-format json \
  --voice-id Joanna \
  --text-type ssml \
  --text '<speack><prosody volume="+20dB">Mary had <break time="300ms"/>a little <mark
name="animal"/>lamb</prosody></speack>' \
  --speech-mark-types='["sentence", "word", "ssml"]' \
  output.txt
```

When you make this request, Amazon Polly returns the following in the .txt file:

```
{
  "time":0,"type":"sentence","start":31,"end":95,"value":"Mary had <break time=\\\"300ms\\\"\\/>a
  little <mark name=\\\"animal\\\"\\/>lamb"}
{"time":6,"type":"word","start":31,"end":35,"value":"Mary"}
{"time":325,"type":"word","start":36,"end":39,"value":"had"}
{"time":897,"type":"word","start":40,"end":61,"value":"<break time=\\\"300ms\\\"\\/>"}
{"time":1291,"type":"word","start":61,"end":62,"value":"a"}
{"time":1373,"type":"word","start":63,"end":69,"value":"little"}
{"time":1635,"type":"ssml","start":70,"end":91,"value":"animal"}
{"time":1635,"type":"word","start":91,"end":95,"value":"lamb"}
```

## Requesting Speech Marks (Console)

You can use the console to request speech marks from Amazon Polly. You can then view the metadata or save it to a file.

### To generate speech marks (console)

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Text-to-Speech** tab.
3. Turn on **SSML** to use SSML.
4. Type or paste your text into the input box.
5. For **Language**, choose the language for your text.
6. For **Voice**, choose the voice you want to use for the text.
7. To change text pronunciation, expand **Additional settings**, turn on **Customize pronunciation**, and for **Apply lexicon**, choose the desired lexicon.
8. To verify that the speech is in its final form, choose **Listen**.

9. Turn on **Speech file format settings**.

**Note**

Downloading MP3, OGG, or PCM formats will not generate speech marks.

10. For **File Format**, choose **Speech marks**.
11. For **Speech mark types**, choose the types of speech marks to generate. The option to choose **SSML** metadata is only available when **SSML** is on. For more information on using SSML with Amazon Polly see [Generating Speech from SSML Documents \(p. 130\)](#).
12. Choose **Download**.

# Generating Speech from SSML Documents

You can use Amazon Polly to generate speech from either plain text or from documents marked up with Speech Synthesis Markup Language (SSML). Using SSML-enhanced text gives you additional control over how Amazon Polly generates speech from the text you provide.

For example, you can include a long pause within your text, or change the speech rate or pitch. Other options include:

- emphasizing specific words or phrases
- using phonetic pronunciation
- including breathing sounds
- whispering
- using the Newscaster speaking style.

For complete details on the SSML tags supported by Amazon Polly and how to use them, see [Supported SSML Tags \(p. 137\)](#)

When using SSML, there are several reserved characters that require special treatment. This is because SSML uses these characters as part of its code. In order to use them, you use a specific entity to *escape* them. For more information, see [Reserved Characters in SSML \(p. 130\)](#)

Amazon Polly provides these types of control with a subset of the SSML markup tags that are defined by [Speech Synthesis Markup Language \(SSML\) Version 1.1, W3C Recommendation](#).


You can use SSML within the Amazon Polly console or by using the AWS CLI. The following topics show you how you can use SSML to generate speech and control the output so that it precisely fits your needs.

## Topics

- [Reserved Characters in SSML \(p. 130\)](#)
- [Using SSML \(Console\) \(p. 132\)](#)
- [Using SSML \(AWS CLI\) \(p. 133\)](#)
- [Supported SSML Tags \(p. 137\)](#)

## Reserved Characters in SSML

There are five predefined characters that can't normally be used within an SSML statement. These entities are reserved by the language specification. These characters are



<	Less than sign
>	Greater than sign
&	Ampersand
'	Apostrophe or single quotation mark
"	Double quotation mark

Because SSML uses these characters as part of its code, to use these symbols in SSML, you must *escape* the character when you use it. You use the escape code instead of the actual character so it displays properly while still creating a valid SSML document. For example, the following sentence

```
We're using the lawyer at Peabody & Chambers, attorneys-at-law.
```

would be rendered in SSML as

```
<speack>
We&apos;re using the lawyer at Peabody &amp; Chambers, attorneys-at-law.
</speack>
```

In this case, the special characters for the apostrophe and ampersand are escaped so the SSML document remains valid.

For the **&**, **<**, and **>** symbols, escape codes are always necessary when you use SSML. Additionally, when you use the apostrophe/single quotation mark (') as an apostrophe, you must also use the escape code.

However, when you use the double quotation mark ("), or the apostrophe/single quotation mark (') as a quotation mark, then whether or not you use the escape code is dependent on context.

#### Double quotation marks

- Must be escaped when in a attribute value delimited by double quotes. For example, in the following AWS CLI code

```
--text "Pete &quot;Maverick&quot; Mitchell"
```

- Do not need to be escaped when in textual context. For example, in the following

```
He said, "Turn right at the corner."
```

- Do not need to be escaped when in a attribute value delimited by single quotes. For example, in the following AWS CLI code

```
--text 'Pete "Maverick" Mitchell'
```



#### Single quotation marks

- Must be escaped when used as an apostrophe. For example, in the following

```
We&apos;ve got to leave quickly.
```

- Do not need to be escaped when in textual context. For example, in the following

```
"And then I said, 'Don't quote me.'"
```

- Do not need to be escaped when in a code attribute delimited by double quotes. For example, in the following AWS CLI code

```
--text "Pete 'Maverick' Mitchell"
```

## Using SSML (Console)

With SSML tags, you can customize and control aspects of speech such as pronunciation, volume, and speech rate. In the AWS Management Console, the SSML-enhanced text that you want to convert to audio is entered on the SSML tab of the Text-to-Speech page. Although text entered in plain text relies on default settings for the language and voice you've chosen, text enhanced with SSML tells Amazon Polly not only what you want to say, but how you want to say it. Except for the added SSML tags, Amazon Polly synthesizes SSML-enhanced text in the same way as it synthesizes plain text. See [Step 1.2: Synthesizing speech with plain text input \(Console\) \(p. 6\)](#) for more information.

When using SSML, you enclose the entire text in a `<speech>` tag to let Amazon Polly know that you're using SSML. For example:

```
<speech>Hi! My name is Joanna. I will read any text you type here.</speech>
```

You then use specific SSML tags on the text inside the `<speech>` tags to customize the way you want the text to sound. You can add a pause, change the pace of the speech, lower or raise the volume of the voice, or add many other customizations so that the text sounds right for you. For a full list of the SSML tags that you can use, see [Supported SSML Tags \(p. 137\)](#).

In the following example, you use an SSML tag to tell Amazon Polly to substitute "World Wide Web Consortium" for "W3C" when it speaks a short paragraph. You also use tags to introduce a pause and whisper a word. Compare the results of this exercise with that of [Applying Lexicons Using the Console \(Synthesize Speech\) \(p. 160\)](#).

For more information on SSML, with examples, see [Supported SSML Tags \(p. 137\)](#).

### To synthesize speech from SSML-enhanced text (console)

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. If it isn't already displayed, choose the **Text-to-Speech** tab.
3. Turn on **SSML**.
4. Type or paste the following text in the text box:

```
<speech>  
  He was caught up in the game.<break time="1s"/> In the middle of the
```

```
10/3/2014 <sub alias="World Wide Web Consortium">W3C</sub> meeting,  
he shouted, "Nice job!" quite loudly. When his boss stared at him, he repeated  
<amazon:effect name="whispered">"Nice job,"</amazon:effect> in a  
whisper.  
</speak>
```

The SSML tags tell Amazon Polly how to render the text:

- `<break time="1s"/>` tells Amazon Polly to pause 1 second between the first two sentences.
- `<sub alias="World Wide Web Consortium">W3C</sub>` tells Amazon Polly to substitute World Wide Web Consortium for the acronym W3C.
- `<amazon:effect name="whispered">Nice job</amazon:effect>` tells Amazon Polly to whisper the second instance of "Nice job."

#### Note

When you use the AWS CLI, you enclose the input text in quotation marks to differentiate it from the surrounding code. The Amazon Polly console doesn't show you code, so you don't enclose input text in quotation marks when you use it.

5. For **Language**, choose **English, US**, then choose a voice.
6. To listen to the speech, choose **Listen**.
7. To save the speech file, choose **Download**. If you want to save it in a different format, expand **Additional settings**, turn on **Speech file format settings** and choose the format that you want, then choose **Download**.

## Using SSML (AWS CLI)

You can use the AWS CLI to synthesize SSML input text. The following examples show how to perform common tasks using the AWS CLI.

#### Topics

- [Using SSML With the Synthesize-Speech Command \(p. 133\)](#)
- [Synthesizing an SSML-enhanced Document \(p. 134\)](#)
- [Using SSML for Common Amazon Polly Tasks \(p. 135\)](#)

## Using SSML With the Synthesize-Speech Command

This example shows how to use the `synthesize-speech` command with an SSML string. When you use the `synthesize-speech` command, you typically provide the following:

- The input text (required)
- Opening and closing tags (required)
- The output format
- A voice

In this example, you specify a simple text string in quotation marks along with the required opening and closing `<speak></speak>` tags.

#### Important

Although you don't use quotation marks around input text in the Amazon Polly console, you must use them in use the AWS CLI. It's also important that you differentiate between the quotation marks around input text and quotations required for individual tags.

For example, you can use standard quotation marks (") to enclose the input text, and single quotation marks (') for interior tags, or vice versa. Either option works for Unix, Linux, and macOS. However, with Windows you must enclose the input text in standard quotations marks and use single quotation marks for the tags.

For all operating systems, you can use standard quotation marks (") to enclose the input text, and single quotation marks (') for interior tags). For example:

```
--text "<speak>Hello <break time='300ms' /> World</speak>"
```

For Unix, Linux, and macOS, you can also use the reverse, with single quotation marks (') enclosing the input text and standard quotation marks (") for interior tags:

```
--text '<speak>Hello <break time="300ms" /> World</speak>'
```

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \  
--text-type ssml \  
--text '<speak>Hello world</speak>' \  
--output-format mp3 \  
--voice-id Joanna \  
speech.mp3
```

To hear the synthesized speech, play the resulting `speech.mp3` file using any audio player.

## Synthesizing an SSML-enhanced Document

For longer input text, you may find it easier to save your SSML content to a file and simply specify the file name in the `synthesize-speech` command. For example you could save the following to a file called `example.xml`:

```
<?xml version="1.0"?>  
<speak version="1.1"  
  xmlns="http://www.w3.org/2001/10/synthesis"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xsi:schemaLocation="http://www.w3.org/2001/10/synthesis http://www.w3.org/TR/speech-  
synthesis11/synthesis.xsd"  
  xml:lang="en-US">Hello World</speak>
```

The `xml:lang` attribute specifies `en-US` (US English) as the language of the input text. For information about how the language of the input text and the language of the chosen voice affect the `SynthesizeSpeech` operation, see [Improving the Pronunciation of Foreign Words \(p. 137\)](#).

### To run an SSML-enhanced file

1. Save the SSML to a file (for example, `example.xml`).
2. Run the following `synthesize-speech` command from the path where the XML file is stored and specify the SSML file as input by substituting `file:\\example.xml` for the input text. Because this command points to a file instead of containing the actual input text, you don't use quotation marks.

#### Note

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^).

```
aws polly synthesize-speech \  
--text-type ssml \  
--text file://example.xml \  
--output-format mp3 \  
--voice-id Joanna \  
speech.mp3
```

3. To hear the synthesized speech, play the resulting `speech.mp3` file using any audio player.

## Using SSML for Common Amazon Polly Tasks

The following examples show how to use SSML tags to complete common Amazon Polly tasks. For more SSML tags, see [Supported SSML Tags \(p. 137\)](#).

To test the following examples, use the following `synthesize-speech` command with the appropriate SSML-enhanced text:

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```
aws polly synthesize-speech \  
--text-type ssml \  
--text '<say>Hello <break time="300ms"/> World</say>' \  
--output-format mp3 \  
--voice-id Joanna \  
speech.mp3
```

### Adding a Pause

To add a pause between words, use the `<break>` element. The following SSML `synthesize-speech` command uses the `<break>` element to add a 300-millisecond delay between the words "Hello" and "World."

```
<say>  
  Hello <break time="300ms"/> World.  
</say>
```

### Controlling Volume, Pitch, and Speed

To control pitch, speaking rate, and speech volume, use the `<prosody>` element.

- The following `synthesize-speech` command uses the `<prosody>` element to control volume:

```
<say>  
  <prosody volume="+20dB">Hello world</prosody>  
</say>
```

- The following `synthesize-speech` command uses the `<prosody>` element to control pitch:

```
<say>  
  <prosody pitch="x-high">Hello world.</prosody>
```

```
</speak>
```

- The following synthesize-speech command uses the `<prosody>` element to specify the speech rate (speaking speed):

```
<speak>  
  <prosody rate="x-fast">Hello world.</prosody>  
</speak>
```

- You can specify multiple attributes in a `<prosody>` element, as shown in the following examples:

```
<speak>  
  <prosody volume="x-loud" pitch="x-high" rate="x-fast">Hello world.</prosody>  
</speak>
```

## Whispering

To whisper words, use the `<amazon:effect name="whispered">` element. In the following example, the `<amazon:effect name="whispered">` element tells Amazon Polly to whisper "little lamb":

```
<speak>  
  Mary has a <amazon:effect name="whispered">little lamb.</amazon:effect>  
</speak>
```

To enhance this effect, use the `<prosody>` element to slightly slow down the whispered speech.

## Emphasizing Words

To stress a word or phrase, use the `<emphasis>` element.

```
<speak>  
  <emphasis level="strong">Hello</emphasis> world how are you?  
</speak>
```

## Specifying How to Say Certain Words

To provide information about the type of text to be spoken, use the `<say-as>` element.

For instance, in the following SSML, `<say-as>` indicates that the text 4/6 should be interpreted as a date. The attribute `interpret-as="date" format="dm"` indicates that it should be spoken as a date with the format month/day.

You can also use the `<say-as>` element to tell Amazon Polly to say numbers as fractions, telephone numbers, measurement units, and more.

```
<speak>  
  Today is <say-as interpret-as="date" format="md" >4/6</say-as>  
</speak>
```

The resulting speech is "Today is June 4th." The `<say-as>` tag describes how the text should be interpreted by providing additional context with the `interpret-as` attribute.

To verify the accuracy of the synthesized speech, play the resulting speech .mp3 file.

For more information on this element, see [Controlling How Special Types of Words Are Spoken \(p. 147\)](#).

## Improving the Pronunciation of Foreign Words

Amazon Polly assumes that the input text is in the same language as the language spoken by the voice you choose. To improve the pronunciation of foreign words within input text, in the `synthesize-speech` call. Specify the target language with the `xml:lang` attribute. This tells Amazon Polly to apply different pronunciation rules for the foreign words that you tag.

The following examples show how to use different combinations of languages in the input text, and how to specify voices and the pronunciation of foreign words. For a complete list of available languages, see [Languages Supported by Amazon Polly \(p. 19\)](#).

In the following example, the voice (Joanna) is a US English voice. By default, Amazon Polly assumes that the input text is in the same language as the voice (in this case, US English). When you use the `xml:lang` tag, Amazon Polly interprets the text as Spanish and the text is spoken as the selected voice would pronounce Spanish words, according to the pronunciation rules of the foreign language. Without this tag, the text is spoken using the pronunciation rules of the selected voice.

```
<speak>
  That restaurant is terrific. <lang xml:lang="es-ES">Mucho gusto.</lang>
</speak>
```

Because the language of the input text is English, Amazon Polly maps the Spanish phonemes to the closest English phonemes. As a result, Joanna speaks the text as a native US speaker who pronounces the words correctly in Spanish, but with a US English accent.

### Note

Some languages are more similar than others, and so some language combinations work better than others.

## Supported SSML Tags

Amazon Polly supports the following SSML tags:

Action	SSML Tag	Availability with Neural Voices
<a href="#">Adding a Pause (p. 138)</a>	<code>&lt;break&gt;</code>	Full availability
<a href="#">Emphasizing Words (p. 139)</a>	<code>&lt;emphasis&gt;</code>	Not available
<a href="#">Specifying Another Language for Specific Words (p. 140)</a>	<code>&lt;lang&gt;</code>	Full availability
<a href="#">Placing a Custom Tag in Your Text (p. 141)</a>	<code>&lt;mark&gt;</code>	Full availability
<a href="#">Adding a Pause Between Paragraphs (p. 141)</a>	<code>&lt;p&gt;</code>	Full availability
<a href="#">Using Phonetic Pronunciation (p. 141)</a>	<code>&lt;phoneme&gt;</code>	Full availability

Action	SSML Tag	Availability with Neural Voices
<a href="#">Controlling Volume, Speaking Rate, and Pitch (p. 143)</a>	<prosody>	Partial availability
<a href="#">Setting a Maximum Duration for Synthesized Speech (p. 144)</a>	<prosody amazon:max-duration>	Not available
<a href="#">Adding a Pause Between Sentences (p. 147)</a>	<s>	Full availability
<a href="#">Controlling How Special Types of Words Are Spoken (p. 147)</a>	<say-as>	Partial availability
<a href="#">Identifying SSML-Enhanced Text (p. 138)</a>	<speak>	Full availability
<a href="#">Pronouncing Acronyms and Abbreviations (p. 149)</a>	<sub>	Full availability
<a href="#">Improving Pronunciation by Specifying Parts of Speech (p. 150)</a>	<w>	Full availability
<a href="#">Adding the Sound of Breathing (p. 151)</a>	<amazon:auto-breaths>	Not available
<a href="#">Newscaster speaking style (p. 153)</a>	<amazon:domain name="news">	Select neural voices only
<a href="#">Adding Dynamic Range Compression (p. 154)</a>	<amazon:effect name="drc">	Full availability
<a href="#">Speaking Softly (p. 155)</a>	<amazon:effect phonation="soft">	Not available
<a href="#">Controlling Timbre (p. 156)</a>	<amazon:effect vocal-tract-length>	Not available
<a href="#">Whispering (p. 157)</a>	<amazon: effect name="whispered">	Not available

If you use unsupported SSML tags in either neural or standard format, you will get an error.

## Identifying SSML-Enhanced Text

<speak>

The <speak> tag is the root element of all Amazon Polly SSML text. All SSML-enhanced text must be enclosed within a pair of <speak> tags.

```
<speak>Mary had a little lamb.</speak>
```

This tag is supported by both neural and standard TTS formats.

## Adding a Pause

<break>

This tag is supported by both neural and standard TTS formats.

To add a pause to your text, use the `<break>` tag. You can set a pause based on strength (equivalent to the pause after a comma, a sentence, or a paragraph), or you can set it to a specific length of time in seconds or milliseconds. If you don't specify an attribute to determine the pause length, Amazon Polly uses the default, which is `<break strength="medium"/>`, which adds a pause the length of a pause after a comma.

strength attribute values:

- **none**: No pause. Use none to remove a normally occurring pause, such as after a period.
- **x-weak**: Has the same strength as none, no pause.
- **weak**: Sets a pause of the same duration as the pause after a comma.
- **medium**: Has the same strength as weak.
- **strong**: Sets a pause of the same duration as the pause after a sentence.
- **x-strong**: Sets a pause of the same duration as the pause after a paragraph.

time attribute values:

- **[number]s**: The duration of the pause, in seconds. The maximum duration is 10s.
- **[number]ms**: The duration of the pause, in milliseconds. The maximum duration is 10000ms.

For example:

```
<speak>
  Mary had a little lamb <break time="3s"/>Whose fleece was white as snow.
</speak>
```

If you don't use an attribute with the break tag, the result varies depending on text:

- If there is no other punctuation next to the break tag, it creates a `<break strength="medium"/>` (comma-length pause).
- If the tag is next to a comma, it upgrades the tag to a `<break strength="strong"/>` (sentence-length pause).
- If the tag is next to a period, it upgrades the tag to `<break strength="x-strong"/>` (paragraph-length pause).

## Emphasizing Words

*<emphasis>*

This tag is supported only by the standard TTS format.

To emphasize words, use the `<emphasis>` tag. Emphasizing words changes the speaking rate and volume. More emphasis makes Amazon Polly speak the text louder and slower. Less emphasis makes it speak quieter and faster. To specify the degree of emphasis, use the `level` attribute.

level attribute values:

- **Strong**: Increases the volume and slows the speaking rate so that the speech is louder and slower.
- **Moderate**: Increases the volume and slows the speaking rate, but less than strong. Moderate is the default.
- **Reduced**: Decreases the volume and speeds up the speaking rate. Speech is softer and faster.



**Note**

The normal speaking rate and volume for a voice falls between the moderate and reduced levels.

For example:

```
<speak>
  I already told you I <emphasis level="strong">really like</emphasis> that person.
</speak>
```

## Specifying Another Language for Specific Words

`<lang>`

This tag is supported by both neural and standard TTS formats.

Specify another language for a specific word, phrase, or sentence with the `<lang>` tag. Foreign language words and phrases are generally spoken better when they are enclosed within a pair of `<lang>` tags. To specify the language, use the `xml:lang` attribute. For a complete list of available languages, see [Languages Supported by Amazon Polly \(p. 19\)](#).

Unless you apply the `<lang>` tag, all of the words in the input text are spoken in the language of the voice specified in the `voice-id`. If you apply the `<lang>` tag, the words are spoken in that language.

For example, if the `voice-id` is Joanna (who speaks US English), Amazon Polly speaks the following in the Joanna voice without a French accent:

```
<speak>
  Je ne parle pas français.
</speak>
```

If you use the Joanna voice with the `<lang>` tag, Amazon Polly speaks the sentence in the Joanna voice in American-accented French:

```
<speak>
  <lang xml:lang="fr-FR">Je ne parle pas français.</lang>.
</speak>
```

Because Joanna is not a native French voice, pronunciation is based on her native language, US English. For example, although perfect French pronunciation features an uvular trill /R/ in the word *français*, Joanna's US English voice pronounces this phoneme as the corresponding sound /r/.

If you use the `voice-id` of Giorgio, who speaks Italian, with the following text, Amazon Polly speaks the sentence in Giorgio's voice with an Italian pronunciation:

```
<speak>
  Mi piace Bruce Springsteen.
</speak>
```

If you use the same voice with the following `<lang>` tag, Amazon Polly pronounces Bruce Springsteen in Italian-accented English:

```
<speak>
```

```
    Mi piace <lang xml:lang="en-US">Bruce Springsteen.</lang>
</speak>
```

This tag can also be used as a substitute for the optional [DefaultLangCode](#) option when synthesizing speech. However, doing so requires that you format your text using SSML.

## Placing a Custom Tag in Your Text

*<mark>*

This tag is supported by both neural and standard TTS formats.

To put a custom tag within the text, use the *<mark>* tag. Amazon Polly takes no action on the tag, but returns the location of the tag in the SSML metadata. This tag can be anything you want to call out, as long as it maintains the following format:

```
<mark name="tag_name"/>
```

For example, suppose that the tag name is "animal" and the input text is:

```
<speak>
    Mary had a little <mark name="animal"/>lamb.
</speak>
```

Amazon Polly might return the following SSML metadata:

```
{"time":767,"type":"ssml","start":25,"end":46,"value":"animal"}
```

## Adding a Pause Between Paragraphs

*<p>*

This tag is supported by both neural and standard TTS formats.

To add a pause between paragraphs in your text, use the *<p>* tag. Using this tag provides a longer pause than native speakers usually place at commas or the end of a sentence. Use the *<p>* tag to enclose the paragraph:

```
<speak>
    <p>This is the first paragraph. There should be a pause after this text is spoken.</p>
    <p>This is the second paragraph.</p>
</speak>
```

This is equivalent to specifying a pause using *<break strength="x-strong"/>*.

## Using Phonetic Pronunciation

*<phoneme>*

This tag is supported by both neural and standard TTS formats.

To make Amazon Polly use phonetic pronunciation for specific text, use the *<phoneme>* tag.

Two attributes are required with the <phoneme> tag. They indicate the phonetic alphabet Amazon Polly uses and the phonetic symbols of the corrected pronunciation:

- alphabet
  - ipa— Indicates that the International Phonetic Alphabet (IPA) will be used.
  - x-sampa— Indicates that the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA) will be used.
- ph
  - Specifies the phonetic symbols for pronunciation. For more information, see [Phoneme and Viseme Tables for Supported Languages \(p. 20\)](#)

With the <phoneme> tag, Amazon Polly uses the pronunciation specified by the ph attribute instead of the standard pronunciation associated by default with the language used by the selected voice.

For instance, the word "pecan" can be pronounced two ways. In the following example, "pecan" is assigned a different pronunciation in each line. Amazon Polly pronounces pecan as specified in the ph attributes, instead of using the default pronunciation.

#### International Phonetic Alphabet (IPA)

```
<speak>
  You say, <phoneme alphabet="ipa" ph="p##k##n">pecan</phoneme>.
  I say, <phoneme alphabet="ipa" ph="#pi.kæn">pecan</phoneme>.
</speak>
```

#### Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA)

```
<speak>
  You say, <phoneme alphabet='x-sampa' ph='pI"kA:n'>pecan</phoneme>.
  I say, <phoneme alphabet='x-sampa' ph='"pi.k{n'>pecan</phoneme>.
</speak>
```

Mandarin Chinese uses Pinyin for phonetic pronunciation..

#### Pinyin

```
<speak>
  ## <phoneme alphabet="x-amazon-pinyin" ph="bo2">#</phoneme>#
  ## <phoneme alphabet="x-amazon-pinyin" ph="bao2">#</phoneme>#
</speak>
```

Japanese uses Yomigana and Pronunciation Kana.

#### Yomigana

```
<speak>
  ###<phoneme alphabet="x-amazon-yomigana" ph="####">##</phoneme>###
  ###<phoneme alphabet="x-amazon-yomigana" ph="####">##</phoneme>###
  ###<phoneme alphabet="x-amazon-yomigana" ph="Hirokazu">##</phoneme>###
</speak>
```

#### Pronunciation Kana

```
<speak>
  ###<phoneme alphabet="x-amazon-pron-kana" ph="###'#">##</phoneme>###
</speak>
```

## Controlling Volume, Speaking Rate, and Pitch

### <prosody>

Prosody tag attributes are fully supported by the standard TTS voices. Neural voices support the volume and rate attributes, but don't support the pitch attribute.

To control the volume, rate, or pitch of your selected voice, use the prosody tag.

Volume, speech rate, and pitch are dependent on the specific voice selected. In addition to differences between voices for different languages, there are differences between individual voices speaking the same language. Because of this, while attributes are similar across all languages, there are clear variations from language to language and no absolute value is available.

The prosody tag has three attributes, each of which has several available values to set the attribute. Each attribute uses the same syntax:

```
<prosody attribute="value"></prosody>
```

- **volume**
  - **default**: Resets volume to the default level for the current voice.
  - **silent**, **x-soft**, **soft**, **medium**, **loud**, **x-loud**: Sets the volume to a predefined value for the current voice.
  - **+ndB**, **-ndB**: Changes volume relative to the current level. A value of **+0dB** means no change, **+6dB** means approximately twice the current volume, and **-6dB** means approximately half the current volume.

For example, you could set the volume for a passage as follows:

```
<speak>  
  Sometimes it can be useful to <prosody volume="loud">increase the volume  
  for a specific speech.</prosody>  
</speak>
```

Or you could set it this way:

```
<speak>  
  And sometimes a lower volume <prosody volume="-6dB">is a more effective way of  
  interacting with your audience.</prosody>  
</speak>
```

- **rate**
  - **x-slow**, **slow**, **medium**, **fast**, **x-fast**. Sets the pitch to a predefined value for the selected voice.
  - **n%**: A non-negative percentage change in the speaking rate. For example, a value of **100%** means no change in speaking rate, a value of **200%** means a speaking rate twice the default rate, and a value of **50%** means a speaking rate of half the default rate. This value has a range of **20-200%**.

For example, you could set the speech rate for a passage as follows:

```
<speak>  
  For dramatic purposes, you might wish to <prosody rate="slow">slow up the speaking  
  rate of your text.</prosody>  
</speak>
```

Or you could set it this way:

```
<say>
  Although in some cases, it might help your audience to <prosody rate="85%">slow
  the speaking rate slightly to aid in comprehension.</prosody>
</say>
```

- **pitch**
  - **default:** Resets pitch to the default level for the current voice.
  - **x-low, low, medium, high, x-high:** Sets the pitch to a predefined value for the current voice.
  - **+n% or -n%:** Adjusts pitch by a relative percentage. For example, a value of +0% means no baseline pitch change, +5% gives a little higher baseline pitch, and -5% results in a little lower baseline pitch.

For example, you could set the pitch for a passage as follows:

```
<say>
  Do you like synthesized speech <prosody pitch="high">with a pitch that is higher
  than normal?</prosody>
</say>
```

Or you could set it this way:

```
<say>
  Or do you prefer your speech <prosody pitch="-10%">with a somewhat lower pitch?</
prosody>
</say>
```

The `<prosody>` tag must contain at least one attribute, but can include more within the same tag.

```
<say>
  Each morning when I wake up, <prosody volume="loud" rate="x-slow">I speak
  quite slowly and deliberately until I have my coffee.</prosody>
</say>
```

It can also be combined with nested tags, as follows:

```
<say>
  <prosody rate="85%">Sometimes combining attributes <prosody pitch="-10%">can
  change the impression your audience has of a voice</prosody> as well.</prosody>
</say>
```

## Setting a Maximum Duration for Synthesized Speech

`<prosody amazon:max-duration>`

This tag is currently supported only by the standard TTS format.

To control how long you want a speech to take when it is synthesized, use the `<prosody>` tag with the `amazon:max-duration` attribute.

The duration of synthesized speech varies slightly, depending on the voice you select. This can make it difficult to match synthesized speech with visuals or other activities that require precise timing. This issue is magnified for translation applications because the time it takes to say particular phrases can vary widely with different languages.

The `<prosody amazon:max-duration>` tag matches synthesized speech to the amount of time you want it to take (the duration).

This tag uses the following syntax:

```
<prosody amazon:max-duration="time duration">
```

With the `<prosody amazon:max-duration>` tag, you can specify duration in either seconds or milliseconds:

- *ns*: the maximum duration in seconds
- *nms*: the maximum duration in milliseconds

For example, the following spoken text has a maximum duration of 2 seconds:

```
<say>  
  <prosody amazon:max-duration="2s">  
    Human speech is a powerful way to communicate.  
  </prosody>  
</say>
```

Text placed within the tag, it doesn't exceed the specified duration. If the chosen voice or language would normally take longer than that duration, Amazon Polly speeds up the speech so that it fits into the specified duration.

If the specified duration is longer than it takes to read the text at a normal rate, Amazon Polly reads the speech normally. It doesn't slow down the speech or add silence, so the resulting audio is shorter than requested.

**Note**

Amazon Polly increases the speed no more than 5 times the normal rate. If text is spoken faster than this, it usually doesn't make sense. If a speech cannot fit within your specified duration even when speeded up to the maximum, the audio will be speeded up but will last longer than the specified duration.

You can include a single sentence or multiple sentences within a `<prosody amazon:max-duration>` tag, and you can use multiple `<prosody amazon:max-duration>` tags within your text.

For example:

```
<say>  
  <prosody amazon:max-duration="2400ms">  
    Human speech is a powerful way to communicate.  
  </prosody>  
  <break strength="strong"/>  
  <prosody amazon:max-duration="5100ms">  
    Even a simple 'Hello' can convey a lot of information depending on the pitch,  
    intonation, and tempo.  
  </prosody>  
  <break strength="strong"/>  
  <prosody amazon:max-duration="8900ms">  
    We naturally understand this information, which is why speech is ideal for creating  
    applications where  
    a screen isn't practical or possible, or simply isn't convenient.  
  </prosody>  
</say>
```

Using the `<prosody amazon:max-duration>` tag can increase latency when Amazon Polly is returns synthesized speech. The degree of latency depends on the passage and its length. We recommend using text comprised of relatively short text passages.

### Limitations

There are limitations both in how you use `<prosody amazon:max-duration>` tag and in how it works with other SSML tags:

- The text inside a `<prosody amazon:max-duration>` tag can't be longer than 1500 characters.
- You can't nest `<prosody amazon:max-duration>` tags. If you put one `<prosody amazon:max-duration>` tag inside another, Amazon Polly ignores the inner tag.

For example, in the following, the `<prosody amazon:max-duration="5s">` tag is ignored:

```
<speak>
  <prosody amazon:max-duration="16s">
    Human speech is a powerful way to communicate.

    <prosody amazon:max-duration="5s">
      Even a simple 'Hello' can convey a lot of information depending on the
      pitch, intonation, and tempo.
    </prosody>

    We naturally understand this information, which is why speech is ideal for
    creating applications where a screen isn't practical or possible, or simply isn't
    convenient.
  </prosody>
</speak>
```

- You can't use the `<prosody>` tags with the `rate` attribute within a `<prosody amazon:max-duration>` tag. This is because both affect the speed at which text is spoken.

In the following example, Amazon Polly ignores the `<prosody rate="2">` tag:

```
<speak>
  <prosody amazon:max-duration="7500ms">
    Human speech is a powerful way to communicate.

    <prosody rate="2">
      Even a simple 'Hello' can convey a lot of information depending on the
      pitch, intonation, and tempo.
    </prosody>
  </prosody>
</speak>
```

### Pauses and max-duration

When using `max-duration` tag, you can still insert pauses within your text. However, Amazon Polly includes the length of the pause when calculating the maximum duration for speech. Additionally, Amazon Polly preserves the short pauses that occur where commas and periods are placed within a passage and includes in the maximum duration.

For example, in the following block, the 600 millisecond break and the breaks caused by the commas and periods occur within the 8-second speech:

```
<speak>
  <prosody amazon:max-duration="8s">
    Human speech is a powerful way to communicate.
    <break time="600ms"/>
  </prosody>
</speak>
```

```
        Even a simple 'Hello' can convey a lot of information depending on the pitch,  
        intonation, and tempo.  
    </prosody>  
</speak>
```

## Adding a Pause Between Sentences

<s>

This tag is supported by both neural and standard TTS formats.

To add a pause between lines or sentences in your text, use the <s> tag. Using this tag has the same effect as:

- Ending a sentence with a period (.)
- Specifying a pause with <break strength="strong"/>

Unlike the <break> tag, the <s> tag encloses the sentence. This is useful for synthesizing speech that is organized in lines, rather than sentence, such as poetry.

In the following example, the <s> tag creates a short pause after both the first and second sentences. The final sentence has no <s> tag, but it is also followed by a short pause because it ends with a period.

```
<speak>  
    <s>Mary had a little lamb</s>  
    <s>Whose fleece was white as snow</s>  
    And everywhere that Mary went, the lamb was sure to go.  
</speak>
```

## Controlling How Special Types of Words Are Spoken

<say-as>

Except for the "characters" or "spell-out" feature, this tag is supported by both neural and standard TTS formats. If this SSML code is encountered by Amazon Polly at run-time, the affected sentence will be synthesized using the related standard voice. Please note, however, that this sentence will still be billed as if it uses the neural voice.

Use the <say-as> tag with the interpret-as attribute to tell Amazon Polly how to say certain characters, words, and numbers. This enables you to provide additional context to eliminate any ambiguity on how Amazon Polly should render the text.

The say-as tag uses one attribute, <interpret-as>, which uses a number of possible available values. Each uses the same syntax:

```
<say-as interpret-as="value">[text to be interpreted]</say-as>
```

The following values are available with interpret-as:

- characters or spell-out: Spells out each letter of the text, as in a-b-c.

### Note

This option is not currently supported using neural voices. If this SSML code is encountered by Amazon Polly at run-time, the affected sentence will be synthesized using the related standard voice. Please note, however, that this sentence will still be billed as if it uses the neural voice.



- **cardinal** or **number**: Interprets the numerical text as a cardinal number, as in 1,234.
- **ordinal**: Interprets the numerical text as an ordinal number, as in 1,234th.
- **digits**: Spells out each digit individually, as in 1-2-3-4.
- **fraction**: Interprets the numerical text as a fraction. This works for both common fractions such as 3/20, and mixed fractions, such as 2 1/2. See below for more information.
- **unit**: Interprets a numerical text as a measurement. The value should be either a number or a fraction followed by a unit with no space in between as in 1/2inch, or by just a unit, as in 1meter.
- **date**: Interprets the text as a date. The format of the date must be specified with the format attribute. See below for more information.
- **time**: Interprets the numerical text as duration, in minutes and seconds, as in 1 ' 21".
- **address**: Interprets the text as part of a street address.
- **expletive**: "Beeps out" the content included within the tag.
- **telephone**: Interprets the numerical text as a 7-digit or 10-digit telephone number, as in 2025551212. You can also use this value for handle telephone extensions, as in 2025551212x345. See below for more information.

**Note**

Currently the telephone option is not available for all languages. However, it is available for voices speaking English language variants (en-AU, en-GB, en-IN, en-US, and en-GB-WLS), Spanish language variants (es-ES, es-MX, and es-US), French language variants (fr-FR and fr-CA), and Portuguese variants (pt-BR and pt-PT), as well as German (de-DE), Italian (it-IT), Japanese (ja-JP), and Russian (ru-RU). It should also be noted that in some cases, languages such as Arabic (arb) automatically handle the number set as a telephone number and so do not actually implement the telephone SSML tag.

## Fractions

Amazon Polly interprets values within the say-as tag that have the interpret-as="fraction" attribute as common fractions. The following is the syntax for fractions:

- *Fraction*

Syntax: *cardinal number*/*cardinal number*, such as 2/9.

For example: <say-as interpret-as="fraction">2/9</say-as> is pronounced "two ninths."

- *Non-negative Mixed Number*

Syntax: *cardinal number*+*cardinal number*/*cardinal number*, such as 3+1/2.

For example, <say-as interpret-as="fraction">3+1/2</say-as> is pronounced "three and a half."

**Note**

There must be a + between the "3" and the "1/2". Amazon Polly doesn't support a mixed number without the +, such as "3 1/2".

## Dates

When interpret-as is set to date, you also need to indicate the format of the date.

This uses the following syntax:

```
<say-as interpret-as="date" format="format">[date]</say-as>
```

For example:

```
<say-as interpret-as="date" format="mdy">12-31-1900</say-as>.
```

The following formats can be used with the date attribute.

- mdy: Month-day-year.
- dmy: Day-month-year.
- ymd: Year-month-day.
- md: Month-day.
- dm: Day-month.
- ym: Year-month.
- my: Month-year.
- d: Day.
- m: Month.
- y: Year.
- yyyymmdd: Year-month-day. If you use this format, you can make Amazon Polly skip parts of the date using question marks.

For example, Amazon Polly renders the following as "September 22nd":

```
<say-as interpret-as="date">????0922</say-as>
```

Format is not needed.

## Telephone

Amazon Polly attempts to interpret the text you provide correctly based on the text's formatting even without the `<say-as>` tag. For example, if your text includes "202-555-1212," Amazon Polly interprets it as a 10-digit telephone number and says each digit individually, with a brief pause for each dash. In this case, you don't need to use `<say-as interpret-as="telephone">`. However, if you provide the text "2025551212" and want Amazon Polly to say it as a phone number, you would specify `<say-as interpret-as="telephone">`.

The logic for interpreting each element is language-specific. For example, US and UK English differ in how phone numbers are pronounced (in UK English, sequences of the same digit are grouped together, as in "double five" or "triple four"). To see the difference, test the following example with a US voice and with a UK voice:

```
<say-as interpret-as="telephone">2122241555</say-as>
```

## Pronouncing Acronyms and Abbreviations

`<sub>`

This tag is supported by both neural and standard TTS formats.

Use the `<sub>` tag with the `alias` attribute to substitute a different word (or pronunciation) for selected text such as an acronym or abbreviation.

This uses the syntax:

```
<sub alias="new word">abbreviation</sub>
```

In the following example, the name "Mercury" is substituted for the element's chemical symbol to make the audio content clearer.

```
<speak>  
  My favorite chemical element is <sub alias="Mercury">Hg</sub>, because it looks so  
  shiny.  
</speak>
```

## Improving Pronunciation by Specifying Parts of Speech

<w>

This tag is supported by both neural and standard TTS formats.

You can use the <w> tag to customize the pronunciation of words by specifying the word's part of speech or alternate meaning. This is done using the *role* attribute.

This tag uses the following syntax:

```
<w role="attribute">text</w>
```

The following values can be used for the *role* attribute:

To specify the part of speech:

- `amazon:VB`: interprets the word as a verb (present simple).
- `amazon:VBD`: interprets the word as past tense verb.
- `amazon:DT`: interprets the word as a determiner.
- `amazon:IN`: interprets the word as a preposition.
- `amazon:JJ`: interprets the word as an adjective.
- `amazon:NN`: interprets the word as a noun.

For example, depending on its part of speech, the US English pronunciation of the word "read" varies based on the tag:

```
<speak>  
  The word <say-as interpret-as="characters">read</say-as> may be interpreted  
  as either the present simple form <w role="amazon:VB">read</w>, or the past  
  participle form <w role="amazon:VBD">read</w>.  
</speak>
```

To specify a specific meaning:

- `amazon:DEFAULT`: uses the default sense of the word.
- `amazon:SENSE_1`: uses the non-default sense of the word when present. For example, the noun "bass" is pronounced differently depending on its meaning. The default meaning is the lowest part of the musical range. The alternate meaning is a species of freshwater fish, also called "bass" but pronounced differently. Using `<w role="amazon:SENSE_1">bass</w>` renders the non-default pronunciation (freshwater fish) for the audio text.

This difference in pronunciation and meaning can be heard if you synthesize the following:

```
<say-as interpret-as="characters">bass</say-as>
Depending on your meaning, the word
may be interpreted as either a musical element: bass, or as its alternative meaning,
a freshwater fish <w role="amazon:SENSE_1">bass</w>.
</say-as>
```

**Note**

Some languages may have a different selection of supported parts of speech.

## Adding the Sound of Breathing

*<amazon:breath> and <amazon:auto-breaths>*

This tag is supported only by the standard TTS format.

Natural-sounding speech includes both correctly spoken words and breathing sounds. By adding breathing sounds to synthesized speech, you can make it sound more natural. The `<amazon:breath>` and `<amazon:auto-breaths>` tags provide breaths. You have the following options:

- Manual mode: you set the location, length, and volume of a breath sound within the text
- Automated mode: Amazon Polly automatically inserts breathing sounds into the speech output
- Mixed mode: both you and Amazon Polly add breathing sounds

### Manual Mode

In manual mode, you place the `<amazon:breath/>` tag in the input text where you want to locate a breath. You can customize the length and volume of breaths with the `duration` and `volume` attributes, respectively:

- `duration`: Controls the length of the breath. Valid values are: `default`, `x-short`, `short`, `medium`, `long`, `x-long`. The default value is `medium`.
- `volume`: Controls how loud breathing sounds. Valid values are: `default`, `x-soft`, `soft`, `medium`, `loud`, `x-loud`. The default value is `medium`.

**Note**

The exact length and volume of each attribute value is dependent on the specific Amazon Polly voice used.

To set a breath sound using the defaults, use `<amazon:breath/>` without attributes.

For example, to use attributes to set the duration and volume for a breath to medium, you would set the attributes as follows:

```
<say-as>
  Sometimes you want to insert only <amazon:breath duration="medium" volume="x-loud"/>a
  single breath.
</say-as>
```

To use the defaults, you would just use the tag:

```
<say-as>
  Sometimes you need <amazon:breath/>to insert one or more average breaths
  <amazon:breath/> so that the
```

```
    text sounds correct.  
</speak>
```

You can add individual breathing sounds within a passage, as follows:

```
<speak>  
    <amazon:breath duration="long" volume="x-loud"/> <prosody rate="120%"> <prosody  
    volume="loud">  
    Wow! <amazon:breath duration="long" volume="loud"/> </prosody> That was quite fast.  
    <amazon:breath  
    duration="medium" volume="x-loud"/> I almost beat my personal best time on this track.  
    </prosody>  
</speak>
```

### Automated Mode

In automated mode, you use the `<amazon:auto-breaths>` tag to tell Amazon Polly to automatically create breathing noises at appropriate intervals. You can set the frequency of the intervals, their volume, and their duration. Place the `</amazon:auto-breaths>` tag at the beginning of the text that you want to apply automated breathing to and then close the tag at the end.

#### Note

Unlike the manual mode tag, `<amazon:breath/>`, the `<amazon:auto-breaths>` tag requires a closing tag (`</amazon:auto-breaths>`).

You can use the following optional attributes with the `<amazon:auto-breaths>` tag:

- **volume:** Controls how loud the breathing sounds. Valid values are: default, x-soft, soft, medium, loud, x-loud. The default value is medium.
- **frequency:** Controls how often breathing sounds occur in the text. Valid values are: default, x-low, low, medium, high, x-high. The default value is medium.
- **duration:** Controls the length of the breath. Valid values are: default, x-short, short, medium, long, x-long. The default value is medium.

By default, the frequency of breathing sounds depends on the input text. However, breathing sounds often occur after commas and periods.

The following examples show how to use the `<amazon:auto-breaths>` tag. To decide which options to use for your content, copy the applicable examples to the Amazon Polly console and listen to the differences.

- Using automated mode without optional parameters.

```
<speak>  
    <amazon:auto-breaths>Amazon Polly is a service that turns text into lifelike  
    speech,  
    allowing you to create applications that talk and build entirely new categories of  
    speech-  
    enabled products. Amazon Polly is a text-to-speech service that uses advanced deep  
    learning  
    technologies to synthesize speech that sounds like a human voice. With dozens of  
    lifelike  
    voices across a variety of languages, you can select the ideal voice and build  
    speech-  
    enabled applications that work in many different countries.</amazon:auto-breaths>  
</speak>
```

- Using automated mode with volume control. The unspecified parameters (duration and frequency) are set to the default values (medium).

```
<speak>
  <amazon:auto-breaths volume="x-soft">Amazon Polly is a service that turns text into
  lifelike
    speech, allowing you to create applications that talk and build entirely new
  categories of
    speech-enabled products. Amazon Polly is a text-to-speech service, that uses
  advanced deep
    learning technologies to synthesize speech that sounds like a human voice. With
  dozens of
    lifelike voices across a variety of languages, you can select the ideal voice and
  build speech-
    enabled applications that work in many different countries.</amazon:auto-breaths>
</speak>
```

- Using automated mode with frequency control. The unspecified parameters (duration and volume) are set to the default values (medium).

```
<speak>
  <amazon:auto-breaths frequency="x-low">Amazon Polly is a service that turns text
  into lifelike
    speech, allowing you to create applications that talk and build entirely new
  categories of
    speech-enabled products. Amazon Polly is a text-to-speech service, that uses
  advanced deep
    learning technologies to synthesize speech that sounds like a human voice. With
  dozens of
    lifelike voices across a variety of languages, you can select the ideal voice and
  build speech-
    enabled applications that work in many different countries.</amazon:auto-breaths>
</speak>
```

- Using automated mode with multiple parameters. For the unspecified Duration parameter, Amazon Polly uses the default value (medium).

```
<speak>
  <amazon:auto-breaths volume="x-loud" frequency="x-low">Amazon Polly is a service
  that turns
    text into lifelike speech, allowing you to create applications that talk and build
  entirely new
    categories of speech-enabled products. Amazon Polly is a text-to-speech service,
  that uses
    advanced deep learning technologies to synthesize speech that sounds like a human
  voice. With
    dozens of lifelike voices across a variety of languages, you can select the ideal
  voice and build
    speech-enabled applications that work in many different countries.</amazon:auto-
  breaths>
</speak>
```

## Newscaster speaking style

`<amazon:domain name="news">`

The newscaster style is available only for the Matthew or Joanna voices, which are available only in American English (en-US), Lupe, in US Spanish (es-US) and Amy, in British English (en-GB). It is only supported when using Neural format.

To use the newscaster style, you use SSML tags and the following syntax::

```
<amazon:domain name="news">text</amazon:domain>
```

For example, you might use the newscaster style with the Amy voice as follows:

```
<speack>
<amazon:domain name="news">
From the Tuesday, April 16th, 1912 edition of The Guardian newspaper:

The maiden voyage of the White Star liner Titanic, the largest ship ever launched, has
ended in disaster.

The Titanic started her trip from Southampton for New York on Wednesday. Late on Sunday
night she struck
an iceberg off the Grand Banks of Newfoundland. By wireless telegraphy she sent out signals
of distress,
and several liners were near enough to catch and respond to the call.
</amazon:domain>
</speack>
```


## Adding Dynamic Range Compression

```
<amazon:effect name="drc">
```

This tag is supported by both neural and standard TTS formats.

Depending on the text, language, and voice used in an audio file, the sounds range from soft to loud. Environmental sounds, such as the sound of a moving vehicle, can often mask the softer sounds, which makes the audio track difficult to hear clearly. To enhance the volume of certain sounds in your audio file, use the dynamic range compression (drc) tag.

The drc tag sets a midrange "loudness" threshold for your audio, and increases the volume (the gain) of the sounds around that threshold. It applies the greatest gain increase closest to the threshold, and the gain increase is lessened farther away from the threshold.



This makes the middle-range sounds easier to hear in a noisy environment, which makes the entire audio file clearer.

The drc tag is a Boolean parameter (it's either present or it isn't). It uses the syntax: `<amazon:effect name="drc">` and is closed with `</amazon:effect>`.

You can use the drc tag with any voice or language supported by Amazon Polly. You can apply it to an entire section of the recording, or for only a few words. For example:


```
<speack>
  Some audio is difficult to hear in a moving vehicle, but <amazon:effect name="drc">
    this audio
  is less difficult to hear in a moving vehicle.</amazon:effect>
</speack>
```

### Note


When you use "drc" in the `amazon:effect` syntax, it is case-sensitive.

### Using drc with the prosody volume Tag

As the following graphic shows, the `prosody volume` tag evenly increases the volume of an entire audio file from the original level (dotted line) to an adjusted level (solid line). To further increase the volume of certain parts of the file, use the `drc` tag with the `prosody volume` tag. Combining tags doesn't affect the settings of the `prosody volume` tag.



When you use the `drc` and `prosody volume` tags together, Amazon Polly applies the `drc` tag first, increasing the middle-range sounds (those near the threshold). It then applies the `prosody volume` tag and further increases the volume of the entire audio track evenly.



To use the tags together, nest one inside the other. For example:

```
<speak>
  <prosody volume="loud">This text needs to be understandable and loud. <amazon:effect
    name="drc">
    This text also needs to be more understandable in a moving car.</amazon:effect></
  prosody>
</speak>
```

In this text, the `prosody volume` tag increases the volume of the entire passage to "loud." The `drc` tag enhances the volume of the middle-range values in the second sentence.

### Note

When using the `drc` and `prosody volume` tags together, use standard XML practices for nesting tags.

## Speaking Softly

```
<amazon:effect phonation="soft">
```

This tag is currently supported only by the standard TTS format.

To specify that input text should be spoken in a softer-than-normal voice, use the `<amazon:effect phonation="soft">` tag.

This uses the syntax:



```
<amazon:effect phonation="soft">text</amazon:effect>
```

For example, you might use this tag with the Matthew voice as follows:

```
<speak>  
  This is Matthew speaking in my normal voice. <amazon:effect phonation="soft">This  
  is Matthew speaking in my softer voice.</amazon:effect>  
</speak>
```

## Controlling Timbre

*<amazon:effect vocal-tract-length>*

This tag is currently supported only by the standard TTS format.

Timbre is the tonal quality of a voice that helps you tell the difference between voices, even when they have the same pitch and loudness. One of the most important physiological features that contributes to speech timbre is the length of the vocal tract. The vocal tract is a cavity of air that spans from the top of the vocal folds up to the edge of the lips.

To control the timbre of output speech in Amazon Polly, use the `vocal-tract-length` tag. This tag has the effect of changing the length of the speaker's vocal tract, which sounds like a change in the speaker's size. When you increase the `vocal-tract-length`, the speaker sounds physically bigger. When you decrease it, the speaker sounds smaller. You can use this tag with any of the voices in the Amazon Polly Text-to-Speech portfolio.

To change timbre, use the following values:

- `+n%` or `-n%`: Adjusts the vocal tract length by a relative percentage change in the current voice. For example, `+4%` or `-2%`. Valid values range from `+100%` to `-50%`. Values outside this range are clipped. For example, `+111%` sounds like `+100%` and `-60%` sounds like `-50%`.
- `n%`: Changes the vocal tract length to an absolute percentage of the tract length of the current voice. For example, `110%` or `75%`. An absolute value of `110%` is equivalent to a relative value of `+10%`. An absolute value of `100%` is the same as the default value for the current voice.

The following example shows how to change the vocal tract length to change timbre:

```
<speak>  
  This is my original voice, without any modifications. <amazon:effect vocal-tract-  
length="+15%">  
  Now, imagine that I am much bigger. </amazon:effect> <amazon:effect vocal-tract-  
length="-15%">  
  Or, perhaps you prefer my voice when I'm very small. </amazon:effect> You can also  
  control the  
  timbre of my voice by making minor adjustments. <amazon:effect vocal-tract-  
length="+10%">  
  For example, by making me sound just a little bigger. </amazon:effect><amazon:effect  
  vocal-tract-length="-10%"> Or, making me sound only somewhat smaller. </  
amazon:effect>  
</speak>
```

### Combining Multiple Tags

You can combine the `vocal-tract-length` tag with any other SSML tag that is supported by Amazon Polly. Because timbre (vocal tract length) and pitch are closely connected, you might get the best results

by using both the `vocal-tract-length` and the `<prosody pitch>` tags. To produce the most realistic voice, we recommend that you use different percentages of change for the two tags. Experiment with various combinations to get the results you want.

The following example shows how to combine tags.

```
<speak>
  The pitch and timbre of a person's voice are connected in human speech.
  <amazon:effect vocal-tract-length="-15%"> If you are going to reduce the vocal tract
length,
  </amazon:effect><amazon:effect vocal-tract-length="-15%"> <prosody pitch="+20%"> you
might consider increasing the pitch, too. </prosody></amazon:effect>
  <amazon:effect vocal-tract-length="+15%"> If you choose to lengthen the vocal tract,
  </amazon:effect> <amazon:effect vocal-tract-length="+15%"> <prosody pitch="-10%">
you might also want to lower the pitch. </prosody></amazon:effect>
</speak>
```

## Whispering

`<amazon:effect name="whispered">`

This tag is currently supported only by the standard TTS format.

This tag indicates that the input text should be spoken in a whispered voice rather than as normal speech. This can be used with any of the voices in the Amazon Polly Text-to-Speech portfolio.

This uses the following syntax:

```
<amazon:effect name="whispered">text</amazon:effect>
```

For example:

```
<speak>
  <amazon:effect name="whispered">If you make any noise, </amazon:effect>
  she said, <amazon:effect name="whispered">they will hear us.</amazon:effect>
</speak>
```

In this case, the synthesized speech spoken by the character is whispered, but the phrase "she said" is spoken in the normal synthesized speech of the selected Amazon Polly voice.

You can enhance the "whispered" effect by slowing down the prosody rate by up to 10%, depending on the effect you want.

For example:

```
<speak>
  When any voice is made to whisper, <amazon:effect name="whispered">
  <prosody rate="-10%">the sound is slower and quieter than normal speech
  </prosody></amazon:effect>
</speak>
```

When generating speech marks for a whispered voice, the audio stream must also include the whispered voice to ensure that the speech marks match the audio stream.

# Managing Lexicons

Pronunciation lexicons enable you to customize the pronunciation of words. Amazon Polly provides API operations that you can use to store lexicons in an AWS region. Those lexicons are then specific to that particular region. You can use one or more of the lexicons from that region when synthesizing the text by using the `SynthesizeSpeech` operation. This applies the specified lexicon to the input text before the synthesis begins. For more information, see [SynthesizeSpeech \(p. 259\)](#).

## Note

These lexicons must conform with the Pronunciation Lexicon Specification (PLS) W3C recommendation. For more information, see [Pronunciation Lexicon Specification \(PLS\) Version 1.0](#) on the W3C website.

The following are examples of ways to use lexicons with speech synthesis engines:

- Common words are sometimes stylized with numbers taking the place of letters, as with "g3t sm4rt" (get smart). Humans can read these words correctly. However, a Text-to-Speech (TTS) engine reads the text literally, pronouncing the name exactly as it is spelled. This is where you can leverage lexicons to customize the synthesized speech by using Amazon Polly. In this example, you can specify an alias (get smart) for the word "g3t sm4rt" in the lexicon.
- Your text might include an acronym, such as W3C. You can use a lexicon to define an alias for the word W3C so that it is read in the full, expanded form (World Wide Web Consortium).

Lexicons give you additional control over how Amazon Polly pronounces words uncommon to the selected language. For example, you can specify the pronunciation using a phonetic alphabet. For more information, see [Pronunciation Lexicon Specification \(PLS\) Version 1.0](#) on the W3C website.

## Topics

- [Applying Multiple Lexicons \(p. 158\)](#)
- [Managing Lexicons Using the Amazon Polly Console \(p. 159\)](#)
- [Managing Lexicons Using the AWS CLI \(p. 162\)](#)

## Applying Multiple Lexicons

You can apply up to five lexicons to your text. If the same grapheme appears in more than one lexicon that you apply to your text, the order in which they are applied can make a difference in the resulting speech. For example, given the following text, "Hello, my name is Bob." and two lexemes in different lexicons that both use the grapheme Bob.

### LexA

```
<lexeme>
  <grapheme>Bob</grapheme>
  <alias>Robert</alias>
</lexeme>
```

### LexB

```
<lexeme>
```

```
<grapheme>Bob</grapheme>
<alias>Bobby</alias>
</lexeme>
```

If the lexicons are listed in the order LexA and then LexB, the synthesized speech will be "Hello, my name is Robert." If they are listed in the order LexB and then LexA, the synthesized speech is "Hello, my name is Bobby."

#### Example – Applying LexA Before LexB

```
aws polly synthesize-speech \
--lexicon-names LexA LexB \
--output-format mp3 \
--text 'Hello, my name is Bob' \
--voice-id Justin \
bobAB.mp3
```

**Speech output:** "Hello, my name is Robert."

#### Example – Applying LexB before LexA

```
aws polly synthesize-speech \
--lexicon-names LexB LexA \
--output-format mp3 \
--text 'Hello, my name is Bob' \
--voice-id Justin \
bobBA.mp3
```

**Speech output:** "Hello, my name is Bobby."

For information about applying lexicons using the Amazon Polly console, see [Applying Lexicons Using the Console \(Synthesize Speech\) \(p. 160\)](#).

## Managing Lexicons Using the Amazon Polly Console

You can use the Amazon Polly console to upload, download, apply, filter, and delete lexicons. The following procedures demonstrate each of these processes.

### Uploading Lexicons Using the Console

To use a pronunciation lexicon, you must first upload it. There are two locations on the console from which you can upload a lexicon, the **Text-to-Speech** tab and the **Lexicons** tab.

The following processes describe how to add lexicons that you can use to customize how words and phrases uncommon to the chosen language are pronounced.

#### To add a lexicon from the Lexicons tab

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Lexicons** tab.

3. Choose **Upload lexicon**.
4. Provide a name for the lexicon and then use **Choose a lexicon file** to find the lexicon to upload. You can only upload PLS files with .pls or .xml extensions.
5. Choose **Upload lexicon**. If a lexicon by the same name (whether a .pls or .xml file) already exists, uploading the lexicon overwrites the existing lexicon.

#### To add a lexicon from the Text-to-Speech tab

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Text-to-Speech** tab.
3. Expand **Additional settings**, turn on **Customize pronunciation**, and then choose **Upload lexicon**.
4. Provide a name for the lexicon and then use **Choose a lexicon file** to find the lexicon to upload. You can only use PLS files with .pls or .xml extensions.
5. Choose **Upload lexicon**. If a lexicon with the same name (whether a .pls or .xml file) already exists, uploading the lexicon overwrites the existing lexicon.

## Applying Lexicons Using the Console (Synthesize Speech)

The following procedure demonstrates how to apply a lexicon to your input text by applying the W3c.pls lexicon to substitute "World Wide Web Consortium" for "W3C". If you apply multiple lexicons to your text they are applied in a top-down order with the first match taking precedence over later matches. A lexicon is applied to the text only if the language specified in the lexicon is the same as the language chosen.

You can apply a lexicon to plain text or SSML input.

#### Example – Applying the W3C.pls Lexicon

To create the lexicon you'll need for this exercise, see [Using the PutLexicon Operation \(p. 162\)](#). Use a plain text editor to create the W3C.pls lexicon shown at the top of the topic. Remember where you save this file.

#### To apply the W3C.pls lexicon to your input

In this example we introduce a lexicon to substitute "World Wide Web Consortium" for "W3C". Compare the results of this exercise with that of [Using SSML \(Console\) \(p. 132\)](#) for both US English and another language.

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Do one of the following:
  - Turn off **SSML** and then type or paste this text into the text input box.

```
He was caught up in the game.  
In the middle of the 10/3/2014 W3C meeting  
he shouted, "Score!" quite loudly.
```

- Turn on **SSML** and then type or paste this text into the text input box.

```
<speak>He wasn't paying attention.<break time="1s"/>
```

```
In the middle of the 10/3/2014 W3C meeting  
he shouted, "Score!" quite loudly.</speak>
```

3. From the **Language** list, choose **English, US**, then choose the voice you want to use for this text.
4. Expand **Additional settings** and turn on **Customize pronunciation**.
5. From the list of lexicons, choose W3C (English, US).

If the W3C (English, US) lexicon is not listed, choose **Upload lexicon** and upload it, then choose it from the list. To create this lexicon, see [Using the PutLexicon Operation \(p. 162\)](#).

6. To listen to the speech immediately, choose **Listen**.
7. To save the speech to a file,
  - a. Choose **Download**.
  - b. To change to a different file format, turn on **Speech file format settings**, choose the file format you want, and then choose **Download**.

Repeat the previous steps, but choose a different language and notice the difference in the output.

## Filtering the Lexicon List Using the Console

The following procedure describes how to filter the lexicons list so that only lexicons of a chosen language are displayed.

### To filter the lexicons listed by language

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Lexicons** tab.
3. Choose **Any language**.
4. From the list of languages, choose the language you want to filter on.

The list displays only the lexicons for the chosen language.

## Downloading Lexicons Using the Console

The following process describes how to download one or more lexicons. You can add, remove, or modify lexicon entries in the file and then upload it again to keep your lexicon up-to-date.

### To download one or more lexicons

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Lexicons** tab.
3. Choose the lexicon or lexicons you want to download.
  - a. To download a single lexicon, choose its name from the list.
  - b. To download multiple lexicons as a single compressed archive file, select the check box next to each entry in the list that you want to download.
4. Choose **Download**.
5. Open the folder where you want to download the lexicon.
6. Choose **Save**.

## Deleting a Lexicon Using the Console

### To delete a lexicon

The following process describes how to delete a lexicon. After deleting the lexicon, you must add it back before you can use it again. You can delete one or more lexicons at the same time by selecting the check boxes next to individual lexicons.

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Lexicons** tab.
3. Choose one or more lexicons that you want to delete from the list.
4. Choose **Delete**.
5. Enter confirmation text and then choose **Delete** to remove the lexicon from the Region or **Cancel** to keep it.

## Managing Lexicons Using the AWS CLI

The following topics cover the AWS CLI commands needed to manage your pronunciation lexicons.

### Topics

- [Using the PutLexicon Operation \(p. 162\)](#)
- [Using the GetLexicon Operation \(p. 167\)](#)
- [Using the ListLexicons Operations \(p. 167\)](#)
- [Using the DeleteLexicon Operation \(p. 168\)](#)

## Using the PutLexicon Operation

With Amazon Polly, you can use [PutLexicon \(p. 251\)](#) to store pronunciation lexicons in a specific AWS Region for your account. Then, you can specify one or more of these stored lexicons in your [SynthesizeSpeech \(p. 259\)](#) request that you want to apply before the service starts synthesizing the text. For more information, see [Managing Lexicons \(p. 158\)](#).

This section provides example lexicons and step-by-step instructions for storing and testing them.

### Note

These lexicons must conform to the Pronunciation Lexicon Specification (PLS) W3C recommendation. For more information, see [Pronunciation Lexicon Specification \(PLS\) Version 1.0](#) on the W3C website.

## Example 1: Lexicon with One Lexeme

Consider the following W3C PLS-compliant lexicon.

```
<?xml version="1.0" encoding="UTF-8"?>
<lexicon version="1.0"
  xmlns="http://www.w3.org/2005/01/pronunciation-lexicon"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.w3.org/2005/01/pronunciation-lexicon
    http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd"
  alphabet="ipa"
```

```

    xml:lang="en-US">
<lexeme>
  <grapheme>W3C</grapheme>
  <alias>World Wide Web Consortium</alias>
</lexeme>
</lexicon>

```

Note the following:

- The two attributes specified in the <lexicon> element:
  - The `xml:lang` attribute specifies the language code, `en-US`, to which the lexicon applies. Amazon Polly can use this example lexicon if the voice you specify in the `SynthesizeSpeech` call has the same language code (`en-US`).

**Note**

You can use the `DescribeVoices` operation to find the language code associated with a voice.

- The `alphabet` attribute specifies IPA, which means that the International Phonetic Alphabet (IPA) alphabet is used for pronunciations. IPA is one of the alphabets for writing pronunciations. Amazon Polly also supports the Extended Speech Assessment Methods Phonetic Alphabet (X-SAMPA).
- The <lexeme> element describes the mapping between <grapheme> (that is, a textual representation of the word) and <alias>.

To test this lexicon, do the following:

1. Save the lexicon as `example.pls`.
2. Run the `put-lexicon` AWS CLI command to store the lexicon (with the name `w3c`), in the `us-east-2` region.

```

aws polly put-lexicon \
--name w3c \
--content file://example.pls

```

3. Run the `synthesize-speech` command to synthesize sample text to an audio stream (`speech.mp3`), and specify the optional `lexicon-name` parameter.

```

aws polly synthesize-speech \
--text 'W3C is a Consortium' \
--voice-id Joanna \
--output-format mp3 \
--lexicon-names="w3c" \
speech.mp3

```

4. Play the resulting `speech.mp3`, and notice that the word `W3C` in the text is replaced by `World Wide Web Consortium`.

The preceding example lexicon uses an alias. The IPA alphabet mentioned in the lexicon is not used. The following lexicon specifies a phonetic pronunciation using the <phoneme> element with the IPA alphabet.

```

<?xml version="1.0" encoding="UTF-8"?>
<lexicon version="1.0"
  xmlns="http://www.w3.org/2005/01/pronunciation-lexicon"

```



```
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.w3.org/2005/01/pronunciation-lexicon
http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd"
alphabet="ipa"
xml:lang="en-US">
<lexeme>
  <grapheme>pecan</grapheme>
  <phoneme>p#k##n</phoneme>
</lexeme>
</lexicon>
```

Follow the same steps to test this lexicon. Make sure you specify input text that has word "pecan" (for example, "Pecan pie is delicious").

## Example 2: Lexicon with Multiple Lexemes

In this example, the lexeme that you specify in the lexicon applies exclusively to the input text for the synthesis. Consider the following lexicon:

```
<?xml version="1.0" encoding="UTF-8"?>
<lexicon version="1.0"
  xmlns="http://www.w3.org/2005/01/pronunciation-lexicon"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.w3.org/2005/01/pronunciation-lexicon
http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd"
  alphabet="ipa" xml:lang="en-US">

  <lexeme>
    <grapheme>W3C</grapheme>
    <alias>World Wide Web Consortium</alias>
  </lexeme>
  <lexeme>
    <grapheme>W3C</grapheme>
    <alias>WWW Consortium</alias>
  </lexeme>
  <lexeme>
    <grapheme>Consortium</grapheme>
    <alias>Community</alias>
  </lexeme>
</lexicon>
```

The lexicon specifies three lexemes, two of which define an alias for the grapheme W3C as follows:

- The first <lexeme> element defines an alias (World Wide Web Consortium).
- The second <lexeme> defines an alternative alias (WWW Consortium).

Amazon Polly uses the first replacement for any given grapheme in a lexicon.

The third <lexeme> defines a replacement (Community) for the word Consortium.

First, let's test this lexicon. Suppose you want to synthesize the following sample text to an audio file (speech.mp3), and you specify the lexicon in a call to SynthesizeSpeech.

```
The W3C is a Consortium
```

SynthesizeSpeech first applies the lexicon as follows:

- As per the first lexeme, the word W3C is revised as World Wide Web Consortium. The revised text appears as follows:

```
The World Wide Web Consortium is a Consortium
```

- The alias defined in the third lexeme applies only to the word Consortium that was part of the original text, resulting in the following text:

```
The World Wide Web Consortium is a Community.
```

You can test this using the AWS CLI as follows:

1. Save the lexicon as `example.pls`.
2. Run the `put-lexicon` command to store the lexicon with name `w3c` in the `us-east-2` region.

```
aws polly put-lexicon \  
--name w3c \  
--content file://example.pls
```

3. Run the `list-lexicons` command to verify that the `w3c` lexicon is in the list of lexicons returned.

```
aws polly list-lexicons
```

4. Run the `synthesize-speech` command to synthesize sample text to an audio file (`speech.mp3`), and specify the optional `lexicon-name` parameter.

```
aws polly synthesize-speech \  
--text 'W3C is a Consortium' \  
--voice-id Joanna \  
--output-format mp3 \  
--lexicon-names="w3c" \  
speech.mp3
```

5. Play the resulting `speech.mp3` file to verify that the synthesized speech reflects the text changes.

## Example 3: Specifying Multiple Lexicons

In a call to `SynthesizeSpeech`, you can specify multiple lexicons. In this case, the first lexicon specified (in order from left to right) overrides any preceding lexicons.

Consider the following two lexicons. Note that each lexicon describes different aliases for the same grapheme `W3C`.

- Lexicon 1: `w3c.pls`

```
<?xml version="1.0" encoding="UTF-8"?>  
<lexicon version="1.0"  
  xmlns="http://www.w3.org/2005/01/pronunciation-lexicon"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xsi:schemaLocation="http://www.w3.org/2005/01/pronunciation-lexicon  
    http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd"  
  alphabet="ipa" xml:lang="en-US">  
  <lexeme>  
    <grapheme>W3C</grapheme>  
    <alias>World Wide Web Consortium</alias>  
  </lexeme>  
</lexicon>
```

- Lexicon 2: w3cAlternate.pls

```
<?xml version="1.0" encoding="UTF-8"?>
<lexicon version="1.0"
  xmlns="http://www.w3.org/2005/01/pronunciation-lexicon"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.w3.org/2005/01/pronunciation-lexicon
    http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd"
  alphabet="ipa" xml:lang="en-US">

  <lexeme>
    <grapheme>W3C</grapheme>
    <alias>WWW Consortium</alias>
  </lexeme>
</lexicon>
```

Suppose you store these lexicons as w3c and w3cAlternate respectively. If you specify lexicons in order (w3c followed by w3cAlternate) in a SynthesizeSpeech call, the alias for W3C defined in the first lexicon has precedence over the second. To test the lexicons, do the following:

1. Save the lexicons locally in files called w3c.pls and w3cAlternate.pls.
2. Upload these lexicons using the put-lexicon AWS CLI command.

- Upload the w3c.pls lexicon and store it as w3c.

```
aws polly put-lexicon \
--name w3c \
--content file://w3c.pls
```

- Upload the w3cAlternate.pls lexicon on the service as w3cAlternate.

```
aws polly put-lexicon \
--name w3cAlternate \
--content file://w3cAlternate.pls
```

3. Run the synthesize-speech command to synthesize sample text to an audio stream (speech.mp3), and specify both lexicons using the lexicon-name parameter.

```
aws polly synthesize-speech \
--text 'PLS is a W3C recommendation' \
--voice-id Joanna \
--output-format mp3 \
--lexicon-names '["w3c","w3cAlternative"]' \
speech.mp3
```

4. Test the resulting speech.mp3. It should read as follows:

```
PLS is a World Wide Web Consortium recommendation
```

## Additional Code Samples for the PutLexicon API

- Java Sample: [PutLexicon \(p. 177\)](#)
- Python (Boto3) Sample: [PutLexicon \(p. 183\)](#)

## Using the GetLexicon Operation

Amazon Polly provides the [GetLexicon \(p. 243\)](#) API operation to retrieve the content of a pronunciation lexicon you stored in your account in a specific region.

The following `get-lexicon` AWS CLI command retrieves the content of the `example` lexicon.

```
aws polly get-lexicon \  
--name example
```

If you don't already have a lexicon stored in your account, you can use the `PutLexicon` operation to store one. For more information, see [Using the PutLexicon Operation \(p. 162\)](#).

The following is a sample response. In addition to the lexicon content, the response returns the metadata, such as the language code to which the lexicon applies, number of lexemes defined in the lexicon, the Amazon Resource Name (ARN) of the resource, and the size of the lexicon in bytes. The `LastModified` value is a Unix timestamp.

```
{  
  "Lexicon": {  
    "Content": "lexicon content in plain text PLS format",  
    "Name": "example"  
  },  
  "LexiconAttributes": {  
    "LanguageCode": "en-US",  
    "LastModified": 1474222543.989,  
    "Alphabet": "ipa",  
    "LexemesCount": 1,  
    "LexiconArn": "arn:aws:polly:us-east-2:account-id:lexicon/example",  
    "Size": 495  
  }  
}
```

## Additional Code Samples for the GetLexicon API

- Java Sample: [GetLexicon \(p. 176\)](#)
- Python (Boto3) Sample: [GetLexicon \(p. 181\)](#)

## Using the ListLexicons Operations

Amazon Polly provides the [ListLexicons \(p. 247\)](#) API operation that you can use to get the list of pronunciation lexicons in your account in a specific AWS Region. The following AWS CLI call lists the lexicons in your account in the `us-east-2` region.

```
aws polly list-lexicons
```

The following is an example response, showing two lexicons named `w3c` and `tomato`. For each lexicon, the response returns metadata such as the language code to which the lexicon applies, the number of lexemes defined in the lexicon, the size in bytes, and so on. The language code describes a language and locale to which the lexemes defined in the lexicon apply.

```
{  
  "Lexicons": [  
    {
```

```

        "Attributes": {
            "LanguageCode": "en-US",
            "LastModified": 1474222543.989,
            "Alphabet": "ipa",
            "LexemesCount": 1,
            "LexiconArn": "arn:aws:polly:aws-region:account-id:lexicon/w3c",
            "Size": 495
        },
        "Name": "w3c"
    },
    {
        "Attributes": {
            "LanguageCode": "en-US",
            "LastModified": 1473099290.858,
            "Alphabet": "ipa",
            "LexemesCount": 1,
            "LexiconArn": "arn:aws:polly:aws-region:account-id:lexicon/tomato",
            "Size": 645
        },
        "Name": "tomato"
    }
]
}

```

## Additional Code Samples for the ListLexicon API

- Java Sample: [ListLexicons \(p. 176\)](#)
- Python (Boto3) Sample: [ListLexicon \(p. 182\)](#)

## Using the DeleteLexicon Operation

Amazon Polly provides the [DeleteLexicon \(p. 238\)](#) API operation to delete a pronunciation lexicon from a specific AWS Region in your account. The following AWS CLI deletes the specified lexicon.

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.

```

aws polly delete-lexicon \
--name example

```

## Additional Code Samples for the DeleteLexicon API

- Java Sample: [DeleteLexicon \(p. 174\)](#)
- Python (Boto3) Sample: [DeleteLexicon \(p. 181\)](#)

# Creating Long Audio Files

To create TTS files for large passages of text, use Amazon Polly's *asynchronous synthesis* functionality. This uses the three `SpeechSynthesisTask` APIs:

- `StartSpeechSynthesisTask`: starts a new synthesis task.
- `GetSpeechSynthesisTask`: returns details about a previously submitted synthesis task.
- `ListSpeechSynthesisTasks`: lists all submitted synthesis tasks.

The `SynthesizeSpeech` operation produces audio in near-real time, with relatively little latency in most cases. To do this, the operation can only synthesize 3000 characters.

Amazon Polly's Asynchronous Synthesis feature overcomes the challenge of processing a larger text document by changing the way the document is both synthesized and returned. When a synthesis request is made by submitting input text using the `StartSpeechSynthesisTask`, Amazon Polly queues the requests, and then asynchronously processes them in the background as soon as the system resources are available. Amazon Polly then uploads the resulting speech or speech marks stream directly to your (required) Amazon Simple Storage Service (Amazon S3) bucket, and notifies you about the completed file's availability through your (optional) SNS topic.

In this way, all of the functionality except near-real time processing is available for texts of up to 100,000 billable characters (or 200,000 total characters) in length.

To synthesize a document using this method, you must have an Amazon S3 bucket that is writable to which the audio file can be saved. You can be notified when the synthesized audio is ready by providing an optional SNS Topic identifier. When the synthesis task is complete, Amazon Polly will publish a message on that topic. This message may also contain useful error information in cases where the synthesis task didn't succeed. To do this, make sure that the user creating the synthesis task can also publish to the SNS Topic. See the [Amazon SNS documentation](#) for more information on how to create and subscribe to an SNS Topic.

## Encryption

You can store the output file in an encrypted form in your S3 bucket if desired. To do this, you enable [Amazon S3 bucket encryption](#), which use one of the strongest block ciphers available, 256-bit Advanced Encryption Standard (AES-256).

## Topics

- [Setting Up the IAM Policy for Asynchronous Synthesis \(p. 169\)](#)
- [Creating Long Audio Files \(Console\) \(p. 170\)](#)
- [Creating Long Audio Files \(CLI\) \(p. 171\)](#)

# Setting Up the IAM Policy for Asynchronous Synthesis

In order to use the asynchronous synthesis functionality, you will need an IAM policy that allows the following:

- use of new Amazon Polly operations
- writing to the output S3 bucket
- publishing to the status SNS topic [optional]

The following policy grants only the necessary permissions required for asynchronous synthesis and can be attached to the IAM user.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "polly:StartSpeechSynthesisTask",
        "polly:GetSpeechSynthesisTask",
        "polly:ListSpeechSynthesisTasks"
      ],
      "Resource": "*"
    },
    {
      "Effect": "Allow",
      "Action": "s3:PutObject",
      "Resource": "arn:aws:s3:::bucket-name/*"
    },
    {
      "Effect": "Allow",
      "Action": "sns:Publish",
      "Resource": "arn:aws:sns:region:account:topic"
    }
  ]
}
```

## Creating Long Audio Files (Console)

You can use the Amazon Polly console to create long speeches using asynchronous synthesis with the same functionality as you can use with the AWS CLI. This is done using the **Text-to-Speech** tab much like any other synthesis.

The other asynchronous synthesis functionality is also available via the console. The **S3 synthesis tasks** tab reflects the `ListSpeechSynthesisTasks` functionality, displaying all tasks saved to the S3 bucket and enabling you to filter them if you want. Clicking on a specific single task shows its details, reflecting `GetSpeechSynthesisTask` functionality.

### To synthesize a large text using the Amazon Polly Console

1. Sign in to the AWS Management Console and open the Amazon Polly console at <https://console.aws.amazon.com/polly/>.
2. Choose the **Text-to-Speech** tab.
3. With **SSML** on or off, type or paste your text into the input box.
4. Choose the language, region, and voice for your text.
5. Choose **Save to S3**.

#### Note

Both the **Download** and **Listen** options are greyed out if the text length is above the 3,000 character limit for the real-time the `SynthesizeSpeech` operation.

6. The console opens a form so that you can choose where to store the output file.

- a. Fill in the name of the destination Amazon S3 bucket.
- b. Optionally, fill in the prefix key of the output.

**Note**

The output S3 bucket must be writable.

- c. If you want to be notified when the synthesis task is complete, provide an optional SNS topic identifier.

**Note**

The SNS must be open for publication by the current console user to use this option.  
For more information, see [Amazon Simple Notification Service \(SNS\)](#)

- d. Choose **Save to S3**.

### To retrieve information on your speech synthesis tasks

1. In the console, choose the **S3 Synthesis Tasks** tab.
2. The tasks are displayed in date order. To filter the tasks, by status, choose **All statuses** and then choose the status to use.
3. To view the details of a specific task, choose the linked **Task ID**.

## Creating Long Audio Files (CLI)

Amazon Polly *asynchronous synthesis* functionality uses three `SpeechSynthesisTask` APIs to work with large amounts of text:

- `StartSpeechSynthesisTask`: starts a new synthesis task.
- `GetSpeechSynthesisTask`: returns details about a previously submitted synthesis task.
- `ListSpeechSynthesisTasks`: lists all submitted synthesis tasks.

### Synthesizing large amounts of text (`StartSpeechSynthesisTask`)

When you want to create an audio file larger than one that you can create with the real-time `SynthesizeSpeech`, use the `StartSpeechSynthesisTask` operation. In addition to the arguments needed for the `SynthesizeSpeech` operation, `StartSpeechSynthesisTask` also requires the name of an Amazon S3 bucket. Two other optional arguments are also available: a key prefix for the output file and the ARN for an SNS Topic if you want to receive status notification about the task.

- `OutputS3BucketName`: The name of the Amazon S3 bucket where the synthesis should be uploaded. This bucket should be in the same region as the Amazon Polly service. Additionally, the IAM user being used to make the call should have access to the bucket. [Required]
- `OutputS3KeyPrefix`: Key prefix for the output file. Use this parameter if you want to save the output speech file in a custom directory-like key in your bucket. [Optional]
- `SnsTopicArn`: The SNS topic ARN to use if you want to receive notification about status of the task. This SNS topic should be in the same region as the Amazon Polly service. Additionally, the IAM user being used to make the call should have access to the topic. [Optional]

For example, the following example can be used to run the `start-speech-synthesis-task` AWS CLI command in the US East (Ohio) region:

The following AWS CLI example is formatted for Unix, Linux, and macOS. For Windows, replace the backslash (\) Unix continuation character at the end of each line with a caret (^) and use full quotation marks (") around the input text with single quotes (') for interior tags.



```
aws polly start-speech-synthesis-task \  
  --region us-east-2 \  
  --endpoint-url "https://polly.us-east-2.amazonaws.com/" \  
  --output-format mp3 \  
  --output-s3-bucket-name your-bucket-name \  
  --output-s3-key-prefix optional/prefix/path/file \  
  --voice-id Joanna \  
  --text file://text_file.txt
```

This will result in a response that looks similar to this:

```
"SynthesisTask":  
{  
  "OutputFormat": "mp3",  
  "OutputUri": "https://s3.us-east-2.amazonaws.com/your-bucket-name/optional/prefix/  
path/file.<task_id>.mp3",  
  "TextType": "text",  
  "CreationTime": [...],  
  "RequestCharacters": [...],  
  "TaskStatus": "scheduled",  
  "TaskId": [task_id],  
  "VoiceId": "Joanna"  
}
```

The start-speech-synthesis-task operation returns several new fields:

- **OutputUri**: the location of your output speech file.
- **TaskId**: a unique identifier for the speech synthesis task generated by Amazon Polly.
- **CreationTime**: a timestamp for when the task was initially submitted.
- **RequestCharacters**: the number of billable characters in the task.
- **TaskStatus**: provides information on the status of the submitted task.

When your task is submitted, the initial status will show `scheduled`. When Amazon Polly starts processing the task, the status will change to `inProgress` and later, to `completed` or `failed`. If the task fails, an error message will be returned when calling either the `GetSpeechSynthesisTask` or `ListSpeechSynthesisTasks` operation.

When the task is completed, the speech file is available at the location specified in `OutputUri`.

### Retrieving information on your speech synthesis task

You can get information on a task, such as errors, status, and so on, using the `GetSpeechSynthesisTask` operation. To do this, you will need the `task-id` returned by the `StartSpeechSynthesisTask`.

For example, the following example can be used to run the `get-speech-synthesis-task` AWS CLI command:

```
aws polly get-speech-synthesis-task \  
  --region us-east-2 \  
  --endpoint-url "https://polly.us-east-2.amazonaws.com/" \  
  --task-id task identifier
```

You can also list all speech synthesis tasks that you've run in the current region using the `ListSpeechSynthesisTasks` operation.

For example, the following example can be used to run the `list-speech-synthesis-tasks` AWS CLI command:

```
aws polly list-speech-synthesis-tasks \  
--region us-east-2 \  
--endpoint-url "https:// polly.us-east-2.amazonaws.com/"
```

# Code and Application Examples

This section provides code samples and example applications that you can use to explore Amazon Polly.

## Topics

- [Sample Code \(p. 174\)](#)
- [Example Applications \(p. 185\)](#)

The **Sample Code** topic contains snippets of code organized by programming language and separated into examples for different Amazon Polly functionality. The **Example Application** topic contains applications organized by programming language that can be used independently to explore Amazon Polly.

Before you start using these examples, we recommend that you first read [How Amazon Polly works \(p. 3\)](#) and follow the steps described in [Getting Started with Amazon Polly \(p. 4\)](#).

## Sample Code

This topic contains code samples for various functionality which can be used to explore Amazon Polly.

### Sample Code by Programming Language

- [Java Samples \(p. 174\)](#)
- [Python Samples \(p. 180\)](#)

## Java Samples

The following code samples show how to use Java-based applications to accomplish various tasks with Amazon Polly. These samples are not full examples, but can be included in larger Java applications that use the [AWS SDK for Java](#).

### Code Snippets

- [DeleteLexicon \(p. 174\)](#)
- [DescribeVoices \(p. 175\)](#)
- [GetLexicon \(p. 176\)](#)
- [ListLexicons \(p. 176\)](#)
- [PutLexicon \(p. 177\)](#)
- [StartSpeechSynthesisTask \(p. 178\)](#)
- [Speech Marks \(p. 179\)](#)
- [SynthesizeSpeech \(p. 180\)](#)

## DeleteLexicon

The following Java code sample show how to use Java-based applications to delete a specific lexicon stored in an AWS Region. A lexicon which has been deleted is not available for speech synthesis, nor can it be retrieved using either the `GetLexicon` or `ListLexicon` APIs.

For more information on this operation, see the reference for the [DeleteLexicon](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.DeleteLexiconRequest;

public class DeleteLexiconSample {
    private String LEXICON_NAME = "SampleLexicon";

    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void deleteLexicon() {
        DeleteLexiconRequest deleteLexiconRequest = new
        DeleteLexiconRequest().withName(LEXICON_NAME);

        try {
            client.deleteLexicon(deleteLexiconRequest);
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}
```

## DescribeVoices

The following Java code sample show how to use Java-based applications to produce a list of the voices that are available for use when requesting speech synthesis. You can optionally specify a language code to filter the available voices. For example, if you specify en-US, the operation returns a list of all available US English voices.

For more information on this operation, see the reference for the [DescribeVoices](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.DescribeVoicesRequest;
import com.amazonaws.services.polly.model.DescribeVoicesResult;

public class DescribeVoicesSample {
    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void describeVoices() {
        DescribeVoicesRequest allVoicesRequest = new DescribeVoicesRequest();
        DescribeVoicesRequest enUsVoicesRequest = new
        DescribeVoicesRequest().withLanguageCode("en-US");

        try {
            String nextToken;
            do {
                DescribeVoicesResult allVoicesResult =
                client.describeVoices(allVoicesRequest);
                nextToken = allVoicesResult.getNextToken();
                allVoicesRequest.setNextToken(nextToken);

                System.out.println("All voices: " + allVoicesResult.getVoices());
            } while (nextToken != null);

            do {
                DescribeVoicesResult enUsVoicesResult =
                client.describeVoices(enUsVoicesRequest);
                nextToken = enUsVoicesResult.getNextToken();
                enUsVoicesRequest.setNextToken(nextToken);
            } while (nextToken != null);
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}
```

```
        System.out.println("en-US voices: " + enUsVoicesResult.getVoices());
    } while (nextToken != null);
} catch (Exception e) {
    System.err.println("Exception caught: " + e);
}
}
```

## GetLexicon

The following Java code sample show how to use Java-based applications to produce the content of a specific pronunciation lexicon stored in a AWS Region.

For more information on this operation, see the reference for the [GetLexicon](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.GetLexiconRequest;
import com.amazonaws.services.polly.model.GetLexiconResult;

public class GetLexiconSample {
    private String LEXICON_NAME = "SampleLexicon";

    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void getLexicon() {
        GetLexiconRequest getLexiconRequest = new
        GetLexiconRequest().withName(LEXICON_NAME);

        try {
            GetLexiconResult getLexiconResult = client.getLexicon(getLexiconRequest);
            System.out.println("Lexicon: " + getLexiconResult.getLexicon());
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}
```

## ListLexicons

The following Java code sample shows how to use Java-based applications to produce a list of pronunciation lexicons stored in an AWS Region.

For more information on this operation, see the reference for the [ListLexicons](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.LexiconAttributes;
import com.amazonaws.services.polly.model.LexiconDescription;
import com.amazonaws.services.polly.model.ListLexiconsRequest;
import com.amazonaws.services.polly.model.ListLexiconsResult;

public class ListLexiconsSample {
    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void listLexicons() {
        ListLexiconsRequest listLexiconsRequest = new ListLexiconsRequest();
```

```

        try {
            String nextToken;
            do {
                ListLexiconsResult listLexiconsResult =
client.listLexicons(listLexiconsRequest);
                nextToken = listLexiconsResult.getNextToken();
                listLexiconsRequest.setNextToken(nextToken);

                for (LexiconDescription lexiconDescription :
listLexiconsResult.getLexicons()) {
                    LexiconAttributes attributes = lexiconDescription.getAttributes();
                    System.out.println("Name: " + lexiconDescription.getName()
                        + ", Alphabet: " + attributes.getAlphabet()
                        + ", LanguageCode: " + attributes.getLanguageCode()
                        + ", LastModified: " + attributes.getLastModified()
                        + ", LexemesCount: " + attributes.getLexemesCount()
                        + ", LexiconArn: " + attributes.getLexiconArn()
                        + ", Size: " + attributes.getSize());
                }
            } while (nextToken != null);
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}

```

## PutLexicon

The following Java code sample show how to use Java-based applications to store a pronunciation lexicon in an AWS Region.

For more information on this operation, see the reference for the [PutLexicon](#) API.

```

package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.PutLexiconRequest;

public class PutLexiconSample {
    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    private String LEXICON_CONTENT = "<?xml version='1.0' encoding='UTF-8'?'>" +
        "<lexicon version='1.0' xmlns='http://www.w3.org/2005/01/pronunciation-lexicon' xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance' " +
        "xsi:schemaLocation='http://www.w3.org/2005/01/pronunciation-lexicon http://www.w3.org/TR/2007/CR-pronunciation-lexicon-20071212/pls.xsd' " +
        "alphabet='ipa' xml:lang='en-US'>" +
        "<lexeme><grapheme>test1</grapheme><alias>test2</alias></lexeme>" +
        "</lexicon>";
    private String LEXICON_NAME = "SampleLexicon";

    public void putLexicon() {
        PutLexiconRequest putLexiconRequest = new PutLexiconRequest()
            .withContent(LEXICON_CONTENT)
            .withName(LEXICON_NAME);

        try {
            client.putLexicon(putLexiconRequest);
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}

```

```
}
```

## StartSpeechSynthesisTask

The following Java code sample shows how to use Java-based applications to synthesize a long speech (up to 100,000 billed characters) and store it directly in an Amazon S3 bucket.

For more information, see the reference for [StartSpeechSynthesisTask](#) API.

```
package com.amazonaws.parrot.service.tests.speech.task;

import com.amazonaws.parrot.service.tests.AbstractParrotServiceTest;
import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.model.*;
import org.awaitility.Duration;

import java.util.concurrent.TimeUnit;

import static org.awaitility.Awaitility.await;

public class StartSpeechSynthesisTaskSample {

    private static final int SYNTHESIS_TASK_TIMEOUT_SECONDS = 300;
    private static final AmazonPolly AMAZON_POLLY_CLIENT =
        AmazonPollyClientBuilder.defaultClient();
    private static final String PLAIN_TEXT = "This is a sample text to be synthesized.";
    private static final String OUTPUT_FORMAT_MP3 = OutputFormat.Mp3.toString();
    private static final String OUTPUT_BUCKET = "synth-books-buckets";
    private static final String SNS_TOPIC_ARN = "arn:aws:sns:eu-
west-2:123456789012:synthesize-finish-topic";
    private static final Duration SYNTHESIS_TASK_POLL_INTERVAL = Duration.FIVE_SECONDS;
    private static final Duration SYNTHESIS_TASK_POLL_DELAY = Duration.TEN_SECONDS;

    public static void main(String... args) {
        StartSpeechSynthesisTaskRequest request = new StartSpeechSynthesisTaskRequest()
            .withOutputFormat(OUTPUT_FORMAT_MP3)
            .withText(PLAIN_TEXT)
            .withTextType(TextType.Text)
            .withVoiceId(VoiceId.Amy)
            .withOutputS3BucketName(OUTPUT_BUCKET)
            .withSnsTopicArn(SNS_TOPIC_ARN)
            .withEngine("neural");

        StartSpeechSynthesisTaskResult result =
            AMAZON_POLLY_CLIENT.startSpeechSynthesisTask(request);
        String taskId = result.getSynthesisTask().getTaskId();

        await().with()
            .pollInterval(SYNTHESIS_TASK_POLL_INTERVAL)
            .pollDelay(SYNTHESIS_TASK_POLL_DELAY)
            .atMost(SYNTHESIS_TASK_TIMEOUT_SECONDS, TimeUnit.SECONDS)
            .until(
                () ->
                getSynthesisTaskStatus(taskId).equals(TaskStatus.Completed.toString())
            );
    }

    private static SynthesisTask getSynthesisTask(String taskId) {
        GetSpeechSynthesisTaskRequest getSpeechSynthesisTaskRequest = new
        GetSpeechSynthesisTaskRequest()
            .withTaskId(taskId);
        GetSpeechSynthesisTaskResult result
            =AMAZON_POLLY_CLIENT.getSpeechSynthesisTask(getSpeechSynthesisTaskRequest);
        return result.getSynthesisTask();
    }
}
```

```
    }

    private static String getSynthesisTaskStatus(String taskId) {
        GetSpeechSynthesisTaskRequest getSpeechSynthesisTaskRequest = new
        GetSpeechSynthesisTaskRequest()
            .withTaskId(taskId);
        GetSpeechSynthesisTaskResult result
        =AMAZON_POLLY_CLIENT.getSpeechSynthesisTask(getSpeechSynthesisTaskRequest);
        return result.getSynthesisTask().getTaskStatus();
    }
}
```

## Speech Marks

The following code sample shows how to use Java-based applications to synthesize speech marks for inputted text. This functionality uses the SynthesizeSpeech API.

For more information on this functionality, see [Speech Marks \(p. 124\)](#).

For more information on the API, see the reference for [SynthesizeSpeech](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.OutputFormat;
import com.amazonaws.services.polly.model.SpeechMarkType;
import com.amazonaws.services.polly.model.SynthesizeSpeechRequest;
import com.amazonaws.services.polly.model.SynthesizeSpeechResult;
import com.amazonaws.services.polly.model.VoiceId;

import java.io.File;
import java.io.FileOutputStream;
import java.io.InputStream;

public class SynthesizeSpeechMarksSample {
    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void synthesizeSpeechMarks() {
        String outputFileName = "/tmp/speechMarks.json";

        SynthesizeSpeechRequest synthesizeSpeechRequest = new SynthesizeSpeechRequest()
            .withOutputFormat(OutputFormat.Json)
            .withSpeechMarkTypes(SpeechMarkType.Viseme, SpeechMarkType.Word)
            .withVoiceId(VoiceId.Joanna)
            .withText("This is a sample text to be synthesized.");

        try (FileOutputStream outputStream = new FileOutputStream(new
        File(outputFileName))) {
            SynthesizeSpeechResult synthesizeSpeechResult =
            client.synthesizeSpeech(synthesizeSpeechRequest);
            byte[] buffer = new byte[2 * 1024];
            int readBytes;

            try (InputStream in = synthesizeSpeechResult.getAudioStream()){
                while ((readBytes = in.read(buffer)) > 0) {
                    outputStream.write(buffer, 0, readBytes);
                }
            }
        } catch (Exception e) {
```



```
        System.err.println("Exception caught: " + e);
    }
}
```

## SynthesizeSpeech

The following Java code sample show how to use Java-based applications to synthesize speech with shorter texts for near-real time processing.

For more information, see the reference for [SynthesizeSpeech](#) API.

```
package com.amazonaws.polly.samples;

import com.amazonaws.services.polly.AmazonPolly;
import com.amazonaws.services.polly.AmazonPollyClientBuilder;
import com.amazonaws.services.polly.model.OutputFormat;
import com.amazonaws.services.polly.model.SynthesizeSpeechRequest;
import com.amazonaws.services.polly.model.SynthesizeSpeechResult;
import com.amazonaws.services.polly.model.VoiceId;

import java.io.File;
import java.io.FileOutputStream;
import java.io.InputStream;

public class SynthesizeSpeechSample {
    AmazonPolly client = AmazonPollyClientBuilder.defaultClient();

    public void synthesizeSpeech() {
        String outputFileName = "/tmp/speech.mp3";

        SynthesizeSpeechRequest synthesizeSpeechRequest = new SynthesizeSpeechRequest()
            .withOutputFormat(OutputFormat.Mp3)
            .withVoiceId(VoiceId.Joanna)
            .withText("This is a sample text to be synthesized.")
            .withEngine("neural");

        try (FileOutputStream outputStream = new FileOutputStream(new
            File(outputFileName))) {
            SynthesizeSpeechResult synthesizeSpeechResult =
            client.synthesizeSpeech(synthesizeSpeechRequest);
            byte[] buffer = new byte[2 * 1024];
            int readBytes;

            try (InputStream in = synthesizeSpeechResult.getAudioStream()){
                while ((readBytes = in.read(buffer)) > 0) {
                    outputStream.write(buffer, 0, readBytes);
                }
            }
        } catch (Exception e) {
            System.err.println("Exception caught: " + e);
        }
    }
}
```

## Python Samples

The following code samples show how to use Python (boto3)-based applications to accomplish various tasks with Amazon Polly. These samples are not intended to be full examples, but can be included in larger Python applications that use the [AWS SDK for Python \(Boto\)](#).

### Code Snippets

- [DeleteLexicon \(p. 181\)](#)
- [GetLexicon \(p. 181\)](#)
- [ListLexicon \(p. 182\)](#)
- [PutLexicon \(p. 183\)](#)
- [StartSpeechSynthesisTask \(p. 184\)](#)
- [SynthesizeSpeech \(p. 184\)](#)

## DeleteLexicon

The following Python code example uses the AWS SDK for Python (Boto) to delete a lexicon in the region specified in your local AWS configuration. The example deletes only the specified lexicon. It asks you to confirm that you want to proceed before actually deleting the lexicon.

The following code example uses default credentials stored in the AWS SDK configuration file. For information about creating the configuration file, see [Step 2.1: Set up the AWS CLI \(p. 7\)](#).

For more information on this operation, see the reference for the [DeleteLexicon](#) API.

```
from argparse import ArgumentParser
from sys import version_info

from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError

# Define and parse the command line arguments
cli = ArgumentParser(description="DeleteLexicon example")
cli.add_argument("name", type=str, metavar="LEXICON_NAME")
arguments = cli.parse_args()

# Create a client using the credentials and region defined in the adminuser
# section of the AWS credentials and configuration files
session = Session(profile_name="adminuser")
polly = session.client("polly")

# Request confirmation
prompt = input if version_info >= (3, 0) else raw_input
proceed = prompt((u"This will delete the \"{0}\" lexicon,"
                  " do you want to proceed? [y,n]: ").format(arguments.name))

if proceed in ("y", "Y"):
    print(u"Deleting {0}...".format(arguments.name))

    try:
        # Request deletion of a lexicon by name
        response = polly.delete_lexicon(Name=arguments.name)
    except (BotoCoreError, ClientError) as error:
        # The service returned an error, exit gracefully
        cli.error(error)

    print("Done.")
else:
    print("Cancelled.")
```

## GetLexicon

The following Python code uses the AWS SDK for Python (Boto) to retrieve all lexicons stored in an AWS Region. The example accepts a lexicon name as a command line parameter and fetches that lexicon only, printing out the tmp path where it has been saved locally.

The following code example uses default credentials stored in the AWS SDK configuration file. For information about creating the configuration file, see [Step 2.1: Set up the AWS CLI \(p. 7\)](#).

For more information on this operation, see the reference for the [GetLexicon](#) API.

```
from argparse import ArgumentParser
from os import path
from tempfile import gettempdir

from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError

# Define and parse the command line arguments
cli = ArgumentParser(description="GetLexicon example")
cli.add_argument("name", type=str, metavar="LEXICON_NAME")
arguments = cli.parse_args()

# Create a client using the credentials and region defined in the adminuser
# section of the AWS credentials and configuration files
session = Session(profile_name="adminuser")
polly = session.client("polly")

print(u"Fetching {0}..." .format(arguments.name))

try:
    # Fetch lexicon by name
    response = polly.get_lexicon(Name=arguments.name)
except (BotoCoreError, ClientError) as error:
    # The service returned an error, exit gracefully
    cli.error(error)

# Get the lexicon data from the response
lexicon = response.get("Lexicon", {})

# Access the lexicon's content
if "Content" in lexicon:
    output = path.join(gettempdir(), u"%s.pls" % arguments.name)
    print(u"Saving to %s..." % output)

    try:
        # Save the lexicon contents to a local file
        with open(output, "w") as pls_file:
            pls_file.write(lexicon["Content"])
    except IOError as error:
        # Could not write to file, exit gracefully
        cli.error(error)
else:
    # The response didn't contain lexicon data, exit gracefully
    cli.error("Could not fetch lexicons contents")

print("Done.")
```

## ListLexicon

The following Python code example uses the AWS SDK for Python (Boto) to list the lexicons in your account in the region specified in your local AWS configuration. For information about creating the configuration file, see [Step 2.1: Set up the AWS CLI \(p. 7\)](#).

For more information on this operation, see the reference for the [ListLexicons](#) API.

```
import sys

from boto3 import Session
```

```
from botocore.exceptions import BotoCoreError, ClientError

# Create a client using the credentials and region defined in the adminuser
# section of the AWS credentials and configuration files
session = Session(profile_name="adminuser")
polly = session.client("polly")

try:
    # Request the list of available lexicons
    response = polly.list_lexicons()
except (BotoCoreError, ClientError) as error:
    # The service returned an error, exit gracefully
    print(error)
    sys.exit(-1)

# Get the list of lexicons in the response
lexicons = response.get("Lexicons", [])
print("{0} lexicon(s) found".format(len(lexicons)))

# Output a formatted list of lexicons with some of the attributes
for lexicon in lexicons:
    print((u" - {Name} ({Attributes[LanguageCode]}), "
          "{Attributes[LexemesCount]} lexeme(s)").format(**lexicon))
```

## PutLexicon

The following code sample shows how to use Python (boto3)-based applications to store a pronunciation lexicon in an AWS Region.

For more information on this operation, see the reference for the [PutLexicon](#) API.

Note the following:

- You need to update the code by providing a local lexicon file name and a stored lexicon name.
- The example assumes you have lexicon files created in a subdirectory called `pls`. You need to update the path as appropriate.

The following code example uses default credentials stored in the AWS SDK configuration file. For information about creating the configuration file, see [Step 2.1: Set up the AWS CLI \(p. 7\)](#).

For more information on this operation, see the reference for the [PutLexicon](#) API.

```
from argparse import ArgumentParser

from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError

# Define and parse the command line arguments
cli = ArgumentParser(description="PutLexicon example")
cli.add_argument("path", type=str, metavar="FILE_PATH")
cli.add_argument("-n", "--name", type=str, required=True,
                 metavar="LEXICON_NAME", dest="name")
arguments = cli.parse_args()

# Create a client using the credentials and region defined in the adminuser
# section of the AWS credentials and configuration files
session = Session(profile_name="adminuser")
polly = session.client("polly")

# Open the PLS lexicon file for reading
try:
```

```
with open(arguments.path, "r") as lexicon_file:
    # Read the pls file contents
    lexicon_data = lexicon_file.read()

    # Store the PLS lexicon on the service.
    # If a lexicon with that name already exists,
    # its contents will be updated
    response = polly.put_lexicon(Name=arguments.name,
                                Content=lexicon_data)
except (IOError, BotoCoreError, ClientError) as error:
    # Could not open/read the file or the service returned an error,
    # exit gracefully
    cli.error(error)

print(u"The \"{0}\" lexicon is now available for use.".format(arguments.name))
```

## StartSpeechSynthesisTask

The following Python code example uses the AWS SDK for Python (Boto) to list the lexicons in your account in the region specified in your local AWS configuration. For information about creating the configuration file, see [Step 2.1: Set up the AWS CLI \(p. 7\)](#).

For more information, see the reference for [StartSpeechSynthesisTask](#) API.

```
import boto3
import time

polly_client = boto3.Session(
    aws_access_key_id='',
    aws_secret_access_key='',
    region_name='eu-west-2').client('polly')

response = polly_client.start_speech_synthesis_task(VoiceId='Joanna',
    OutputS3BucketName='synth-books-buckets',
    OutputS3KeyPrefix='key',
    OutputFormat='mp3',
    Text='This is a sample text to be synthesized.',
    Engine='neural')

taskId = response['SynthesisTask']['TaskId']

print( "Task id is {}".format(taskId))

task_status = polly_client.get_speech_synthesis_task(TaskId = taskId)

print(task_status)
```

## SynthesizeSpeech

The following Python code example uses the AWS SDK for Python (Boto) synthesize speech with shorter texts for near real-time processing. For more information, see the reference for the [SynthesizeSpeech \(p. 259\)](#) operation.

This example uses a short string of plain text. You can use SSML text for more control over the output. For more information, see [Generating Speech from SSML Documents \(p. 130\)](#).

```
import boto3

polly_client = boto3.Session(
    aws_access_key_id=,
```

```
aws_secret_access_key=  
region_name='us-west-2').client('polly')  
  
response = polly_client.synthesize_speech(VoiceId='Joanna',  
                                          OutputFormat='mp3',  
                                          Text = 'This is a sample text to be synthesized.',  
                                          Engine = 'neural')  
  
file = open('speech.mp3', 'wb')  
file.write(response['AudioStream'].read())  
file.close()
```

## Example Applications

This section contains additional examples, in the form of example applications which can be used to explore Amazon Polly.


### Example Applications by Programming Language

- [Python Example \(HTML5 Client and Python Server\) \(p. 185\)](#)
- [Java Example \(p. 195\)](#)
- [iOS Example \(p. 199\)](#)
- [Android Example \(p. 201\)](#)

## Python Example (HTML5 Client and Python Server)

This example application consists of the following:

- An HTTP 1.1 server using the HTTP chunked transfer coding (see [Chunked Transfer Coding](#))
- A simple HTML5 user interface that interacts with the HTTP 1.1 server (shown below):

A screenshot of a web application interface. At the top, there is a label "Select a voice:" followed by a dropdown menu showing "Choose a voice...". Below this is a label "Text to read:" followed by a large text input area containing the placeholder text "Type some text here...". At the bottom of the interface is a button labeled "Read". The entire interface is enclosed in a box with a decorative, torn-edge border.

The goal of this example is to show how to use Amazon Polly to stream speech from a browser-based HTML5 application. Consuming the audio stream produced by Amazon Polly as the text gets synthesized

is the recommended approach for use cases where responsiveness is an important factor (for example, dialog systems, screen readers, etc.).

To run this example application you need the following:

- Web browser compliant with the HTML5 and EcmaScript5 standards (for example, Chrome 23.0 or higher, Firefox 21.0 or higher, Internet Explorer 9.0, or higher)
- Python version greater than 3.0

### To test the application

1. Save the server code as `server.py`. For the code, see [Python Example: Python Server Code \(server.py\)](#) (p. 189).
2. Save the HTML5 client code as `index.html`. For the code, see [Python Example: HTML5 User Interface \(index.html\)](#) (p. 186).
3. Run the following command from the path where you saved `server.py` to start the application (on some systems you might need to use `python3` instead of `python` when running the command).

```
$ python server.py
```

After the application starts, a URL appears on the terminal.

4. Open the URL shown in the terminal in a web browser.

You can pass the address and port for the application server to use as a parameter to `server.py`. For more information, run `python server.py -h`.

5. To listen to speech, choose a voice from the list, type some text, and then choose **Read**. The speech starts playing as soon as Amazon Polly transfers the first usable chunk of audio data.
6. To stop the Python server when you're finished testing the application, press Ctrl+C in the terminal where the server is running.

### Note

The server creates a Boto3 client using the AWS SDK for Python (Boto). The client uses the credentials stored in the AWS config file on your computer to sign and authenticate the requests to Amazon Polly. For more information on how to create the AWS config file and store credentials, see [Configuring the AWS Command Line Interface](#) in the *AWS Command Line Interface User Guide*.

## Python Example: HTML5 User Interface (index.html)

This section provides the code for the HTML5 client described in [Python Example \(HTML5 Client and Python Server\)](#) (p. 185).

```
<html>

<head>
  <title>Text-to-Speech Example Application</title>
  <script>
    /*
     * This sample code requires a web browser with support for both the
     * HTML5 and ECMA Script 5 standards; the following is a non-comprehensive
     * list of compliant browsers and their minimum version:
     *
     * - Chrome 23.0+
     * - Firefox 21.0+
     * - Internet Explorer 9.0+
```

```

* - Edge 12.0+
* - Opera 15.0+
* - Safari 6.1+
* - Android (stock web browser) 4.4+
* - Chrome for Android 51.0+
* - Firefox for Android 48.0+
* - Opera Mobile 37.0+
* - iOS (Safari Mobile and Chrome) 3.2+
* - Internet Explorer Mobile 10.0+
* - Blackberry Browser 10.0+
*/

// Mapping of the OutputFormat parameter of the SynthesizeSpeech API
// and the audio format strings understood by the browser
var AUDIO_FORMATS = {
  'ogg_vorbis': 'audio/ogg',
  'mp3': 'audio/mpeg',
  'pcm': 'audio/wave; codecs=1'
};

/**
 * Handles fetching JSON over HTTP
 */
function fetchJSON(method, url, onSuccess, onError) {
  var request = new XMLHttpRequest();
  request.open(method, url, true);
  request.onload = function () {
    // If loading is complete
    if (request.readyState === 4) {
      // if the request was successful
      if (request.status === 200) {
        var data;

        // Parse the JSON in the response
        try {
          data = JSON.parse(request.responseText);
        } catch (error) {
          onError(request.status, error.toString());
        }

        onSuccess(data);
      } else {
        onError(request.status, request.responseText)
      }
    }
  };

  request.send();
}

/**
 * Returns a list of audio formats supported by the browser
 */
function getSupportedAudioFormats(player) {
  return Object.keys(AUDIO_FORMATS)
    .filter(function (format) {
      var supported = player.canPlayType(AUDIO_FORMATS[format]);
      return supported === 'probably' || supported === 'maybe';
    });
}

// Initialize the application when the DOM is loaded and ready to be
// manipulated
document.addEventListener("DOMContentLoaded", function () {
  var input = document.getElementById('input'),
      voiceMenu = document.getElementById('voice'),

```



```
text = document.getElementById('text'),
player = document.getElementById('player'),
submit = document.getElementById('submit'),
supportedFormats = getSupportedAudioFormats(player);

// Display a message and don't allow submitting the form if the
// browser doesn't support any of the available audio formats
if (supportedFormats.length === 0) {
    submit.disabled = true;
    alert('The web browser in use does not support any of the' +
        ' available audio formats. Please try with a different' +
        ' one.');
```

```
    }

// Play the audio stream when the form is submitted successfully
input.addEventListener('submit', function (event) {
    // Validate the fields in the form, display a message if
    // unexpected values are encountered
    if (voiceMenu.selectedIndex <= 0 || text.value.length === 0) {
        alert('Please fill in all the fields.');
```

```
    } else {
        var selectedVoice = voiceMenu
                                .options[voiceMenu.selectedIndex]
                                .value;

        // Point the player to the streaming server
        player.src = '/read?voiceId=' +
            encodeURIComponent(selectedVoice) +
            '&text=' + encodeURIComponent(text.value) +
            '&outputFormat=' + supportedFormats[0];
        player.play();
    }

    // Stop the form from submitting,
    // Submitting the form is allowed only if the browser doesn't
    // support Javascript to ensure functionality in such a case
    event.preventDefault();
});

// Load the list of available voices and display them in a menu
fetchJSON('GET', '/voices',
    // If the request succeeds
    function (voices) {
        var container = document.createDocumentFragment();

        // Build the list of options for the menu
        voices.forEach(function (voice) {
            var option = document.createElement('option');
            option.value = voice['Id'];
            option.innerHTML = voice['Name'] + ' (' +
                voice['Gender'] + ', ' +
                voice['LanguageName'] + ')';
            container.appendChild(option);
        });

        // Add the options to the menu and enable the form field
        voiceMenu.appendChild(container);
        voiceMenu.disabled = false;
    },
    // If the request fails
    function (status, response) {
        // Display a message in case loading data from the server
        // fails
        alert(status + ' - ' + response);
    });
});
```

```
</script>
<style>
  #input {
    min-width: 100px;
    max-width: 600px;
    margin: 0 auto;
    padding: 50px;
  }

  #input div {
    margin-bottom: 20px;
  }

  #text {
    width: 100%;
    height: 200px;
    display: block;
  }

  #submit {
    width: 100%;
  }
</style>
</head>

<body>
  <form id="input" method="GET" action="/read">
    <div>
      <label for="voice">Select a voice:</label>
      <select id="voice" name="voiceId" disabled>
        <option value="">Choose a voice...</option>
      </select>
    </div>
    <div>
      <label for="text">Text to read:</label>
      <textarea id="text" maxlength="1000" minlength="1" name="text"
        placeholder="Type some text here..."></textarea>
    </div>
    <input type="submit" value="Read" id="submit" />
  </form>
  <audio id="player"></audio>
</body>

</html>
```

## Python Example: Python Server Code (server.py)

This section provides the code for the Python server described in [Python Example \(HTML5 Client and Python Server\) \(p. 185\)](#).

```
"""
Example Python 2.7+/3.3+ Application

This application consists of a HTTP 1.1 server using the HTTP chunked transfer
coding (https://tools.ietf.org/html/rfc2616#section-3.6.1) and a minimal HTML5
user interface that interacts with it.

The goal of this example is to start streaming the speech to the client (the
HTML5 web UI) as soon as the first consumable chunk of speech is returned in
order to start playing the audio as soon as possible.
For use cases where low latency and responsiveness are strong requirements,
this is the recommended approach.
```

The service documentation contains examples for non-streaming use cases where waiting for the speech synthesis to complete and fetching the whole audio stream at once are an option.

To test the application, run 'python server.py' and then open the URL displayed in the terminal in a web browser (see index.html for a list of supported browsers). The address and port for the server can be passed as parameters to server.py. For more information, run: 'python server.py -h'

```
"""
from argparse import ArgumentParser
from collections import namedtuple
from contextlib import closing
from io import BytesIO
from json import dumps as json_encode
import os
import sys

if sys.version_info >= (3, 0):
    from http.server import BaseHTTPRequestHandler, HTTPServer
    from socketserver import ThreadingMixIn
    from urllib.parse import parse_qs
else:
    from BaseHTTPServer import BaseHTTPRequestHandler, HTTPServer
    from SocketServer import ThreadingMixIn
    from urlparse import parse_qs

from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError

ResponseStatus = namedtuple("HTTPStatus",
                           ["code", "message"])

ResponseData = namedtuple("ResponseData",
                           ["status", "content_type", "data_stream"])

# Mapping the output format used in the client to the content type for the
# response
AUDIO_FORMATS = {"ogg_vorbis": "audio/ogg",
                 "mp3": "audio/mpeg",
                 "pcm": "audio/wave; codecs=1"}
CHUNK_SIZE = 1024
HTTP_STATUS = {"OK": ResponseStatus(code=200, message="OK"),
               "BAD_REQUEST": ResponseStatus(code=400, message="Bad request"),
               "NOT_FOUND": ResponseStatus(code=404, message="Not found"),
               "INTERNAL_SERVER_ERROR": ResponseStatus(code=500, message="Internal server
error")}
PROTOCOL = "http"
ROUTE_INDEX = "/index.html"
ROUTE_VOICES = "/voices"
ROUTE_READ = "/read"

# Create a client using the credentials and region defined in the adminuser
# section of the AWS credentials and configuration files
session = Session(profile_name="adminuser")
polly = session.client("polly")

class HTTPStatusError(Exception):
    """Exception wrapping a value from http.server.HTTPStatus"""

    def __init__(self, status, description=None):
        """
        Constructs an error instance from a tuple of
        (code, message, description), see http.server.HTTPStatus
        """
```

```
        super(HTTPStatusError, self).__init__()
        self.code = status.code
        self.message = status.message
        self.explain = description

class ThreadedHTTPServer(ThreadingMixIn, HTTPServer):
    """An HTTP Server that handle each request in a new thread"""
    daemon_threads = True

class ChunkedHTTPRequestHandler(BaseHTTPRequestHandler):
    """HTTP 1.1 Chunked encoding request handler"""
    # Use HTTP 1.1 as 1.0 doesn't support chunked encoding
    protocol_version = "HTTP/1.1"

    def query_get(self, queryData, key, default=""):
        """Helper for getting values from a pre-parsed query string"""
        return queryData.get(key, [default])[0]

    def do_GET(self):
        """Handles GET requests"""

        # Extract values from the query string
        path, _, query_string = self.path.partition('?')
        query = parse_qs(query_string)

        response = None

        print(u"[START]: Received GET for %s with query: %s" % (path, query))

        try:
            # Handle the possible request paths
            if path == ROUTE_INDEX:
                response = self.route_index(path, query)
            elif path == ROUTE_VOICES:
                response = self.route_voices(path, query)
            elif path == ROUTE_READ:
                response = self.route_read(path, query)
            else:
                response = self.route_not_found(path, query)

            self.send_headers(response.status, response.content_type)
            self.stream_data(response.data_stream)

        except HTTPStatusError as err:
            # Respond with an error and log debug
            # information
            if sys.version_info >= (3, 0):
                self.send_error(err.code, err.message, err.explain)
            else:
                self.send_error(err.code, err.message)

            self.log_error(u"%s %s %s - [%d] %s", self.client_address[0],
                           self.command, self.path, err.code, err.explain)

        print("[END]")

    def route_not_found(self, path, query):
        """Handles routing for unexpected paths"""
        raise HTTPStatusError(HTTP_STATUS["NOT_FOUND"], "Page not found")

    def route_index(self, path, query):
        """Handles routing for the application's entry point"""
        try:
            return ResponseData(status=HTTP_STATUS["OK"], content_type="text_html",
```

```
        # Open a binary stream for reading the index
        # HTML file
        data_stream=open(os.path.join(sys.path[0],
                                      path[1:]), "rb"))
except IOError as err:
    # Couldn't open the stream
    raise HTTPStatusError(HTTP_STATUS["INTERNAL_SERVER_ERROR"],
                          str(err))

def route_voices(self, path, query):
    """Handles routing for listing available voices"""
    params = {}
    voices = []

    while True:
        try:
            # Request list of available voices, if a continuation token
            # was returned by the previous call then use it to continue
            # listing
            response = polly.describe_voices(**params)
        except (BotoCoreError, ClientError) as err:
            # The service returned an error
            raise HTTPStatusError(HTTP_STATUS["INTERNAL_SERVER_ERROR"],
                                  str(err))

        # Collect all the voices
        voices.extend(response.get("Voices", []))

        # If a continuation token was returned continue, stop iterating
        # otherwise
        if "NextToken" in response:
            params = {"NextToken": response["NextToken"]}
        else:
            break

    json_data = json_encode(voices)
    bytes_data = bytes(json_data, "utf-8") if sys.version_info >= (3, 0) \
        else bytes(json_data)

    return ResponseData(status=HTTP_STATUS["OK"],
                       content_type="application/json",
                       # Create a binary stream for the JSON data
                       data_stream=BytesIO(bytes_data))

def route_read(self, path, query):
    """Handles routing for reading text (speech synthesis)"""
    # Get the parameters from the query string
    text = self.query_get(query, "text")
    voiceId = self.query_get(query, "voiceId")
    outputFormat = self.query_get(query, "outputFormat")

    # Validate the parameters, set error flag in case of unexpected
    # values
    if len(text) == 0 or len(voiceId) == 0 or \
        outputFormat not in AUDIO_FORMATS:
        raise HTTPStatusError(HTTP_STATUS["BAD_REQUEST"],
                              "Wrong parameters")
    else:
        try:
            # Request speech synthesis
            response = polly.synthesize_speech(Text=text,
                                              VoiceId=voiceId,
                                              OutputFormat=outputFormat,
                                              Engine="neural")
        except (BotoCoreError, ClientError) as err:
            # The service returned an error
```

```

        raise HTTPStatusError(HTTP_STATUS["INTERNAL_SERVER_ERROR"],
                               str(err))

    return ResponseData(status=HTTP_STATUS["OK"],
                        content_type=AUDIO_FORMATS[outputFormat],
                        # Access the audio stream in the response
                        data_stream=response.get("AudioStream"))

def send_headers(self, status, content_type):
    """Send out the group of headers for a successful request"""
    # Send HTTP headers
    self.send_response(status.code, status.message)
    self.send_header('Content-type', content_type)
    self.send_header('Transfer-Encoding', 'chunked')
    self.send_header('Connection', 'close')
    self.end_headers()

def stream_data(self, stream):
    """Consumes a stream in chunks to produce the response's output"""
    print("Streaming started...")

    if stream:
        # Note: Closing the stream is important as the service throttles on
        # the number of parallel connections. Here we are using
        # contextlib.closing to ensure the close method of the stream object
        # will be called automatically at the end of the with statement's
        # scope.
        with closing(stream) as managed_stream:
            # Push out the stream's content in chunks
            while True:
                data = managed_stream.read(CHUNK_SIZE)
                self.wfile.write(b"%X\r\n%s\r\n" % (len(data), data))

                # If there's no more data to read, stop streaming
                if not data:
                    break

            # Ensure any buffered output has been transmitted and close the
            # stream
            self.wfile.flush()

        print("Streaming completed.")
    else:
        # The stream passed in is empty
        self.wfile.write(b"0\r\n\r\n")
        print("Nothing to stream.")

# Define and parse the command line arguments
cli = ArgumentParser(description='Example Python Application')
cli.add_argument(
    "-p", "--port", type=int, metavar="PORT", dest="port", default=8000)
cli.add_argument(
    "--host", type=str, metavar="HOST", dest="host", default="localhost")
arguments = cli.parse_args()

# If the module is invoked directly, initialize the application
if __name__ == '__main__':
    # Create and configure the HTTP server instance
    server = ThreadedHTTPServer((arguments.host, arguments.port),
                                ChunkedHTTPRequestHandler)
    print("Starting server, use <Ctrl-C> to stop...")
    print(u"Open {0}://{1}:{2}{3} in a web browser.".format(PROTOCOL,
                                                            arguments.host,
                                                            arguments.port,
                                                            ROUTE_INDEX))

```

```
try:
    # Listen for requests indefinitely
    server.serve_forever()
except KeyboardInterrupt:
    # A request to terminate has been received, stop the server
    print("\nShutting down...")
    server.socket.close()
```

## Java Example

This example shows how to use Amazon Polly to stream speech from a Java-based application. The example uses the [AWS SDK for Java](#) to read the specified text using a voice selected from a list.

The code shown covers major tasks, but does only minimal error checking. If Amazon Polly encounters an error, the application terminates.

To run this example application, you need the following:

- Java 8 Java Development Kit (JDK)
- [AWS SDK for Java](#)
- [Apache Maven](#)

### To test the application

1. Ensure that the JAVA\_HOME environment variable is set for the JDK.

For example, if you installed JDK 1.8.0\_121 on Windows at C:\Program Files\Java\jdk1.8.0\_121, you would type the following at the command prompt:

```
set JAVA_HOME="C:\Program Files\Java\jdk1.8.0_121"
```

If you installed JDK 1.8.0\_121 in Linux at /usr/lib/jvm/java8-openjdk-amd64, you would type the following at the command prompt:

```
export JAVA_HOME=/usr/lib/jvm/java8-openjdk-amd64
```

2. Set the Maven environment variables to run Maven from the command line.

For example, if you installed Maven 3.3.9 on Windows at C:\Program Files\apache-maven-3.3.9, you would type the following:

```
set M2_HOME="C:\Program Files\apache-maven-3.3.9"  
set M2=%M2_HOME%\bin  
set PATH=%M2%;%PATH%
```

If you installed Maven 3.3.9 on Linux at /home/ec2-user/opt/apache-maven-3.3.9, you would type the following:

```
export M2_HOME=/home/ec2-user/opt/apache-maven-3.3.9  
export M2=$M2_HOME/bin  
export PATH=$M2:$PATH
```

3. Create a new directory called polly-java-demo.
4. In the polly-java-demo directory, create a new file called pom.xml, and paste the following code into it:

```
<project xmlns="http://maven.apache.org/POM/4.0.0"  
          xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
          xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/  
maven-4.0.0.xsd">  
  <modelVersion>4.0.0</modelVersion>  
  <groupId>com.amazonaws.polly</groupId>  
  <artifactId>java-demo</artifactId>  
  <version>0.0.1-SNAPSHOT</version>
```



```
<dependencies>
<!-- https://mvnrepository.com/artifact/com.amazonaws/aws-java-sdk-polly -->
<dependency>
  <groupId>com.amazonaws</groupId>
  <artifactId>aws-java-sdk-polly</artifactId>
  <version>1.11.77</version>
</dependency>
<!-- https://mvnrepository.com/artifact/com.googlecode.soundlibs/jlayer -->
<dependency>
  <groupId>com.googlecode.soundlibs</groupId>
  <artifactId>jlayer</artifactId>
  <version>1.0.1-1</version>
</dependency>
</dependencies>
<build>
  <plugins>
    <plugin>
      <groupId>org.codehaus.mojo</groupId>
      <artifactId>exec-maven-plugin</artifactId>
      <version>1.2.1</version>
      <executions>
        <execution>
          <goals>
            <goal>java</goal>
          </goals>
        </execution>
      </executions>
      <configuration>
        <mainClass>com.amazonaws.demos.polly.PollyDemo</mainClass>
      </configuration>
    </plugin>
  </plugins>
</build>
</project>
```

5. Create a new directory called `polly` at `src/main/java/com/amazonaws/demos`.
6. In the `polly` directory, create a new Java source file called `PollyDemo.java`, and paste in the following code:

```
package com.amazonaws.demos.polly;

import java.io.IOException;
import java.io.InputStream;

import com.amazonaws.ClientConfiguration;
import com.amazonaws.auth.DefaultAWSCredentialsProviderChain;
import com.amazonaws.regions.Region;
import com.amazonaws.regions.Regions;
import com.amazonaws.services.polly.AmazonPollyClient;
import com.amazonaws.services.polly.model.DescribeVoicesRequest;
import com.amazonaws.services.polly.model.DescribeVoicesResult;
import com.amazonaws.services.polly.model.OutputFormat;
import com.amazonaws.services.polly.model.SynthesizeSpeechRequest;
import com.amazonaws.services.polly.model.SynthesizeSpeechResult;
import com.amazonaws.services.polly.model.Voice;

import javax.sound.sampled.AudioFormat;
import javax.sound.sampled.AudioInputStream;
import javax.sound.sampled.AudioSystem;
import javax.sound.sampled.DataLine;
import javax.sound.sampled.LineUnavailableException;
import javax.sound.sampled.SourceDataLine;

public class PollyDemo {
```

```
private final AmazonPollyClient polly;
private final Voice voice;
private static final String SAMPLE = "Congratulations. You have successfully built
this working demo
of Amazon Polly in Java. Have fun building voice enabled apps with Amazon Polly
(that's me!), and always
look at the AWS website for tips and tricks on using Amazon Polly and other great
services from AWS";

public PollyDemo(Region region) {
    // create an Amazon Polly client in a specific region
    polly = new AmazonPollyClient(new DefaultAWSCredentialsProviderChain(),
    new ClientConfiguration());
    polly.setRegion(region);
    // Create describe voices request.
    DescribeVoicesRequest describeVoicesRequest = new DescribeVoicesRequest();

    // Synchronously ask Amazon Polly to describe available TTS voices.
    DescribeVoicesResult describeVoicesResult =
    polly.describeVoices(describeVoicesRequest);
    voice = describeVoicesResult.getVoices().get(0);
}

public InputStream synthesize(String text, OutputFormat format) throws IOException {
    SynthesizeSpeechRequest synthReq =
    new SynthesizeSpeechRequest().withText(text).withVoiceId(voice.getId())
    .withOutputFormat(format).withEngine("neural");
    SynthesizeSpeechResult synthRes = polly.synthesizeSpeech(synthReq);

    return synthRes.getAudioStream();
}

public static void main(String args[]) throws Exception {
    //create the test class
    PollyDemo helloWorld = new PollyDemo(Region.getRegion(Regions.US_EAST_1));
    //get the audio stream
    InputStream speechStream = helloWorld.synthesize(SAMPLE, OutputFormat.Mp3);

    //create an MP3 player
    AdvancedPlayer player = new AdvancedPlayer(speechStream,
    javazoom.jl.player.FactoryRegistry.systemRegistry().createAudioDevice());

    player.setPlayBackListener(new PlaybackListener() {
        @Override
        public void playbackStarted(PlaybackEvent evt) {
            System.out.println("Playback started");
            System.out.println(SAMPLE);
        }

        @Override
        public void playbackFinished(PlaybackEvent evt) {
            System.out.println("Playback finished");
        }
    });

    // play it!
    player.play();
}
}
```

7. Return to the polly-java-demo directory to clean, compile, and execute the demo:

```
mvn clean compile exec:java
```

## iOS Example

The following example uses the iOS SDK for Amazon Polly to read the specified text using a voice selected from a list of voices.

The code shown here covers the major tasks but does not handle errors. For the complete code, see [AWS Mobile SDK for iOS Amazon Polly demo](#).

### Initialize

```
// Region of Amazon Polly.
let AwsRegion = AWSRegionType.usEast1

// Cognito pool ID. Pool needs to be unauthenticated pool with
// Amazon Polly permissions.
let CognitoIdentityPoolId = "YourCognitoIdentityPoolId"

// Initialize the Amazon Cognito credentials provider.
let credentialProvider = AWSCognitoCredentialsProvider(regionType: AwsRegion,
    identityPoolId: CognitoIdentityPoolId)

// Create an audio player
var audioPlayer = AVPlayer()
```

### Get List of Available Voices

```
// Use the configuration as default
AWSServiceManager.default().defaultServiceConfiguration = configuration

// Get all the voices (no parameters specified in input) from Amazon Polly
// This creates an async task.
let task = AWSPolly.default().describeVoices(AWSPollyDescribeVoicesInput())

// When the request is done, asynchronously do the following block
// (we ignore all the errors, but in a real-world scenario they need
// to be handled)
task.continue(successBlock: { (awsTask: AWSTask) -> Any? in
    // awsTask.result is an instance of AWSPollyDescribeVoicesOutput in
    // case of the "describeVoices" method
    let voices = (awsTask.result! as AWSPollyDescribeVoicesOutput).voices

    return nil
})
```

### Synthesize Speech

```
// First, Amazon Polly requires an input, which we need to prepare.
// Again, we ignore the errors, however this should be handled in
// real applications. Here we are using the URL Builder Request,
// since in order to make the synthesis quicker we will pass the
// presigned URL to the system audio player.
let input = AWSPollySynthesizeSpeechURLBuilderRequest()

// Text to synthesize
input.text = "Sample text"

// We expect the output in MP3 format
input.outputFormat = AWSPollyOutputFormat.mp3
```

```
// Choose the voice ID
input.voiceId = AWSPollyVoiceId.joanna

// Create an task to synthesize speech using the given synthesis input
let builder = AWSPollySynthesizeSpeechURLBuilder.default().getPreSignedURL(input)

// Request the URL for synthesis result
builder.continueOnSuccessWith(block: { (awsTask: AWSTask<NSURL>) -> Any? in
    // The result of getPresignedURL task is NSURL.
    // Again, we ignore the errors in the example.
    let url = awsTask.result!

    // Try playing the data using the system AVAudioPlayer
    self.audioPlayer.replaceCurrentItem(with: AVPlayerItem(url: url as URL))
    self.audioPlayer.play()

    return nil
})
```

## Android Example

The following example uses the Android SDK for Amazon Polly to read the specified text using a voice selected from a list of voices.

The code shown here covers the major tasks but does not handle errors. For the complete code, see the [AWS Mobile SDK for Android Amazon Polly demo](#).

### Initialize

```
// Cognito pool ID. Pool needs to be unauthenticated pool with
// Amazon Polly permissions.
String COGNITO_POOL_ID = "YourCognitoIdentityPoolId";

// Region of Amazon Polly.
Regions MY_REGION = Regions.US_EAST_1;

// Initialize the Amazon Cognito credentials provider.
CognitoCachingCredentialsProvider credentialsProvider = new
    CognitoCachingCredentialsProvider(
        getApplicationContext(),
        COGNITO_POOL_ID,
        MY_REGION
    );

// Create a client that supports generation of presigned URLs.
AmazonPollyPresigningClient client = new AmazonPollyPresigningClient(credentialsProvider);
```

### Get List of Available Voices

```
// Create describe voices request.
DescribeVoicesRequest describeVoicesRequest = new DescribeVoicesRequest();

// Synchronously ask Amazon Polly to describe available TTS voices.
DescribeVoicesResult describeVoicesResult = client.describeVoices(describeVoicesRequest);
List<Voice> voices = describeVoicesResult.getVoices();
```

### Get URL for Audio Stream

```
// Create speech synthesis request.
SynthesizeSpeechPresignRequest synthesizeSpeechPresignRequest =
    new SynthesizeSpeechPresignRequest()
        // Set the text to synthesize.
        .withText("Hello world!")
        // Select voice for synthesis.
        .withVoiceId(voices.get(0).getId()) // "Joanna"
        // Set format to MP3.
        .withOutputFormat(OutputFormat.Mp3);

// Get the presigned URL for synthesized speech audio stream.
URL presignedSynthesizeSpeechUrl =
    client.getPresignedSynthesizeSpeechUrl(synthesizeSpeechPresignRequest);
```

### Play Synthesized Speech

```
// Use MediaPlayer: https://developer.android.com/guide/topics/media/mediaplayer.html
```

```
// Create a media player to play the synthesized audio stream.
MediaPlayer mediaPlayer = new MediaPlayer();
mediaPlayer.setAudioStreamType(AudioManager.STREAM_MUSIC);

try {
    // Set media player's data source to previously obtained URL.
    mediaPlayer.setDataSource(presignedSynthesizeSpeechUrl.toString());
} catch (IOException e) {
    Log.e(TAG, "Unable to set data source for the media player! " + e.getMessage());
}

// Prepare the MediaPlayer asynchronously (since the data source is a network stream).
mediaPlayer.prepareAsync();

// Set the callback to start the MediaPlayer when it's prepared.
mediaPlayer.setOnPreparedListener(new MediaPlayer.OnPreparedListener() {
    @Override
    public void onPrepared(MediaPlayer mp) {
        mp.start();
    }
});

// Set the callback to release the MediaPlayer after playback is completed.
mediaPlayer.setOnCompletionListener(new MediaPlayer.OnCompletionListener() {
    @Override
    public void onCompletion(MediaPlayer mp) {
        mp.release();
    }
});
```

# Amazon Polly for Windows SAPI Compliant Applications

With the Amazon Polly for Windows plugin, Amazon Polly provides greatly expanded speech capability for Speech Application Programming Interface (SAPI)-compliant Windows applications. SAPI is a Microsoft Windows API that enables desktop applications to generate speech.

Windows provides one male and one female voice that can be used with for the SAPI API. With the Amazon Polly for Windows plug-in, the Windows application becomes an AWS client, enabling you to use all Amazon Polly voices, including both standard and neural voices, and the newscaster speaking style. The Amazon Polly for Windows plugin only supports 64-bit SAPI applications.

Amazon Polly for Windows supports all Amazon Polly, features such as Speech Synthesis Markup Language (SSML) . When using SSML with the plugin, the standard functionality is available and the standard limits apply. For more information about using SSML with Amazon Polly, see [Generating Speech from SSML Documents \(p. 130\)](#). For more information about limits, see [Quotas in Amazon Polly \(p. 208\)](#).

## Topics

- [Installing and Configuring Amazon Polly for Windows \(SAPI\) \(p. 203\)](#)
- [Using Amazon Polly in Applications \(p. 205\)](#)

## Installing and Configuring Amazon Polly for Windows (SAPI)

To install and configure the Amazon Polly for Windows (SAPI) plugin, you need an AWS account. If you don't have an account, see [Setting up Amazon Polly \(p. 4\)](#).

## Topics

- [Create an IAM user for the AWS Client \(p. 203\)](#)
- [Install the AWS CLI for Windows \(p. 204\)](#)
- [Create a Profile for the AWS Client \(p. 204\)](#)
- [Install the Amazon Polly for Windows Plugin \(p. 204\)](#)

## Create an IAM user for the AWS Client

Before connecting the AWS client to your AWS account, you need to create an Identity and Access Management (IAM) user for the client, then attach a permissions policy to that user. An *IAM user* is a person or application in an AWS account that can make API calls to AWS products.

The AWS client uses the Amazon Polly service, so it needs the `AmazonPollyReadOnlyAccess` permissions policy .



### To create an IAM user

1. Sign in to the AWS Management Console and open the [IAM console](#).
2. Choose **Users**.
3. Choose **Add User**.
4. For **User Name**, enter `polly-windows-user`.
5. For **Access Type**, choose **Programmatic access**, then choose **Next: Permissions**.
6. Choose **Attach existing policies directly**.
7. In the search box, enter `polly`.
8. Choose **AmazonPollyReadOnlyAccess**.
9. Choose **Next: Tags**.
10. Choose **Next: Review**.
11. Choose **Create User**.
12. Record the access key ID and secret access key. You need them to configure the AWS client.

#### **Important**

This is the only time you can access these keys, so be sure to record them.

## Install the AWS CLI for Windows

The AWS Command Line Interface (AWS CLI) is an open source tool that enables you to interact with AWS services using commands from the Windows command prompt. To install the AWS CLI, see [Installing the AWS CLI on Windows](#) in the *AWS Command Line Interface User's Guide*.

## Create a Profile for the AWS Client

The Amazon Polly for Windows plugin requires an AWS profile called `polly-windows`. This profile ensures that the Amazon Polly engine use the correct account.

### To create the `polly-windows` profile for the AWS client

1. In Windows, open a command prompt.
2. At the command prompt, run the `aws configure --profile polly-windows` command.
3. When prompted for the **AWS Access Key ID** and **AWS Secret Access Key**, enter the values that you saved when you created the IAM user.
4. For **Default region**, enter the name of the desired AWS Region in lower-case letters.

#### **Note**

Not all Amazon Polly voices and features are available in all AWS Regions. For more information, see [Feature and Region Compatibility \(p. 116\)](#).

5. For **Default output format**, press **Enter**.
6. At the command prompt, verify the profile by running the `aws --profile polly-windows polly describe-voices` command. If you have successfully created the profile, the AWS CLI displays a list the available Amazon Polly names.

## Install the Amazon Polly for Windows Plugin

Install the Amazon Polly for Windows plugin by downloading it from Amazon Simple Storage Service (Amazon S3) and running the installer. After you install the plugin, you can use Amazon Polly voices in all Windows application that use the SAPI API.

**Note**

If you are planning to use a neural voice in your SAPI application, ensure that your client is configured for an AWS Region that supports NTTS before installing the Amazon Polly for Windows plugin. For more information, see [Feature and Region Compatibility \(p. 116\)](#).

**To install the Amazon Polly for Windows plugin**

1. In Windows, download the [plugin](#).
2. Unzip the folder.
3. Run `AmazonPollyForWindowsSetup.exe`.
4. In the **Control Panel**, search for `speech` settings.
5. Under **Text-to-speech**, for **Voice**, choose an Amazon Polly voice.
6. Choose **Preview Voice**.

## Using Amazon Polly in Applications

After you've installed the Amazon Polly for Windows plugin, the Amazon Polly voices can be accessed by any Windows application that implements Windows SAPI. To use a voice, choose it from the list of Amazon Polly voices in the application. For a complete list of available voices, see [Available Voices \(p. 12\)](#).

For an example of how to use Amazon Polly voices in a Windows application (Adobe Captivate), see [Using Amazon Polly in Windows Applications](#) on the AWS Machine Learning Blog.

To use Amazon Polly voices in a Windows application, you can use `PollyPlayer`. *PollyPlayer* is a simple Windows speech synthesis application that's installed when you install the Amazon Polly for Windows plugin.

**To use PollyPlayer**

1. On the Windows Start menu, under **Amazon Polly for Windows**, choose **PollyPlayer**.
2. In the `PollyPlayer` application, choose a voice, then enter the text that you want to hear.



PollyPlayer

## Pick a Voice:

Amazon Polly - Arabic - Zeina (Standard)  
Amazon Polly - Australian English - Nicole (Standard)  
Amazon Polly - Australian English - Russell (Standard)  
Amazon Polly - Brazilian Portuguese - Ricardo (Standard)  
Amazon Polly - Brazilian Portuguese - Vitoria (Standard)  
Amazon Polly - British English - Amy (Neural)  
Amazon Polly - British English - Amy (Standard)  
Amazon Polly - British English - Brian (Neural)  
Amazon Polly - British English - Brian (Standard)  
Amazon Polly - British English - Emma (Neural)  
Amazon Polly - British English - Emma (Standard)  
Amazon Polly - Canadian French - Chantal (Standard)  
Amazon Polly - Castilian Spanish - Conchita (Standard)  
Amazon Polly - Castilian Spanish - Enrique (Standard)  
Amazon Polly - Castilian Spanish - Lucia (Standard)  
Amazon Polly - Chinese Mandarin - Zhiyu (Standard)  
Amazon Polly - Danish - Mads (Standard)  
Amazon Polly - Danish - Naja (Standard)  
Amazon Polly - Dutch - Lotte (Standard)  
Amazon Polly - Dutch - Ruben (Standard)  
Amazon Polly - French - Celine (Standard)  
Amazon Polly - French - Lea (Standard)  
Amazon Polly - French - Mathieu (Standard)  
Amazon Polly - German - Hans (Standard)

3. To hear the text, choose **Say It**.

# Quotas in Amazon Polly

The following are limits to be aware of when using Amazon Polly.

## Supported Regions

For a list of AWS Regions where Amazon Polly is available, see [Amazon Polly Endpoints and Quotas](#) in the *Amazon Web Services General Reference*.

Neural voices aren't available in all AWS Regions. For the Regions that support neural voices, see [the section called "Feature and Region Compatibility" \(p. 116\)](#) for neural TTS.

## Throttling

- Throttle rate per account: 100 transactions (requests or operations) per second (tps) with a burst limit of 120 tps.

Concurrent connections per account: 90

- Throttle rate per operation:

Operation	Limit
<b>Lexicon</b>	
DeleteLexicon PutLexicon GetLexicon ListLexicons	Any 2 transactions per second (tps) from these operations combined.  Maximum allowed burst of 4 tps.
<b>Speech</b>	
DescribeVoices	80 tps with a burst limit of 100 tps
SynthesizeSpeech	Standard voice: 80 tps with a burst limit of 100 tps Neural voice: 8 tps with a burst limit of 10 tps
StartSpeechSynthesisTask	Standard voice: 10 tps with a burst limit of 12 tps Neural voice: 1 tps
GetSynthesizeSpeechTask and ListSynthesizeSpeechTask	Maximum allowed 10 tps combined

## Pronunciation Lexicons

- You can store up to 100 lexicons per account.

- Lexicon names can be an alphanumeric string up to 20 characters long.
- Each lexicon can be up to 4,000 characters in size. (Note that the size of the lexicon affects the latency of the SynthesizeSpeech operation.)
- You can specify up to 100 characters for each <phoneme> or <alias> replacement in a lexicon.

For information about using lexicons, see [Managing Lexicons \(p. 158\)](#).

## SynthesizeSpeech API Operation

Note the following limits related to using the SynthesizeSpeech API operation:

- The size of the input text can be up to 3000 billed characters (6000 total characters). SSML tags are not counted as billed characters.
- You can specify up to five lexicons to apply to the input text.
- The output audio stream (synthesis) is limited to 10 minutes. After this is reached, any remaining speech is cut off.

For more information, see [SynthesizeSpeech \(p. 259\)](#).

### Note

Some limitations of the SynthesizeSpeech API operation can be bypassed using the StartSynthesizeSpeechTask API operation. For more information, see [Creating Long Audio Files \(p. 169\)](#).

## SpeechSynthesisTask API Operations

Note the following limit relating to using the StartSpeechSynthesisTask, GetSpeechSynthesisTask, and ListSpeechSynthesisTasks API operations:

- The size of the input text can be up to 100,000 billed characters (200,000 total characters). SSML tags are not counted as billed characters.
- You can specify up to five lexicons to apply to the input text.

## Speech Synthesis Markup Language (SSML)

Note the following limits related to using SSML:

- The <audio>, <lexicon>, <lookup>, and <voice> tags are not supported.
- <break> elements can specify a maximum duration of 10 seconds each.
- The <prosody> tag doesn't support values for the rate attribute lower than -80%.

For more information, see [Generating Speech from SSML Documents \(p. 130\)](#).

# Security in Amazon Polly

Cloud security at AWS is the highest priority. As an AWS customer, you benefit from a data center and network architecture that is built to meet the requirements of the most security-sensitive organizations.

Security is a shared responsibility between AWS and you. The [shared responsibility model](#) describes this as security *of* the cloud and security *in* the cloud:

- **Security of the cloud** – AWS is responsible for protecting the infrastructure that runs AWS services in the AWS Cloud. AWS also provides you with services that you can use securely. Third-party auditors regularly test and verify the effectiveness of our security as part of the [AWS Compliance Programs](#). To learn about the compliance programs that apply to Amazon Polly, see [AWS Services in Scope by Compliance Program](#).
- **Security in the cloud** – Your responsibility is determined by the AWS service that you use. You are also responsible for other factors including the sensitivity of your data, your company's requirements, and applicable laws and regulations.

This documentation helps you understand how to apply the shared responsibility model when using Amazon Polly. The following topics show you how to configure Amazon Polly to meet your security and compliance objectives. You also learn how to use other AWS services that help you to monitor and secure your Amazon Polly resources.

## Topics

- [Data Protection in Amazon Polly \(p. 210\)](#)
- [Identity and Access Management in Amazon Polly \(p. 211\)](#)
- [Logging and Monitoring in Amazon Polly \(p. 228\)](#)
- [Compliance Validation for Amazon Polly \(p. 228\)](#)
- [Resilience in Amazon Polly \(p. 229\)](#)
- [Infrastructure Security in Amazon Polly \(p. 229\)](#)
- [Security Best Practices for Amazon Polly \(p. 229\)](#)
- [Using Amazon Polly with interface VPC endpoints \(p. 229\)](#)

## Data Protection in Amazon Polly

Amazon Polly conforms to the AWS [shared responsibility model](#), which includes regulations and guidelines for data protection. AWS is responsible for protecting the global infrastructure that runs all the AWS services. AWS maintains control over data hosted on this infrastructure, including the security configuration controls for handling customer content and personal data. AWS customers and APN partners, acting either as data controllers or data processors, are responsible for any personal data that they put in the AWS Cloud.

For data protection purposes, we recommend that you protect AWS account credentials and set up individual users with AWS Identity and Access Management (IAM), so that each user is given only the permissions necessary to fulfill their job duties. We also recommend that you secure your data in the following ways:

- Use multi-factor authentication (MFA) with each account.
- Use SSL/TLS to communicate with AWS resources.
- Set up API and user activity logging with AWS CloudTrail.
- Use AWS encryption solutions, along with all default security controls within AWS services.

We strongly recommend that you never put sensitive identifying information, such as your customers' account numbers, into free-form fields such as a **Name** field. This includes when you work with Amazon Polly or other AWS services using the console, API, AWS CLI, or AWS SDKs. Any data that you enter into Amazon Polly or other services might get picked up for inclusion in diagnostic logs. When you provide a URL to an external server, don't include credentials information in the URL to validate your request to that server.

For more information about data protection, see the [AWS Shared Responsibility Model and GDPR](#) blog post on the *AWS Security Blog*.

## Encryption at Rest

Output of your Amazon Polly voice synthesis can be saved on your own system. You can also call Amazon Polly, and then encrypt the file with any encryption key of your choice and store it in Amazon Simple Storage Service (Amazon S3) or another secure storage. The Amazon Polly [the section called "SynthesizeSpeech" \(p. 259\)](#) operation is stateless and is not associated with a customer identity. You can't retrieve it from Amazon Polly later.

## Encryption in Transit

All text submissions are protected by Secure Sockets Layer (SSL) while in transit. Amazon Polly does not retain the content of text submissions.

## Internetwork Traffic Privacy

Access to Amazon Polly is via the AWS console, CLI, or SDKs. Communications utilize Transport Layer Security (TLS) session encryption for confidentiality and [digital signatures](#) for authentication and integrity.

# Identity and Access Management in Amazon Polly

AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. IAM administrators control who can be *authenticated* (signed in) and *authorized* (have permissions) to use Amazon Polly resources. IAM is an AWS service that you can use with no additional charge.

### Topics

- [Audience \(p. 211\)](#)
- [Authenticating with identities \(p. 212\)](#)
- [Managing access using policies \(p. 214\)](#)
- [How Amazon Polly works with IAM \(p. 215\)](#)
- [Identity-based policy examples for Amazon Polly \(p. 221\)](#)
- [Amazon Polly API Permissions: Actions, Permissions, and Resources Reference \(p. 225\)](#)
- [Troubleshooting Amazon Polly identity and access \(p. 226\)](#)

## Audience

How you use AWS Identity and Access Management (IAM) differs, depending on the work that you do in Amazon Polly.

**Service user** – If you use the Amazon Polly service to do your job, then your administrator provides you with the credentials and permissions that you need. As you use more Amazon Polly features to do



your work, you might need additional permissions. Understanding how access is managed can help you request the right permissions from your administrator. If you cannot access a feature in Amazon Polly, see [Troubleshooting Amazon Polly identity and access \(p. 226\)](#).

**Service administrator** – If you're in charge of Amazon Polly resources at your company, you probably have full access to Amazon Polly. It's your job to determine which Amazon Polly features and resources your service users should access. You must then submit requests to your IAM administrator to change the permissions of your service users. Review the information on this page to understand the basic concepts of IAM. To learn more about how your company can use IAM with Amazon Polly, see [How Amazon Polly works with IAM \(p. 215\)](#).

**IAM administrator** – If you're an IAM administrator, you might want to learn details about how you can write policies to manage access to Amazon Polly. To view example Amazon Polly identity-based policies that you can use in IAM, see [Identity-based policy examples for Amazon Polly \(p. 221\)](#).

## Authenticating with identities

Authentication is how you sign in to AWS using your identity credentials. You must be *authenticated* (signed in to AWS) as the AWS account root user, as an IAM user, or by assuming an IAM role.

You can sign in to AWS as a federated identity by using credentials provided through an identity source. AWS IAM Identity Center (successor to AWS Single Sign-On) (IAM Identity Center) users, your company's single sign-on authentication, and your Google or Facebook credentials are examples of federated identities. When you sign in as a federated identity, your administrator previously set up identity federation using IAM roles. When you access AWS by using federation, you are indirectly assuming a role.

Depending on the type of user you are, you can sign in to the AWS Management Console or the AWS access portal. For more information about signing in to AWS, see [How to sign in to your AWS account](#) in the *AWS Sign-In User Guide*.

If you access AWS programmatically, AWS provides a software development kit (SDK) and a command line interface (CLI) to cryptographically sign your requests by using your credentials. If you don't use AWS tools, you must sign requests yourself. For more information about using the recommended method to sign requests yourself, see [Signing AWS API requests](#) in the *IAM User Guide*.

Regardless of the authentication method that you use, you might be required to provide additional security information. For example, AWS recommends that you use multi-factor authentication (MFA) to increase the security of your account. To learn more, see [Multi-factor authentication](#) in the *AWS IAM Identity Center (successor to AWS Single Sign-On) User Guide* and [Using multi-factor authentication \(MFA\) in AWS](#) in the *IAM User Guide*.

## AWS account root user

When you create an AWS account, you begin with one sign-in identity that has complete access to all AWS services and resources in the account. This identity is called the AWS account *root user* and is accessed by signing in with the email address and password that you used to create the account. We strongly recommend that you don't use the root user for your everyday tasks. Safeguard your root user credentials and use them to perform the tasks that only the root user can perform. For the complete list of tasks that require you to sign in as the root user, see [Tasks that require root user credentials](#) in the *AWS Account Management Reference Guide*.

## Federated identity

As a best practice, require human users, including users that require administrator access, to use federation with an identity provider to access AWS services by using temporary credentials.

A *federated identity* is a user from your enterprise user directory, a web identity provider, the AWS Directory Service, the Identity Center directory, or any user that accesses AWS services by using

credentials provided through an identity source. When federated identities access AWS accounts, they assume roles, and the roles provide temporary credentials.

For centralized access management, we recommend that you use AWS IAM Identity Center (successor to AWS Single Sign-On). You can create users and groups in IAM Identity Center, or you can connect and synchronize to a set of users and groups in your own identity source for use across all your AWS accounts and applications. For information about IAM Identity Center, see [What is IAM Identity Center?](#) in the *AWS IAM Identity Center (successor to AWS Single Sign-On) User Guide*.

## IAM users and groups

An [IAM user](#) is an identity within your AWS account that has specific permissions for a single person or application. Where possible, we recommend relying on temporary credentials instead of creating IAM users who have long-term credentials such as passwords and access keys. However, if you have specific use cases that require long-term credentials with IAM users, we recommend that you rotate access keys. For more information, see [Rotate access keys regularly for use cases that require long-term credentials](#) in the *IAM User Guide*.

An [IAM group](#) is an identity that specifies a collection of IAM users. You can't sign in as a group. You can use groups to specify permissions for multiple users at a time. Groups make permissions easier to manage for large sets of users. For example, you could have a group named *IAMAdmins* and give that group permissions to administer IAM resources.

Users are different from roles. A user is uniquely associated with one person or application, but a role is intended to be assumable by anyone who needs it. Users have permanent long-term credentials, but roles provide temporary credentials. To learn more, see [When to create an IAM user \(instead of a role\)](#) in the *IAM User Guide*.

## IAM roles

An [IAM role](#) is an identity within your AWS account that has specific permissions. It is similar to an IAM user, but is not associated with a specific person. You can temporarily assume an IAM role in the AWS Management Console by [switching roles](#). You can assume a role by calling an AWS CLI or AWS API operation or by using a custom URL. For more information about methods for using roles, see [Using IAM roles](#) in the *IAM User Guide*.

IAM roles with temporary credentials are useful in the following situations:

- **Federated user access** – To assign permissions to a federated identity, you create a role and define permissions for the role. When a federated identity authenticates, the identity is associated with the role and is granted the permissions that are defined by the role. For information about roles for federation, see [Creating a role for a third-party Identity Provider](#) in the *IAM User Guide*. If you use IAM Identity Center, you configure a permission set. To control what your identities can access after they authenticate, IAM Identity Center correlates the permission set to a role in IAM. For information about permissions sets, see [Permission sets](#) in the *AWS IAM Identity Center (successor to AWS Single Sign-On) User Guide*.
- **Temporary IAM user permissions** – An IAM user or role can assume an IAM role to temporarily take on different permissions for a specific task.
- **Cross-account access** – You can use an IAM role to allow someone (a trusted principal) in a different account to access resources in your account. Roles are the primary way to grant cross-account access. However, with some AWS services, you can attach a policy directly to a resource (instead of using a role as a proxy). To learn the difference between roles and resource-based policies for cross-account access, see [How IAM roles differ from resource-based policies](#) in the *IAM User Guide*.
- **Cross-service access** – Some AWS services use features in other AWS services. For example, when you make a call in a service, it's common for that service to run applications in Amazon EC2 or store objects in Amazon S3. A service might do this using the calling principal's permissions, using a service role, or using a service-linked role.

- **Principal permissions** – When you use an IAM user or role to perform actions in AWS, you are considered a principal. Policies grant permissions to a principal. When you use some services, you might perform an action that then triggers another action in a different service. In this case, you must have permissions to perform both actions. To see whether an action requires additional dependent actions in a policy, see [Actions, Resources, and Condition Keys for Amazon Polly](#) in the *Service Authorization Reference*.
- **Service role** – A service role is an [IAM role](#) that a service assumes to perform actions on your behalf. An IAM administrator can create, modify, and delete a service role from within IAM. For more information, see [Creating a role to delegate permissions to an AWS service](#) in the *IAM User Guide*.
- **Service-linked role** – A service-linked role is a type of service role that is linked to an AWS service. The service can assume the role to perform an action on your behalf. Service-linked roles appear in your AWS account and are owned by the service. An IAM administrator can view, but not edit the permissions for service-linked roles.
- **Applications running on Amazon EC2** – You can use an IAM role to manage temporary credentials for applications that are running on an EC2 instance and making AWS CLI or AWS API requests. This is preferable to storing access keys within the EC2 instance. To assign an AWS role to an EC2 instance and make it available to all of its applications, you create an instance profile that is attached to the instance. An instance profile contains the role and enables programs that are running on the EC2 instance to get temporary credentials. For more information, see [Using an IAM role to grant permissions to applications running on Amazon EC2 instances](#) in the *IAM User Guide*.

To learn whether to use IAM roles or IAM users, see [When to create an IAM role \(instead of a user\)](#) in the *IAM User Guide*.

## Managing access using policies

You control access in AWS by creating policies and attaching them to AWS identities or resources. A policy is an object in AWS that, when associated with an identity or resource, defines their permissions. AWS evaluates these policies when a principal (user, root user, or role session) makes a request. Permissions in the policies determine whether the request is allowed or denied. Most policies are stored in AWS as JSON documents. For more information about the structure and contents of JSON policy documents, see [Overview of JSON policies](#) in the *IAM User Guide*.

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

By default, users and roles have no permissions. To grant users permission to perform actions on the resources that they need, an IAM administrator can create IAM policies. The administrator can then add the IAM policies to roles, and users can assume the roles.

IAM policies define permissions for an action regardless of the method that you use to perform the operation. For example, suppose that you have a policy that allows the `iam:GetRole` action. A user with that policy can get role information from the AWS Management Console, the AWS CLI, or the AWS API.

## Identity-based policies

Identity-based policies are JSON permissions policy documents that you can attach to an identity, such as an IAM user, group of users, or role. These policies control what actions users and roles can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Creating IAM policies](#) in the *IAM User Guide*.

Identity-based policies can be further categorized as *inline policies* or *managed policies*. Inline policies are embedded directly into a single user, group, or role. Managed policies are standalone policies that you can attach to multiple users, groups, and roles in your AWS account. Managed policies include AWS managed policies and customer managed policies. To learn how to choose between a managed policy or an inline policy, see [Choosing between managed policies and inline policies](#) in the *IAM User Guide*.

## Resource-based policies

Resource-based policies are JSON policy documents that you attach to a resource. Examples of resource-based policies are IAM *role trust policies* and Amazon S3 *bucket policies*. In services that support resource-based policies, service administrators can use them to control access to a specific resource. For the resource where the policy is attached, the policy defines what actions a specified principal can perform on that resource and under what conditions. You must [specify a principal](#) in a resource-based policy. Principals can include accounts, users, roles, federated users, or AWS services.

Resource-based policies are inline policies that are located in that service. You can't use AWS managed policies from IAM in a resource-based policy.

## Access control lists (ACLs)

Access control lists (ACLs) control which principals (account members, users, or roles) have permissions to access a resource. ACLs are similar to resource-based policies, although they do not use the JSON policy document format.

Amazon S3, AWS WAF, and Amazon VPC are examples of services that support ACLs. To learn more about ACLs, see [Access control list \(ACL\) overview](#) in the *Amazon Simple Storage Service Developer Guide*.

## Other policy types

AWS supports additional, less-common policy types. These policy types can set the maximum permissions granted to you by the more common policy types.

- **Permissions boundaries** – A permissions boundary is an advanced feature in which you set the maximum permissions that an identity-based policy can grant to an IAM entity (IAM user or role). You can set a permissions boundary for an entity. The resulting permissions are the intersection of an entity's identity-based policies and its permissions boundaries. Resource-based policies that specify the user or role in the `Principal` field are not limited by the permissions boundary. An explicit deny in any of these policies overrides the allow. For more information about permissions boundaries, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.
- **Service control policies (SCPs)** – SCPs are JSON policies that specify the maximum permissions for an organization or organizational unit (OU) in AWS Organizations. AWS Organizations is a service for grouping and centrally managing multiple AWS accounts that your business owns. If you enable all features in an organization, then you can apply service control policies (SCPs) to any or all of your accounts. The SCP limits permissions for entities in member accounts, including each AWS account root user. For more information about Organizations and SCPs, see [How SCPs work](#) in the *AWS Organizations User Guide*.
- **Session policies** – Session policies are advanced policies that you pass as a parameter when you programmatically create a temporary session for a role or federated user. The resulting session's permissions are the intersection of the user or role's identity-based policies and the session policies. Permissions can also come from a resource-based policy. An explicit deny in any of these policies overrides the allow. For more information, see [Session policies](#) in the *IAM User Guide*.

## Multiple policy types

When multiple types of policies apply to a request, the resulting permissions are more complicated to understand. To learn how AWS determines whether to allow a request when multiple policy types are involved, see [Policy evaluation logic](#) in the *IAM User Guide*.

## How Amazon Polly works with IAM

Before you use IAM to manage access to Amazon Polly, learn what IAM features are available to use with Amazon Polly.

## IAM features you can use with Amazon Polly

IAM feature	Amazon Polly support
<a href="#">Identity-based policies (p. 216)</a>	Yes
<a href="#">Resource-based policies (p. 216)</a>	No
<a href="#">Policy actions (p. 217)</a>	Yes
<a href="#">Policy resources (p. 217)</a>	Yes
<a href="#">Policy condition keys (service-specific) (p. 218)</a>	No
<a href="#">ACLs (p. 218)</a>	No
<a href="#">ABAC (tags in policies) (p. 219)</a>	No
<a href="#">Temporary credentials (p. 219)</a>	Yes
<a href="#">Principal permissions (p. 219)</a>	Yes
<a href="#">Service roles (p. 220)</a>	No
<a href="#">Service-linked roles (p. 220)</a>	No

To get a high-level view of how Amazon Polly and other AWS services work with most IAM features, see [AWS services that work with IAM](#) in the *IAM User Guide*.

## Identity-based policies for Amazon Polly

Supports identity-based policies	Yes
----------------------------------	-----

Identity-based policies are JSON permissions policy documents that you can attach to an identity, such as an IAM user, group of users, or role. These policies control what actions users and roles can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Creating IAM policies](#) in the *IAM User Guide*.

With IAM identity-based policies, you can specify allowed or denied actions and resources as well as the conditions under which actions are allowed or denied. You can't specify the principal in an identity-based policy because it applies to the user or role to which it is attached. To learn about all of the elements that you can use in a JSON policy, see [IAM JSON policy elements reference](#) in the *IAM User Guide*.

## Identity-based policy examples for Amazon Polly

To view examples of Amazon Polly identity-based policies, see [Identity-based policy examples for Amazon Polly \(p. 221\)](#).

## Resource-based policies within Amazon Polly

Supports resource-based policies	No
----------------------------------	----

Resource-based policies are JSON policy documents that you attach to a resource. Examples of resource-based policies are IAM *role trust policies* and Amazon S3 *bucket policies*. In services that support resource-

based policies, service administrators can use them to control access to a specific resource. For the resource where the policy is attached, the policy defines what actions a specified principal can perform on that resource and under what conditions. You must [specify a principal](#) in a resource-based policy. Principals can include accounts, users, roles, federated users, or AWS services.

To enable cross-account access, you can specify an entire account or IAM entities in another account as the principal in a resource-based policy. Adding a cross-account principal to a resource-based policy is only half of establishing the trust relationship. When the principal and the resource are in different AWS accounts, an IAM administrator in the trusted account must also grant the principal entity (user or role) permission to access the resource. They grant permission by attaching an identity-based policy to the entity. However, if a resource-based policy grants access to a principal in the same account, no additional identity-based policy is required. For more information, see [How IAM roles differ from resource-based policies](#) in the *IAM User Guide*.

## Policy actions for Amazon Polly

Supports policy actions	Yes
-------------------------	-----

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The **Action** element of a JSON policy describes the actions that you can use to allow or deny access in a policy. Policy actions usually have the same name as the associated AWS API operation. There are some exceptions, such as *permission-only actions* that don't have a matching API operation. There are also some operations that require multiple actions in a policy. These additional actions are called *dependent actions*.

Include actions in a policy to grant permissions to perform the associated operation.

To see a list of Amazon Polly actions, see [Actions defined by Amazon Polly](#) in the *Service Authorization Reference*.

Policy actions in Amazon Polly use the following prefix before the action:

```
polly
```

To specify multiple actions in a single statement, separate them with commas.

```
"Action": [  
    "polly:action1",  
    "polly:action2"  
]
```

To view examples of Amazon Polly identity-based policies, see [Identity-based policy examples for Amazon Polly \(p. 221\)](#).

## Policy resources for Amazon Polly

Supports policy resources	Yes
---------------------------	-----

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Resource JSON policy element specifies the object or objects to which the action applies. Statements must include either a Resource or a NotResource element. As a best practice, specify a resource using its [Amazon Resource Name \(ARN\)](#). You can do this for actions that support a specific resource type, known as *resource-level permissions*.

For actions that don't support resource-level permissions, such as listing operations, use a wildcard (\*) to indicate that the statement applies to all resources.

```
"Resource": "*"

```

To see a list of Amazon Polly resource types and their ARNs, see [Resources defined by Amazon Polly](#) in the *Service Authorization Reference*. To learn with which actions you can specify the ARN of each resource, see [Actions defined by Amazon Polly](#).

To view examples of Amazon Polly identity-based policies, see [Identity-based policy examples for Amazon Polly \(p. 221\)](#).

## Policy condition keys for Amazon Polly

Supports service-specific policy condition keys	No
---	----

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Condition element (or Condition *block*) lets you specify conditions in which a statement is in effect. The Condition element is optional. You can create conditional expressions that use [condition operators](#), such as equals or less than, to match the condition in the policy with values in the request.

If you specify multiple Condition elements in a statement, or multiple keys in a single Condition element, AWS evaluates them using a logical AND operation. If you specify multiple values for a single condition key, AWS evaluates the condition using a logical OR operation. All of the conditions must be met before the statement's permissions are granted.

You can also use placeholder variables when you specify conditions. For example, you can grant an IAM user permission to access a resource only if it is tagged with their IAM user name. For more information, see [IAM policy elements: variables and tags](#) in the *IAM User Guide*.

AWS supports global condition keys and service-specific condition keys. To see all AWS global condition keys, see [AWS global condition context keys](#) in the *IAM User Guide*.

To see a list of Amazon Polly condition keys, see [Condition keys for Amazon Polly](#) in the *Service Authorization Reference*. To learn with which actions and resources you can use a condition key, see [Actions defined by Amazon Polly](#).

To view examples of Amazon Polly identity-based policies, see [Identity-based policy examples for Amazon Polly \(p. 221\)](#).

## ACLs in Amazon Polly

Supports ACLs	No
---------------	----

Access control lists (ACLs) control which principals (account members, users, or roles) have permissions to access a resource. ACLs are similar to resource-based policies, although they do not use the JSON policy document format.



## ABAC with Amazon Polly

Supports ABAC (tags in policies)	No
----------------------------------	----

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. In AWS, these attributes are called *tags*. You can attach tags to IAM entities (users or roles) and to many AWS resources. Tagging entities and resources is the first step of ABAC. Then you design ABAC policies to allow operations when the principal's tag matches the tag on the resource that they are trying to access.

ABAC is helpful in environments that are growing rapidly and helps with situations where policy management becomes cumbersome.

To control access based on tags, you provide tag information in the [condition element](#) of a policy using the `aws:ResourceTag/key-name`, `aws:RequestTag/key-name`, or `aws:TagKeys` condition keys.

If a service supports all three condition keys for every resource type, then the value is **Yes** for the service. If a service supports all three condition keys for only some resource types, then the value is **Partial**.

For more information about ABAC, see [What is ABAC?](#) in the *IAM User Guide*. To view a tutorial with steps for setting up ABAC, see [Use attribute-based access control \(ABAC\)](#) in the *IAM User Guide*.

## Using temporary credentials with Amazon Polly

Supports temporary credentials	Yes
--------------------------------	-----

Some AWS services don't work when you sign in using temporary credentials. For additional information, including which AWS services work with temporary credentials, see [AWS services that work with IAM](#) in the *IAM User Guide*.

You are using temporary credentials if you sign in to the AWS Management Console using any method except a user name and password. For example, when you access AWS using your company's single sign-on (SSO) link, that process automatically creates temporary credentials. You also automatically create temporary credentials when you sign in to the console as a user and then switch roles. For more information about switching roles, see [Switching to a role \(console\)](#) in the *IAM User Guide*.

You can manually create temporary credentials using the AWS CLI or AWS API. You can then use those temporary credentials to access AWS. AWS recommends that you dynamically generate temporary credentials instead of using long-term access keys. For more information, see [Temporary security credentials in IAM](#).

## Cross-service principal permissions for Amazon Polly

Supports principal permissions	Yes
--------------------------------	-----

When you use an IAM user or role to perform actions in AWS, you are considered a principal. Policies grant permissions to a principal. When you use some services, you might perform an action that then triggers another action in a different service. In this case, you must have permissions to perform both actions. To see whether an action requires additional dependent actions in a policy, see [Actions, Resources, and Condition Keys for Amazon Polly](#) in the *Service Authorization Reference*.



## Service roles for Amazon Polly

Supports service roles	No
------------------------	----

A service role is an [IAM role](#) that a service assumes to perform actions on your behalf. An IAM administrator can create, modify, and delete a service role from within IAM. For more information, see [Creating a role to delegate permissions to an AWS service](#) in the *IAM User Guide*.

### Warning

Changing the permissions for a service role might break Amazon Polly functionality. Edit service roles only when Amazon Polly provides guidance to do so.

## Service-linked roles for Amazon Polly

Supports service-linked roles	No
-------------------------------	----

A service-linked role is a type of service role that is linked to an AWS service. The service can assume the role to perform an action on your behalf. Service-linked roles appear in your AWS account and are owned by the service. An IAM administrator can view, but not edit the permissions for service-linked roles.

For details about creating or managing service-linked roles, see [AWS services that work with IAM](#). Find a service in the table that includes a Yes in the **Service-linked role** column. Choose the **Yes** link to view the service-linked role documentation for that service.

## Amazon Polly IAM roles

You can attach an identity-based permissions policy to an IAM role to grant cross-account permissions. For example, the administrator in account A can create a role to grant cross-account permissions to another AWS account (for example, account B) or an AWS service as follows:

1. Account A administrator creates an IAM role and attaches a permissions policy to the role that grants permissions on resources in account A.
2. Account A administrator attaches a trust policy to the role identifying account B as the principal who can assume the role.
3. Account B administrator can then delegate permissions to assume the role to any users in account B. Doing this allows users in account B to create or access resources in account A. The principal in the trust policy can also be an AWS service principal if you want to grant an AWS service permissions to assume the role.

For more information about using IAM to delegate permissions, see [Access Management](#) in the *IAM User Guide*.

The following is an example policy that grants permissions to put and get lexicons as well as to list those lexicons currently available.

Amazon Polly supports Identity-based policies for actions at the resource-level. In some cases, the resource can be limited by an ARN. This is true for the SynthesizeSpeech, StartSpeechSynthesisTask, PutLexicon, GetLexicon, and DeleteLexicon operations. In these cases, the Resource value is indicated by the ARN. For example: `arn:aws:polly:us-east-2:account-id:lexicon/*` as the Resource value specifies permissions on all owned lexicons within the us-east-2 Region.

```
{
```

```
"Version": "2012-10-17",
"Statement": [{
  "Sid": "AllowPut-Get-ListActions",
  "Effect": "Allow",
  "Action": [
    "polly:PutLexicon",
    "polly:GetLexicon",
    "polly:ListLexicons"],
  "Resource": "arn:aws:polly:us-east-2:account-id:lexicon/*"
}]
}
```

However, not all operations use ARNs. This is the case with the `DescribeVoices`, `ListLexicons`, `GetSpeechSynthesisTasks`, and `ListSpeechSynthesisTasks` operations.

For more information about users, groups, roles, and permissions, see [Identities \(Users, Groups, and Roles\)](#) in the *IAM User Guide*.

## Identity-based policy examples for Amazon Polly

By default, users and roles don't have permission to create or modify Amazon Polly resources. They also can't perform tasks by using the AWS Management Console, AWS Command Line Interface (AWS CLI), or AWS API. To grant users permission to perform actions on the resources that they need, an IAM administrator can create IAM policies. The administrator can then add the IAM policies to roles, and users can assume the roles.

To learn how to create an IAM identity-based policy by using these example JSON policy documents, see [Creating IAM policies](#) in the *IAM User Guide*.

For details about actions and resource types defined by Amazon Polly, including the format of the ARNs for each of the resource types, see [Actions, resources, and condition keys for Amazon Polly](#) in the *Service Authorization Reference*.

### Topics

- [Policy best practices \(p. 221\)](#)
- [Using the Amazon Polly console \(p. 222\)](#)
- [Allow users to view their own permissions \(p. 222\)](#)
- [AWS managed \(predefined\) policies for Amazon Polly \(p. 223\)](#)
- [Customer-managed policy examples \(p. 223\)](#)

## Policy best practices

Identity-based policies determine whether someone can create, access, or delete Amazon Polly resources in your account. These actions can incur costs for your AWS account. When you create or edit identity-based policies, follow these guidelines and recommendations:

- **Get started with AWS managed policies and move toward least-privilege permissions** – To get started granting permissions to your users and workloads, use the *AWS managed policies* that grant permissions for many common use cases. They are available in your AWS account. We recommend that you reduce permissions further by defining AWS customer managed policies that are specific to your use cases. For more information, see [AWS managed policies](#) or [AWS managed policies for job functions](#) in the *IAM User Guide*.
- **Apply least-privilege permissions** – When you set permissions with IAM policies, grant only the permissions required to perform a task. You do this by defining the actions that can be taken on specific resources under specific conditions, also known as *least-privilege permissions*. For more

information about using IAM to apply permissions, see [Policies and permissions in IAM](#) in the *IAM User Guide*.

- **Use conditions in IAM policies to further restrict access** – You can add a condition to your policies to limit access to actions and resources. For example, you can write a policy condition to specify that all requests must be sent using SSL. You can also use conditions to grant access to service actions if they are used through a specific AWS service, such as AWS CloudFormation. For more information, see [IAM JSON policy elements: Condition](#) in the *IAM User Guide*.
- **Use IAM Access Analyzer to validate your IAM policies to ensure secure and functional permissions** – IAM Access Analyzer validates new and existing policies so that the policies adhere to the IAM policy language (JSON) and IAM best practices. IAM Access Analyzer provides more than 100 policy checks and actionable recommendations to help you author secure and functional policies. For more information, see [IAM Access Analyzer policy validation](#) in the *IAM User Guide*.
- **Require multi-factor authentication (MFA)** – If you have a scenario that requires IAM users or a root user in your AWS account, turn on MFA for additional security. To require MFA when API operations are called, add MFA conditions to your policies. For more information, see [Configuring MFA-protected API access](#) in the *IAM User Guide*.

For more information about best practices in IAM, see [Security best practices in IAM](#) in the *IAM User Guide*.

## Using the Amazon Polly console

To access the Amazon Polly console, you must have a minimum set of permissions. These permissions must allow you to list and view details about the Amazon Polly resources in your AWS account. If you create an identity-based policy that is more restrictive than the minimum required permissions, the console won't function as intended for entities (users or roles) with that policy.

You don't need to allow minimum console permissions for users that are making calls only to the AWS CLI or the AWS API. Instead, allow access to only the actions that match the API operation that they're trying to perform.

To ensure that users and roles can still use the Amazon Polly console, also attach the Amazon Polly [ConsoleAccess](#) or [ReadOnly](#) AWS managed policy to the entities. For more information, see [Adding permissions to a user](#) in the *IAM User Guide*.

To use the Amazon Polly console, grant permissions to all the Amazon Polly APIs. There are no additional permissions needed. To get full console functionality you can use following policy:.

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "Console-AllowAllPollyActions",
    "Effect": "Allow",
    "Action": [
      "polly:*"
    ],
    "Resource": "*"
  }]
}
```

## Allow users to view their own permissions

This example shows how you might create a policy that allows IAM users to view the inline and managed policies that are attached to their user identity. This policy includes permissions to complete this action on the console or programmatically using the AWS CLI or AWS API.

```
{
```

```

"Version": "2012-10-17",
"Statement": [
  {
    "Sid": "ViewOwnUserInfo",
    "Effect": "Allow",
    "Action": [
      "iam:GetUserPolicy",
      "iam:ListGroupForUser",
      "iam:ListAttachedUserPolicies",
      "iam:ListUserPolicies",
      "iam:GetUser"
    ],
    "Resource": ["arn:aws:iam::*:user/${aws:username}"]
  },
  {
    "Sid": "NavigateInConsole",
    "Effect": "Allow",
    "Action": [
      "iam:GetGroupPolicy",
      "iam:GetPolicyVersion",
      "iam:GetPolicy",
      "iam:ListAttachedGroupPolicies",
      "iam:ListGroupPolicies",
      "iam:ListPolicyVersions",
      "iam:ListPolicies",
      "iam:ListUsers"
    ],
    "Resource": "*"
  }
]
}

```

## AWS managed (predefined) policies for Amazon Polly

AWS addresses many common use cases by providing standalone IAM policies that are created and administered by AWS. These AWS managed policies grant necessary permissions for common use cases so that you can avoid having to investigate what permissions are needed. For more information, see [AWS Managed Policies](#) in the *IAM User Guide*.

The following AWS managed policies, which you can attach to users in your account, are specific to Amazon Polly:

- **AmazonPollyReadOnlyAccess** – Grants read-only access to resources, allows listing lexicons, fetching lexicons, listing available voices and synthesizing speech (including, applying lexicons to the synthesized speech).
- **AmazonPollyFullAccess** – Grants full access to resources and all the supported operations.

### Note

You can review these permissions policies by signing in to the IAM console and searching for specific policies there.

You can also create your own custom IAM policies to allow permissions for Amazon Polly actions and resources. You can attach these custom policies to the IAM users or groups that require those permissions.

## Customer-managed policy examples

In this section, you can find example user policies that grant permissions for various Amazon Polly actions. These policies work when you are using AWS SDKs or the AWS CLI. When you are using the console, grant permissions to all the Amazon Polly APIs.

### Note

All examples use the us-east-2 Region and contain fictitious account IDs.

### Examples

- [Example 1: Allow All Amazon Polly Actions \(p. 224\)](#)
- [Example 2: Allow all Amazon Polly actions except DeleteLexicon \(p. 224\)](#)
- [Example 3: Allow DeleteLexicon \(p. 225\)](#)
- [Example 4: Allow Delete Lexicon in a specified Region \(p. 225\)](#)
- [Example 5: Allow DeleteLexicon for specified Lexicon \(p. 225\)](#)

## Example 1: Allow All Amazon Polly Actions

After you sign up (see [Setting up Amazon Polly \(p. 4\)](#)) create an administrator user to manage your account, including creating users and managing their permissions.

You might create a user who has permissions for all Amazon Polly actions. Think of this user as a service-specific administrator for working with Amazon Polly. You can attach the following permissions policy to this user.

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "AllowAllPollyActions",
    "Effect": "Allow",
    "Action": [
      "polly:*"
    ],
    "Resource": "*"
  }]
}
```

## Example 2: Allow all Amazon Polly actions except DeleteLexicon

The following permissions policy grants the user permissions to perform all actions except DeleteLexicon, with the permissions for delete explicitly denied in all Regions.

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "AllowAllActions-DenyDelete",
    "Effect": "Allow",
    "Action": [
      "polly:DescribeVoices",
      "polly:GetLexicon",
      "polly:PutLexicon",
      "polly:SynthesizeSpeech",
      "polly:ListLexicons"
    ],
    "Resource": "*"
  }, {
    "Sid": "DenyDeleteLexicon",
    "Effect": "Deny",
    "Action": [
      "polly:DeleteLexicon"
    ],
    "Resource": "*"
  }]
}
```

### Example 3: Allow DeleteLexicon

The following permissions policy grants the user permissions to delete any lexicon that you own regardless of the project or Region in which it is located.

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "AllowDeleteLexicon",
    "Effect": "Allow",
    "Action": [
      "polly:DeleteLexicon",
    ],
    "Resource": "*"
  }]
}
```

### Example 4: Allow Delete Lexicon in a specified Region

The following permissions policy grants the user permissions to delete any lexicon in any project that you own that is located in a single Region (in this case, us-east-2).

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "AllowDeleteSpecifiedRegion",
    "Effect": "Allow",
    "Action": [
      "polly:DeleteLexicon",
    ],
    "Resource": "arn:aws:polly:us-east-2:123456789012:lexicon/*"
  }]
}
```

### Example 5: Allow DeleteLexicon for specified Lexicon

The following permissions policy grants the user permissions to delete a specific lexicon that you own (in this case, myLexicon) in a specific Region (in this case, us-east-2).

```
{
  "Version": "2012-10-17",
  "Statement": [{
    "Sid": "AllowDeleteForSpecifiedLexicon",
    "Effect": "Allow",
    "Action": [
      "polly:DeleteLexicon",
    ],
    "Resource": "arn:aws:polly:us-east-2:123456789012:lexicon/myLexicon"
  }]
}
```

## Amazon Polly API Permissions: Actions, Permissions, and Resources Reference

When you are setting up a permissions policy that you can attach to an IAM identity (identity-based policies), you can use the following list as a reference. The list includes each Amazon Polly API operation, the corresponding actions for which you can grant permissions to perform the action, and the AWS

resource for which you can grant the permissions. You specify the actions in the policy's Action field, and you specify the resource value in the policy's Resource field.

You can use AWS-wide condition keys in your Amazon Polly policies to express conditions. For a complete list of AWS-wide keys, see [available keys](#) in the *IAM User Guide*.

**Note**

To specify an action, use the polly prefix followed by the API operation name (for example, polly:GetLexicon).

Amazon Polly supports Identity-based policies for actions at the resource-level. Therefore, the Resource value is indicated by the ARN. For example: `arn:aws:polly:us-east-2:account-id:lexicon/*` as the Resource value specifies permissions on all owned lexicons within the us-east-2 Region.

Because Amazon Polly doesn't support permissions for actions at the resource-level, most policies specify a wildcard character (\*) as the Resource value. However, if it is necessary to limit permissions to a specific Region this wildcard character is replaced with the appropriate ARN: `arn:aws:polly:region:account-id:lexicon/*`.

### Amazon Polly API and Required Permissions for Actions

**API Operation:** [DeleteLexicon \(p. 238\)](#)

Required Permissions (API Action): polly:DeleteLexicon

Resources: `arn:aws:polly:region:account-id:lexicon/LexiconName`

**API Operation:** [DescribeVoices \(p. 240\)](#)

Required Permissions (API Action): polly:DescribeVoices

Resources: `arn:aws:polly:region:account-id:lexicon/voice-name`

**API Operation:** [GetLexicon \(p. 243\)](#)

Required Permissions (API Action): polly:GetLexicon

Resources: `arn:aws:polly:region:account-id:lexicon/voice-name`

**API Operation:** [ListLexicons \(p. 247\)](#)

Required Permissions (API Action): polly:ListLexicons

Resources: `arn:aws:polly:region:account-id:lexicon/*`

**API Operation:** [PutLexicon \(p. 251\)](#)

Required Permissions (API Action): polly:ListLexicons

Resources: \*

**API Operation:** [SynthesizeSpeech \(p. 259\)](#)

Required Permissions (API Action): polly:SynthesizeSpeech

Resources: \*

## Troubleshooting Amazon Polly identity and access

Use the following information to help you diagnose and fix common issues that you might encounter when working with Amazon Polly and IAM.

## Topics

- [I am not authorized to perform an action in Amazon Polly \(p. 227\)](#)
- [I am not authorized to perform iam:PassRole \(p. 227\)](#)
- [I want to allow people outside of my AWS account to access my Amazon Polly resources \(p. 227\)](#)

## I am not authorized to perform an action in Amazon Polly

If you receive an error that you're not authorized to perform an action, your policies must be updated to allow you to perform the action.

The following example error occurs when the mateojackson IAM user tries to use the console to view details about a fictional *my-example-widget* resource but doesn't have the fictional `polly:GetWidget` permissions.

```
User: arn:aws:iam::123456789012:user/mateojackson is not authorized to perform:
polly:GetWidget on resource: my-example-widget
```

In this case, the policy for the mateojackson user must be updated to allow access to the *my-example-widget* resource by using the `polly:GetWidget` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I am not authorized to perform iam:PassRole

If you receive an error that you're not authorized to perform the `iam:PassRole` action, your policies must be updated to allow you to pass a role to Amazon Polly.

Some AWS services allow you to pass an existing role to that service instead of creating a new service role or service-linked role. To do this, you must have permissions to pass the role to the service.

The following example error occurs when an IAM user named marymajor tries to use the console to perform an action in Amazon Polly. However, the action requires the service to have permissions that are granted by a service role. Mary does not have permissions to pass the role to the service.

```
User: arn:aws:iam::123456789012:user/marymajor is not authorized to perform: iam:PassRole
```

In this case, Mary's policies must be updated to allow her to perform the `iam:PassRole` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I want to allow people outside of my AWS account to access my Amazon Polly resources

You can create a role that users in other accounts or people outside of your organization can use to access your resources. You can specify who is trusted to assume the role. For services that support resource-based policies or access control lists (ACLs), you can use those policies to grant people access to your resources.

To learn more, consult the following:

- To learn whether Amazon Polly supports these features, see [How Amazon Polly works with IAM \(p. 215\)](#).



- To learn how to provide access to your resources across AWS accounts that you own, see [Providing access to an IAM user in another AWS account that you own](#) in the *IAM User Guide*.
- To learn how to provide access to your resources to third-party AWS accounts, see [Providing access to AWS accounts owned by third parties](#) in the *IAM User Guide*.
- To learn how to provide access through identity federation, see [Providing access to externally authenticated users \(identity federation\)](#) in the *IAM User Guide*.
- To learn the difference between using roles and resource-based policies for cross-account access, see [How IAM roles differ from resource-based policies](#) in the *IAM User Guide*.

## Logging and Monitoring in Amazon Polly

Monitoring is an important part of maintaining the reliability, availability, and performance of your Amazon Polly applications. To monitor Amazon Polly API calls, you can use AWS CloudTrail. To monitor the status of your jobs, use Amazon CloudWatch Logs.

- **Amazon CloudWatch Alarms** – Using CloudWatch alarms, you watch a single metric over a time period that you specify. If the metric exceeds a given threshold, a notification is sent to an Amazon Simple Notification Service topic or AWS Auto Scaling policy. CloudWatch alarms do not invoke actions when a metric is in a particular state. Rather the state must have changed and been maintained for a specified number of periods. For more information, see [Integrating CloudWatch with Amazon Polly \(p. 234\)](#).
- **CloudTrail logs** – CloudTrail provides a record of actions taken by a user, role, or an AWS service in Amazon Polly. Using the information collected by CloudTrail, you can determine the request that was made to Amazon Polly. You can also determine the IP address from which the request was made, who made the request, when it was made, and additional details. For more information, see [Logging Amazon Polly API Calls with AWS CloudTrail \(p. 232\)](#).

## Compliance Validation for Amazon Polly

Third-party auditors assess the security and compliance of Amazon Polly as part of multiple AWS compliance programs. These include SOC, PCI, FedRAMP, HIPAA, and others.

For a list of AWS services in scope of specific compliance programs, see [AWS Services in Scope by Compliance Program](#). For general information, see [AWS Compliance Programs](#).

You can download third-party audit reports using AWS Artifact. For more information, see [Downloading Reports in AWS Artifact](#).

Your compliance responsibility when using Amazon Polly is determined by the sensitivity of your data, your company's compliance objectives, and applicable laws and regulations. AWS provides the following resources to help with compliance:

- [Security and Compliance Quick Start Guides](#) – These deployment guides discuss architectural considerations and provide steps for deploying security- and compliance-focused baseline environments on AWS.
- [Architecting for HIPAA Security and Compliance Whitepaper](#) – This whitepaper describes how companies can use AWS to create HIPAA-compliant applications.
- [AWS Compliance Resources](#) – This collection of workbooks and guides might apply to your industry and location.
- [Evaluating Resources with Rules](#) in the *AWS Config Developer Guide* – The AWS Config service assesses how well your resource configurations comply with internal practices, industry guidelines, and regulations.

- [AWS Security Hub](#) – This AWS service provides a comprehensive view of your security state within AWS that helps you check your compliance with security industry standards and best practices.

## Resilience in Amazon Polly

The AWS global infrastructure is built around AWS Regions and Availability Zones. AWS Regions provide multiple physically separated and isolated Availability Zones, which are connected with low-latency, high-throughput, and highly redundant networking. With Availability Zones, you can design and operate applications and databases that automatically fail over between zones without interruption. Availability Zones are more highly available, fault tolerant, and scalable than traditional single or multiple data center infrastructures.

For more information about AWS Regions and Availability Zones, see [AWS Global Infrastructure](#).

## Infrastructure Security in Amazon Polly

As a managed service, Amazon Polly is protected by the AWS global network security procedures that are described in the [Amazon Web Services: Overview of Security Processes](#) whitepaper.

You use AWS published API calls to access Amazon Polly through the network. Clients must support Transport Layer Security (TLS) 1.0 or later. We recommend TLS 1.2 or later. Clients must also support cipher suites with perfect forward secrecy (PFS) such as Ephemeral Diffie-Hellman (DHE) or Elliptic Curve Ephemeral Diffie-Hellman (ECDHE). Most modern systems such as Java 7 and later support these modes.

Additionally, requests must be signed by using an access key ID and a secret access key that is associated with an IAM principal. Or you can use the [AWS Security Token Service](#) (AWS STS) to generate temporary security credentials to sign requests.

## Security Best Practices for Amazon Polly

Your trust, privacy, and the security of your content are our highest priorities. We implement responsible and sophisticated technical and physical controls designed to prevent unauthorized access to, or disclosure of, your content and ensure that our use complies with our commitments to you. For more information, see [AWS Data Privacy FAQ](#).

Amazon Polly does not retain the the content of text submissions.

For a broad view of AWS security, including compliance, penetration testing, bulletins, and resources, visit the [AWS Cloud Security](#) website.

## Using Amazon Polly with interface VPC endpoints

If you use Amazon Virtual Private Cloud (Amazon VPC) to host your AWS resources, you can establish a private connection between your VPC and Amazon Polly. You can use this connection to synthesize speech with Amazon Polly without traversing the public internet.

Amazon VPC is an AWS service that you can use to launch AWS resources in a virtual network that you define. With a VPC, you have control over your network settings, such the IP address range, subnets, route tables, and network gateways. To connect your VPC to Amazon Polly, you define an *interface VPC endpoint* for Amazon Polly. This type of endpoint enables you to connect your VPC to AWS services. The

endpoint provides reliable, scalable connectivity to Amazon Polly without requiring an internet gateway, network address translation (NAT) instance, or VPN connection. For more information, see the [What is Amazon VPC](#) in the *Amazon VPC User Guide*.

Interface VPC endpoints are powered by AWS PrivateLink, an AWS technology that enables private communication between AWS services using an elastic network interface with private IP addresses. For more information, see [New - AWS PrivateLink for AWS services](#).

The following steps are for users of Amazon VPC. For more information, see [Getting Started](#) in the *Amazon VPC User Guide*.

## Availability

VPC endpoints are supported in all the [Regions where Amazon Polly is supported](#). For more information about AWS Regions and Availability Zones, see [AWS Global Infrastructure](#).

## Creating a VPC endpoint for Amazon Polly

To start using Amazon Polly with your VPC, create an interface VPC endpoint for Amazon Polly. The service to choose is **com.amazonaws.*Region*.polly**. You do not need to change any settings for Amazon Polly. For more information, see [Creating an Interface Endpoint](#) in the *Amazon VPC User Guide*.

## Testing the connection between your VPC and Amazon Polly

After you create the endpoint, you can test the connection.

### To test the connection between your VPC and your Amazon Polly endpoint

1. Connect to an Amazon EC2 instance that resides in your VPC. For information about connecting, see [Connect to your Linux instance](#) or [Connecting to your Windows instance](#) in the Amazon EC2 documentation.
2. From the instance, use `aws polly describe-voices` from the AWS CLI to list available Amazon Polly voices.

If the response to the command includes the list of available Amazon Polly voices, the command has succeeded, and your VPC endpoint is working.

## Controlling access to your Amazon Polly endpoint

A VPC endpoint policy is an IAM resource policy that you attach to an endpoint when you create or modify the endpoint. If you don't attach a policy when you create an endpoint, we attach a default policy for you that allows full access to the service. An endpoint policy doesn't override or replace IAM user policies or service-specific policies. It's a separate policy for controlling access from the endpoint to the specified service.

Endpoint policies must be written in JSON format.

For more information, see [Controlling Access to Services with VPC Endpoints](#) in the *Amazon VPC User Guide*.

The following is an example of an endpoint policy for Amazon Polly. This policy enables users connecting to Amazon Polly through the VPC to describe voices and synthesize speech with Amazon Polly, and prevents them from performing other Amazon Polly actions.

```
{
  "Statement": [
    {
      "Sid": "SynthesisAndDescribeVoicesOnly",
      "Principal": "*",
      "Action": [
        "polly:DescribeVoices",
        "polly:SynthesizeSpeech"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

### To modify the VPC endpoint policy for Amazon Polly

1. Open the Amazon VPC console at <https://console.aws.amazon.com/vpc>.
2. In the navigation pane, choose **Endpoints**.
3. If you have not already created the endpoint for Amazon Polly, choose **Create endpoint**. Then select **com.amazonaws.*Region*.polly** and choose **Create endpoint**.
4. Select the **com.amazonaws.*Region*.polly** endpoint, and choose the **Policy** tab in the lower half of the screen.
5. Choose **Edit Policy** and make the changes to the policy.

## Support for VPC context keys

Amazon Polly supports the `aws:SourceVpc` and `aws:SourceVpce` context keys that can limit access to specific VPCs or specific VPC endpoints. These keys work only when the user is using VPC endpoints. For more information, see [Keys Available for Some Services](#) in the *IAM user Guide*.

# Logging Amazon Polly API Calls with AWS CloudTrail

Amazon Polly is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Amazon Polly. CloudTrail captures all API calls for Amazon Polly as events. The calls captured include calls from the Amazon Polly console and code calls to the Amazon Polly API operations. If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon S3 bucket, including events for Amazon Polly. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**. Using the information collected by CloudTrail, you can determine the request that was made to Amazon Polly, the IP address from which the request was made, who made the request, when it was made, and additional details.

To learn more about CloudTrail, including how to configure and enable it, see the [AWS CloudTrail User Guide](#).

## Amazon Polly Information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When supported event activity occurs in Amazon Polly, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. For more information, see [Viewing Events with CloudTrail Event History](#).

For an ongoing record of events in your AWS account, including events for Amazon Polly, create a trail. A *trail* enables CloudTrail to deliver log files to an Amazon S3 bucket. By default, when you create a trail in the console, the trail applies to all AWS Regions. The trail logs events from all Regions in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to further analyze and act upon the event data collected in CloudTrail logs. For more information, see the following:

- [Overview for Creating a Trail](#)
- [CloudTrail Supported Services and Integrations](#)
- [Configuring Amazon SNS Notifications for CloudTrail](#)
- [Receiving CloudTrail Log Files from Multiple Regions](#) and [Receiving CloudTrail Log Files from Multiple Accounts](#)

Amazon Polly supports logging the following actions as events in CloudTrail log files:

- [DeleteLexicon \(p. 238\)](#)
- [DescribeVoices \(p. 240\)](#)
- [GetLexicon \(p. 243\)](#)
- [GetSpeechSynthesisTask \(p. 245\)](#)
- [ListLexicons \(p. 247\)](#)
- [ListSpeechSynthesisTasks \(p. 249\)](#)
- [PutLexicon \(p. 251\)](#)
- [StartSpeechSynthesisTask \(p. 253\)](#)
- [SynthesizeSpeech \(p. 259\)](#)

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root user or AWS Identity and Access Management (IAM) user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the [CloudTrail userIdentity Element](#).

## Example: Amazon Polly Log File Entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source and includes information about the requested action, the date and time of the action, request parameters, and so on. CloudTrail log files aren't an ordered stack trace of the public API calls, so they don't appear in any specific order.

The following example shows a CloudTrail log entry that demonstrates the SynthesizeSpeech.

```
{
  "Records": [
    {
      "awsRegion": "us-east-2",
      "eventID": "19bd70f7-5e60-4cdc-9825-936c552278ae",
      "eventName": "SynthesizeSpeech",
      "eventSource": "polly.amazonaws.com",
      "eventTime": "2016-11-02T03:49:39Z",
      "eventType": "AwsApiCall",
      "eventVersion": "1.05",
      "recipientAccountId": "123456789012",
      "requestID": "414288c2-a1af-11e6-b17f-d7cfc06cb461",
      "requestParameters": {
        "lexiconNames": [
          "SampleLexicon"
        ],
        "outputFormat": "mp3",
        "sampleRate": "22050",
        "text": "*****",
        "textType": "text",
        "voiceId": "Kendra"
      },
      "responseElements": null,
      "sourceIPAddress": "1.2.3.4",
      "userAgent": "Amazon CLI/Polly 1.10 API 2016-06-10",
      "userIdentity": {
        "accessKeyId": "EXAMPLE_KEY_ID",
        "accountId": "123456789012",
        "arn": "arn:aws:iam::123456789012:user/Alice",
        "principalId": "EX_PRINCIPAL_ID",
        "type": "IAMUser",
        "userName": "Alice"
      }
    }
  ]
}
```

# Integrating CloudWatch with Amazon Polly

When you interact with Amazon Polly, it sends the following metrics and dimensions to CloudWatch every minute. You can use the following procedures to view the metrics for Amazon Polly.

You can monitor Amazon Polly using CloudWatch, which collects and processes raw data from Amazon Polly into readable, near real-time metrics. These statistics are recorded for a period of two weeks, so that you can access historical information and gain a better perspective on how your web application or service is performing. By default, Amazon Polly metric data is sent to CloudWatch in 1 minute intervals. For more information, see [What Is Amazon CloudWatch](#) in the *Amazon CloudWatch User Guide*.

## Getting CloudWatch Metrics (Console)

1. Open the CloudWatch console at <https://console.aws.amazon.com/cloudwatch/>.
2. In the navigation pane, choose **Metrics**.
3. In the **CloudWatch Metrics by Category** pane, under the metrics category for Amazon Polly, select a metrics category, and then in the upper pane, scroll down to view the full list of metrics.

## Getting CloudWatch Metrics (CLI)

The following code display available metrics for Amazon Polly.

```
aws cloudwatch list-metrics --namespace "AWS/Polly"
```

The preceding command returns a list of Amazon Polly metrics similar to the following. The `MetricName` element identifies what the metric is.

```
{
  "Metrics": [
    {
      "Namespace": "AWS/Polly",
      "Dimensions": [
        {
          "Name": "Operation",
          "Value": "SynthesizeSpeech"
        }
      ],
      "MetricName": "ResponseLatency"
    },
    {
      "Namespace": "AWS/Polly",
      "Dimensions": [
        {
          "Name": "Operation",
          "Value": "SynthesizeSpeech"
        }
      ]
    }
  ]
}
```

```
}    "MetricName": "RequestCharacters"
```

For more information, see [GetMetricStatistics](#) in the *Amazon CloudWatch API Reference*.

## Amazon Polly Metrics

Amazon Polly produces the following metrics for each request. These metrics are aggregated and in one minute intervals sent to CloudWatch where they are available.

Metric	Description
RequestCharacters	<p>The number of characters in the request. This is billable characters only and does not include SSML tags.</p> <p>Valid Dimension: Operation</p> <p>Valid Statistics: Minimum, Maximum, Average, SampleCount, Sum</p> <p>Unit: Count</p>
ResponseLatency	<p>The latency between when the request was made and the start of the streaming response.</p> <p>Valid Dimensions: Operation</p> <p>Valid Statistics: Minimum, Maximum, Average, SampleCount</p> <p>Unit: milliseconds</p>
2XXCount	<p>HTTP 200 level code returned upon a successful response.</p> <p>Valid Dimensions: Operation</p> <p>Valid Statistics: Average, SampleCount, Sum</p> <p>Unit: Count</p>
4XXCount	<p>HTTP 400 level error code returned upon an error. For each successful response, a zero (0) is emitted.</p> <p>Valid Dimensions: Operation</p> <p>Valid Statistics: Average, SampleCount, Sum</p> <p>Unit: Count</p>
5XXCount	<p>HTTP 500 level error code returned upon an error. For each successful response, a zero (0) is emitted.</p> <p>Valid Dimensions: Operation</p> <p>Valid Statistics: Average, SampleCount, Sum</p> <p>Unit: Count</p>



## Dimensions for Amazon Polly Metrics

Amazon Polly metrics use the AWS/Polly namespace and provide metrics for the following dimension:

Dimension	Description
Operation	Metrics are grouped by the API method they refer to. Possible values are SynthesizeSpeech, PutLexicon, DescribeVoices, etc.

# Amazon Polly API Reference

This section contains the Amazon Polly API reference.

## Note

Authenticated API calls must be signed using the Signature Version 4 Signing Process. For more information, see [Signing AWS API Requests](#) in the *Amazon Web Services General Reference*.

## Topics

- [Actions \(p. 237\)](#)
- [Data Types \(p. 263\)](#)

## Actions

The following actions are supported:

- [DeleteLexicon \(p. 238\)](#)
- [DescribeVoices \(p. 240\)](#)
- [GetLexicon \(p. 243\)](#)
- [GetSpeechSynthesisTask \(p. 245\)](#)
- [ListLexicons \(p. 247\)](#)
- [ListSpeechSynthesisTasks \(p. 249\)](#)
- [PutLexicon \(p. 251\)](#)
- [StartSpeechSynthesisTask \(p. 253\)](#)
- [SynthesizeSpeech \(p. 259\)](#)

## DeleteLexicon

Deletes the specified pronunciation lexicon stored in an AWS Region. A lexicon which has been deleted is not available for speech synthesis, nor is it possible to retrieve it using either the `GetLexicon` or `ListLexicon` APIs.

For more information, see [Managing Lexicons](#).

## Request Syntax

```
DELETE /v1/lexicons/LexiconName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### LexiconName (p. 238)

The name of the lexicon to delete. Must be an existing lexicon in the region.

Pattern: `[0-9A-Za-z]{1,20}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

### **LexiconNotFoundException**

Amazon Polly can't find the specified lexicon. This could be caused by a lexicon that is missing, its name is misspelled or specifying a lexicon that is in a different region.

Verify that the lexicon exists, is in the region (see [ListLexicons \(p. 247\)](#)) and that you spelled its name is spelled correctly. Then try again.

HTTP Status Code: 404

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## DescribeVoices

Returns the list of voices that are available for use when requesting speech synthesis. Each voice speaks a specified language, is either male or female, and is identified by an ID, which is the ASCII version of the voice name.

When synthesizing speech ( `SynthesizeSpeech` ), you provide the voice ID for the voice you want from the list of voices returned by `DescribeVoices`.

For example, you want your news reader application to read news in a specific language, but giving a user the option to choose the voice. Using the `DescribeVoices` operation you can provide the user with a list of available voices to select from.

You can optionally specify a language code to filter the available voices. For example, if you specify `en-US`, the operation returns a list of all available US English voices.

This operation requires permissions to perform the `polly:DescribeVoices` action.

## Request Syntax

```
GET /v1/voices?  
Engine=Engine&IncludeAdditionalLanguageCodes=IncludeAdditionalLanguageCodes&LanguageCode=LanguageCode&  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Engine (p. 240)

Specifies the engine (standard or neural) used by Amazon Polly when processing input text for speech synthesis.

Valid Values: `standard` | `neural`

### IncludeAdditionalLanguageCodes (p. 240)

Boolean value indicating whether to return any bilingual voices that use the specified language as an additional language. For instance, if you request all languages that use US English (`es-US`), and there is an Italian voice that speaks both Italian (`it-IT`) and US English, that voice will be included if you specify `yes` but not if you specify `no`.

### LanguageCode (p. 240)

The language identification tag (ISO 639 code for the language name-ISO 3166 country code) for filtering the list of voices returned. If you don't specify this optional parameter, all available voices are returned.

Valid Values: `arb` | `cmn-CN` | `cy-GB` | `da-DK` | `de-DE` | `en-AU` | `en-GB` | `en-GB-WLS` | `en-IN` | `en-US` | `es-ES` | `es-MX` | `es-US` | `fr-CA` | `fr-FR` | `is-IS` | `it-IT` | `ja-JP` | `hi-IN` | `ko-KR` | `nb-NO` | `nl-NL` | `pl-PL` | `pt-BR` | `pt-PT` | `ro-RO` | `ru-RU` | `sv-SE` | `tr-TR` | `en-NZ` | `en-ZA`

### NextToken (p. 240)

An opaque pagination token returned from the previous `DescribeVoices` operation. If present, this indicates where to continue the listing.

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Voices": [
    {
      "AdditionalLanguageCodes": [ "string" ],
      "Gender": "string",
      "Id": "string",
      "LanguageCode": "string",
      "LanguageName": "string",
      "Name": "string",
      "SupportedEngines": [ "string" ]
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken (p. 241)

The pagination token to use in the next request to continue the listing of voices. NextToken is returned only if the response is truncated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### Voices (p. 241)

A list of voices with their properties.

Type: Array of [Voice \(p. 271\)](#) objects

## Errors

### **InvalidNextTokenException**

The NextToken is invalid. Verify that it's spelled correctly, and then try again.

HTTP Status Code: 400

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## GetLexicon

Returns the content of the specified pronunciation lexicon stored in an AWS Region. For more information, see [Managing Lexicons](#).

### Request Syntax

```
GET /v1/lexicons/LexiconName HTTP/1.1
```

### URI Request Parameters

The request uses the following URI parameters.

#### [LexiconName \(p. 243\)](#)

Name of the lexicon.

Pattern: `[0-9A-Za-z]{1,20}`

Required: Yes

### Request Body

The request does not have a request body.

### Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Lexicon": {
    "Content": "string",
    "Name": "string"
  },
  "LexiconAttributes": {
    "Alphabet": "string",
    "LanguageCode": "string",
    "LastModified": number,
    "LexemesCount": number,
    "LexiconArn": "string",
    "Size": number
  }
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### [Lexicon \(p. 243\)](#)

Lexicon object that provides name and the string content of the lexicon.

Type: [Lexicon \(p. 264\)](#) object



### [LexiconAttributes \(p. 243\)](#)

Metadata of the lexicon, including phonetic alphabetic used, language code, lexicon ARN, number of lexemes defined in the lexicon, and size of lexicon in bytes.

Type: [LexiconAttributes \(p. 265\)](#) object

## Errors

### **LexiconNotFoundException**

Amazon Polly can't find the specified lexicon. This could be caused by a lexicon that is missing, its name is misspelled or specifying a lexicon that is in a different region.

Verify that the lexicon exists, is in the region (see [ListLexicons \(p. 247\)](#)) and that you spelled its name is spelled correctly. Then try again.

HTTP Status Code: 404

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## GetSpeechSynthesisTask

Retrieves a specific SpeechSynthesisTask object based on its TaskID. This object contains information about the given speech synthesis task, including the status of the task, and a link to the S3 bucket containing the output of the task.

### Request Syntax

```
GET /v1/synthesisTasks/TaskId HTTP/1.1
```

### URI Request Parameters

The request uses the following URI parameters.

#### TaskId (p. 245)

The Amazon Polly generated identifier for a speech synthesis task.

Pattern: `^[a-zA-Z0-9_-]{1,100}$`

Required: Yes

### Request Body

The request does not have a request body.

### Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "SpeechSynthesisTask": {
    "CreationTime": number,
    "Engine": "string",
    "LanguageCode": "string",
    "LexiconNames": [ "string" ],
    "OutputFormat": "string",
    "OutputUri": "string",
    "RequestCharacters": number,
    "SampleRate": "string",
    "SnsTopicArn": "string",
    "SpeechMarkTypes": [ "string" ],
    "TaskId": "string",
    "TaskStatus": "string",
    "TaskStatusReason": "string",
    "TextType": "string",
    "VoiceId": "string"
  }
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [SynthesisTask \(p. 245\)](#)

SynthesisTask object that provides information from the requested task, including output format, creation time, task status, and so on.

Type: [SynthesisTask \(p. 268\)](#) object

## Errors

### **InvalidTaskIdException**

The provided Task ID is not valid. Please provide a valid Task ID and try again.

HTTP Status Code: 400

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

### **SynthesisTaskNotFoundException**

The Speech Synthesis task with requested Task ID cannot be found.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## ListLexicons

Returns a list of pronunciation lexicons stored in an AWS Region. For more information, see [Managing Lexicons](#).

## Request Syntax

```
GET /v1/lexicons?NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [NextToken \(p. 247\)](#)

An opaque pagination token returned from previous ListLexicons operation. If present, indicates where to continue the list of lexicons.

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Lexicons": [
    {
      "Attributes": {
        "Alphabet": "string",
        "LanguageCode": "string",
        "LastModified": number,
        "LexemesCount": number,
        "LexiconArn": "string",
        "Size": number
      },
      "Name": "string"
    },
    ...
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [Lexicons \(p. 247\)](#)

A list of lexicon names and attributes.

Type: Array of [LexiconDescription \(p. 267\)](#) objects

**[NextToken \(p. 247\)](#)**

The pagination token to use in the next request to continue the listing of lexicons. NextToken is returned only if the response is truncated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Errors

### **InvalidNextTokenException**

The NextToken is invalid. Verify that it's spelled correctly, and then try again.

HTTP Status Code: 400

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## ListSpeechSynthesisTasks

Returns a list of SpeechSynthesisTask objects ordered by their creation date. This operation can filter the tasks by their status, for example, allowing users to list only tasks that are completed.

### Request Syntax

```
GET /v1/synthesisTasks?MaxResults=MaxResults&NextToken=NextToken&Status=Status HTTP/1.1
```

### URI Request Parameters

The request uses the following URI parameters.

#### MaxResults (p. 249)

Maximum number of speech synthesis tasks returned in a List operation.

Valid Range: Minimum value of 1. Maximum value of 100.

#### NextToken (p. 249)

The pagination token to use in the next request to continue the listing of speech synthesis tasks.

Length Constraints: Minimum length of 0. Maximum length of 4096.

#### Status (p. 249)

Status of the speech synthesis tasks returned in a List operation

Valid Values: scheduled | inProgress | completed | failed

### Request Body

The request does not have a request body.

### Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "SynthesisTasks": [
    {
      "CreationTime": number,
      "Engine": "string",
      "LanguageCode": "string",
      "LexiconNames": [ "string" ],
      "OutputFormat": "string",
      "OutputUri": "string",
      "RequestCharacters": number,
      "SampleRate": "string",
      "SnsTopicArn": "string",
      "SpeechMarkTypes": [ "string" ],
      "TaskId": "string",
      "TaskStatus": "string",
      "TaskStatusReason": "string",
      "TextType": "string",
      "VoiceId": "string"
    }
  ]
}
```

```
}  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [NextToken \(p. 249\)](#)

An opaque pagination token returned from the previous List operation in this request. If present, this indicates where to continue the listing.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### [SynthesisTasks \(p. 249\)](#)

List of SynthesisTask objects that provides information from the specified task in the list request, including output format, creation time, task status, and so on.

Type: Array of [SynthesisTask \(p. 268\)](#) objects

## Errors

### **InvalidNextTokenException**

The NextToken is invalid. Verify that it's spelled correctly, and then try again.

HTTP Status Code: 400

### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## PutLexicon

Stores a pronunciation lexicon in an AWS Region. If a lexicon with the same name already exists in the region, it is overwritten by the new lexicon. Lexicon operations have eventual consistency, therefore, it might take some time before the lexicon is available to the SynthesizeSpeech operation.

For more information, see [Managing Lexicons](#).

## Request Syntax

```
PUT /v1/lexicons/LexiconName HTTP/1.1
Content-type: application/json

{
  "Content": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### LexiconName (p. 251)

Name of the lexicon. The name must follow the regular express format [0-9A-Za-z]{1,20}. That is, the name is a case-sensitive alphanumeric string up to 20 characters long.

Pattern: [0-9A-Za-z]{1,20}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Content (p. 251)

Content of the PLS lexicon as string data.

Type: String

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

### **InvalidLexiconException**

Amazon Polly can't find the specified lexicon. Verify that the lexicon's name is spelled correctly, and then try again.



HTTP Status Code: 400

**LexiconSizeExceededException**

The maximum size of the specified lexicon would be exceeded by this operation.

HTTP Status Code: 400

**MaxLexemeLengthExceededException**

The maximum size of the lexeme would be exceeded by this operation.

HTTP Status Code: 400

**MaxLexiconsNumberExceededException**

The maximum number of lexicons would be exceeded by this operation.

HTTP Status Code: 400

**ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

**UnsupportedPlsAlphabetException**

The alphabet specified by the lexicon is not a supported alphabet. Valid values are x-sampa and ipa.

HTTP Status Code: 400

**UnsupportedPlsLanguageException**

The language specified in the lexicon is unsupported. For a list of supported languages, see [Lexicon Attributes](#).

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## StartSpeechSynthesisTask

Allows the creation of an asynchronous synthesis task, by starting a new `SpeechSynthesisTask`. This operation requires all the standard information needed for speech synthesis, plus the name of an Amazon S3 bucket for the service to store the output of the synthesis task and two optional parameters (`OutputS3KeyPrefix` and `SnsTopicArn`). Once the synthesis task is created, this operation will return a `SpeechSynthesisTask` object, which will include an identifier of this task as well as the current status. The `SpeechSynthesisTask` object is available for 72 hours after starting the asynchronous synthesis task.

### Request Syntax

```
POST /v1/synthesisTasks HTTP/1.1
Content-type: application/json

{
  "Engine": "string",
  "LanguageCode": "string",
  "LexiconNames": [ "string" ],
  "OutputFormat": "string",
  "OutputS3BucketName": "string",
  "OutputS3KeyPrefix": "string",
  "SampleRate": "string",
  "SnsTopicArn": "string",
  "SpeechMarkTypes": [ "string" ],
  "Text": "string",
  "TextType": "string",
  "VoiceId": "string"
}
```

### URI Request Parameters

The request does not use any URI parameters.

### Request Body

The request accepts the following data in JSON format.

#### Engine (p. 253)

Specifies the engine (standard or neural) for Amazon Polly to use when processing input text for speech synthesis. Using a voice that is not supported for the engine selected will result in an error.

Type: String

Valid Values: standard | neural

Required: No

#### LanguageCode (p. 253)

Optional language code for the Speech Synthesis request. This is only necessary if using a bilingual voice, such as Aditi, which can be used for either Indian English (en-IN) or Hindi (hi-IN).

If a bilingual voice is used and no language code is specified, Amazon Polly uses the default language of the bilingual voice. The default language for any voice is the one returned by the [DescribeVoices](#) operation for the `LanguageCode` parameter. For example, if no language code is specified, Aditi will use Indian English rather than Hindi.

Type: String

Valid Values: arb | cmn-CN | cy-GB | da-DK | de-DE | en-AU | en-GB | en-GB-WLS | en-IN | en-US | es-ES | es-MX | es-US | fr-CA | fr-FR | is-IS | it-IT | ja-JP | hi-IN | ko-KR | nb-NO | nl-NL | pl-PL | pt-BR | pt-PT | ro-RO | ru-RU | sv-SE | tr-TR | en-NZ | en-ZA

Required: No

#### [LexiconNames \(p. 253\)](#)

List of one or more pronunciation lexicon names you want the service to apply during synthesis. Lexicons are applied only if the language of the lexicon is the same as the language of the voice.

Type: Array of strings

Array Members: Maximum number of 5 items.

Pattern: [0-9A-Za-z]{1,20}

Required: No

#### [OutputFormat \(p. 253\)](#)

The format in which the returned output will be encoded. For audio stream, this will be mp3, ogg\_vorbis, or pcm. For speech marks, this will be json.

Type: String

Valid Values: json | mp3 | ogg\_vorbis | pcm

Required: Yes

#### [OutputS3BucketName \(p. 253\)](#)

Amazon S3 bucket name to which the output file will be saved.

Type: String

Pattern: ^[a-z0-9][\.-a-z0-9]{1,61}[a-z0-9]\$

Required: Yes

#### [OutputS3KeyPrefix \(p. 253\)](#)

The Amazon S3 key prefix for the output speech file.

Type: String

Pattern: ^[0-9a-zA-Z\^!\-\_\.\\*\'\(\)\:;\\$@=+\,\?&]{0,800}\$

Required: No

#### [SampleRate \(p. 253\)](#)

The audio frequency specified in Hz.

The valid values for mp3 and ogg\_vorbis are "8000", "16000", "22050", and "24000". The default value for standard voices is "22050". The default value for neural voices is "24000".

Valid values for pcm are "8000" and "16000". The default value is "16000".

Type: String

Required: No

### [SnsTopicArn \(p. 253\)](#)

ARN for the SNS topic optionally used for providing status notification for a speech synthesis task.

Type: String

Pattern: `^arn:aws(-(cn|iso(-b)?|us-gov))?:sns:[a-z0-9_-]{1,50}:\d{12}:[a-zA-Z0-9_-]{1,256}$`

Required: No

### [SpeechMarkTypes \(p. 253\)](#)

The type of speech marks returned for the input text.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: sentence | ssm1 | viseme | word

Required: No

### [Text \(p. 253\)](#)

The input text to synthesize. If you specify ssm1 as the TextType, follow the SSML format for the input text.

Type: String

Required: Yes

### [TextType \(p. 253\)](#)

Specifies whether the input text is plain text or SSML. The default value is plain text.

Type: String

Valid Values: ssm1 | text

Required: No

### [VoiceId \(p. 253\)](#)

Voice ID to use for the synthesis.

Type: String

Valid Values: Aditi | Amy | Astrid | Bianca | Brian | Camila | Carla | Carmen | Celine | Chantal | Conchita | Cristiano | Dora | Emma | Enrique | Ewa | Filiz | Gabrielle | Geraint | Giorgio | Gwyneth | Hans | Ines | Ivy | Jacek | Jan | Joanna | Joey | Justin | Karl | Kendra | Kevin | Kimberly | Lea | Liv | Lotte | Lucia | Lupe | Mads | Maja | Marlene | Mathieu | Matthew | Maxim | Mia | Miguel | Mizuki | Naja | Nicole | Olivia | Penelope | Raveena | Ricardo | Ruben | Russell | Salli | Seoyeon | Takumi | Tatyana | Vicki | Vitoria | Zeina | Zhiyu | Aria | Ayanda

Required: Yes

## Response Syntax

`HTTP/1.1 200`

Content-type: application/json

```
{
  "SynthesisTask": {
    "CreationTime": number,
    "Engine": "string",
    "LanguageCode": "string",
    "LexiconNames": [ "string" ],
    "OutputFormat": "string",
    "OutputUri": "string",
    "RequestCharacters": number,
    "SampleRate": "string",
    "SnsTopicArn": "string",
    "SpeechMarkTypes": [ "string" ],
    "TaskId": "string",
    "TaskStatus": "string",
    "TaskStatusReason": "string",
    "TextType": "string",
    "VoiceId": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [SynthesisTask \(p. 255\)](#)

SynthesisTask object that provides information and attributes about a newly submitted speech synthesis task.

Type: [SynthesisTask \(p. 268\)](#) object

## Errors

### EngineNotSupportedException

This engine is not compatible with the voice that you have designated. Choose a new voice that is compatible with the engine or change the engine and restart the operation.

HTTP Status Code: 400

### InvalidS3BucketException

The provided Amazon S3 bucket name is invalid. Please check your input with S3 bucket naming requirements and try again.

HTTP Status Code: 400

### InvalidS3KeyException

The provided Amazon S3 key prefix is invalid. Please provide a valid S3 object key name.

HTTP Status Code: 400

### InvalidSampleRateException

The specified sample rate is not valid.

HTTP Status Code: 400

#### **InvalidSnsTopicArnException**

The provided SNS topic ARN is invalid. Please provide a valid SNS topic ARN and try again.

HTTP Status Code: 400

#### **InvalidSsmlException**

The SSML you provided is invalid. Verify the SSML syntax, spelling of tags and values, and then try again.

HTTP Status Code: 400

#### **LanguageNotSupportedException**

The language specified is not currently supported by Amazon Polly in this capacity.

HTTP Status Code: 400

#### **LexiconNotFoundException**

Amazon Polly can't find the specified lexicon. This could be caused by a lexicon that is missing, its name is misspelled or specifying a lexicon that is in a different region.

Verify that the lexicon exists, is in the region (see [ListLexicons \(p. 247\)](#)) and that you spelled its name is spelled correctly. Then try again.

HTTP Status Code: 404

#### **MarksNotSupportedForFormatException**

Speech marks are not supported for the OutputFormat selected. Speech marks are only available for content in json format.

HTTP Status Code: 400

#### **ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

#### **SsmlMarksNotSupportedForTextTypeException**

SSML speech marks are not supported for plain text-type input.

HTTP Status Code: 400

#### **TextLengthExceededException**

The value of the "Text" parameter is longer than the accepted limits. For the SynthesizeSpeech API, the limit for input text is a maximum of 6000 characters total, of which no more than 3000 can be billed characters. For the StartSpeechSynthesisTask API, the maximum is 200,000 characters, of which no more than 100,000 can be billed characters. SSML tags are not counted as billed characters.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## SynthesizeSpeech

Synthesizes UTF-8 input, plain text or SSML, to a stream of bytes. SSML input must be valid, well-formed SSML. Some alphabets might not be available with all the voices (for example, Cyrillic might not be read at all by English voices) unless phoneme mapping is used. For more information, see [How it Works](#).

### Request Syntax

```
POST /v1/speech HTTP/1.1
Content-type: application/json

{
  "Engine": "string",
  "LanguageCode": "string",
  "LexiconNames": [ "string" ],
  "OutputFormat": "string",
  "SampleRate": "string",
  "SpeechMarkTypes": [ "string" ],
  "Text": "string",
  "TextType": "string",
  "VoiceId": "string"
}
```

### URI Request Parameters

The request does not use any URI parameters.

### Request Body

The request accepts the following data in JSON format.

#### Engine (p. 259)

Specifies the engine (standard or neural) for Amazon Polly to use when processing input text for speech synthesis. For information on Amazon Polly voices and which voices are available in standard-only, NTTS-only, and both standard and NTTS formats, see [Available Voices](#).

##### **NTTS-only voices**

When using NTTS-only voices such as Kevin (en-US), this parameter is required and must be set to neural. If the engine is not specified, or is set to standard, this will result in an error.

Type: String

Valid Values: standard | neural

Required: Yes

##### **Standard voices**

For standard voices, this is not required; the engine parameter defaults to standard. If the engine is not specified, or is set to standard and an NTTS-only voice is selected, this will result in an error.

Type: String

Valid Values: standard | neural

Required: No



### [LanguageCode \(p. 259\)](#)

Optional language code for the Synthesize Speech request. This is only necessary if using a bilingual voice, such as Aditi, which can be used for either Indian English (en-IN) or Hindi (hi-IN).

If a bilingual voice is used and no language code is specified, Amazon Polly uses the default language of the bilingual voice. The default language for any voice is the one returned by the [DescribeVoices](#) operation for the LanguageCode parameter. For example, if no language code is specified, Aditi will use Indian English rather than Hindi.

Type: String

Valid Values: arb | cmn-CN | cy-GB | da-DK | de-DE | en-AU | en-GB | en-GB-WLS | en-IN | en-US | es-ES | es-MX | es-US | fr-CA | fr-FR | is-IS | it-IT | ja-JP | hi-IN | ko-KR | nb-NO | nl-NL | pl-PL | pt-BR | pt-PT | ro-RO | ru-RU | sv-SE | tr-TR | en-NZ | en-ZA

Required: No

### [LexiconNames \(p. 259\)](#)

List of one or more pronunciation lexicon names you want the service to apply during synthesis. Lexicons are applied only if the language of the lexicon is the same as the language of the voice. For information about storing lexicons, see [PutLexicon](#).

Type: Array of strings

Array Members: Maximum number of 5 items.

Pattern: [0-9A-Za-z]{1,20}

Required: No

### [OutputFormat \(p. 259\)](#)

The format in which the returned output will be encoded. For audio stream, this will be mp3, ogg\_vorbis, or pcm. For speech marks, this will be json.

When pcm is used, the content returned is audio/pcm in a signed 16-bit, 1 channel (mono), little-endian format.

Type: String

Valid Values: json | mp3 | ogg\_vorbis | pcm

Required: Yes

### [SampleRate \(p. 259\)](#)

The audio frequency specified in Hz.

The valid values for mp3 and ogg\_vorbis are "8000", "16000", "22050", and "24000". The default value for standard voices is "22050". The default value for neural voices is "24000".

Valid values for pcm are "8000" and "16000". The default value is "16000".

Type: String

Required: No

### [SpeechMarkTypes \(p. 259\)](#)

The type of speech marks returned for the input text.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: sentence | ssml | viseme | word

Required: No

#### [Text \(p. 259\)](#)

Input text to synthesize. If you specify ssml as the TextType, follow the SSML format for the input text.

Type: String

Required: Yes

#### [TextType \(p. 259\)](#)

Specifies whether the input text is plain text or SSML. The default value is plain text. For more information, see [Using SSML](#).

Type: String

Valid Values: ssml | text

Required: No

#### [VoiceId \(p. 259\)](#)

Voice ID to use for the synthesis. You can get a list of available voice IDs by calling the [DescribeVoices](#) operation.

Type: String

Valid Values: Aditi | Amy | Astrid | Bianca | Brian | Camila | Carla | Carmen | Celine | Chantal | Conchita | Cristiano | Dora | Emma | Enrique | Ewa | Filiz | Gabrielle | Geraint | Giorgio | Gwyneth | Hans | Ines | Ivy | Jacek | Jan | Joanna | Joey | Justin | Karl | Kendra | Kevin | Kimberly | Lea | Liv | Lotte | Lucia | Lupe | Mads | Maja | Marlene | Mathieu | Matthew | Maxim | Mia | Miguel | Mizuki | Naja | Nicole | Olivia | Penelope | Raveena | Ricardo | Ruben | Russell | Salli | Seoyeon | Takumi | Tatyana | Vicki | Vitoria | Zeina | Zhiyu | Aria | Ayanda

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-Type: ContentType
x-amzn-RequestCharacters: RequestCharacters

AudioStream
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

### [ContentType \(p. 261\)](#)

Specifies the type audio stream. This should reflect the `OutputFormat` parameter in your request.

- If you request `mp3` as the `OutputFormat`, the `ContentType` returned is `audio/mpeg`.
- If you request `ogg_vorbis` as the `OutputFormat`, the `ContentType` returned is `audio/ogg`.
- If you request `pcm` as the `OutputFormat`, the `ContentType` returned is `audio/pcm` in a signed 16-bit, 1 channel (mono), little-endian format.
- If you request `json` as the `OutputFormat`, the `ContentType` returned is `audio/json`.

### [RequestCharacters \(p. 261\)](#)

Number of characters synthesized.

The response returns the following as the HTTP body.

### [AudioStream \(p. 261\)](#)

Stream containing the synthesized speech.

## Errors

### **EngineNotSupportedException**

This engine is not compatible with the voice that you have designated. Choose a new voice that is compatible with the engine or change the engine and restart the operation.

HTTP Status Code: 400

### **InvalidSampleRateException**

The specified sample rate is not valid.

HTTP Status Code: 400

### **InvalidSsmlException**

The SSML you provided is invalid. Verify the SSML syntax, spelling of tags and values, and then try again.

HTTP Status Code: 400

### **LanguageNotSupportedException**

The language specified is not currently supported by Amazon Polly in this capacity.

HTTP Status Code: 400

### **LexiconNotFoundException**

Amazon Polly can't find the specified lexicon. This could be caused by a lexicon that is missing, its name is misspelled or specifying a lexicon that is in a different region.

Verify that the lexicon exists, is in the region (see [ListLexicons \(p. 247\)](#)) and that you spelled its name is spelled correctly. Then try again.

HTTP Status Code: 404

### **MarksNotSupportedForFormatException**

Speech marks are not supported for the `OutputFormat` selected. Speech marks are only available for content in `json` format.

HTTP Status Code: 400

**ServiceFailureException**

An unknown condition has caused a service failure.

HTTP Status Code: 500

**SsmlMarksNotSupportedForTextTypeException**

SSML speech marks are not supported for plain text-type input.

HTTP Status Code: 400

**TextLengthExceededException**

The value of the "Text" parameter is longer than the accepted limits. For the SynthesizeSpeech API, the limit for input text is a maximum of 6000 characters total, of which no more than 3000 can be billed characters. For the StartSpeechSynthesisTask API, the maximum is 200,000 characters, of which no more than 100,000 can be billed characters. SSML tags are not counted as billed characters.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## Data Types

The following data types are supported:

- [Lexicon \(p. 264\)](#)
- [LexiconAttributes \(p. 265\)](#)
- [LexiconDescription \(p. 267\)](#)
- [SynthesisTask \(p. 268\)](#)
- [Voice \(p. 271\)](#)

## Lexicon

Provides lexicon name and lexicon content in string format. For more information, see [Pronunciation Lexicon Specification \(PLS\) Version 1.0](#).

## Contents

### Content

Lexicon content in string format. The content of a lexicon must be in PLS format.

Type: String

Required: No

### Name

Name of the lexicon.

Type: String

Pattern: `[0-9A-Za-z]{1,20}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

## LexiconAttributes

Contains metadata describing the lexicon such as the number of lexemes, language code, and so on. For more information, see [Managing Lexicons](#).

### Contents

#### Alphabet

Phonetic alphabet used in the lexicon. Valid values are ipa and x-sampa.

Type: String

Required: No

#### LanguageCode

Language code that the lexicon applies to. A lexicon with a language code such as "en" would be applied to all English languages (en-GB, en-US, en-AUS, en-WLS, and so on).

Type: String

Valid Values: arb | cmn-CN | cy-GB | da-DK | de-DE | en-AU | en-GB | en-GB-WLS | en-IN | en-US | es-ES | es-MX | es-US | fr-CA | fr-FR | is-IS | it-IT | ja-JP | hi-IN | ko-KR | nb-NO | nl-NL | pl-PL | pt-BR | pt-PT | ro-RO | ru-RU | sv-SE | tr-TR | en-NZ | en-ZA

Required: No

#### LastModified

Date lexicon was last modified (a timestamp value).

Type: Timestamp

Required: No

#### LexemesCount

Number of lexemes in the lexicon.

Type: Integer

Required: No

#### LexiconArn

Amazon Resource Name (ARN) of the lexicon.

Type: String

Required: No

#### Size

Total size of the lexicon, in characters.

Type: Integer

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# LexiconDescription

Describes the content of the lexicon.

## Contents

### Attributes

Provides lexicon metadata.

Type: [LexiconAttributes \(p. 265\)](#) object

Required: No

### Name

Name of the lexicon.

Type: String

Pattern: `[0-9A-Za-z]{1,20}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# SynthesisTask

SynthesisTask object that provides information about a speech synthesis task.

## Contents

### CreationTime

Timestamp for the time the synthesis task was started.

Type: Timestamp

Required: No

### Engine

Specifies the engine (`standard` or `neural`) for Amazon Polly to use when processing input text for speech synthesis. Using a voice that is not supported for the engine selected will result in an error.

Type: String

Valid Values: `standard` | `neural`

Required: No

### LanguageCode

Optional language code for a synthesis task. This is only necessary if using a bilingual voice, such as Aditi, which can be used for either Indian English (`en-IN`) or Hindi (`hi-IN`).

If a bilingual voice is used and no language code is specified, Amazon Polly uses the default language of the bilingual voice. The default language for any voice is the one returned by the [DescribeVoices](#) operation for the `LanguageCode` parameter. For example, if no language code is specified, Aditi will use Indian English rather than Hindi.

Type: String

Valid Values: `arb` | `cmn-CN` | `cy-GB` | `da-DK` | `de-DE` | `en-AU` | `en-GB` | `en-GB-WLS` | `en-IN` | `en-US` | `es-ES` | `es-MX` | `es-US` | `fr-CA` | `fr-FR` | `is-IS` | `it-IT` | `ja-JP` | `hi-IN` | `ko-KR` | `nb-NO` | `nl-NL` | `pl-PL` | `pt-BR` | `pt-PT` | `ro-RO` | `ru-RU` | `sv-SE` | `tr-TR` | `en-NZ` | `en-ZA`

Required: No

### LexiconNames

List of one or more pronunciation lexicon names you want the service to apply during synthesis. Lexicons are applied only if the language of the lexicon is the same as the language of the voice.

Type: Array of strings

Array Members: Maximum number of 5 items.

Pattern: `[0-9A-Za-z]{1,20}`

Required: No

### OutputFormat

The format in which the returned output will be encoded. For audio stream, this will be `mp3`, `ogg_vorbis`, or `pcm`. For speech marks, this will be `json`.

Type: String

Valid Values: json | mp3 | ogg\_vorbis | pcm

Required: No

#### **OutputUri**

Pathway for the output speech file.

Type: String

Required: No

#### **RequestCharacters**

Number of billable characters synthesized.

Type: Integer

Required: No

#### **SampleRate**

The audio frequency specified in Hz.

The valid values for mp3 and ogg\_vorbis are "8000", "16000", "22050", and "24000". The default value for standard voices is "22050". The default value for neural voices is "24000".

Valid values for pcm are "8000" and "16000" The default value is "16000".

Type: String

Required: No

#### **SnsTopicArn**

ARN for the SNS topic optionally used for providing status notification for a speech synthesis task.

Type: String

Pattern: `^arn:aws(-(cn|iso(-b)?|us-gov))?:sns:[a-z0-9_-]{1,50}:\d{12}:[a-zA-Z0-9_-]{1,256}$`

Required: No

#### **SpeechMarkTypes**

The type of speech marks returned for the input text.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: sentence | ssm1 | viseme | word

Required: No

#### **TaskId**

The Amazon Polly generated identifier for a speech synthesis task.

Type: String

Pattern: `^[a-zA-Z0-9_-]{1,100}$`

Required: No

### **TaskStatus**

Current status of the individual speech synthesis task.

Type: String

Valid Values: `scheduled` | `inProgress` | `completed` | `failed`

Required: No

### **TaskStatusReason**

Reason for the current status of a specific speech synthesis task, including errors if the task has failed.

Type: String

Required: No

### **TextType**

Specifies whether the input text is plain text or SSML. The default value is plain text.

Type: String

Valid Values: `ssml` | `text`

Required: No

### **VoiceId**

Voice ID to use for the synthesis.

Type: String

Valid Values: `Aditi` | `Amy` | `Astrid` | `Bianca` | `Brian` | `Camila` | `Carla` | `Carmen` | `Celine` | `Chantal` | `Conchita` | `Cristiano` | `Dora` | `Emma` | `Enrique` | `Ewa` | `Filiz` | `Gabrielle` | `Geraint` | `Giorgio` | `Gwyneth` | `Hans` | `Ines` | `Ivy` | `Jacek` | `Jan` | `Joanna` | `Joey` | `Justin` | `Karl` | `Kendra` | `Kevin` | `Kimberly` | `Lea` | `Liv` | `Lotte` | `Lucia` | `Lupe` | `Mads` | `Maja` | `Marlene` | `Mathieu` | `Matthew` | `Maxim` | `Mia` | `Miguel` | `Mizuki` | `Naja` | `Nicole` | `Olivia` | `Penelope` | `Raveena` | `Ricardo` | `Ruben` | `Russell` | `Salli` | `Seoyeon` | `Takumi` | `Tatyana` | `Vicki` | `Vitoria` | `Zeina` | `Zhiyu` | `Aria` | `Ayanda`

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

## Voice

Description of the voice.

## Contents

### AdditionalLanguageCodes

Additional codes for languages available for the specified voice in addition to its default language.

For example, the default language for Aditi is Indian English (en-IN) because it was first used for that language. Since Aditi is bilingual and fluent in both Indian English and Hindi, this parameter would show the code hi-IN.

Type: Array of strings

Valid Values: arb | cmn-CN | cy-GB | da-DK | de-DE | en-AU | en-GB | en-GB-WLS | en-IN | en-US | es-ES | es-MX | es-US | fr-CA | fr-FR | is-IS | it-IT | ja-JP | hi-IN | ko-KR | nb-NO | nl-NL | pl-PL | pt-BR | pt-PT | ro-RO | ru-RU | sv-SE | tr-TR | en-NZ | en-ZA

Required: No

### Gender

Gender of the voice.

Type: String

Valid Values: Female | Male

Required: No

### Id

Amazon Polly assigned voice ID. This is the ID that you specify when calling the SynthesizeSpeech operation.

Type: String

Valid Values: Aditi | Amy | Astrid | Bianca | Brian | Camila | Carla | Carmen | Celine | Chantal | Conchita | Cristiano | Dora | Emma | Enrique | Ewa | Filiz | Gabrielle | Geraint | Giorgio | Gwyneth | Hans | Ines | Ivy | Jacek | Jan | Joanna | Joey | Justin | Karl | Kendra | Kevin | Kimberly | Lea | Liv | Lotte | Lucia | Lupe | Mads | Maja | Marlene | Mathieu | Matthew | Maxim | Mia | Miguel | Mizuki | Naja | Nicole | Olivia | Penelope | Raveena | Ricardo | Ruben | Russell | Salli | Seoyeon | Takumi | Tatyana | Vicki | Vitoria | Zeina | Zhiyu | Aria | Ayanda

Required: No

### LanguageCode

Language code of the voice.

Type: String

Valid Values: arb | cmn-CN | cy-GB | da-DK | de-DE | en-AU | en-GB | en-GB-WLS | en-IN | en-US | es-ES | es-MX | es-US | fr-CA | fr-FR | is-IS | it-IT | ja-JP | hi-IN | ko-KR | nb-NO | nl-NL | pl-PL | pt-BR | pt-PT | ro-RO | ru-RU | sv-SE | tr-TR | en-NZ | en-ZA

Required: No

**LanguageName**

Human readable name of the language in English.

Type: String

Required: No

**Name**

Name of the voice (for example, Salli, Kendra, etc.). This provides a human readable voice name that you might display in your application.

Type: String

Required: No

**SupportedEngines**

Specifies which engines (standard or neural) that are supported by a given voice.

Type: Array of strings

Valid Values: standard | neural

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Document History for Amazon Polly

The following table describes important changes in each release of the *Amazon Polly Developer Guide*. For notification about updates to this documentation, you can subscribe to an RSS feed.

- **Latest documentation update:** August 1, 2023

Change	Description	Date
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Belgian French NTTS voice Isabelle. See <a href="#">Neural voices</a> for a list of NTTS voices.	August 1, 2023
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Belgian Dutch (Flemish) NTTS voice Lisa. See <a href="#">Neural voices</a> for a list of NTTS voices.	June 7, 2023
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides two new NTTS voices: Irish English (Niamh), and Danish (Sofie). See <a href="#">Neural voices</a> for a list of NTTS voices.	May 30, 2023
<a href="#">Updated the IAM guidance for Amazon Polly (p. 273)</a>	Updated guide to align with the IAM best practices. For more information, see <a href="#">Security best practices in IAM</a> .	April 19, 2023
<a href="#">WordPress update (p. 273)</a>	The Amazon Polly WordPress plugin will no longer be supported.	April 6, 2023
<a href="#">New Region added (p. 273)</a>	Amazon Polly is now available in the Asia Pacific (Osaka) AWS Region. This Region supports neural TTS (NTTS). For more information, see <a href="#">Feature and Region Compatibility</a> for a list of regions that support NTTS.	April 5, 2023
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides two new Japanese NTTS voices: Kazuha and Tomoko. See <a href="#">Neural voices</a> for a list of NTTS voices.	February 7, 2023
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides two new US English NTTS voices: Stephen and Ruth. See <a href="#">Neural voices</a> for a list of NTTS voices.	January 31, 2023
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides new NTTS voices for: Brazilian Portuguese (Thiago), Castilian	January 24, 2023

	Spanish (Sergio), French (Rémi), Italian (Adriano), and Mexican Spanish (Andrés). See <a href="#">Neural voices</a> for a list of NTTS voices.	
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides NTTS voices for Arabic (Hala) and Polish (Ola). See <a href="#">Neural voices</a> for a list of NTTS voices.	November 17, 2022
<a href="#">Release AWS PrivateLink support (p. 273)</a>	Amazon Polly now provides AWS PrivateLink support. See <a href="#">Using Amazon Polly with VPC endpoints</a> to learn more.	November 9, 2022
<a href="#">New voices and languages added for NTTS (p. 273)</a>	Amazon Polly now provides NTTS voices for Finnish (Suvi), Norwegian (Ida), and Swedish (Elin). See <a href="#">Neural voices</a> for a list of NTTS voices.	November 8, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Dutch NTTS voice Laura. See <a href="#">Neural voices</a> for a list of NTTS voices.	November 2, 2022
<a href="#">New Region added (p. 273)</a>	Amazon Polly is now available in the Europe (Paris) AWS Region. This Region supports neural TTS (NTTS). For more information, see <a href="#">Feature and Region Compatibility</a> for a list of regions that support NTTS.	September 22, 2022
<a href="#">New voice and language added for NTTS (p. 273)</a>	Amazon Polly now provides the Cantonese NTTS voice Hiujin. See <a href="#">Neural voices</a> for a list of NTTS voices.	September 20, 2022
<a href="#">New Region added (p. 273)</a>	Amazon Polly is now available in the Asia Pacific (Mumbai) AWS Region. This Region supports neural TTS (NTTS). For more information, see <a href="#">Feature and Region Compatibility</a> for a list of regions that support NTTS.	September 1, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Mandarin voice Zhiyu as an NTTS voice. See <a href="#">Neural voices</a> for a list of NTTS voices.	August 23, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Hindi NTTS voice Kajal. See <a href="#">Neural voices</a> for a list of NTTS voices.	July 27, 2022

<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides NTTS voices for US Spanish (Pedro), German (Daniel), Canadian French (Liam), and UK English (Arthur). See <a href="#">Neural voices</a> for a list of NTTS voices.	June 28, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Portuguese (Brazilian) voice Vitória as an NTTS voice. See <a href="#">Neural voices</a> for a list of NTTS voices.	April 27, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Portuguese (European) voice Inês as an NTTS voice. See <a href="#">Neural voices</a> for a list of NTTS voices.	April 26, 2022
<a href="#">New voice and language added for NTTS (p. 273)</a>	Amazon Polly now provides the German (Austrian) language and the NTTS voice Hannah. See <a href="#">Neural voices</a> for a list of NTTS voices.	April 19, 2022
<a href="#">New voices and language added for NTTS (p. 273)</a>	Amazon Polly now provides the Spanish (Mexican) voice Mia as an NTTS voice. A new language, Catalan, was added along with the NTTS voice Arlet. See <a href="#">Neural voices</a> for a list of NTTS voices.	March 22, 2022
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Japanese voice Takumi as an NTTS voice. See <a href="#">Neural voices</a> for a list of NTTS voices.	December 6, 2021
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the French voice Léa as an NTTS voice. See <a href="#">Neural voices</a> for a list of NTTS voices.	November 18, 2021
<a href="#">New voices added for NTTS (p. 273)</a>	Amazon Polly now provides the Italian voice Bianca and the European Spanish voice Lucia as NTTS voices. See <a href="#">Neural voices</a> for a list of NTTS voices.	November 8, 2021
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides a new South African English voice, Ayanda. The voice is available as an NTTS voice only. See <a href="#">Neural voices</a> for a list of NTTS voices.	September 1, 2021



<a href="#">New Region added (p. 273)</a>	Amazon Polly is now available in the Africa (Cape Town) AWS Region. This Region supports neural TTS (NTTS). For more information, see <a href="#">Feature and Region Compatibility</a> for a list of regions that support NTTS.	September 1, 2021
<a href="#">New language and voice added (p. 273)</a>	Amazon Polly now supports New Zealand English (en-NZ). A new NTTS voice, Aria, speaks New Zealand English and a selection of Maori words.	August 24, 2021
<a href="#">New feature (p. 273)</a>	Amazon Polly makes the conversational speaking style the default version for the neural Matthew and Joanna voices. We removed references to the conversational speaking style.	June 28, 2021
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the German voice Vicki as an NTTS voice.	June 15, 2021
<a href="#">New voice added (p. 273)</a>	A new female voice, Gabrielle, has been added to the French (Canadian) (fr-CA) locale. The voice is high quality and only available as an NTTS voice. Like all neural voices, it is only available in certain regions. For a list of regions, see <a href="#">Feature and region compatibility</a> .	June 1, 2021
<a href="#">New voice added for NTTS (p. 273)</a>	Amazon Polly now provides the Korean voice Seoyeon as an NTTS voice.	May 11, 2021
<a href="#">New Region added for NTTS (p. 273)</a>	Amazon Polly now supports neural TTS (NTTS) in the Canada (Central) AWS Region. For more information, see <a href="#">Feature and Region Compatibility</a> for NTTS.	March 17, 2021
<a href="#">New voice available for newscaster style (p. 273)</a>	In addition to the Matthew, Joanna, and Lupe voices for the Newscaster speaking style, Amazon Polly now provides an additional option for this speaking style. Using the neural engine, you can use the Amy voice in British English for the Newscaster style. For more information, see <a href="#">NTTS Speaking Styles</a> .	November 10, 2020

<a href="#">New Regions added for NTTS (p. 273)</a>	In addition to the existing Regions for NTTS (us-east-1, us-west-2, eu-west-1, and ap-southeast-2), neural voices are now supported in four additional Regions: (ap-northeast-1 (Tokyo), ap-southeast-1 (Singapore), eu-central-1 (Frankfurt), and eu-west-2 (London). For more information, see <a href="#">Feature and Region Compatibility</a> for NTTS.	September 3, 2020
<a href="#">New voice added (p. 273)</a>	In addition to child voices Ivy and Justin, a new male child voice, Kevin, has been added to American English (en-US). This new voice is very high quality and is only available as an NTTS voice. Like all neural voices, it is only supported in four Regions: us-east-1 (N. Virginia), us-west-2 (Oregon), eu-west-1 (Ireland), and ap-southeast-2 (Sydney). For more information, see <a href="#">NTTS Voices</a> .	June 16, 2020
<a href="#">New voice available for newscaster style (p. 273)</a>	In addition to the Matthew and Joanna voices for the Newscaster speaking style, Amazon Polly now provides an additional option for this speaking style. Using the neural engine, you can use the Lupe voice in Spanish (American) for the Newscaster style. For more information, see <a href="#">NTTS Speaking Styles</a> .	April 16, 2020
<a href="#">New feature (p. 273)</a>	In addition to the Newscaster speaking style, Amazon Polly now provides a second NTTS speaking style to help you synthesize even better text to speech passages. The Conversational style uses the neural system to generate speech in a more friendly and expressive conversational style that can be used in many use cases. For more information, see <a href="#">NTTS Speaking Styles</a> .	November 25, 2019
<a href="#">New voices added (p. 273)</a>	Two new voices added: Camila (female, Portuguese-Brazil) and Lupe (female, Spanish-US).	October 23, 2019

<a href="#">New feature added (p. 273)</a>	Addition of <a href="#">Amazon Polly for Windows plugin</a> to incorporate the full range of Amazon Polly voices into Windows SAPI-compliant applications.	September 26, 2019
<a href="#">Major new feature (p. 273)</a>	In addition to the standard text-to-speech (TTS) voices supported by Amazon Polly since its launch, Amazon Polly now provides an improved Neural TTS (NTTS) system that can provide even higher quality voices, thereby providing you with the most natural and human-like text-to-speech voices possible. For more information, see <a href="#">Neural Text-to-Speech</a> .	July 30, 2019
<a href="#">New voices added (p. 273)</a>	New voices added: Lucia (female, Spanish), and Bianca (female, Italian).	August 2, 2018
<a href="#">New language added (p. 273)</a>	New language added: Mexican Spanish (es-MX). This language uses the female voice of Mia.	August 2, 2018
<a href="#">New language added (p. 273)</a>	New language added: Hindi (hi-IN). This voice uses the female voice of Aditi, which is also used for Indian English, making Aditi Amazon Polly's first bilingual voice.	August 2, 2018
<a href="#">New feature added (p. 273)</a>	Addition of <a href="#">Speech synthesis of long text passages</a> (up to 100,000 billed characters).	July 17, 2018
<a href="#">New SSML feature added (p. 273)</a>	Addition of <a href="#">Maximum Duration for Synthesized Speech</a> .	July 17, 2018
<a href="#">New voice added (p. 273)</a>	New voice added: Léa (female, French).	June 5, 2018
<a href="#">Region expansion (p. 273)</a>	Expansion of Amazon Polly service to all commercial regions.	June 4, 2018
<a href="#">New language added (p. 273)</a>	New language added: Korean (ko-KR).	June 4, 2018
<a href="#">Expanded feature (p. 273)</a>	The Amazon Polly WordPress Plugin feature, including addition of Amazon Translate capabilities.	June 4, 2018

<a href="#">New voices added (p. 273)</a>	Two new voices added: Aditi (female, Indian English) and Seoyeon (female, Korean).	November 15, 2017
<a href="#">New feature (p. 273)</a>	Addition of new <a href="#">Speech Marks</a> feature, as well as an expansion of <a href="#">SSML</a> capabilities..	April 19, 2017
<a href="#">New guide (p. 273)</a>	This is the first release of the Amazon Polly Developer Guide.	November 30, 2016

# AWS glossary

For the latest AWS terminology, see the [AWS glossary](#) in the *AWS Glossary Reference*.