The CAD Pillar

COVERAGE AND VERIFICATION REPORT

The CAD Pillar | Guide Coverage and Verification Report

Every role, screen and action in the platform, the guide section that covers it, and the evidence behind it.

For
Whoever maintains the guides; the owner, for the open items

Edition
12 November 2026 · code at e14fc78 (main) · captures from Design QA run 209

Publisher
Ichizu Private Limited · The CAD Pillar

Contents

How this was verified 3

- Sources of evidence 3
- Status key 3

Account types and permission levels 4

Screen inventory 5

- Admin workspace (Ops, Sales, Finance, Admin) 5
- Pod lead workspace 6
- Designer workspace 7
- Client workspace 8
- Shared shell 9

Action inventory: admin 10

Hidden prerequisites traced 12

Discrepancies found in the product 13

Open items: need human verification 14

How this was verified

Sources of evidence

Evidence	What it is	How it was used
Code	The repository at `e14fc78` (main, after PR #135): routes, layouts, navigation, components, server actions	Every label, condition and route in the guides was read from the source
Database	All 66 migrations and the policies, applied to a local throwaway Postgres; then the transition table, every callable function and its permission checks, triggers, settings and feature flags were queried	The permissions matrix, status table, notification and email tables
Running interface: screenshots	Design QA run 209 on commit `215871b` (main plus a capture-only test file). It builds the production app on a throwaway stack, runs the e2e journeys with fictional users, then captures every route per role (`screens.qa.ts`) and the open menus, dialogs and order states (`guide.qa.ts`)	Screenshots in the guides; confirmation that each screen and label exists as described
Running interface: end-to-end tests	The Playwright suite in `tests/e2e`, run against the production build in CI. It passed on PR #135 and again in run 209	Actions marked **UI-test** below are clicked through by these tests

No production data, account or setting was read or changed. All screenshots show fictional test data (titles such as "E2E halo ring", the users "Asha" and "Priya").

Status key

Mark	Meaning
UI-test	Verified in the running interface: an end-to-end test performs this action through the screen and checks the result
UI-screen	Verified in the running interface: the screen and its controls were captured on the current build. The action's effect is verified from code
Code	Verified from code and the database only
Open	Not verified; needs a person to check (see Open items)

Account types and permission levels

Account type	Stored as	Found in	Guide coverage	Status
Client	role `CLIENT`	`core/nav/tabs.ts`, policies	Platform guide → Clients	UI-test
Designer	role `DESIGNER`	same	Platform guide → Designers	UI-test
Pod lead	role `QC` + `pod_members.member_role = POD_LEAD`	same	Platform guide → Pod leads	UI-test
Ops	role `OPS`	`app.require_ops`, transitions	Admin manual → What makes an Admin	Code
Sales	role `SALES`	`quote_order_v2`, triage	same	Code
Finance	role `FINANCE`	escrow, payouts	same	Code
Admin	`SALES` + `OPS` + `FINANCE` (`app.is_admin`); e2e persona: primary OPS plus granted SALES and FINANCE	`user_roles` table	Admin manual (whole)	UI-test
`ADMIN`, `SUPER_ADMIN`	Present in the role enum; no policy or function grants them anything	DB enum	Not documented as usable; noted here	Code
Signed-out visitor	—	website, `/p/[token]` preview links	Out of scope for the portal guides, except sign-in, sign-up and apply-designer	Code

Account states: `ACTIVE`, `PENDING`, `SUSPENDED` (`set_user_status`). A designer becomes `ACTIVE` on signing the current agreement (`accept_designer_agreement`). Assignability is `app.designer_is_assignable`: role DESIGNER, ACTIVE, not deleted, and signed the current agreement. Covered in Admin manual → Account status, and Exists versus can receive work. **Code**, with the "not signed" labels seen on screen (**UI-screen**).

Custom permissions: none beyond the stacked staff roles. The account owner has no special role in the app. No per-user permission flags exist.

Screen inventory

Admin workspace (Ops, Sales, Finance, Admin)

Screen	Route	How it is reached	What the user can do	Conditions that change it	Guide section	Status
Queue	`/admin`	Sidebar; home for OPS/SALES/FINANCE	Filter by stage; open orders; row actions; Reconcile; Create order	Lists only team-move stages; alerts appear only when pending	Admin → The Queue	UI-screen
All orders	`/admin/orders`	Sidebar	Tabs, search, stage, saved views, Export CSV	Saved views are per browser	Admin → All orders	UI-screen
Order (team)	`/orders/[id]`	Any row	Next step; Other actions; brief; conversations; files; timeline	Actions differ by status, role and primary role	Admin → The order page; Running an order	UI-test
Create order	`/admin/new-order`	Sidebar; Queue	Find or create a client; place an on-behalf order	Admin or pod lead only	Admin → Place an order for a client	UI-test
Messages	`/messages`, `/messages/[orderId]`	Sidebar	Read and reply; forward; mark up	Old messages tab: admins only	Admin → Messages	UI-test
Billing	`/admin/billing`	Sidebar	Read figures; open Payouts and Credits; Reconcile with Razorpay	Admin or Finance	Admin → Billing	UI-screen
Payouts	`/admin/payouts`, `/admin/payouts/[batch]`	Billing	Export a batch; download CSV; mark a batch paid	Finance or Admin; rows without bank details stay owed	Admin → Pay designers and pod leads	UI-screen (no test performs an export)
Credits	`/admin/credits`	Queue alert; Billing	Decide late credits	Admin only	Admin → Decide a late first-look credit	UI-test
Clients	`/admin/clients`	Sidebar	Recompute public numbers; search; set an account manager	Admin only	Admin → Clients	UI-screen
Access	`/admin/access` (`/admin/users` redirects)	Sidebar	Role; Suspend…; Reinstate; Copy account ID	OPS only; names need the identity look-up	Admin → Staff accounts and roles	UI-screen
Pods	`/admin/access/pods`	Access → Pods	Create their pod; change lead; add or remove designers; create a pod	Admin only	Admin → Pods	UI-screen

Screen	Route	How it is reached	What the user can do	Conditions that change it	Guide section	Status
Applications	`/admin/applications`	Sidebar	Accept; Reject (note required); Reopen	OPS or SALES	Admin → Designer applications	UI-screen
Leads	`/admin/leads`	Sidebar	Mark handled; Reopen	OPS or SALES	Admin → Website contact leads	UI-screen
Designers	`/admin/designers`	Sidebar → More	Add designers; open one	Admin only	Admin → Add designers	UI-test
Designer	`/admin/designers/[id]`	Designers	Pod; pay rate; bank details (show in full); documents	Admin only; views logged	Admin → Add designers and subsections	UI-test (pod, bank, document); pay rate: Code
Settings	`/admin/settings`	Sidebar	Edit numbers; Save or Discard; switches; developer table	Read-only unless full Admin	Admin → Settings, Feature switches	UI-test (densities); others UI-screen
Emails	`/admin/emails`	Settings → Email previews	See mode and templates; Send all to the test inbox	Send: admins only	Admin → Check whether emails reach clients	Code (not in the capture set)
Performance	`/pod/performance`	Queue escalation alert	Read figures; resolve escalations	Admin sees all pods	Admin → Resolve an escalation	Code for admin; UI-test for the pod lead
Dashboard (older)	`/dashboard`	No link	Summary	Kept for old links	Admin → Screen reference (note)	UI-screen
Account	`/account`, `/account/security`	User menu	Identity, time zone, notifications, sign-in security	Sections differ by role	Both guides → Your account page	UI-screen
Design kit	`/account/kit`	No link	Component samples	Internal	Admin → Screen reference (note)	UI-screen

Pod lead workspace

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
QC queue	`/qc`	Home for QC	Start review; Continue; Create order	Own pods only	Pod leads → The QC queue	UI-screen
QC review	`/qc/[id]`	QC queue	Mark lines; send back; approve; measurements; waivers	Order in own pod; In QC review	Pod leads → Run the QC review, Record measurements	UI-test (waivers: Code)

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
Team board	`/pod/board`	Sidebar	Assign; move; take back; escalate	Own pod	Pod leads → Team board, Assign, Move	UI-screen; assign UI-test; take back, move, escalate Code
All orders	`/qc/orders`	Sidebar	Browse pod orders	Own pods	Pod leads (sidebar table)	UI-screen
Order (team)	`/orders/[id]`	Rows	Confirm; assign; move; claims	No price shown	Pod leads → Assign, Confirm, Spec claims	UI-test
Create order	`/admin/new-order`	Sidebar	On-behalf order into own pod	—	Pod leads → Place an order for a client	UI-test
Performance	`/pod/performance`	Sidebar	Filters; downloads; designer pages	Own pods	Pod leads → Performance	UI-test
Designer (pod)	`/pod/designers/[id]`	Performance	See rate, history, activity	Own pod's designers	Pod leads → Performance	UI-test
Materials	`/materials`	Sidebar	Share; remove	Own pods	Pod leads → Share instructions and charts	UI-test
Calculators	`/tools`	Sidebar → More	Gold and diamond weight	—	Designers → Calculators	UI-test
Earnings	`/qc/earnings`	Sidebar	Read pod pay; Add bank details	—	Pod leads → Earnings	UI-screen
Messages	`/messages`	Sidebar	Both conversations; forward	Pod orders	Pod leads → Talk to the designer or the client	UI-test

Designer workspace

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
Home	`/home`	Sign-in	See Needs you, messages, pod lead, payout, bank prompt	"Finish onboarding" until the agreement is signed	Designers → Home	UI-screen
Become a designer	`/onboarding/designer`	Home → Continue	Sign the agreement (or apply, if no profile)	Stages: apply, sign, active, no-doc, mismatch	Designers → Get set up	UI-screen (signing: Code; e2e designers are pre-signed)
Open jobs	`/work`	Sidebar	Tabs; open a job	Only assigned jobs	Designers → Home	UI-screen
Job	`/work/[id]`	Open job	Start, Pause, Resume; uploads; From 4 views; volume; weights	Status Assigned, In progress or Revision requested	Designers → Start a job … Record the model volume	UI-test
Designer check	`/work/[id]/checklist`	Job → Mark the QC sheet	Pass, Fail, Clear lines	Only after Start work	Designers → Pass your designer check	UI-test

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
Final review	`/work/[id]/review`	Job	Send to QC	All requirements met	Designers → Send to QC	UI-test
Earnings	`/work/earnings`	Sidebar	Read pay per job	—	Designers → Earnings	UI-screen
Payout account	`/settings/payouts`	Account → Payout details; Earnings	Save bank details	Designer or pod lead only	Designers → Earnings and bank details	UI-screen
Materials	`/materials`	Sidebar	Open shared files	Own pod	Designers → Pod materials	UI-test
Calculators	`/tools`	Sidebar	Calculate	—	Designers → Calculators	UI-test
Messages	`/messages`	Sidebar	Team ↔ Designer only	Never the client conversation	Designers → Ask your pod lead	UI-test (anonymity crawl)

Client workspace

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
Welcome	`/welcome`	First sign-in with no profile	Save business details; push opt-in	Self sign-ups only	Clients → Your first sign-in	UI-test (website sign-up)
Home	`/home`	Sign-in	See actions, draft, messages, orders, credit	—	Clients → Your first sign-in	UI-screen
New order	`/orders/new`	Sidebar; Home	CAD or Render; start from a past order; delete a draft	—	Clients → Order; Start again	UI-test
Brief	`/orders/[id]/brief`	New order	Three steps; photos; pins; certificates	Fixed once priced	Clients → Order a CAD design	UI-test
Review	`/orders/[id]/brief/review`	Brief → Review	Send for a price	Required answers	Clients → Review and send	UI-test
Sent	`/orders/[id]/sent`	After sending	—	—	Clients → Review and send	UI-test
Orders	`/orders`	Sidebar	Tabs; open	—	Clients → Follow an order	UI-screen
Order	`/orders/[id]`	Rows	Pay & start; menu; conversation; revisions; preview links; claims	By status	Clients → Follow, Problem, Cancel, Preview link	UI-test
Pay	`/orders/[id]/pay`	Pay & start	Card / UPI checkout; Decline this price	Quoted	Clients → Pay for an order	UI-screen (the Razorpay checkout itself: Open)
Review renders	`/orders/[id]/review`	Review	Approve; Send changes; Order a change	Ready to preview	Clients → Review the first look	UI-test (approve); changes: Code

Screen	Route	Reached by	Can do	Conditions	Guide section	Status
Claim	`/orders/[id]/claim`	Spec guarantee	Send the claim	Within the window; one at a time	Clients → Open a spec claim	UI-test
Files	`/files`	Sidebar	Download; see locked files	Unlock rules	Clients → Download your files	UI-test
Messages	`/messages`	Sidebar	Chat with Your team	—	Clients → Message the team	UI-test
Wallet	`/wallet`, `/wallet/invoices`, `/wallet/transactions`	Sidebar	Read credit and payments	Top-ups off	Clients → Wallet	UI-screen
Account	`/account`, `/account/security`	User menu	Profile, master instructions, logo, email, device	—	Clients → Master instructions, Emails	UI-test (master instructions)

Shared shell

Element	Where	Guide section	Status
Sidebar groups and collapse	Every role on a computer	Finding your way around	UI-screen
Bell, notification panel, Mark all read, toast with Open	Every role	Finding your way around; Notifications	UI-test (`live.e2e.ts`)
Search or jump (Ctrl/⌘ K)	Every role	Finding your way around	UI-screen
User menu (Account, Sign out)	Every role	Finding your way around	UI-test (sign out, `session.e2e.ts`)
Phone bottom bar, raised +, More sheet	Every role on a phone	On a phone	UI-screen
Time zone, push Notifications	Account → On this device	Your account page	UI-test (time zone); push: Open

Action inventory: admin

Action	Database function	Who may	Notifies or emails	Reversible	Guide section	Status
Set quote	`quote_order_v2`	SALES (Admin)	Client in-app + Quote ready email	No re-quote	Price an order	UI-test
Mark paid	`mark_payment_received`	FINANCE (Admin)	Payment received email	Refund only	Record a transfer payment	UI-test
Choose / move pod	`assign_order_pod`	Admin	—	Yes (move again)	Choose or change an order's pod	Code
Confirm order	`confirm_order`	Admin, pod lead	Client + pod lead in-app; Order confirmed email	No	Confirm the order	UI-test
Assign (exception)	`assign_designer`	Admin, OPS, pod lead	Designer in-app	Move or take back	Assign a designer	UI-test
Move job	`reassign_job`	Admin, pod lead	Both designers	Move again	Move a job	Code
Take back	`withdraw_job`	Admin, pod lead	Designer + admins	Assign again	Move a job, or take it back	UI-screen (button checked by `on-behalf.e2e.ts`); effect: Code
Escalate / resolve	`escalate_job` / `resolve_escalation`	Pod lead / Admin	Admins / pod lead	—	Resolve an escalation	Code
Deliver	`transition_order` → DELIVERED	OPS	Client + Files delivered email	No	Deliver and close	UI-test
Close	`transition_order` → CLOSED	OPS (or client, no button)	—	No	Deliver and close	Code
Refund	`refund_escrow`	FINANCE (primary role for the button)	Client + Order refunded email	No	Cancel an order or refund	Code
Resolve dispute	`resolve_dispute`	OPS rework / FINANCE refund	Client + designer	No	Resolve a dispute	Code
Decide credit	`decide_sla_credit`	Admin	Client + Credit decided email	No (once)	Decide a late credit	UI-test
Decide spec claim	`decide_spec_claim`	Admin, pod lead	Client; pod lead (fix)	No	Decide a spec claim	UI-test

Action	Database function	Who may	Notifies or emails	Reversible	Guide section	Status
Export payouts / mark batch paid	`export_payouts` / `mark_payout_batch_paid`	FINANCE (Admin)	Payees in-app	No	Pay designers and pod leads	Code
Release escrow	`release_escrow`	FINANCE (primary role for the button)	Designer in-app	No	Pay the team (note)	Code
Add designers	`register_designer` + sign-in account	Admin	**None**	Suspend	Add designers	UI-test
Designer pod / rate / bank / documents	`set_pod_member` / `set_designer_rate` / `set_payout_account_for` / `add_designer_document`	Admin	—	Yes	Designer subsections	UI-test (pod, bank, documents); rate: Code
Set role / status	`set_user_role` / `set_user_status`	OPS	—	Yes (not the last Ops)	Change role; Suspend	Code
Grant extra role	`grant_user_role`	OPS, **no screen**	—	`revoke_user_role`	Make someone a full Admin	Code
Create pod, set lead	`create_pod` , `set_pod_member`	Admin	—	Yes	Pods	UI-test (designer pod); create: Code
Review application	`review_designer_application`	OPS or SALES	Applicant email	Reopen	Designer applications	Code
Lead handled	`set_lead_status`	OPS or SALES	—	Reopen	Website contact leads	Code
Account manager	`set_account_manager`	Admin	—	Yes	Clients	Code
Settings / switches	`set_app_setting` / `set_feature_flag`	Admin	—	Yes	Settings	UI-test (densities)
Master instructions for a client	`set_master_instructions`	Admin	—	Yes	Write master instructions	Code
Issue certificate	`issueCertificateAction`	Team	—	—	Issue a missing certificate	Code
On-behalf order	`create_order_on_behalf` , `submit_order_on_behalf`	Admin, pod lead	Client (if ticked)	Client cancels	Place an order for a client	UI-test
Forward message	`forwardMessageAction`	Team	Recipient	No	Messages	UI-test

Hidden prerequisites traced

Situation	What must already be true	Where the guides explain it
A designer becomes visible to a pod lead	Placed in the pod (`pod_members`) by an Admin. Before that the pod lead sees nothing	Admin → Exists versus can receive work; walkthrough step 5
A designer becomes assignable	Role DESIGNER, ACTIVE, signed the **current** agreement, in the order's pod; over capacity only if blocking is on	Same; Troubleshooting → cannot be assigned
A designer knows to sign in	An admin tells them. **No invitation email exists**; accepting an application only sends "we'll follow up"	Admin → Add designers (callout); Applications (callout)
A paid order reaches a pod lead	Exactly one led pod (automatic), otherwise an Admin chooses	Choose or change an order's pod; Pods (callout)
The first-look clock starts	Paid **and** confirmed	Confirm the order; Troubleshooting → clock
A full Admin exists	SALES + OPS + FINANCE; the extra roles need support	What makes someone an Admin; Make someone a full Admin
Refund and Release buttons appear	Primary role FINANCE	Known-limit callout "primary-role buttons"
A client receives email	`EMAIL_DELIVERY=live`; the client has not opted out (messages and reminders only)	Notifications; Email previews
Push notifications arrive	VAPID keys; the 5-minute dispatch job with `CRON_SECRET`; opted in on that device	Notifications
A pod lead is notified of a client message	The order has a pod	Notifications (callout); Daily checklist step 7
A payout row exports	The payee has bank details that are not rejected	Payouts; Troubleshooting → stays owed
A pod lead can be paid	Bank details via Earnings → Add bank details (not on the Account page)	Payouts; Pod leads → Earnings
A client sees the STL / 3DM	The client approved	Files; Troubleshooting → client cannot see the file

Discrepancies found in the product

These are documented in the guides as they behave today. They may be worth fixing.

1. **No screen grants the second and third staff roles.** `grant_user_role` exists but nothing calls it. Making a full Admin needs support.
2. **Button gates use the primary role. Release payout**, **Refund client** and **Refund the client…** need primary FINANCE. **Send back for rework** needs primary OPS. The client-file download gate (`core/files/downloadGate.ts`) admits staff by primary role QC or OPS. A full Admin can never see all of them at once.
3. **Team board empty text** says "An admin adds them from Access". Designers are added on **Designers** and placed in pods on **Designers** or **Pods**.
4. **Suspended designers are labelled "not signed"** in the assign lists. The same flag (`assignable`) covers both cases.
5. **Client messages before an order has a pod notify nobody** (`app.fanout_notifications` notifies the pod lead only). Admins are never notified of client messages or new orders.
6. **Credit decision "Refund"** records the decision but moves no money.
7. **Moving an order's pod does not move its designer.** An Assigned order moved to another pod keeps a designer from the old pod.
8. **No audit-log screen.** Events are visible per order (Timeline) and per designer (Activity) only.
9. `docs/OPERATIONS.md` **is out of date.** It predates the redesign: it says there is no role screen, lists staff routes that changed, and describes per-role queues. These guides supersede it for day-to-day use.
10. **Pod leads have no "Payout details" link on Account**; bank details are reached from **Earnings**.
11. **The client cannot close a delivered order on screen**, although the database allows it.
12. **No invitation email** when designers are added (see the prerequisites above).

Open items: need human verification

#	Item	Why it could not be verified here	Suggested check
1	Razorpay card / UPI checkout and the automatic Paid status	The test stack has no Razorpay keys; no test pays by card	One small live or test-mode payment; watch the order turn **Paid**
2	Emails reaching real inboxes	Email is in test mode by design	**Settings** → **Email previews** → **Send all to the test inbox**; check Gmail, Outlook and Apple Mail
3	Push notifications on phones	Needs VAPID keys and real devices	Turn on **Notifications** on an iPhone (home-screen app) and an Android phone; trigger a message
4	Payout export CSV and Mark batch paid	No test exports a batch	Export a one-row batch on a test order; check the CSV columns against the bank's upload format
5	Access role change and suspend	No test drives the Access screen	Change a test account's role and suspend / reinstate it
6	Applications and Leads decisions	No test drives these screens	Accept and reject a test application; check the emails in the test inbox
7	Granting SALES / FINANCE to an Ops account	Only possible in the database	Support: confirm the procedure and who approves it
8	Multi-pod routing ("Paid · choose a pod")	e2e runs with one led pod	After a second pod gets a lead, pay a test order and choose its pod
9	Capacity blocking on	Off by default	Turn it on briefly on staging; assign over capacity as pod lead (refused) and as admin with a reason
10	Designer agreement signing on first sign-in	e2e designers are pre-signed	Add a test designer; sign in with their email; sign; check **Active**
11	Disputes, refunds and release escrow from the screen	No test drives them; the buttons need a primary Finance or Ops role	On staging, with a Finance-primary account
12	Sign-in on the live site	Production still uses a Clerk development instance	After switching to production keys, sign in once per role
13	Screenshots for states the test data lacked: the admin **Confirm order** step, the client's **Review renders** page, the QC review with its decision buttons, and **Email previews**	No order was in those states when run 209 captured; the QC review image shows its layout on an in-progress order	Create those states on the test stack and re-run `[design-qa:guide]`; the text for them is verified from code