Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO.1

Question 1: Write the basic HTML5 document structure and implement all six heading tags (<h1> to <h6>) with sample text.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h1>this is heading 1</h1>
<h2>this is heading 2</h2>
<h3>this is heading 3</h3>
<h4>this is heading 4</h4>
<h5>this is heading 5</h5>
<h6>this is heading 6</h6>
</body>
</html>
```

Output:



this is heading 1

this is heading 2

this is heading 3

this is heading 4

this is heading 5

this is heading 6

Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 2

Question 2: Create a paragraph and apply text formatting tags (<bi>,<i>,<u>,,) to given content.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<p>This is a normal paragraph.</p>
<b>This text is bold.</b>
<br>
<i>This text is italic.</i>
<br>
<u>This text is underlined.</u>
<br>
<strong>This text is important.</strong>
<br>
<em>This text is emphasized.</em>
</body>
</html>
```

Output:



This is a normal paragraph.

This text is bold.
This text is italic.
This text is underlined.
This text is important.
This text is emphasized.

Name: Simran Das
Roll no: 2610997069


EXPERIMENT NO. 3

Question 3: Create an ordered list (<ol>) for a recipe's steps and an unordered list (<ul>) for its ingredients on the same page.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h2>Ingredients</h2>
<ul>
<li>Flour</li>
<li>Sugar</li>
<li>Milk</li>
<li>Butter</li>
</ul>
<h2>Recipe Steps</h2>
<ol>
<li>Take a bowl.</li>
<li>Add flour and sugar.</li>
<li>Add milk and butter.</li>
<li>Mix all ingredients well.</li>
<li>Bake the mixture.</li>
</ol>
</body>
</html>
```

Output:



Ingredients

- Flour
- Sugar
- Milk
- Butter

Recipe Steps

1. Take a bowl.
2. Add flour and sugar.
3. Add milk and butter.
4. Mix all ingredients well.
5. Bake the mixture.

Name: Simran Das
Roll no: 2610997069


EXPERIMENT NO. 4

Question 4: Build a nested list showing a book hierarchy: Category ----->Books----->Chapters using <ul> and <ol> together.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h2>Book Hierarchy</h2>
<ul>
<li>Computer Science
<ul>
<li>HTML
<ol>
<li>Introduction to HTML</li>
<li>HTML Tags</li>
</ol>
</li>
<li>Python
<ol>
<li>Introduction to Python</li>
<li>Python Basics</li>
</ol>
</li>
</ul>
</li>
</ul>
</body>
</html>
```

Output:



Book Hierarchy

- Computer Science
  - HTML
    1. Introduction to HTML
    2. HTML Tags
  - Python
    1. Introduction to Python
    2. Python Basics

Name: Simran Das
Roll no: 2610997069


EXPERIMENT NO. 5

Question 5: Insert an image using <img> and set src, alt, width, height, and title attributes with valid paths.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h2>My Image</h2>
<img src="simi.jpeg" alt="simi"
width="300" height="200"
title="simi">
</body>
</html>
```

Output :



MY Image



Name: Simran Das
Roll no: 2610997069


EXPERIMENT NO. 6

Question 6: Set a background image for the entire webpage within the <body> tag.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body style="background-image:
url('cute girl.jpg'); background-size:
100% 100%; background-repeat:
no-repeat; background-attachment:
fixed; min-height: 100vh; margin:
0;">
<h2>My Webpage</h2>
<p>This is my webpage with a background image.</p>
</body>
</html>
```

Output:



Name: Simran Das
Roll no: 2610997069


EXPERIMENT NO. 7

Question 7: Create internal anchor links that jump to sections on the same page and one external link to a university website.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h1>My Webpage</h1>
<a href="#about">Go to About Section</a>
<br><br>
<a href="#contact">Go to Contact Section</a>
<br><br>
<a href="https://www.chitkara.edu.in/">Visit Chitkara University</a>
<hr>
<h2 id="about">About Section</h2>
<p>Chitkara University is a private university in Punjab, India.</p>
<br><br><br>
<h2 id="contact">Contact Section</h2>
<p>Visit the official Chitkara University website for contact information.</p>
<br><br><br>
</body>
</html>
```

Output:



Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 8

Question 8: Design an image map with clickable regions.

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<body>
<h1>India Map</h1>
<img src="india-map.jpeg"
width="650"
usemap="#india">
<map name="india">

<!-- 1. Punjab -->
<area shape="circle"
coords="171,151,18"
href="https://en.wikipedia.org/wiki/Punjab,_India"
target="_blank"
alt="Punjab">

<!-- 2. Haryana -->
<area shape="circle"
coords="177,198,18"
href="https://en.wikipedia.org/wiki/Haryana"
target="_blank"
alt="Haryana">

<!-- 3. Rajasthan -->
<area shape="circle"
coords="119,270,25"
href="https://en.wikipedia.org/wiki/Rajasthan"
target="_blank"
alt="Rajasthan">

<!-- 4. Uttar Pradesh -->
<area shape="circle"
coords="265,276,25"
href="https://en.wikipedia.org/wiki/Uttar_Pradesh"
target="_blank"
alt="Uttar Pradesh">

<!-- 5. Gujarat -->
<area shape="circle"
coords="65,359,22"
href="https://en.wikipedia.org/wiki/Gujarat"
target="_blank"
alt="Gujarat">
```

```
<!-- 6. Madhya Pradesh -->
<area shape="circle"
coords="223,360,25"
href="https://en.wikipedia.org/wiki/Madhya_Pradesh"
target="_blank"
alt="Madhya Pradesh">

<!-- 7. Bihar -->
<area shape="circle"
coords="394,279,20"
href="https://en.wikipedia.org/wiki/Bihar"
target="_blank"
alt="Bihar">

<!-- 8. West Bengal -->
<area shape="circle"
coords="445,331,20"
href="https://en.wikipedia.org/wiki/West_Bengal"
target="_blank"
alt="West Bengal">

<!-- 9. Odisha -->
<area shape="circle"
coords="370,414,22"
href="https://en.wikipedia.org/wiki/Odisha"
target="_blank"
alt="Odisha">

<!-- 10. Maharashtra -->
<area shape="circle"
coords="165,438,28"
href="https://en.wikipedia.org/wiki/Maharashtra"
target="_blank"
alt="Maharashtra">

<!-- 11. Telangana -->
<area shape="circle"
coords="249,469,22"
href="https://en.wikipedia.org/wiki/Telangana"
target="_blank"
alt="Telangana">

<!-- 12. Andhra Pradesh -->
<area shape="circle"
coords="241,545,22"
href="https://en.wikipedia.org/wiki/Andhra_Pradesh"
target="_blank"
alt="Andhra Pradesh">
```

```
<!-- 13. Karnataka -->
<area shape="circle"
coords="173,560,25"
href="https://en.wikipedia.org/wiki/Karnataka"
target="_blank"
alt="Karnataka">

<!-- 14. Tamil Nadu -->
<area shape="circle"
coords="226,638,25"
href="https://en.wikipedia.org/wiki/Tamil_Nadu"
target="_blank"
alt="Tamil Nadu">

<!-- 15. Kerala -->
<area shape="circle"
coords="177,637,18"
href="https://en.wikipedia.org/wiki/Kerala"
target="_blank"
alt="Kerala">

</map>
</body>
</html>
```

Output:



India Map



Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 9

Question 9. Build a student mark sheet table.

Code:

```
<html>
<head>
  <title>2610997069</title>
</head>
<body>

<h2>Student Mark Sheet</h2>

<table border="1" cellpadding="10" cellspacing="0">
  <tr>
    <th>S.No.</th>
    <th>Subject</th>
    <th>Marks</th>
  </tr>

  <tr>
    <td>1</td>
    <td>English</td>
    <td>85</td>
  </tr>

  <tr>
    <td>2</td>
    <td>Computer Science</td>
    <td>92</td>
  </tr>

  <tr>
    <td>3</td>
    <td>Mathematics</td>
    <td>88</td>
  </tr>

  <tr>
    <td>4</td>
    <td>Statistics</td>
    <td>90</td>
  </tr>


  <tr>
    <td>5</td>
    <td>Physical Education</td>
    <td>95</td>
  </tr>

  <tr>
    <th colspan="2">Total Marks</th>
```

```
 <th>450 / 500</th>
   </tr>
</table>

</body>
</html>
```

Output:



Student Mark Sheet

S.No.	Subject	Marks
1	English	85
2	Computer Science	92
3	Mathematics	88
4	Statistics	90
5	Physical Education	95
Total Marks		**450 / 500**

Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 10

Question 10. Create a nested timetable table.

Code:

```
<html>
<head>
  <title>2610997069</title>
</head>
<body>

<h2>Class Timetable</h2>

<table border="1" cellpadding="10" cellspacing="0">
  <tr>
    <th>Day</th>
    <th>9:00 - 10:00</th>
    <th>10:00 - 11:00</th>
    <th>11:00 - 12:00</th>
  </tr>

  <tr>
    <td>Monday</td>
    <td>HTML</td>
    <td>
      <table border="1" cellpadding="5">
        <tr>
          <td>Practical</td>
        </tr>
        <tr>
          <td>Lab Work</td>
        </tr>
      </table>
    </td>
    <td>English</td>
  </tr>


  <tr>
    <td>Tuesday</td>
    <td>Computer</td>
    <td>Statistics</td>
    <td>HTML</td>
  </tr>

  <tr>
    <td>Wednesday</td>
    <td>English</td>
    <td>HTML</td>
    <td>Computer</td>
  </tr>
```

```
</table>

</body>
</html>
```

Output:



Class Timetable

Day	9:00 - 10:00	10:00 - 11:00	11:00 - 12:00
Monday	HTML	Practical Lab Work	English
Tuesday	Computer	Statistics	HTML
Wednesday	English	HTML	Computer

Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 11

Question 11. Design a table using rowspan and colspan

Code:

```
<html>
<head>
   <title>2610997069</title>
</head>
<body>

<h2>Table Using Rowspan and Colspan</h2>

<table border="1" cellpadding="10" cellspacing="0">

   <tr>
      <th rowspan="2">S.No.</th>
      <th rowspan="2">Student Name</th>
      <th colspan="3">Marks</th>
   </tr>

   <tr>
      <th>HTML</th>
      <th>CSS</th>
      <th>JavaScript</th>
   </tr>

   <tr>
      <td>1</td>
      <td>Simran</td>
      <td>85</td>
      <td>90</td>
      <td>88</td>
   </tr>

   <tr>
      <td>2</td>
      <td>sehaj</td>
      <td>80</td>
      <td>85</td>
      <td>82</td>
   </tr>

</table>

</body>
</html>
```

Output:




Table Using Rowspan and Colspan

S.No.	Student Name	Marks		
		HTML	CSS	JavaScript
1	Simran	85	90	88
2	sehaj	80	85	82

Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 12

Question 12. Build a registration form using GET method.

Code:

```
<html>
<head>
  <title>2610997069</title>

  <style>
    body {
      background-color: #F4B6C2;
      font-family: "Times New Roman", serif;
      font-size: 18px;
      margin: 0;
    }

    h2 {
      text-align: center;
      text-decoration: underline;
      margin: 0;
    }

    .main {
      width: 1100px;
      margin: auto;
    }

    table {
      border-spacing: 10px;
    }

    td {
      vertical-align: middle;
    }

    input[type="text"],
    input[type="email"],
    input[type="tel"] {
      width: 215px;
      height: 25px;
      box-sizing: border-box;
      border: 1px solid #999;
    }

    textarea {
      width: 290px;
      height: 85px;
      box-sizing: border-box;
      border: 1px solid #999;
    }
```

```
    .qualification {
      border-spacing: 4px;
    }

    .qualification th {
      padding: 5px;
    }

    .qualification td {
      padding: 2px;
    }

    .qualification input[type="text"] {
      width: 215px;
      height: 25px;
    }

    .notes {
      font-size: 16px;
      text-align: center;
    }

    .buttons {
      text-align: center;
    }

    input[type="submit"],
    input[type="reset"] {
      border: 1px solid #888;
      padding: 3px 8px;
      background-color: #eee;
      font-size: 16px;
    }
  </style>
</head>

<body>

<h2>STUDENT REGISTRATION FORM</h2>

<div class="main">

<form method="get" action="">

<table>

<tr>
  <td>FIRST NAME</td>
  <td>
    <input type="text" name="firstname" maxlength="30">
    (max 30 characters a-z and A-Z)
```

```
  </td>
</tr>

<tr>
  <td>EMAIL ID</td>
  <td>
    <input type="email" name="email">
  </td>
</tr>

<tr>
  <td>MOBILE NUMBER</td>
  <td>
    <input type="tel" name="mobile" maxlength="10">
  </td>
</tr>

<tr>
  <td>GENDER</td>
  <td>
    Male
    <input type="radio" name="gender" value="Male">

    Female
    <input type="radio" name="gender" value="Female">
  </td>
</tr>

<tr>
  <td>ADDRESS</td>
  <td>
    <textarea name="address"></textarea>
  </td>
</tr>

<tr>
  <td>CITY</td>
  <td>
    <input type="text" name="city" maxlength="30">
    (max 30 characters a-z and A-Z)
  </td>
</tr>

<tr>
  <td>PIN CODE</td>
  <td>
    <input type="text" name="pincode" maxlength="6">
    (6 digit number)
  </td>
</tr>

<tr>
```

```
  <td>STATE</td>
  <td>
    <input type="text" name="state" maxlength="30">
    (max 30 characters a-z and A-Z)
  </td>
</tr>

<tr>
  <td>COUNTRY</td>
  <td>
    <input type="text" name="country" value="India">
  </td>
</tr>

<tr>
  <td>HOBBIES</td>
  <td>
    Drawing
    <input type="checkbox" name="hobby" value="Drawing">

    Singing
    <input type="checkbox" name="hobby" value="Singing">

    Dancing
    <input type="checkbox" name="hobby" value="Dancing">

    Sketching
    <input type="checkbox" name="hobby" value="Sketching">

    Others
    <input type="checkbox" name="hobby" value="Others">

    <input type="text" name="other_hobby">
  </td>
</tr>

<tr>
  <td>QUALIFICATION</td>

  <td>

    <table class="qualification">

      <tr>
        <th>Sl.No.</th>
        <th>Examination</th>
        <th>Board</th>
        <th>Percentage</th>
        <th>Year of Passing</th>
      </tr>

      <tr>
```

```
        <td>1</td>
        <td>Class X</td>
        <td><input type="text" name="class10_board"></td>
        <td><input type="text" name="class10_percentage"></td>
        <td><input type="text" name="class10_year"></td>
      </tr>

      <tr>
        <td>2</td>
        <td>Class XII</td>
        <td><input type="text" name="class12_board"></td>
        <td><input type="text" name="class12_percentage"></td>
        <td><input type="text" name="class12_year"></td>
      </tr>

      <tr>
        <td>3</td>
        <td>Graduation</td>
        <td><input type="text" name="graduation_board"></td>
        <td><input type="text" name="graduation_percentage"></td>
        <td><input type="text" name="graduation_year"></td>
      </tr>

      <tr>
        <td>4</td>
        <td>Masters</td>
        <td><input type="text" name="masters_board"></td>
        <td><input type="text" name="masters_percentage"></td>
        <td><input type="text" name="masters_year"></td>
      </tr>

      <tr>
        <td></td>
        <td></td>
        <td class="notes">(10 char max)</td>
        <td class="notes">(upto 2 decimal)</td>
        <td></td>
      </tr>

    </table>

  </td>
</tr>

<tr>
  <td>COURSES APPLIED FOR</td>

  <td>
    BCA
    <input type="radio" name="course" value="BCA">

    B.Com
```

```
      <input type="radio" name="course" value="B.Com">

      B.Sc
      <input type="radio" name="course" value="B.Sc">

      B.A
      <input type="radio" name="course" value="B.A">
    </td>
</tr>

<tr>
    <td colspan="2" class="buttons">
      <input type="submit" value="Submit">
      <input type="reset" value="Reset">
    </td>
</tr>


</table>

</form>

</div>

</body>
</html>
```

Output:



Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 13

Question 13. Build a feedback form using POST method.

Code:

```
<html>
<head>
  <title>2610997069</title>
</head>

<body style="background-color: pink;">

<form action="submit.php" method="post">

  <h2 align="center">HP AGENCY FEEDBACK FORM</h2>

  <table align="center">
    <tr>
      <td>Name</td>
      <td><input type="text" name="name"></td>
    </tr>

    <tr>
      <td>Email</td>
      <td><input type="email" name="email"></td>
    </tr>

    <tr>
      <td>Address</td>
      <td><input type="text" name="address"></td>
    </tr>

    <tr>
      <td>Postcode</td>
      <td><input type="text" name="postcode"></td>
    </tr>
  </table>

  <br>

  <table border="1" cellpadding="10" cellspacing="0" align="center">

    <tr>
      <th>Product</th>
      <th>Product Image</th>
      <th>Progress Bar</th>
      <th>Unit Price</th>
      <th>Ratings</th>
    </tr>

    <tr>
      <td>Laptop</td>
```

```
    <td>
      <img src="Laptop.png" width="100" height="80">
    </td>
    <td>
      <progress value="60" max="100"></progress>
    </td>
    <td>$900</td>
    <td>
      <span style="color: goldenrod;">&#9733;&#9733;&#9733;&#9733;</span>
    </td>
  </tr>

  <tr>
    <td>Keyboard</td>
    <td>
      <img src="keyboard.png" width="100" height="80">
    </td>
    <td>
      <progress value="70" max="100"></progress>
    </td>
    <td>$100</td>
    <td>
      <span style="color: goldenrod;">&#9733;&#9733;&#9733;&#9733;&#9733;</span>
    </td>
  </tr>

  <tr>
    <td>Mouse</td>
    <td>
      <img src="mouse.png" width="100" height="80">
    </td>
    <td>
      <progress value="20" max="100"></progress>
    </td>
    <td>$55</td>
    <td>
      <span style="color: goldenrod;">&#9733;</span>
    </td>
  </tr>

  <tr>
    <td>Powerbank</td>
    <td>
      <img src="power bank.jpg" width="100" height="80">
    </td>
    <td>
      <progress value="90" max="100"></progress>
    </td>
    <td>$289</td>
    <td>
      <span style="color: goldenrod;">&#9733;&#9733;&#9733;&#9733;&#9733;</span>
    </td>
```

```
    </tr>

  </table>

  <br>

  <label><b>COMMENT</b></label>
  <textarea name="comment" rows="3" cols="25"></textarea>


  <br><br>

  <input type="submit" value="SUBMIT">

</form>

</body>
</html>
```

Output:



Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 14

Question 14. Compare GET and POST forms.

Code:

```
<html>
<head>
  <title>2610997069</title>
</head>
<body>

  <h2>Comparison of GET and POST Forms</h2>

  <h3>GET Method</h3>
  <form action="#" method="get">
    Name:
    <input type="text" name="name">
    <input type="submit" value="Submit GET">
  </form>


  <h3>POST Method</h3>
  <form action="#" method="post">
    Name:
    <input type="text" name="name">
    <input type="submit" value="Submit POST">
  </form>

  <h3>Difference Between GET and POST</h3>

  <table border="1" cellpadding="8">
    <tr>
      <th>GET Method</th>
      <th>POST Method</th>
    </tr>
    <tr>
      <td>Data appears in the URL.</td>
      <td>Data is sent in the request body.</td>
    </tr>
    <tr>
      <td>Used to retrieve data.</td>
      <td>Often used to submit data.</td>
    </tr>
    <tr>
      <td>Can be bookmarked with query parameters.</td>
      <td>Submitted data is not normally included in the URL.</td>
    </tr>
  </table>

</body>
</html>
```

Output:



Comparison of GET and POST Forms

GET Method

Name: Submit GET

POST Method

Name: Submit POST

Difference Between GET and POST

GET Method	POST Method
Data appears in the URL.	Data is sent in the request body.
Used to retrieve data.	Often used to submit data.
Can be bookmarked with query parameters.	Submitted data is not normally included in the URL.

Name: Simran Das
Roll no: 2610997069

EXPERIMENT NO. 15


Question 15. Create a frameset with navigation and content frames.

(1) menu.html

Code:

```
<html>
<body>
<h3>Navigation Menu</h3>
<a href="home.html"
 target="content">Home</a>
 </body>
 </html>
```

Output:



Navigation Menu


Home

(2) home.html

Code:

```
<html>
<body>
<h1>Welcome to My Website</h1>
<p>This is the content frame.</p>
<img src="cute girl.jpg" width="300" height="200" alt="cute girl">
</body>
</html>
```

Output:



Welcome to My Website

This is the content frame.



(3) index.html

Code:

```
<html>
<head>
<title>2610997069</title>
</head>
<frameset cols="30%,70%">
<frame src="menu.html"
name="nav">
<frame src="home.html"
name="content">
</frameset>
</html>
```

Output:

