


Week-2


J.Simran

2520030166

1. Create Database



2. Create Books Table



3. Insert Books

The screenshot shows the SQL Developer interface with a query window titled 'Week_2'. The query contains the following SQL statements:

```
1 CREATE DATABASE bookflow_db;
2 USE bookflow_db;
3 CREATE TABLE Books (
4     book_id INT PRIMARY KEY,
5     title VARCHAR(100) NOT NULL,
6     isbn VARCHAR(20) UNIQUE,
7     published_year INT CHECK (published_year < 2027)
8 );
9 INSERT INTO Books (book_id, title, isbn, published_year) VALUES
10 (1, 'The Great Gatsby', '9780743273565', 1925),
11 (2, 'To Kill a Mockingbird', '9780061120084', 1960),
12 (3, '1984', '9780451524935', 1949);
```

The Output window shows the execution results:

#	Time	Action	Message	Du
2	11:30:29	USE bookflow_db	0 row(s) affected	0.0
3	11:33:57	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; dat...	0.0
4	11:33:57	USE bookflow_db	0 row(s) affected	0.0
5	11:33:57	CREATE TABLE Books (book_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'books' already exists	0.0
6	11:35:36	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; dat...	0.0
7	11:35:36	USE bookflow_db	0 row(s) affected	0.0
8	11:35:36	CREATE TABLE Books (book_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'books' already exists	0.0
9	11:35:36	INSERT INTO Books (book_id, title, isbn, published_year) ...	Error Code: 1062. Duplicate entry '1' for key 'books.PRIMA...	0.0
10	11:35:40	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; dat...	0.0
11	11:35:40	USE bookflow_db	0 row(s) affected	0.0
12	11:35:40	CREATE TABLE Books (book_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'books' already exists	0.0
13	11:35:40	INSERT INTO Books (book_id, title, isbn, published_year) ...	Error Code: 1062. Duplicate entry '1' for key 'books.PRIMA...	0.0

3. Display Book

The screenshot shows the SQL Developer interface with a query window titled 'Week_2'. The query contains the following SQL statements:

```
8 );
9 INSERT INTO Books (book_id, title, isbn, published_year) VALUES
10 (1, 'The Great Gatsby', '9780743273565', 1925),
11 (2, 'To Kill a Mockingbird', '9780061120084', 1960),
12 (3, '1984', '9780451524935', 1949);
13 SELECT * FROM Books;
```

The Result Grid shows the following data:

book_id	title	isbn	published_year
1	The Great Gatsby	9780743273565	1925
2	To Kill a Mockingbird	9780061120084	1960
3	1984	9780451524935	1949
NULL	NULL	NULL	NULL

The Output window shows the execution results:

#	Time	Action	Message	Du
18	11:36:32	SELECT * FROM Books LIMIT 0, 1000	6 row(s) returned	0.0
19	11:38:06	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; d...	0.0
20	11:38:06	USE bookflow_db	0 row(s) affected	0.0
21	11:38:06	CREATE TABLE Books (book_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'books' already exists	0.0
22	11:38:06	INSERT INTO Books (book_id, title, isbn, published_year)...	Error Code: 1062. Duplicate entry '1' for key 'books.PRIM...	0.0
23	11:38:06	SELECT * FROM Books LIMIT 0, 1000	6 row(s) returned	0.0
24	11:38:06	DROP TABLE Books	0 row(s) affected	0.0
25	11:38:18	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; d...	0.0
26	11:38:18	USE bookflow_db	0 row(s) affected	0.0
27	11:38:18	CREATE TABLE Books (book_id INT PRIMARY KEY, ...	0 row(s) affected	0.0
28	11:38:18	INSERT INTO Books (book_id, title, isbn, published_year)...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.0
29	11:38:18	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned	0.0

4. Create Members Table

The screenshot shows the SQL Developer interface with the following components:

- Left Panel:** A tree view of database objects including 'bank_db', 'bank_managem', 'bookflow_db', 'Tables', 'Views', 'Stored Proc', 'Functions', 'emr_portal', 'sakila', 'student_db', 'student_info', 'student_marks1', 'student_marks_c', 'students_db', 'sys', and 'world'.
- SQL Editor:** Contains the following SQL code:

```
13 SELECT * FROM Books;
14 CREATE TABLE Members (
15     member_id INT PRIMARY KEY,
16     full_name VARCHAR(100),
17     email VARCHAR(100) UNIQUE
18 );
```
- Result Grid:** Displays the results of the SELECT query on the Books table:

book_id	title	isbn	published_year
1	The Great Gatsby	9780743273565	1925
2	To Kill a Mockingbird	9780061120084	1960
3	1984	9780451524935	1949
- Action Output:** A log of database actions and their messages:

#	Time	Action	Message
24	11:38:06	DROP TABLE Books	0 row(s) affected
25	11:38:18	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; d...
26	11:38:18	USE bookflow_db	0 row(s) affected
27	11:38:18	CREATE TABLE Books (book_id INT PRIMARY KEY,...	0 row(s) affected
28	11:38:18	INSERT INTO Books (book_id, title, isbn, published_year)...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
29	11:38:18	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned
30	11:39:30	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; d...
31	11:39:30	USE bookflow_db	0 row(s) affected
32	11:39:30	CREATE TABLE Books (book_id INT PRIMARY KEY,...	Error Code: 1050. Table 'books' already exists
33	11:39:30	INSERT INTO Books (book_id, title, isbn, published_year)...	Error Code: 1062. Duplicate entry '1' for key 'books.PRIM...
34	11:39:30	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned
35	11:39:30	CREATE TABLE Members (member_id INT PRIMARY...	Error Code: 1050. Table 'members' already exists

5. Insert Members

The screenshot shows the SQL Developer interface with the following components:

- SQL Editor:** Contains the following SQL code:

```
18 );
19 INSERT INTO Members (member_id, full_name, email) VALUES
20     (101, 'Simran Jangid', 'simranjangid3@email.com'),
21     (102, 'Emma Wilson', 'emma.wilson@email.com'),
22     (103, 'Michael Brown', 'michael.brown@email.com');
23 SELECT * FROM Members;
```
- Result Grid:** Displays the results of the SELECT query on the Members table:

member_id	full_name	email
101	Simran Jangid	simranjangid3@email.com
102	Emma Wilson	emma.wilson@email.com
103	Michael Brown	michael.brown@email.com
- Action Output:** A log of database actions and their messages:

#	Time	Action	Message
56	11:42:32	CREATE TABLE Members (member_id INT PRIMARY...	Error Code: 1050. Table 'members' already exists
57	11:42:32	INSERT INTO Members (member_id, full_name, email) VA...	Error Code: 1062. Duplicate entry '101' for key 'members....
58	11:42:32	SELECT * FROM Members LIMIT 0, 1000	7 row(s) returned
59	11:42:32	DROP TABLE Members	0 row(s) affected
60	11:42:43	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; d...
61	11:42:43	USE bookflow_db	0 row(s) affected
62	11:42:43	CREATE TABLE Books (book_id INT PRIMARY KEY,...	Error Code: 1050. Table 'books' already exists
63	11:42:43	INSERT INTO Books (book_id, title, isbn, published_year)...	Error Code: 1062. Duplicate entry '1' for key 'books.PRIM...
64	11:42:43	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned
65	11:42:43	CREATE TABLE Members (member_id INT PRIMARY...	0 row(s) affected
66	11:42:43	INSERT INTO Members (member_id, full_name, email) VA...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
67	11:42:43	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned

6. Display Members

The screenshot shows the SQL Developer interface. The 'Members' table is displayed with the following data:

member_id	full_name	email
101	Simran Jangid	simranjangid3@email.com
102	Emma Wilson	emma.wilson@email.com
103	Michael Brown	michael.brown@email.com

The 'Action Output' window shows the following messages:

#	Time	Action	Message
56	11:42:32	CREATE TABLE Members (member_id INT PRIMARY KEY, full_name VARCHAR(50), email VARCHAR(100));	Error Code: 1050. Table 'members' already exists
57	11:42:32	INSERT INTO Members (member_id, full_name, email) VALUES (101, 'Simran Jangid', 'simranjangid3@email.com'), (102, 'Emma Wilson', 'emma.wilson@email.com'), (103, 'Michael Brown', 'michael.brown@email.com');	Error Code: 1062. Duplicate entry '101' for key 'members.PRIMARY'
58	11:42:32	SELECT * FROM Members LIMIT 0, 1000	7 row(s) returned
59	11:42:32	DROP TABLE Members	0 row(s) affected
60	11:42:43	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; database exists
61	11:42:43	USE bookflow_db	0 row(s) affected
62	11:42:43	CREATE TABLE Books (book_id INT PRIMARY KEY, title VARCHAR(100), isbn VARCHAR(20), published_year INT);	Error Code: 1050. Table 'books' already exists
63	11:42:43	INSERT INTO Books (book_id, title, isbn, published_year) VALUES (1, 'The Great Gatsby', '9780743273565', 1925), (2, '1984', '9780451526305', 1949), (3, 'The Catcher in the Rye', '9780316769488', 1951);	Error Code: 1062. Duplicate entry '1' for key 'books.PRIMARY'
64	11:42:43	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned
65	11:42:43	CREATE TABLE Members (member_id INT PRIMARY KEY, full_name VARCHAR(50), email VARCHAR(100));	0 row(s) affected
66	11:42:43	INSERT INTO Members (member_id, full_name, email) VALUES (101, 'Simran Jangid', 'simranjangid3@email.com'), (102, 'Emma Wilson', 'emma.wilson@email.com'), (103, 'Michael Brown', 'michael.brown@email.com');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
67	11:42:43	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned

6. Create Loans Table

The screenshot shows the SQL Developer interface. The 'Loans' table is created with the following structure:

```
CREATE TABLE Loans (
  loan_id INT PRIMARY KEY,
  member_id INT,
  book_id INT,
  loan_date DATE,
  FOREIGN KEY (member_id) REFERENCES Members(member_id),
  FOREIGN KEY (book_id) REFERENCES Books(book_id)
);
```

The 'Action Output' window shows the following messages:

#	Time	Action	Message
65	11:42:43	CREATE TABLE Members (member_id INT PRIMARY KEY, full_name VARCHAR(50), email VARCHAR(100));	0 row(s) affected
66	11:42:43	INSERT INTO Members (member_id, full_name, email) VALUES (101, 'Simran Jangid', 'simranjangid3@email.com'), (102, 'Emma Wilson', 'emma.wilson@email.com'), (103, 'Michael Brown', 'michael.brown@email.com');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
67	11:42:43	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned
68	11:45:59	CREATE DATABASE bookflow_db	Error Code: 1007. Can't create database 'bookflow_db'; database exists
69	11:45:59	USE bookflow_db	0 row(s) affected
70	11:45:59	CREATE TABLE Books (book_id INT PRIMARY KEY, title VARCHAR(100), isbn VARCHAR(20), published_year INT);	Error Code: 1050. Table 'books' already exists
71	11:45:59	INSERT INTO Books (book_id, title, isbn, published_year) VALUES (1, 'The Great Gatsby', '9780743273565', 1925), (2, '1984', '9780451526305', 1949), (3, 'The Catcher in the Rye', '9780316769488', 1951);	Error Code: 1062. Duplicate entry '1' for key 'books.PRIMARY'
72	11:45:59	SELECT * FROM Books LIMIT 0, 1000	3 row(s) returned
73	11:46:00	CREATE TABLE Members (member_id INT PRIMARY KEY, full_name VARCHAR(50), email VARCHAR(100));	Error Code: 1050. Table 'members' already exists
74	11:46:00	INSERT INTO Members (member_id, full_name, email) VALUES (101, 'Simran Jangid', 'simranjangid3@email.com'), (102, 'Emma Wilson', 'emma.wilson@email.com'), (103, 'Michael Brown', 'michael.brown@email.com');	Error Code: 1062. Duplicate entry '101' for key 'members.PRIMARY'
75	11:46:00	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned
76	11:46:00	CREATE TABLE Loans (loan_id INT PRIMARY KEY, member_id INT, book_id INT, loan_date DATE, FOREIGN KEY (member_id) REFERENCES Members(member_id), FOREIGN KEY (book_id) REFERENCES Books(book_id));	0 row(s) affected

7. Insert Loans

The screenshot shows the SQL Developer interface with the 'Loans' table being created and populated. The 'Result Grid' displays the following data:

member_id	full_name	email
101	Simran Jangid	simranjangid3@email.com
102	Emma Wilson	emma.wilson@email.com
103	Michael Brown	michael.brown@email.com

The 'Action Output' pane shows the following messages:

- 75 11:46:00 SELECT * FROM Members LIMIT 0, 1000 3 row(s) returned 0.000 sec
- 76 11:46:00 CREATE TABLE Loans (loan_id INT PRIMARY KEY, ... 0 row(s) affected 0.031 sec
- 77 11:46:54 CREATE DATABASE bookflow_db Error Code: 1007. Can't create database 'bookflow_db'; d... 0.000 sec
- 78 11:46:54 USE bookflow_db 0 row(s) affected 0.000 sec
- 79 11:46:54 CREATE TABLE Books (book_id INT PRIMARY KEY, ... Error Code: 1050. Table 'books' already exists 0.000 sec
- 80 11:46:54 INSERT INTO Books (book_id, title, isbn, published_year)... Error Code: 1062. Duplicate entry '1' for key books.PRIM... 0.000 sec
- 81 11:46:54 SELECT * FROM Books LIMIT 0, 1000 3 row(s) returned 0.000 sec
- 82 11:46:54 CREATE TABLE Members (member_id INT PRIMARY... Error Code: 1050. Table 'members' already exists 0.000 sec
- 83 11:46:54 INSERT INTO Members (member_id, full_name, email) VA... Error Code: 1062. Duplicate entry '101' for key 'members.... 0.000 sec
- 84 11:46:54 SELECT * FROM Members LIMIT 0, 1000 3 row(s) returned 0.000 sec
- 85 11:46:54 CREATE TABLE Loans (loan_id INT PRIMARY KEY, ... Error Code: 1050. Table 'loans' already exists 0.000 sec
- 86 11:46:54 INSERT INTO Loans (loan_id, member_id, book_id, loan... 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 0.016 sec

8. Display Loans

The screenshot shows the SQL Developer interface with the 'Loans' table being displayed. The 'Result Grid' displays the following data:

loan_id	member_id	book_id	loan_date
1	101	1	2025-01-05
2	102	2	2025-01-08
3	103	3	2025-01-10
4	101	2	2025-02-01
5	102	1	2025-02-05
6	103	2	2025-02-12
7	101	3	2025-03-01
8	102	2	2025-03-07
9	103	1	2025-03-15
10	101	1	2025-04-01

The 'Action Output' pane shows the following messages:

- 91 11:47:31 SELECT * FROM Books LIMIT 0, 1000 3 row(s) returned
- 92 11:47:31 CREATE TABLE Members (member_id INT PRIMARY... Error Code: 1050. Table 'members' already exists
- 93 11:47:31 INSERT INTO Members (member_id, full_name, email) VA... Error Code: 1062. Duplicate entry '101' for key 'members....
- 94 11:47:31 SELECT * FROM Members LIMIT 0, 1000 3 row(s) returned
- 95 11:47:31 CREATE TABLE Loans (loan_id INT PRIMARY KEY, ... Error Code: 1050. Table 'loans' already exists
- 96 11:47:31 INSERT INTO Loans (loan_id, member_id, book_id, loan... Error Code: 1062. Duplicate entry '1' for key loans.PRIMA...
- 97 11:47:31 SELECT * FROM Loans LIMIT 0, 1000 10 row(s) returned

9. INNER JOIN

The screenshot shows the SQL Developer interface with a query window titled 'Week_2'. The query is as follows:

```

43 SELECT * FROM Loans;
44 SELECT m.full_name AS Member_Name,
45        b.title AS Book_Title
46 FROM Loans l
47 INNER JOIN Members m
48 ON l.member_id = m.member_id
49 INNER JOIN Books b
50 ON l.book_id = b.book_id;

```

The 'Result Grid' shows the following data:

Member_Name	Book_Title
Michael Brown	The Great Gatsby
Emma Wilson	The Great Gatsby
Simran Jangid	The Great Gatsby
Simran Jangid	The Great Gatsby
Michael Brown	To Kill a Mockingbird
Emma Wilson	To Kill a Mockingbird
Simran Jangid	To Kill a Mockingbird
Michael Brown	1094

The 'Output' pane shows the following actions:

#	Time	Action	Message	Du
103	11:48:23	CREATE TABLE Members (member_id INT PRIMARY...	Error Code: 1050. Table 'members' already exists	0.0
104	11:48:23	INSERT INTO Members (member_id, full_name, email) VA...	Error Code: 1062. Duplicate entry '101' for key 'members....	0.0
105	11:48:23	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned	0.0
106	11:48:23	CREATE TABLE Loans (loan_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'loans' already exists	0.0
107	11:48:23	INSERT INTO Loans (loan_id, member_id, book_id, loan...	Error Code: 1062. Duplicate entry '1' for key 'loans.PRIMA...	0.0
108	11:48:23	SELECT * FROM Loans LIMIT 0, 1000	10 row(s) returned	0.0
109	11:48:23	SELECT m.full_name AS Member_Name, b.title AS B...	10 row(s) returned	0.0

10. GROUP BY

The screenshot shows the SQL Developer interface with a query window titled 'Week_2'. The query is as follows:

```

49 INNER JOIN Books b
50 ON l.book_id = b.book_id;
51 SELECT published_year,
52        COUNT(book_id) AS Total_Books
53 FROM Books
54 GROUP BY published_year
55 ORDER BY published_year;

```

The 'Result Grid' shows the following data:

published_year	Total_Books
1925	1
1949	1
1960	1

The 'Output' pane shows the following actions:

#	Time	Action	Message	Du
7	10:21:48	INSERT INTO Members (member_id, full_name, email) VA...	Error Code: 1062. Duplicate entry '101' for key 'members....	
8	10:21:48	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned	
9	10:21:48	CREATE TABLE Loans (loan_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'loans' already exists	
10	10:21:48	INSERT INTO Loans (loan_id, member_id, book_id, loan...	Error Code: 1062. Duplicate entry '1' for key 'loans.PRIMA...	
11	10:21:48	SELECT * FROM Loans LIMIT 0, 1000	10 row(s) returned	
12	10:21:48	SELECT m.full_name AS Member_Name, b.title AS B...	10 row(s) returned	
13	10:21:48	SELECT published_year, COUNT(book_id) AS Total_Boo...	3 row(s) returned	

11. Create Donation History

The screenshot shows the SQL Enterprise Manager interface. The left pane displays the 'bookflow_db' schema with tables 'student_marks1_c' and 'students_db'. The central pane shows the SQL script for creating the 'Donation_History' table:

```
56 CREATE TABLE Donation_History (  
57     donation_id INT PRIMARY KEY,  
58     book_id INT,  
59     donor_name VARCHAR(100),  
60     donation_date DATE,  
61     FOREIGN KEY (book_id) REFERENCES Books(book_id)  
62 );
```

The right pane shows the 'Result Grid' with the following data:

published_year	Total_Books
1925	1
1949	1
1960	1

The bottom pane shows the 'Output' window with the following messages:

#	Time	Action	Message
8	12:07:43	SELECT * FROM Members LIMIT 0, 1000	3 row(s) returned
9	12:07:43	CREATE TABLE Loans (loan_id INT PRIMARY KEY, ...	Error Code: 1050. Table 'loans' already exists
10	12:07:43	INSERT INTO Loans (loan_id, member_id, book_id, loan...	Error Code: 1062. Duplicate entry '1' for key 'loans.PRIMA...
11	12:07:43	SELECT * FROM Loans LIMIT 0, 1000	10 row(s) returned
12	12:07:43	SELECT m.full_name AS Member_Name, b.title AS B...	10 row(s) returned
13	12:07:44	SELECT published_year, COUNT(book_id) AS Total_Boo...	3 row(s) returned
14	12:07:44	CREATE TABLE Donation_History (donation_id INT P...	0 row(s) affected

12. Transaction

The screenshot shows the SQL Enterprise Manager interface. The left pane displays the 'bookflow_db' schema with tables 'student_marks1_c' and 'students_db'. The central pane shows the SQL script for a transaction:

```
64  
65 INSERT INTO Books  
66 VALUES  
67 (4, 'Animal Farm', '9780451526342', 1945);  
68  
69 INSERT INTO Donation_History  
70 VALUES  
71 (1, 4, 'Raj Kumar', CURDATE());  
72  
73 COMMIT;
```

The right pane shows the 'Result Grid' with the following data:

published_year	Total_Books
1925	1
1949	1
1960	1

The bottom pane shows the 'Output' window with the following messages:

#	Time	Action	Message
26	12:09:40	SELECT m.full_name AS Member_Name, b.title AS B...	10 row(s) returned
27	12:09:40	SELECT published_year, COUNT(book_id) AS Total_Boo...	3 row(s) returned
28	12:09:40	CREATE TABLE Donation_History (donation_id INT P...	Error Code: 1050. Table 'donation_history' already exists
29	12:09:40	START TRANSACTION	0 row(s) affected
30	12:09:40	INSERT INTO Books VALUES (4, 'Animal Farm', '9780451...	1 row(s) affected
31	12:09:40	INSERT INTO Donation_History VALUES (1, 4, 'Raj Kumar...	1 row(s) affected
32	12:09:40	COMMIT	0 row(s) affected

13. Create Index

The screenshot shows the SQL Developer interface with a script window containing the following SQL commands:

```
66 VALUES
67 (4,'Animal Farm','9780451526342',1945);
68
69 INSERT INTO Donation_History
70 VALUES
71 (1,4,'Raj Kumar',CURDATE());
72
73 COMMIT;
74 CREATE INDEX idx_books_isbn
75 ON Books(isbn);
```

The Results window displays a table with the following data:

published_year	Total_Books
1925	1
1945	1
1949	1
1960	1

The Output window shows the execution results of the script:

#	Time	Action	Message
45	12:10:14	SELECT published_year, COUNT(book_id) AS Total_Boo...	4 row(s) returned
46	12:10:14	CREATE TABLE Donation_History (donation_id INT P...	Error Code: 1050. Table 'donation_history' already exists
47	12:10:14	START TRANSACTION	0 row(s) affected
48	12:10:14	INSERT INTO Books VALUES (4,'Animal Farm','9780451...	Error Code: 1062. Duplicate entry '4' for key 'books.PRIM...
49	12:10:14	INSERT INTO Donation_History VALUES (1,4,'Raj Kumar...	Error Code: 1062. Duplicate entry '1' for key 'donation_hist...
50	12:10:14	COMMIT	0 row(s) affected
51	12:10:14	CREATE INDEX idx_books_isbn ON Books(isbn)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0

14. Search Using Index

The screenshot shows the SQL Developer interface with a script window containing the following SQL commands:

```
69 INSERT INTO Donation_History
70 VALUES
71 (1,4,'Raj Kumar',CURDATE());
72
73 COMMIT;
74 CREATE INDEX idx_books_isbn
75 ON Books(isbn);
76 SELECT *
77 FROM Books
78 WHERE isbn='9780451524935';
```

The Results window displays a table with the following data:

book_id	title	isbn	published_year
3	1984	9780451524935	1949
NULL	NULL	NULL	NULL

The Output window shows the execution results of the script:

#	Time	Action	Message
65	12:10:41	CREATE TABLE Donation_History (donation_id INT P...	Error Code: 1050. Table 'donation_history' already exists
66	12:10:41	START TRANSACTION	0 row(s) affected
67	12:10:41	INSERT INTO Books VALUES (4,'Animal Farm','9780451...	Error Code: 1062. Duplicate entry '4' for key 'books.PRIM...
68	12:10:41	INSERT INTO Donation_History VALUES (1,4,'Raj Kumar...	Error Code: 1062. Duplicate entry '1' for key 'donation_hist...
69	12:10:41	COMMIT	0 row(s) affected
70	12:10:41	CREATE INDEX idx_books_isbn ON Books(isbn)	Error Code: 1061. Duplicate key name 'idx_books_isbn'
71	12:10:41	SELECT * FROM Books WHERE isbn='9780451524935' ...	1 row(s) returned