


Week-2


J.Simran

2520030166

1. Create Database & Select Database



2. Create Table (DDL)



3. Add New Column

The screenshot shows the SQL Enterprise Manager interface. The left pane displays a list of databases including 'bank_managemen', 'bookflow_db', 'emr_portal', 'sakila', 'student_db', 'student_info', 'student_marks1', 'student_marks_c', 'students_db', 'sys', and 'world'. The central pane shows the following SQL script:

```
2 • USE bank_db;
3 • CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
12 • ALTER TABLE bank_transactions
13 ADD account_no VARCHAR(20);
14
```

The right pane contains a message: "Automatic cont disabled. Use th manually get h current caret po toggle autom". The bottom pane shows the 'Output' window with the following table:

#	Time	Action	Message	D
1	10:55:37	Select output pane	1 row(s) affected	0.0
2	10:55:37	USE bank_db	0 row(s) affected	0.0
3	10:57:05	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...	0.0
4	10:57:05	USE bank_db	0 row(s) affected	0.0
5	10:57:05	CREATE TABLE bank_transactions (txn_id INT PRIMAR...	0 row(s) affected	0.0
6	11:00:01	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...	0.0
7	11:00:01	USE bank_db	0 row(s) affected	0.0
8	11:00:01	CREATE TABLE bank_transactions (txn_id INT PRIMAR...	Error Code: 1050. Table 'bank_transactions' already exists	0.0
9	11:00:01	ALTER TABLE bank_transactions ADD account_no VARC...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.0

4. Modify Column Size

The screenshot shows the SQL Enterprise Manager interface. The left pane displays a list of databases including 'bank_managemen', 'bookflow_db', 'emr_portal', 'sakila', 'student_db', 'student_info', 'student_marks1', 'student_marks_c', 'students_db', 'sys', and 'world'. The central pane shows the following SQL script:

```
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
12 • ALTER TABLE bank_transactions
13 ADD account_no VARCHAR(20);
14
15 • ALTER TABLE bank_transactions
16 MODIFY customer_name VARCHAR(100);

```

The right pane contains a message: "Automatic disabled. Use manually g current care toggle au". The bottom pane shows the 'Output' window with the following table:

#	Time	Action	Message	D
3	10:57:05	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...	0.0
4	10:57:05	USE bank_db	0 row(s) affected	0.0
5	10:57:05	CREATE TABLE bank_transactions (txn_id INT PRIMA...	0 row(s) affected	0.0
6	11:00:01	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...	0.0
7	11:00:01	USE bank_db	0 row(s) affected	0.0
8	11:00:01	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists	0.0
9	11:00:01	ALTER TABLE bank_transactions ADD account_no VAR...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.0
10	11:00:50	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...	0.0
11	11:00:50	USE bank_db	0 row(s) affected	0.0
12	11:00:50	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists	0.0
13	11:00:50	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'	0.0
14	11:00:50	ALTER TABLE bank_transactions MODIFY customer_nam...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.0

5. Rename Table

The screenshot shows the SQL Developer interface with a script editor containing the following SQL commands:

```
7      transaction_type VARCHAR(20),
8      amount DECIMAL(10,2),
9      transaction_date DATE
10  );
11
12  • ALTER TABLE bank_transactions
13    ADD account_no VARCHAR(20);
14
15  • ALTER TABLE bank_transactions
16    MODIFY customer_name VARCHAR(100);
17
18  • RENAME TABLE bank_transactions
19    TO customer_transactions;
```

The Output window displays the execution results:

#	Time	Action	Message
9	11:00:01	ALTER TABLE bank_transactions ADD account_no VAR...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
10	11:00:50	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...
11	11:00:50	USE bank_db	0 row(s) affected
12	11:00:50	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists
13	11:00:50	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
14	11:00:50	ALTER TABLE bank_transactions MODIFY customer_nam...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
15	11:02:22	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...
16	11:02:22	USE bank_db	0 row(s) affected
17	11:02:22	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists
18	11:02:22	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
19	11:02:22	ALTER TABLE bank_transactions MODIFY customer_nam...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
20	11:02:22	RENAME TABLE bank_transactions TO customer_transac...	0 row(s) affected

6. Insert Sample Data (DML)

The screenshot shows the SQL Developer interface with a script editor containing the following SQL commands:

```
19  TO customer_transactions;
20
21  • INSERT INTO bank_transactions VALUES
22    (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
23    (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
24    (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
25    (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
26    (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
27    (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
28    (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
29    (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
30    (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
31    (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
```

The Output window displays the execution results:

#	Time	Action	Message
16	11:02:22	USE bank_db	0 row(s) affected
17	11:02:22	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists
18	11:02:22	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
19	11:02:22	ALTER TABLE bank_transactions MODIFY customer_nam...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
20	11:02:22	RENAME TABLE bank_transactions TO customer_transac...	0 row(s) affected
21	11:04:44	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...
22	11:04:44	USE bank_db	0 row(s) affected
23	11:04:44	CREATE TABLE bank_tr	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch_name VARCHAR(50), transaction_type VARCHAR(20), amount DECIMAL(10,2), transaction_date DATE
24	11:04:44	ALTER TABLE bank_trai	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
25	11:04:44	ALTER TABLE bank_trai	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
26	11:04:44	RENAME TABLE bank_t	Error Code: 1050. Table 'customer_transactions' already exi...
27	11:04:44	INSERT INTO bank_tran	Error Code: 1136. Column count doesn't match value count...

7. Insert One More Record

The screenshot shows the SQL Developer interface. The main editor displays an SQL script with an `INSERT INTO` statement for the `bank_transactions` table. The script includes several previous statements and a new record to be inserted: `(111, 'Venu', 'Vizag', 'Deposit', 7000, '2024-01-18');`.

The **Action Output** pane at the bottom shows the execution log. It lists various database actions and their results, including errors for duplicate table names and column count mismatches. The final entry shows the successful execution of the `INSERT INTO` statement.

#	Time	Action	Message
32	11:05:49	ALTER TABLE bank_transactions MODIFY customer_name...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
33	11:05:49	RENAME TABLE bank_transactions TO customer_transac...	Error Code: 1050. Table 'customer_transactions' already exists
34	11:05:49	INSERT INTO bank_transactions VALUES (101,'Ravi','Hy...	Error Code: 1136. Column count doesn't match value count...
35	11:05:49	INSERT INTO bank_transactions VALUES (111,'Venu','Vi...	Error Code: 1136. Column count doesn't match value count...
36	11:05:53	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; databa...
37	11:05:53	USE bank_db	0 row(s) affected
38	11:05:53	CREATE TABLE bank_transactions (txn_id INT PRIMA...	Error Code: 1050. Table 'bank_transactions' already exists
39	11:05:53	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
40	11:05:53	ALTER TABLE bank_transactions MODIFY customer_name...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
41	11:05:53	RENAME TABLE bank_transactions TO customer_transac...	Error Code: 1050. Table 'customer_transactions' already exists
42	11:05:53	INSERT INTO bank_transactions VALUES (101,'Ravi','Hy...	Error Code: 1136. Column count doesn't match value count...
43	11:05:53	INSERT INTO bank_transactions VALUES (111,'Venu','Vi...	Error Code: 1136. Column count doesn't match value count...

8. View All Records

The screenshot shows the SQL Developer interface. The main editor displays an SQL script with a `SELECT * FROM bank_transactions;` statement. The **Result Grid** pane at the bottom shows the execution results of the `SELECT` statement, displaying a table with columns: `txn_id`, `customer_name`, `branch_name`, `transaction_type`, `amount`, `transaction_date`, and `account_no`.

The **Action Output** pane at the bottom shows the execution log. It lists various database actions and their results, including errors for duplicate table names and column count mismatches. The final entry shows the successful execution of the `SELECT` statement, returning 0 rows.

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date	account_no
--------	---------------	-------------	------------------	--------	------------------	------------

9. Update Record

The screenshot shows the SQL Developer interface with a query window titled "Week_2_01". The query being executed is:

```
35 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
36
37 • SELECT * FROM bank_transactions;
38 • UPDATE bank_transactions
39 SET amount = 5000
40 WHERE txn_id = 105;
```

The "Result Grid" shows the following columns: txn_id, customer_name, branch_name, transaction_type, amount, transaction_date, and account_no. The "Action Output" pane displays the execution results:

#	Time	Action	Message	Duration
51	11:06:50	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...	0
52	11:06:50	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned	0
53	11:08:23	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; datab...	0
54	11:08:23	USE bank_db	0 row(s) affected	0
55	11:08:23	CREATE TABLE bank_transactions (txn_id INT PRIM...	Error Code: 1050. Table 'bank_transactions' already exists	0
56	11:08:23	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'	0
57	11:08:23	ALTER TABLE bank_transactions MODIFY customer_na...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0
58	11:08:23	RENAME TABLE bank_transactions TO customer_transa...	Error Code: 1050. Table 'customer_transactions' already e...	0
59	11:08:23	INSERT INTO bank_transactions VALUES (101,'Ravi','H...	Error Code: 1136. Column count doesn't match value cou...	0
60	11:08:23	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...	0
61	11:08:23	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned	0
62	11:08:23	UPDATE bank_transactions SET amount = 5000 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0

The screenshot shows the SQL Developer interface with a query window titled "Week_2_01". The query being executed is:

```
37 • SELECT * FROM bank_transactions;
38 • UPDATE bank_transactions
39 SET amount = 5000
40 WHERE txn_id = 105;
41 • SELECT * FROM bank_transactions
42 WHERE txn_id = 105;
```

The "Result Grid" shows the following columns: txn_id, customer_name, branch_name, transaction_type, amount, transaction_date, and account_no. The "Action Output" pane displays the execution results:

#	Time	Action	Message	Duration
62	11:08:23	UPDATE bank_transactions SET amount = 5000 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000
63	11:08:50	CREATE DATABASE bank_db	Error Code: 1007. Can't create database 'bank_db'; datab...	0.000
64	11:08:50	USE bank_db	0 row(s) affected	0.000
65	11:08:50	CREATE TABLE bank_transactions (txn_id INT PRIM...	Error Code: 1050. Table 'bank_transactions' already exists	0.000
66	11:08:50	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'	0.000
67	11:08:50	ALTER TABLE bank_transactions MODIFY customer_na...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047
68	11:08:50	RENAME TABLE bank_transactions TO customer_transa...	Error Code: 1050. Table 'customer_transactions' already e...	0.000
69	11:08:50	INSERT INTO bank_transactions VALUES (101,'Ravi','H...	Error Code: 1136. Column count doesn't match value cou...	0.000
70	11:08:50	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...	0.016
71	11:08:50	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned	0.000
72	11:08:50	UPDATE bank_transactions SET amount = 5000 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000
73	11:08:50	SELECT * FROM bank_transactions WHERE txn_id = 10...	0 row(s) returned	0.000

10. Delete Record & Check

The screenshot shows the SQL Developer interface with a query window titled 'Week_2_01'. The query is as follows:

```
41 • SELECT * FROM bank_transactions
42 WHERE txn_id = 105;
43
44 • DELETE FROM bank_transactions
45 WHERE txn_id = 111;
46 • SELECT * FROM bank_transactions;
```

The 'Result Grid' is empty. The 'Action Output' pane shows the following results:

#	Time	Action	Message
75	11:10:42	USE bank_db	0 row(s) affected
76	11:10:42	CREATE TABLE bank_transactions (txn_id INT PRIM...	Error Code: 1050. Table 'bank_transactions' already exists
77	11:10:42	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
78	11:10:42	ALTER TABLE bank_transactions MODIFY customer_na...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
79	11:10:42	RENAME TABLE bank_transactions TO customer_transa...	Error Code: 1050. Table 'customer_transactions' already e...
80	11:10:42	INSERT INTO bank_transactions VALUES (101,'Ravi','H...	Error Code: 1136. Column count doesn't match value cou...
81	11:10:42	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...
82	11:10:42	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
83	11:10:42	UPDATE bank_transactions SET amount = 5000 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...
84	11:10:42	SELECT * FROM bank_transactions WHERE txn_id = 10...	0 row(s) returned
85	11:10:42	DELETE FROM bank_transactions WHERE txn_id = 111	0 row(s) affected
86	11:10:42	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned

11. Display Only Deposits

The screenshot shows the SQL Developer interface with a query window titled 'Week_2_01'. The query is as follows:

```
44 • DELETE FROM bank_transactions
45 WHERE txn_id = 111;
46 • SELECT * FROM bank_transactions;
47 • SELECT *
48 FROM bank_transactions
49 WHERE transaction_type='Deposit';
```

The 'Result Grid' is empty. The 'Action Output' pane shows the following results:

#	Time	Action	Message
89	11:12:06	CREATE TABLE bank_transactions (txn_id INT PRIM...	Error Code: 1050. Table 'bank_transactions' already exists
90	11:12:06	ALTER TABLE bank_transactions ADD account_no VAR...	Error Code: 1060. Duplicate column name 'account_no'
91	11:12:06	ALTER TABLE bank_transactions MODIFY customer_na...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0
92	11:12:06	RENAME TABLE bank_transactions TO custo...	Error Code: 1050. Table 'customer_transactions' already e...
93	11:12:06	INSERT INTO bank_transactions VALUES (11 TO customer_transactions	count doesn't match value cou...
94	11:12:06	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...
95	11:12:06	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
96	11:12:06	UPDATE bank_transactions SET amount = 5000 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...
97	11:12:06	SELECT * FROM bank_transactions WHERE txn_id = 10...	0 row(s) returned
98	11:12:06	DELETE FROM bank_transactions WHERE txn_id = 111	0 row(s) affected
99	11:12:06	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
100	11:12:06	SELECT * FROM bank_transactions WHERE transaction...	0 row(s) returned

12. Grant Permission (DCL)

The screenshot shows the SQL Developer interface with a script window containing the following SQL code:

```
49 WHERE transaction_type='Deposit';
50 SELECT *
51 FROM bank_transactions
52 ORDER BY amount DESC;
53 GRANT SELECT
54 ON bank_transactions
55 TO Auditor1;
```

The Output window shows the execution results:

#	Time	Action	Message
121	11:13:17	RENAME TABLE bank_transactions TO customer_transa...	Error Code: 1050. Table 'customer_transactions' already e...
122	11:13:17	INSERT INTO bank_transactions VALUES (101,'Ravi','H...	Error Code: 1136. Column count doesn't match value cou...
123	11:13:17	INSERT INTO bank_transactions VALUES (111,'Venu','V...	Error Code: 1136. Column count doesn't match value cou...
124	11:13:17	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
125	11:13:17	UPDATE bank_transactions SET amount = 5000 WHERE...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...
126	11:13:17	SELECT * FROM bank_transactions WHERE txn_id = 10...	0 row(s) returned
127	11:13:17	DELETE FROM bank_transactions WHERE txn_id = 111	0 row(s) affected
128	11:13:17	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
129	11:13:17	SELECT * FROM bank_transactions WHERE transaction...	0 row(s) returned
130	11:13:17	SELECT * FROM bank_transactions ORDER BY amount ...	0 row(s) returned
131	11:13:17	GRANT SELECT ON bank_transactions TO Auditor1	Error Code: 1410. You are not allowed to create a user wit...

13. Grant All Permissions & Revoke Permission

The screenshot shows the SQL Developer interface with a script window containing the following SQL code:

```
48 FROM bank_transactions
49 WHERE transaction_type='Deposit';
50 SELECT *
51 FROM bank_transactions
52 ORDER BY amount DESC;
53 GRANT SELECT
54 ON bank_transactions
55 TO Auditor1;
```

The Output window shows the execution results:

#	Time	Action	Message
157	11:14:43	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
158	11:14:43	UPDATE bank_transactions SET amount = 5000 WHERE...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...
159	11:14:43	SELECT * FROM bank_transactions WHERE txn_id = 10...	0 row(s) returned
160	11:14:43	DELETE FROM bank_transactions WHERE txn_id = 111	0 row(s) affected
161	11:14:43	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
162	11:14:43	SELECT * FROM bank_transactions WHERE transaction...	0 row(s) returned
163	11:14:43	SELECT * FROM bank_transactions ORDER BY amount ...	0 row(s) returned
164	11:14:43	GRANT SELECT ON bank_transactions TO Auditor1	Error Code: 1410. You are not allowed to create a user wit...
165	11:14:43	GRANT ALL ON bank_transactions TO BranchManager	Error Code: 1410. You are not allowed to create a user wit...
166	11:14:43	REVOKE SELECT ON bank_transactions FROM Auditor1	Error Code: 1147. There is no such grant defined for user '...

14. Commit Changes (TCL) & Create Savepoint

The screenshot shows the SQL Developer interface with a SQL script in the main editor. The script is as follows:

```
60 ON bank_transactions
61 FROM Auditor1;
62 • UPDATE bank_transactions
63 SET amount=6000
64 WHERE txn_id=101;
65 • COMMIT;
66 • SAVEPOINT Before_Update;
```

The left sidebar shows a list of database objects, including 'bank_transactions'. The bottom pane shows the 'Output' window with the following log:

#	Time	Action	Message
217	11:18:17	DELETE FROM bank_transactions WHERE txn_id = 111	0 row(s) affected
218	11:18:17	SELECT * FROM bank_transactions LIMIT 0, 1000	0 row(s) returned
219	11:18:17	SELECT * FROM bank_transactions WHERE transaction...	0 row(s) returned
220	11:18:17	SELECT * FROM bank_transactions ORDER BY amount ...	0 row(s) returned
221	11:18:17	GRANT SELECT ON bank_transactions TO Auditor1	Error Code: 1410. You are not allowed to create a user wit...
222	11:18:17	GRANT ALL ON bank_transactions TO BranchManager	Error Code: 1410. You are not allowed to create a user wit...
223	11:18:17	REVOKE SELECT ON bank_transactions FROM Auditor1	Error Code: 1147. There is no such grant defined for user "...
224	11:18:17	UPDATE bank_transactions SET amount=6000 WHERE ...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...
225	11:18:17	COMMIT	0 row(s) affected
226	11:18:17	SAVEPOINT Before_Update	0 row(s) affected

15. Rollback to Savepoint

The screenshot shows the SQL Developer interface with a SQL script in the main editor. The script is as follows:

```
73 WHERE txn_id=101;
74 • SAVEPOINT SP1;
75 • UPDATE bank_transactions
76 SET amount=9000
77 WHERE txn_id=102;
78 • ROLLBACK TO SP1;
79 • COMMIT;
```

The left sidebar shows a list of database objects, including 'bank_transactions'. The bottom pane shows the 'Output' window with the following log:

#	Time	Action	Message	Duration
296	11:20:20	UPDATE bank_transactions SET amount=6000 WHERE ...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000 se
297	11:20:20	COMMIT	0 row(s) affected	0.000 se
298	11:20:20	SAVEPOINT Before_Update	0 row(s) affected	0.000 se
299	11:20:20	UPDATE bank_transactions SET amount=99999 WHER...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000 se
300	11:20:20	ROLLBACK TO Before_Update	Error Code: 1305. SAVEPOINT Before_Update does not ...	0.000 se
301	11:20:20	UPDATE bank_transactions SET amount=7000 WHERE ...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000 se
302	11:20:20	SAVEPOINT SP1	0 row(s) affected	0.000 se
303	11:20:20	UPDATE bank_transactions SET amount=9000 WHERE ...	0 row(s) affected Rows matched: 0 Changed: 0 Warning...	0.000 se
304	11:20:20	ROLLBACK TO SP1	Error Code: 1305. SAVEPOINT SP1 does not exist	0.000 se
305	11:20:20	COMMIT	0 row(s) affected	0.000 se