

The
United
States
of
America



**The Director of the United States
Patent and Trademark Office**

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extensions.

Jon W. I. Dudas

Director of the United States Patent and Trademark Office



US007431007B2

(12) **United States Patent**
Kamath

(10) **Patent No.:** **US 7,431,007 B2**
(45) **Date of Patent:** **Oct. 7, 2008**

(54) **APPARATUS ADAPTED TO PERFORM AS
COMPRESSOR, MOTOR, PUMP AND
INTERNAL COMBUSTION ENGINE**

(76) Inventor: **Das Ajee Kamath**, D-1 Arwin River
Dale Apartments, Vrindavan, Chetichtra
Road, Elamkulam, Emakulam, Kochi,
Kerale (IN) 682019

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 195 days.

(21) Appl. No.: **10/553,857**

(22) PCT Filed: **Apr. 22, 2003**

(86) PCT No.: **PCT/IN03/00167**

§ 371 (c)(1),
(2), (4) Date: **Oct. 20, 2005**

(87) PCT Pub. No.: **WO2004/094787**

PCT Pub. Date: **Nov. 4, 2004**

(65) **Prior Publication Data**

US 2006/0193740 A1 Aug. 31, 2006

(30) **Foreign Application Priority Data**

Apr. 23, 2003 (DE) 103 18 296

(51) **Int. Cl.**
F02B 53/00 (2006.01)
F01C 1/00 (2006.01)
F03C 2/00 (2006.01)
F04C 2/00 (2006.01)

(52) **U.S. Cl.** **123/245; 123/241; 418/38;**
418/36

(58) **Field of Classification Search** 123/245,
123/241; 418/33, 35-38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,458,641 A	6/1923	Vojtech	123/245
2,147,290 A *	2/1939	Gardner	418/38
2,673,027 A	3/1954	Lipkau	418/38
3,505,981 A *	4/1970	Turnbull	418/38
3,565,049 A *	2/1971	Bauer	123/245
3,592,571 A *	7/1971	Drury	418/36
3,824,963 A *	7/1974	Eda	418/38
4,086,879 A *	5/1978	Turnbull	123/245
4,153,396 A	5/1979	Landry	418/38
4,359,980 A *	11/1982	Somraty	123/245
4,605,361 A *	8/1986	Cordray	418/38
4,738,235 A	4/1988	Silvoza	123/245
4,744,736 A *	5/1988	Stauffer	418/35
5,429,085 A *	7/1995	Stauffer	123/245
5,501,182 A *	3/1996	Kull et al.	418/36
5,527,165 A *	6/1996	Schadeck	418/36
6,113,370 A *	9/2000	Volfisun	123/245
6,158,987 A *	12/2000	Raikamo	418/36

(Continued)

Primary Examiner—Thai-Ba Trieu
(74) *Attorney, Agent, or Firm*—Schmeiser, Olsen & Watts
LLP

(57) **ABSTRACT**

A rotary apparatus with an enclosure formed by a hollow curved housing along with two sleeves, with two vanes within the enclosure, where one vane is fitted on each sleeve and the space within the enclosure is partitioned into two segregated volumes by the vanes which can rotate along with the sleeve that the individual vane is fitted on, by use of the timing devices, couplings, brakes and shaft, resulting in a sequence of alternate, independent or simultaneous rotation and stopping of vanes that leads to increase and decrease of volume of the segregated spaces, in a fashion that results in a thermodynamic gas cycles with Variable Compression ratio.

8 Claims, 29 Drawing Sheets



