Sublist3r Cheat Sheet

by Simran Malakar

📖 What is Sublist3r?

Sublist3r is a Python-based OSINT tool used for subdomain enumeration. It gathers subdomains from multiple public sources like search engines and certificate logs.

🎯 Why is it Used?

- Discover subdomains using OSINT
- Useful in early reconnaissance phase
- Fast and easy to use
- Helps expand attack surface
- Supports integration with other recon tools

⚙️ How it Works

Sublist3r collects data from:

- Search engines (Google, Bing, Yahoo)
- Certificate transparency logs
- APIs and public datasets

It aggregates results, removes duplicates, and outputs valid subdomains.

💻 Installation

```
git clone https://github.com/aboul3la/Sublist3r.git

cd Sublist3r

pip install -r requirements.txt

python sublist3r.py
```

🔥 Common Commands

```
python sublist3r.py -d target.com

python sublist3r.py -d target.com -o subdomains.txt

python sublist3r.py -d target.com -e google,yahoo

python sublist3r.py -d target.com -b
```

```
python sublist3r.py -d target.com -t 50

python sublist3r.py -d target.com -v

python sublist3r.py -d target.com -p 80,443
```

⚡ Pro Tips

- Combine with Subfinder and Amass
- Use brute mode carefully
- Validate results using httpx
- Merge outputs from multiple tools

🧠 Workflow

```
python sublist3r.py -d target.com -o subs.txt
cat subs.txt | httpx -silent -o live.txt
```