G H Patel College of Engineering and Technology Department Of Computer Engineering

A.Y. 2017-18(EVEN), SEMESTER 6 SUBJECT CODE: 2160708

SUBJECT NAME: WEB TECHNOLOGY

OPEN ENDED PROBLEM

Topic: Mobile Comparison

Prepared By:

- 1. Harsh Brahmbhatt (150110107007)
- 2. Jay Dave (150110107013)

– Description:

Our project will finally create a website that connects users. It is also great for users who are looking
for newly developed gadget. It will increase knowledge about particular gadget and gives detail
specification of gadget.

Source Programs:

HOME.PHP

```
<?php
session_start();
if(isset($_SESSION['user']))
{
  header('Location: welcome1.php');
}
?>
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://apis.google.com/js/platform.js" async defer></script>
  <meta name="google-signin-client id" content="192394381192-</pre>
or096419u6rjkpceltpegk62l0ioohmm.apps.googleusercontent.com">
  <link href="css/style.css" rel='stylesheet' type='text/css' />
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
  <link href='http://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700,800' rel='stylesheet'</pre>
type='text.css'/>
</head>
<body>
<?php
$message="";
$conn = mysqli_connect("localhost", "root", "","test");
if(isset($ POST['submit']))
{
$name=$_POST['username'];
$email=$_POST['email'];
$pass=$_POST['password'];
   $result = mysqli query($conn,"SELECT * FROM app WHERE email="".$ POST["email"].""");
   $count = mysqli num rows($result);
```

```
if($count==1)
    $message="email is already taken";
   }
  else{
   $message="";
    $sql = "INSERT INTO app (user,email,password) VALUES ('$name', '$email', '$pass')";
    mysqli_query($conn,$sql);
    mysqli_close($conn);
    $count=0;
    session_start();
    $_SESSION['user']=$name;
    $_SESSION['gmail']=0;
    header('Location: http://localhost/welcome1.php');}
}
elseif (isset($_POST['login'])) {
$message="";
  $name=$_POST['logmail'];
  $email=$_POST['logpass'];
 $result = mysqli_query($conn,"SELECT * FROM app WHERE email=" . $_POST["logmail"] . "' and
password = '". $_POST["logpass"]."'");
$count = mysqli_num_rows($result);
if($count==0) {
  $message = "Invalid Username or Password!";
} else {
 $result= mysqli_query($conn,"SELECT user FROM app WHERE email="".$_POST["logmail"]."' and
password="".$_POST["logpass"].""");
```

```
session_start();
While($x=mysqli_fetch_array($result))
{
 \sum_{s=0}^{s} SESSION['user'] = x[0];
 $_SESSION['gmail']='logout';
 }
header('Location: http://localhost/welcome1.php');
}
 # code...
}
?>
<nav class="navbar navbar-inverse">
<div class="container-fluid">
 <div class="navbar-header">
  <a class="navbar-brand" href="#">MobileInfo</a>
 </div>
 <a href="#">Home</a>
  </div>
</nav>
<div class="main">
 <div class="header" >
  <h1>Login or Create a Free Account!</h1>
  </div>
```

```
<form method="POST" action="<?php echo $_SERVER['PHP_SELF'];?>">
    ul class="left-form">
     <h2>New Account:</h2>
     <input type="text" name="username" pattern=".{4,}" title="four or more characters"</pre>
placeholder="Username"/>
       <div class="clear"> </div>
     ="text" name="email" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,3}$" title="write" title="write" name="email" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,3}$"
correct email"placeholder="Email" />
      <div class="clear"> </div>
     <input type="password" name="password" pattern=".{6,}" title="Six or more characters"
placeholder="password"/>
     <div class="clear"> </div>
     <div class="clear"> </div>
     <div class="message"><?php if($message!="" && isset($_POST['submit'])) { echo $message; }</pre>
?></div>
     <span style="display: inline-grid;">
     <input type="submit" value="submit" name="submit">
     <div class="g-signin2" name="signin" data-onsuccess="onSignIn" style="margin-top:15px;"></div>
     </span>
```

```
<div class="clear"> </div>
    <h3>Login:</h3>
    <div>
     <input type="text" name="logmail" placeholder="Email" >
     <input type="password" name="logpass" placeholder="Password" >
     <input type="submit" name="login" value="Login" style="margin-left: 5px;">
    </div>
       <div class="message"><?php if($message!="" && $_POST['login']) { echo $message; } ?></div>
    <div class="clear"> </div>
    <div class="clear"> </div>
  </form>
  <script>
var name;
var mail;
 function onSignIn(googleUser) {
var profile = googleUser.getBasicProfile();
 name= profile.getName();
 mail=profile.getEmail();
console.log(name);
$.ajax(
{
 type:"post",
```

```
data:{name1:name,email1:mail},
  success:function()
  {
   window.location="http://localhost/welcome1.php";
  }
 });
}
</script>
<?php
if(isset($_POST['name1']))
{
 session_start();
 $_SESSION['user']=$_POST['name1'];
}
?>
</body>
</html>
                           Login or Create a Free Account!
                                        Login
```

```
FORMARTICLE.PHP
<?php
session_start();
if(!isset($_SESSION['user']))
{
header('location:home.php');
}
?>
<!DOCTYPE html>
<html>
<head>
        <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
        <title>Write a Article</title>
        <style>
               form{
margin-top: 100px;
               }
        </style>
</head>
<body>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
  <div class="navbar-header">
```

```
<a class="navbar-brand" href="#">MobileInfo</a>
 </div>
 ul class="nav navbar-nav">
  <a href="#">Write Article</a>
  <a href="showarticle.php">Show Article</a>
  <a href="compare.php">Compare</a>
   <a href="showmobile.php">Show Mobile</a>
  <a href='logout.php'>
   <?php
  echo "logout";
    ?></a>
 </div>
</nav>
       <form class="form-horizontal" method="POST" action="articledb.php">
  <div class="form-group">
  <label class="control-label col-sm-2" for="AN">Article Name</label>
  <div class="col-sm-6">
   <input type="text" class="form-control" name="name" id="AN" placeholder="Enter Article Name">
  </div>
 </div>
  <div class="form-group">
  <label class="control-label col-sm-2" for="DN">Device Name</label>
  <div class="col-sm-6">
    <input type="text" class="form-control" name="name1" id="DN" placeholder="Enter Device
Name">
  </div>
 </div>
 <div class="form-group">
```

<label class="</th"><th>c"control-label col-sm-2" for="DN">Description</th></label>	c"control-label col-sm-2" for="DN">Description
<div class="d</th><th>col-sm-6"></div>	
<input th="" type<=""/> <th>e="text" class="form-control" name="name2" id="DN" placeholder="Enter Description"></th>	e="text" class="form-control" name="name2" id="DN" placeholder="Enter Description">
<div class="fo</th><th>orm-group"></div>	
	"control-label col-sm-2" for="DN">Write
<div class="0</td><td></td></tr><tr><td></td><td>name=" cols="100" rows="10" texta"=""></div>	
	, , , , , , , , , , , , , , , , , , ,
<div class="fo</th><th>orm-group"></div>	
<div class="d</th><th>col-sm-offset-2 col-sm-10"></div>	
<button td="" type<=""><td>pe="submit" name="submit" class="btn btn-default">Submit</td></button>	pe="submit" name="submit" class="btn btn-default">Submit
MobileInfo Write Article Show At	ticle Compare Show Mobile logicul
Article Name Enter	Article Name
	Device Name
Description Enter	Description
Write	
Submi	t .


COMPARE.PHP

```
<?php
session_start();
if(!isset($_SESSION['user']))
{
       header('location:home.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
       <meta charset="UTF-8">
       <title>Fono Api</title>
        <script src="https://code.jquery.com/jquery-1.10.2.js"></script>
        <script src="api.js" type="text/javascript" charset="utf-8" async defer></script>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
</head>
<body>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
  <div class="navbar-header">
  <a class="navbar-brand" href="#">MobileInfo</a>
  </div>
  <a href="#">Compare</a>
  <a href="showarticle.php">Show Article</a>
  <a href="FormArticle.php">Write Article</a>
```

```
<a href="showmobile.php">Show Mobile</a>
   <a href="logout.php">loogout</a>
 </div>
</nav>
       <div class="container bb">
<div class="jumbotron">
 <h1>Compare Mobile</h1>
  Use Accurate Phone Name For Best Result.
</div>
</div>
<div class="container">
<div class="row">
              Search for your device
              <div class="form-group">
              <input class="text form-control" type="text" ></input>
              <br>
              <input class="text2 form-control" type="text" ></input>
              </div>
              <div class="form-group">
<a href="#" class="button btn btn-primary btn-block bb btn btn-success">submit</a>
</div>
</div>
</div>
<div class="container">
<div class="row">
<div class="col-sm-6 device1"></div>
```

```
<div class="col-sm-6 device2"></div>
</div>
</div>
<script type="text/javascript" charset="utf-8" async defer>
      $('.button').on('click',function()
      {-
             $('.bb').hide('slow/800/fast', function() {
             });
             $('.device1').fonoApi({
             token: "f027eaf8a1108beaab2fc9a2c9c602e55fc797bb6ef94a18",
             device: $('.text').val(),
             limit: 50,
             template : function() {
                                  console.log(arguments);
                           return $.map(arguments, function(obj, i) {
                                  content = '<h3>'+ obj.DeviceName + '</h3>';
                           content += '';
                           content += 'infoDescription';
                           for(var key in obj){
                            content += "" + key + "" + obj[key] + "";
                           }
                           content += "";
                                  return content;
                            });
             }
```

```
});
             $('.device2').fonoApi({
             token: "f027eaf8a1108beaab2fc9a2c9c602e55fc797bb6ef94a18",
             device: $('.text2').val(),
             limit: 50,
             template : function() {
                                //console.log(arguments);
                          return $.map(arguments, function(obj, i) {
                                content = '<h3>'+ obj.DeviceName + '</h3>';
                          content += '';
                          content += 'infoDescription';
                          for(var key in obj){
                           content += "" + key + "" + obj[key] + "";
                          }
                          content += "";
                                return content;
                          });
             }
});
      });
      </script>
</body>
</html>
```



localhost/compare.php# SHOWARTICLE.PHP <?php session_start(); if(!isset(\$_SESSION['user'])) { header('location:home.php'); } ?> <html> <head> <title> showarticle </title> <link rel="stylesheet" type="text/css" href="showarticle.css"> <link rel="stylesheet"</pre> href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>
      <nav class="navbar navbar-inverse">
<div class="container-fluid">
 <div class="navbar-header">
  <a class="navbar-brand" href="#">MobileInfo</a>
 </div>
 <a href="#">Show Article</a>
  <a href="FormArticle.php">Write Article</a>
  <a href="Compare.php">Compare</a>
   <a href="showmobile.php">Show Mobile</a>
  <a href='logout.php'>logout</a>
  </a>
 </div>
</nav>
<div class="container me">
      <div class="span8">
<?php
$conn = mysqli_connect("localhost", "root", "","test");
$sql="SELECT * FROM app3";
$result=mysqli_query($conn,$sql);
```

```
if (mysqli_num_rows($result) > 0) {
  while($row = mysqli_fetch_assoc($result)) {
    echo "<h1>".$row["articlename"]."</h1>
    <h3>".$row["devicename"]."</h3>
    ".$row['description']."
    <div class='more label'><a
href='http://localhost/part.php?un=\{\$row['username']\}\&an=\{\$row['articlename']\}'>Read
more</a></div>
    <div class='clear'></div>
    <hr>";
  }
} else {
 echo "0 results";
}
mysqli_close($conn);
?>
</div>
</div>
</body>
</html>
       opop
       oppo 8
       hello my name
                                                                                        Read more
```

```
PART.PHP
<?php
session_start();
if(!isset($_SESSION['user']))
{
        header('location:home.php');
}
?>
<html>
<head>
        <title>
               showarticle
        </title>
        <link rel="stylesheet" type="text/css" href="showarticle.css">
        <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>
        <nav class="navbar navbar-inverse">
 <div class="container-fluid">
  <div class="navbar-header">
   <a class="navbar-brand" href="#">MobileInfo</a>
  </div>
  ul class="nav navbar-nav">
```

```
<a href="showarticle.php">Show Article</a>
  <a href="FormArticle.php">Write Article</a>
  <a href="Copare.php">Compare</a>
   <a href="showmobile.php">Show Mobile</a>
 </div>
</nav>
<div class="container">
<div class="span8">
<?php
$user=$_GET['un'];
$name=$_GET['an'];
$conn = mysqli_connect("localhost", "root", "","test");
$sql="SELECT * FROM app3";
$result=mysqli_query($conn,$sql);
if (mysqli_num_rows($result) > 0) {
 while($row = mysqli_fetch_assoc($result)) {
  if($user==$row['username'] && $name==$row['articlename'] )
  {
     echo "<h1>Article Name ".$row["articlename"]."</h1>
     <h3>By: ".$row['username']."</h3>
   <h3>Mobile Name: ".$row["devicename"]."</h3>
   ".$row['article']."
   <div class='clear'></div>
```

```
<hr>";
}
}

</div>
</div>
</body>
</html>
```