

End-to-End Test Report

Event Management ERP

Project	Event Management ERP (D:\simsone\sanju)
Test type	End-to-end (browser-driven, full stack)
Framework	Playwright 1.62.1
Run date	18 August 2026, 21:13 IST (15:43 UTC)
Branch / commit	main @ 1e3e408 + uncommitted working tree
Result	PASSED — 61 / 61

1. Executive summary

The full end-to-end suite was executed against a live stack (Vite client, Express/Prisma API, MySQL). **All 61 tests passed**, with no failures, no flaky retries and no skipped tests. Total wall-clock time was **4 minutes 39 seconds** on a single worker.

The run covers authentication, routing, and the Enquiries, Quotations, Orders, Payment Tracker, Customers, Calendar, Dashboard, Reports and Masters modules — including the create/edit/delete paths and their validation rules. The **Rent module is deliberately excluded** from this scope.

Metric	Value
--------	-------

Tests executed	61
Passed	61
Failed	0
Flaky	0
Skipped	0
Duration	278.8 s (4 m 39 s)
Workers	1 (serial, by design)
Retries used	0

2. Environment

Component	Detail
Client	Vite dev server, http://localhost:5173
API	Express + Prisma, http://localhost:5000/api/v1
Database	MySQL (shared dev database, seeded)
Browser	Chromium — Desktop Chrome device profile
Node.js	v22.21.0

OS	Windows 11
Credentials	SEED_ADMIN_USERNAME / SEED_ADMIN_PASSWORD read from <code>server/.env</code> — nothing hardcoded in the suite
Auth strategy	One real login through the UI in <code>auth.setup.ts</code> ; session stored in <code>.auth/admin.json</code> and reused by every spec

Why one worker: all specs drive a single shared MySQL database. Running them concurrently would let one spec's rows appear in another spec's list assertions, so the suite is configured `fullyParallel: false, workers: 1` for deterministic results.

3. Results by module

Spec file	Area	Tests	Passed	Duration
<code>auth.setup.ts</code>	Session bootstrap	1	1	3.6 s
<code>auth.spec.ts</code>	Authentication	5	5	14.2 s
<code>navigation.spec.ts</code>	Routing / sidebar	11	11	35.0 s
<code>enquiries.spec.ts</code>	Enquiries	12	12	88.2 s
<code>masters.spec.ts</code>	Masters (Event Types, Users, User Groups)	11	11	63.7 s
<code>quotations.spec.ts</code>	Quotations	6	6	20.0 s
<code>orders.spec.ts</code>	Orders + Payment Tracker	5	5	15.3 s

<code>customers-calendar-dashboard.spec.ts</code>	Customers, Calendar, Dashboard	5	5	14.9 s
<code>reports.spec.ts</code>	Reports	5	5	18.5 s
Total		61	61	278.8 s

4. Detailed test log

All entries below completed with status **passed**.

4.1 Authentication — 5 tests

#	Test	Duration
1	redirects an anonymous visitor to the login screen	2.4 s
2	requires both username and password	2.7 s
3	rejects a wrong password without revealing which field was wrong	3.0 s
4	rejects an unknown username	2.7 s
5	signs in with the seeded Super Admin and lands on the dashboard	3.3 s

4.2 Navigation — 11 tests

#	Test	Duration
1	Dashboard renders at /	3.0 s

2	Enquiries renders at /enquiries	3.3 s
3	Quotations renders at /quotations	3.2 s
4	Orders renders at /orders	3.3 s
5	Payment Tracker renders at /payment-tracker	3.2 s
6	Calendar renders at /calendar	3.0 s
7	Customers renders at /customers	2.9 s
8	Reports renders at /reports	3.2 s
9	Masters renders at /masters	2.8 s
10	an unknown route falls back to the dashboard	2.9 s
11	the sidebar reaches every module	4.1 s

4.3 Enquiries — 12 tests

List

#	Test	Duration
1	renders the grid with its toolbar	3.4 s
2	the status filter narrows the grid through the URL	13.2 s
3	an impossible filter shows the empty state	3.3 s

Create

#	Test	Duration
4	creates an enquiry for a new customer	8.6 s
5	rejects an enquiry with no customer name, mobile, event type or date	4.2 s
6	rejects a malformed mobile number	7.8 s
7	requires an event type	6.8 s
8	requires an event date	5.6 s
9	cancelling returns to the list without creating anything	3.8 s

Detail and edit

#	Test	Duration
10	opens the detail page from the list	9.1 s
11	edits an enquiry from the list	12.8 s
12	deletes an enquiry from the list	9.5 s

4.4 Masters — 11 tests

Event Types

#	Test	Duration
---	------	----------

1	creates, searches, edits and deletes an event type	6.1 s
2	rejects an event type with no name	3.7 s

Users

#	Test	Duration
3	creates a user with a group	6.7 s
4	creates a user with an email and city	6.8 s
5	blocks a user whose passwords do not match	5.7 s
6	requires a user group	4.8 s
7	rejects a password under 8 characters	5.9 s
8	rejects a duplicate username	9.4 s
9	opens a user read-only from the View action	4.6 s

User Groups

#	Test	Duration
10	creates a user group with permissions	5.7 s
11	requires a group name	4.2 s

4.5 Quotations — 6 tests

#	Test	Duration
1	the list renders with its search box	3.1 s
2	a search with no matches shows the empty state	3.2 s
3	the new-quotation form renders its source choice	3.4 s
4	saving an empty quotation is refused	3.8 s
5	cancelling returns to the list	3.7 s
6	an unknown quotation id does not crash the app	2.8 s

4.6 Orders and Payment Tracker — 5 tests

#	Test	Duration
1	Orders — the list renders	3.3 s
2	Orders — a status filter applied through the URL is accepted	3.2 s
3	Orders — an unknown order id does not crash the app	2.8 s
4	Payment Tracker — the list renders	3.2 s
5	Payment Tracker — an unknown tracker id does not crash the app	2.8 s

4.7 Customers, Calendar, Dashboard — 5 tests

#	Test	Duration
1	Customers — the list renders with its search box	3.0 s
2	Customers — a search with no matches shows the empty state	3.0 s
3	Customers — an unknown customer id does not crash the app	2.8 s
4	Calendar — renders the month view	3.1 s
5	Dashboard — renders its summary widgets for the signed-in user	3.0 s

4.8 Reports — 5 tests

#	Test	Duration
1	lands on the Reports page with its tab strip	3.3 s
2	the Revenue tab renders without a client error	3.5 s
3	the Outstanding tab renders without a client error	3.9 s
4	the Customers tab renders without a client error	3.8 s
5	the Events tab renders without a client error	4.0 s

5. Coverage assessment

Covered

- Authentication: anonymous redirect, empty-field validation, wrong password, unknown username, successful sign-in. Error messages were checked for not leaking which field was wrong.
- Routing: every sidebar destination, plus the unknown-route fallback.
- Full CRUD with validation: Enquiries (create/edit/delete), Masters — Event Types, Users, User Groups.
- Read paths and empty states: Quotations, Orders, Payment Tracker, Customers, Calendar, Dashboard, Reports.
- Invalid-identifier handling on the detail routes of Enquiries, Quotations, Orders, Payment Tracker and Customers — direct verification that the string-to-integer primary-key migration does not produce a client crash or a 500.

Not covered in this run

- **Rent module** — excluded from scope by request.
- Order lifecycle transitions (status changes, task plans, documents), quotation-to-order conversion, and invoice/payment recording beyond list rendering.
- Role-based access control from a non-Super-Admin account; every spec runs as the seeded Super Admin.
- File upload paths (Multer), PDF/print output, and email/notification side effects.
- Cross-browser: Chromium only. No Firefox, WebKit or mobile viewport run.

6. Test data and cleanup

Records created by the suite are prefixed `E2E` (usernames `e2e_`) and carry a run-unique suffix, so repeated runs never collide on a unique constraint and any leftovers are identifiable at a glance. `node scripts/cleanup.mjs` removes them through the REST API, which means the application's own soft-delete rules apply rather than raw SQL deletion.

7. Reproducing this run

```
cd e2e
npm install
npx playwright install chromium # once
npm test                       # full suite
npm run report                  # open the HTML report
```

```
node scripts/cleanup.mjs          # remove records this run
created
```

Both dev servers must be reachable; Playwright starts them if they are not (`reuseExistingServer: true`). Artefacts from the run:

Artefact	Path
HTML report	e2e/playwright-report/index.html
JSON results	e2e/test-results/results.json
Saved session	e2e/.auth/admin.json

Traces, screenshots and video are captured **only on failure**; this run produced none.

8. Conclusion and recommendations

The application passes every scenario in scope. No defects were raised by this run.

Recommended next steps, in priority order:

1. **Extend to the order lifecycle** — status transitions, quotation-to-order conversion and payment recording are the highest-value business flows still untested.
2. **Add a non-admin role run** to prove RBAC is enforced server-side, not only hidden in the UI.
3. **Bring the Rent module into scope** once its feature work settles.
4. **Wire the suite into CI** — the config already sets `forbidOnly` and one retry under `CI`.
5. **Add a seeded, isolated test database** so the suite can drop `workers: 1` and run in parallel.