ANATOMY 3 ENT MOCK 3

1- Regarding the pinna (auricle):

A- It is joined to the skull by its anterior third
B- The concha is a projection of the lateral surface
C- The ear lobe has a cartilage framework
D- Its posterior two thirds form the mobile part

2- Check the correct statement(s) about the external auditory canal:

A- Its cartilaginous part forms two thirds
B- It has an elongated S-shaped course
C- It is closed internally by the tympanic membrane
D- It is about 25 mm long

3- The sensory innervation of the external ear comes from:

A- The trigeminal nerve
B- The superficial cervical plexus
C- The hypoglossal nerve
D- The VII bis (intermediate nerve)

4- The layers of the tympanic membrane:

A- The middle layer is muscular
B- The inner layer is mucosa continuous with the middle ear lining
C- The outer layer is stratified squamous, continuous with the canal skin
D- The middle layer is fibrous and encloses the handle of the malleus

5- The anterior wall of the tympanic cavity:

A- Has the canal for tensor tympani in its upper part
B- Has the aditus ad antrum
C- Has the opening of the auditory tube
D- In its lower part separates the cavity from the internal carotid artery

6- The mastoid cells:

A- Are a component of the middle ear
B- Are dug into the parietal bone
C- The antrum is the most developed cell
D- Communicate with each other and with the tympanic cavity

7- Check the correct statement(s) about the inner ear:

A- Perilymph fills the space between the bony and membranous labyrinths
B- The membranous labyrinth is filled with endolymph
C- It contains air
D- The membranous labyrinth lies within the bony labyrinth

8- Regarding the bony cochlea:

A- It lies in front of the vestibule
B- It is a bony tube about 30 mm long
C- It looks like a snail shell
D- It is about 1 cm in diameter

9- The round window (fenestra cochleae):

A- Opens into the tympanic cavity below and behind the promontory
B- Belongs to the scala vestibuli
C- Is closed by the secondary tympanic membrane
D- Is closed by the footplate of the stapes

10- The bony semicircular canals:

A- Each has two ampullae
B- Lie in three planes at 90° to each other
C- Are three in number
D- Are each about two thirds of a circle

11- The connections of the membranous labyrinth:

A- The cochlear duct joins the saccule by the ductus reuniens
B- Saccule and utricle are joined by the Y-shaped utriculo-saccular duct
C- The utricle receives the semicircular ducts by three openings
D- This duct continues as the endolymphatic duct and sac

12- The superior vestibular nerve gives:

A- The saccular nerve
B- The utricular nerve
C- The superior ampullary nerve
D- The lateral ampullary nerve

13- The functions of the larynx include:

A- Phonation
B- Respiration
C- Protection of the airway
D- Digestion

14- In the adult, the larynx extends:

A- From C1
B- Down to the lower edge of the cricoid at C6
C- Down to T2
D- From the upper border of the thyroid cartilage at C4

15- The intrinsic muscles of the larynx:

A- All are paired except the transverse arytenoid
B- The cricothyroid is the only one on the outer aspect of the larynx
C- All adduct the vocal cords except the posterior crico-arytenoids
D- All are supplied by the recurrent laryngeal nerve

16- The posterior crico-arytenoid muscles:

A- If paralysed on both sides, the person may die from lack of air
B- Are the only abductors of the vocal cords
C- Are called the safety muscles of the larynx
D- Are supplied by the external laryngeal nerve

17- Damage to one recurrent laryngeal nerve:

A- Leaves the cord on the affected side in a paramedian position
B- Leaves the cords in the cadaveric position
C- Often happens during thyroidectomy
D- Usually affects the voice little because the other cord compensates

18- Spaces of the larynx:

A- The aryepiglottic fold runs from the epiglottis to the cricoid
B- The vestibule lies above the vestibular folds
C- The infraglottic cavity lies below the vocal folds
D- The ventricle lies between the vestibular and vocal folds

19- The nerves of the larynx:

A- The recurrent laryngeal nerve supplies the cricothyroid
B- The recurrent laryngeal nerve carries sensation from below the vocal folds
C- The internal branch of the superior laryngeal nerve pierces the thyrohyoid membrane
D- It carries sensation from the mucosa above the vocal folds

20- The thyroid gland is situated:

A- Just behind the infrahyoid muscles
B- In the infrahyoid region
C- In front of the upper trachea and lower larynx
D- In front of the infrahyoid muscles

21- The morphology of the thyroid:

A- Two vertical lateral lobes
B- Joined by a horizontal isthmus
C- H- or butterfly-shaped in front view
D- The isthmus is vertical

22- The isthmus:

A- Has two faces and two concave edges
B- Is higher than it is wide
C- Always has a pyramidal lobe
D- May give off a pyramidal lobe from its upper edge, left of the midline

23- The medial side of the lateral lobe is related:

A- Behind, directly to the vertebral bodies
B- Behind, to the pharynx then the oesophagus
C- In front, to the thyroid cartilage, cricoid and first tracheal rings
D- In front, to the sternum

24- Check the correct statement(s) about the vessels of the thyroid:

A- It is made of the superior thyroid artery and veins
B- The superior thyroid pedicle is the only true pedicle of each lobe
C- The inferior thyroid veins run alongside the inferior thyroid artery
D- It reaches the upper pole

25- The actions of thyroid hormones include:

A- Acceleration of carbohydrate metabolism
B- A hypocalcaemic action
C- Acceleration of lipid catabolism
D- Increased oxygen consumption and heat production

ANSWER KEY

1- A, D
2- B, C, D
3- A, B, D
4- B, C, D
5- A, C, D
6- A, C, D
7- A, B, D
8- A, B, C
9- A, C
10- B, C, D
11- A, B, D
12- B, C, D
13- A, B, C
14- B, D
15- A, B, C
16- A, B, C
17- A, C, D
18- B, C, D
19- B, C, D
20- A, B, C
21- A, B, C
22- A, B, D
23- B, C
24- A, B, D
25- A, C, D