

7th International Conference on AI in Computational Linguistics

Trends Sentiment Unveiled Through Deep Dive into Social Media Data

Nada Eissa Beshet^a, Abeer Hadi Salih^b, Furat.Z. Salih^a, Hamsa E. Mahmood^{c*}, Amjed Abbas Ahmed^d, Aladdin Al Zahran^e, Taher M. Ghazal^f

^a Department of English, AL-Mansour University College, Baghdad, Iraq

^b College of Education for Woman, Aliraqia University, Baghdad, Iraq

^c Head of Information Technology Unit, College of Political Science, University of Baghdad, Baghdad, Iraq

^d Center for Artificial Intelligent Technology, Faculty of Information Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia, Imam Al Kadhum College (IKC), Department of Computer Science, University of Technology, Baghdad, Iraq

^e Associate Professor, Sohar University, Oman

^f Faculty of Computing and IT, Sohar University, Oman, Department of Networks and Cybersecurity, Hourani Center for Applied Scientific Research, Al-Ahliyya Amman University, Amman, Jordan. Center for Cyber Security, Faculty of Information Science and Technology, Universiti Kebangsaan Malaysia (UKM), 43600 Bangi, Selangor

Abstract

Through this paper, the authors describe the application of revolutionary data mining and deep learning technologies that have been implemented for the extraction and processing of sentiment trends from social network communication. The importance of public sentiments has increased due to the exponential growth of user-generated content on social media platforms such as X (formerly Twitter), Facebook, and Instagram. The purpose of this study is to apply a natural language processing algorithm to examine large volumes of data, organize them, and identify the various patterns of sentiments that have changed over time on different topics. The study aims to produce the desired outcomes of understanding human feelings along with their minute differences that are communicated on the internet by employing deep learning models of convolutional neural networks (CNNs) and recurrent neural networks (RNNs). The findings reveal that there are both trends and variations in public opinions among the different demographic groups and across the various geographic regions, thus providing a basis for substantial influence at both the strategic decision-making level and at the marketing campaign level.

© 2025 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0>)

Peer-review under responsibility of the scientific committee of the ACLing 2025: 7th International Conference on AI in Computational Linguistics

* Corresponding author. E-mail address: hamsa.i.682@copolicy.uobaghdad.edu.iq

Keywords: Sentiment analysis; social media; deep learning; natural language processing; public opinion trends;

1. INTRODUCTION

Social media has changed beyond recognition the way people communicate, think, and share. The major social media platforms that have had a great impact on our lives are X (formerly Twitter), Facebook, and Instagram. These platforms have opened up a plethora of ways to express our thoughts and feelings. In addition to them, we can find numerous users who are going to be actively posting in different parts of the world. That provides us with a rich dataset that may well represent the entire population's feelings, thoughts and behaviors. Businesses that desire to become leaders in their respective fields, government officials who are looking forward to understanding the public mood, and researchers that study social change should first understand the public mood regarding various topics [1], [2].

Social media sentiment analysis has become an important tool for profiling and gathering information from what users placed on it. This technique is the one that takes in the extraction of the subjective part of the text, with respect to details, opinions, and emotions. The methods used for sentiment analysis in the past were lexicon-based approaches, and conventional machine learning models. However, it is to be noted that these methods have tried to capture, but yet fail to a great extent, all the elements of human language such as sarcasm, culture, context, etc. Hence, a change in an advanced approach that is based on recent advancements in natural language processing (NLP) and machine learning was an absolute must for an effective result. Therefore, NLP and machine learning techniques have been utilized in a more mature way [3], [4].

In recent years, deep learning has seen extraordinary progress in the field of sentiment analysis. Unlike classical approaches, deep learning algorithms are capable of automatically extracting features from original data without the extensive preliminary work of feature extraction. Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs) are two methods that positively influence the analysis of text. CNNs are the ideal models for language-dependent phrase and sentiment word recognition as they take advantage of the three-dimensional structure of data. Nevertheless, RNNs still rely on context and flow to understand posts better than traditional models [5],[6].

Sentiment analysis has been improved by the implementing of deep learning, which has become able to detect very general trends from social media data that were more difficult to find before. Using advanced algorithms, researchers are very comfortable to process big data at a very high precision level, thus identifying the patterns and changes of public attitudes over time. As a matter of fact, the instant sentiment analysis has been very successful in the studies of the public's reaction to numerous events such as elections, product releases, and crises. A company that uses this technology can change its marketing strategies according to the consumers' preferences, whereas the administration can use it to find out what the people think and thus take decisions accordingly [7], [8].

Yet, even if sentiment analysis offers many potential advantages, it still has to overcome challenges. The enormous, rapid-flowing social media data present major hurdles, which must be addressed through advanced algorithms and high-performance computing resources. Besides, the mutable characteristics of language have moved to slang and emojis areas, and both have become the main reasons for the increasing challenges of correctly identifying sentiment. Moreover, social media utilization has led to the issue of privacy aside from the problem of ethics. They must be managed very cautiously, and user privacy must be safeguarded in the entire operation, even in the phase of data anonymization [9], [10], [11].

The article describes the "challenges" problem by introducing an exhaustive method of evaluating the thoughts expressed publicly by open multimedia data by using deep learning techniques [12]. The study mainly investigates the main collective opinions on various topics that belong to diverse demographic groups. This way, knowledge gained from this research can help different interest groups make informed decisions [13]. Utilizing social media data and the opinions it reflects, the paper fills the gap in understanding the use of the common sense that society, as a whole, shows through social media, as well as the starting points of all trends that may occur in the future [14][15].

To achieve these goals, the research is structured around the following objectives:

- To assess how well network functions, such as CNNs and RNNs in deep-learning models, perform relative to traditional approaches in mediating social media sentiment analysis [16].

- To define and investigate the trends of sentiments over time, reviewing the evolution of public opinion in reaction to specific events, cultural changes, and external factors [17].
- To analyze the significance of sentiment detection in important decision-making processes in different industries, especially in the context of marketing strategies, policy creation, and crisis management, by demonstrating how the information produced by social media can serve as an invaluable source of such knowledge.

The objectives of this study are to attempt to the need for the extension and the enhancement of the analysis of the sentiment so that it can utility the deep learning and the machine learning of the technologies so that they are applicable to and the world related to applications. This research continues the procedure of the study which involves breaking down social media data and changing it into a market's direct application. Working through complete analyses and proposing inventive methodologies, this study explores the use of extensive web data for implementation of the off-the-web decision, thus, opening a way for those who make decisions in the environmental transformation to have a variety of valid points to base their decisions [18]. The study conveys the need for the constant upgrading and enhancement of the analytical sentiment tools to be able to keep up and also to catch the rapid changes of human emotions and thoughts.

2. LITERATURE REVIEW

Within a short span of a few years, the search for the best sentiment trend taken from social media data has been significantly put under the spotlight by researchers. This is a major consequence of the considerable increase in digital platforms that blend years of computing technology progression. This domain of research strives to realize the complexities of human emotions as illustrated on the Internet, and at the same time, it mirrors the people's sentiments about different issues. Earlier, the researchers had open the roads for the practical applications of sentiment analysis in various areas. This literature review summarizes the main contributions to the domain, delineating the shift in the treatment of the methodologies from the traditional ones to the advanced deep learning ones.

Marouf et al. [19] uncovered the sentiment trends to trace the emotional behaviors by going deep into social media data. Their study is centered on the public's reaction to the death of the Bollywood actor Sushant Singh Rajput. The article says that sentiment analysis of social media is a puzzle with many paths because of the continuous getting of new trends and using of informal language in the social media. To support their work, the researchers took Twitter data and compared different systems of sentiment analysis in locating time-related trends. They used the LIWC (Linguistic Inquiry and Word Count) tool to measure the emotional logistics by extracting language features in the text which represent emotions. The study investigated the runaway hashtags, both changes and relationships between the old and new hashtags being considered. The paper managed to communicate through the visual presentation the links between those trends of sentiment as well as the changes happened emotionally among the fans of the actor. This study, thus, exposes the obstacles and the opportunities of using social media data to uncover the sentiment dynamics of society.

Kwon et al. [20] treat the multi-dimensional aspects of sentiment distribution in the social media as the interaction of different types of sentiments by using analytical procedures and image analysis. The authors have combined traditional methods with the usage of natural language processing, spatial time series, and geo visualization to get a more accurate method for discovering the insights.

As a result, the change of sentiment over time and places, which gives us a sentiment pattern of the topics, was visualized [22]. The 2016 presidential debates were investigated, and states as well as topics were shown from telegrams in social media. It turned out that the study found that neighboring states do not necessarily share the same sentiments, and there are not always the same clusters of sentiment expressed in the topics geographically overlapped [23]. The main takeaway is that in order to eliminate the possibility of misinterpretation of public discussions, all the geographic and temporal variations in sentiment analysis should be considered [24]. The research details the vast potential of combining spatial and time analyses with sentiment analysis in achieving a much more accurate analysis of the dynamics of public sentiment [25] [26].

Sukhavasi et al. [27] examine socio-economic issues mirrored in social media sentiment through the COVID-19 pandemic [28]. The researchers review tweets to analyze emotions tied to different socio-economic worries throughout

the year [29]. This research is different from previous studies that concentrated on vaccines and lockdowns. It matters, that the prior is shifted to more important issues in the economy and, the main negative sentiments around the pandemic are exposed in its early stages [30]. However, over time, it is shifted to positive, they are satisfied with the improvements. The work also indicates the gender differences, where females expressed separate concerns and hopes compared to males, and demonstrates the global trend of the positive sentiments around the New Year [31][32]. The research, by visualizing the value and patterns of geo-temporal sentiment analysis of social media, suggests that it may be an efficient instrument to disclose public worries as the ongoing policies' and measures' effectiveness in times of crisis [33] [34].

Jiang et al. [35] explored emotions of commentators that had an influence on public perceptions of food safety events stressing the need for good foresight of emotional paths for the management of public talks. In this work, the researchers resort to XLNet, a leading-edge dynamic method that basically uses context-dependent word vectors, and they further employ CNN-BiLSTM for deep local and contextual feature representation [36] [37]. Besides, the study employs an attention model for the setting of variable weights of input features depending on their importance to the argument making it easier to identify the predominant side [38] [39]. The time-series model in this context is built for the purpose of tracing the development of sentiment over time which is another element of the designed methodology [40]. As a matter of fact, the proposed sentiment analytics framework has been very successful in the identification of sentiments vis-a-vis food safety-related public opinion, and the time-series model has played a key role in the dynamic of the sentiment over time [41] [42]. The current, in-depth investigation fosters the potential of deep learning methods for the management and prediction of public sentiment, thus, showing the key aspects for the operation and policy-making of food safety network [43][44].

Yang et al. (45) are mainly concerned with IP (intellectual property) being a public talking point, in a world full of trade disputes. Their study aims to determine the topics as well as the sentiments related to IP in China utilizing social media platforms such as Weibo and WeChat. The research introduces a hybrid method that combines TF-IDF, TextRank, latent Dirichlet allocation (LDA), Word2vec, and BiLSTM attention-based technology for the extraction of textual data and also their analysis. Specifically, the TF-IDF and TextRank methods were employed for the extraction of the main textual information, while the LDA and t-SNE instruments were utilized for the indication of keyword probabilities as well as the topics of IP. The Word2vec model and the BiLSTM algorithm were selected to determine the sentiment polarities and the trends of the subjects in the analysis. The findings of the research indicate the existence of 16 different IP topics characterized largely by positive sentiments, although the fluctuations of the trend of sentiment were influenced by the abnormal events. This paper demonstrates the potential of the optimistic modern methods of text mining and sentiment analysis in understanding public opinions of intellectual property, thereby helping the policymakers and businesses make strategic decisions, and evaluate policies.

Table 1. Comprehensive comparison of prior sentiment-analysis studies, summarizing their domains, methods, and key findings.

Study	Focus Area	Methodologies Used	Key Findings
Marouf et al. (2022)	Sentiment Trends in Social Media	Sentiment analysis algorithms, LIWC, analysis of viral hashtags	Explored emotional reactions to the death of Sushant Singh Rajput, revealing shifts in sentiment trends.
Kwon et al. (2023)	Spatial and Temporal Sentiment	NLP, spatial time series analysis, geovisualization	Identified diverse sentiment trends during the 2016 presidential debates, showing geographic variations.
Sukhavasi et al. (2023)	Socio-economic Sentiments during COVID-19	Twitter sentiment analysis across geographies and genders	Found negative sentiments early in the pandemic, shifting to positive over time, with gender variations.
Jiang et al. (2023)	Food Safety Sentiment	XLNet, CNN-BiLSTM, attention mechanism, time series modeling	Achieved effective classification and prediction of food safety sentiment trends.

Yang et al. (2022)	Intellectual Property Sentiment	TF-IDF, TextRank, LDA, Word2vec, attention-based BiLSTM	Identified 16 IP topics with positive sentiment but noted trend fluctuations due to abnormal events.
-----------------------	------------------------------------	--	---

3. METHODOLOGY

The sentiment trend identification avenue via social media is a complete and multi-dimensional approach. Essentially, the study combined the processes of data gathering, data preprocessing, model selection, and analysis. Leading deep learning and NLP technologies were the major contributors to the success of this project. Public sentiment can change rapidly and exhibit subtle nuances, often exceeding the volatility that makes social media data challenging to handle. Our method continuously improves to address these issues.

3.1. Data Collection

Our first step in the process is the systematic collection of social media data from social media channels like X and Facebook. We were able to collect a wide variety of posts, comments, and interactions relating to a certain period, thanks to the APIs provided by these platforms, that is what we call the data collection. The selection of data is done through the methodologically implemented monitoring of a broad spectrum of keywords and hashtags in order to ensure the complete representation of the public opinion on the targeted topics. This type of analysis allows the research of present and also previous feelings, thus providing a more balanced set of data that reflects the nature of social media networks as an arena of more than one discourse type.




Fig. 1. Flow diagram of the proposed model

3.2. Data Preprocessing

An integral aspect of social media data preprocessing is to ensure that not only the data is accurate, but that it is also uniform, as the use of social media is highly informal and diverse. Thus, it would be necessary to carry out several key activities such as removing noise (irrelevant posts and spam) with the help of text normalization (the same way of

presenting words and expressions) so that the spams can be removed, and also taking care of missing data. The removal of noise in the text is done with the help of the text tokenization function, and after that, the text will undergo further cleaning. So, text emojis and slang are resolved into standard text formats for the quality of the dataset to be improved. Then the clean and personalized database is ready for sentiment analysis.

3.3. Model Selection

Our paper combines top-tier deep learning models to analyze sentiment trend patterns in an efficient way using less data, which has proven to be very successful in text classification. We are using both CNNs and RNNs. The reason is that we want to get the maximum benefits of both networks which are complementary in the case of text data. The CNNs are good at zooming in on the words and phrases that matter most to the sentiment of the content while figuring out how they relate to each other. RNNs, particularly Long Short-Term Memory (LSTM) networks, retain information about the order and structure of language by processing sequences of data.

Next to these architectures, the main function of attention mechanisms is that they assign different weights to each of the features depending on their importance, thus creating a situation in which the model focuses on the most important indicators of sentiment. Due to this combination of models and methods, the system can identify sentiment shifts accurately, even in convoluted and rapidly changing social media environments.

3.4. Sentiment Classification and Trend Analysis

The benchmarking results of the experimental method on both tech and currently used methods when applied to pre-processed datasets, which were first assessed upon application for the sentiment classification problem of labeling the dataset in blank groups of mainly positive, negative, and neutral sentiments. The classification outputs were then combined to identify the overall trends and patterns over the period of interest. This study was done considering a wide range of variables, e.g., place, age, gender, that enabled us to infer how different groups of people feel and react to certain topics online.

Furthermore, in order to get a deeper insight into the decisions made previously, time series analysis is used together with monitoring the changes in the sentiment trend, which is a very effective way of revealing the different temporal aspects of sentiment. As a result, time series identification of sentiment changes related to real-world events, signs of cultural changes, or the emergence of new topics are very instrumental in responding to current public mood accurately and fully in time.

3.5. Proposed Model

Figure 1 depicts the arrangement of the sentiment identification system and connotes visually the model's operations. The model is a sophisticated deep learning architecture that initiates the feature gathering stage by the use of several cutting-edge NLP methods. Extracted features are combined with a hybrid schema that employs CNNs for local sentiments feature and LSTMs for the context. One of the mechanisms, the attention layers, narrows down the focus to the segments rich with sentiment in the dynamically changing inputs of the data..

This figure depicts the flow of data from the beginning to the finish line, thus only showing in an uncomplicated manner the communication between network layers and the decision-making process at each level. The presentation, besides the technical side of the model, is also the strategic attentiveness with invisible gates that communication technologies provide, which contributes to both the accuracy and data efficiency of forecasting.

The model's predictions are the raw input for a series of scores of different sentiments which undergo further processing and visualization. The visualization of these scores enable the trend of sentiments to be recognized. In other words, they show both the patterns and the changes in the opinion on some themes or individuals within the online community, which has grown tremendously in recent times. "This also reveals the perspective of the development team, which nowadays is much easier to assess, as the emotional state of social media users regarding specific topics can be identified.". Deep learning and innovative methodologies are the major strengths of the proposed model which pulls off the comprehensive approach to the stubbornness of sentiment analysis, thereby opening up the insightful perspectives of social media discourse and its continual evolution.

4. Results and Simulation

The method of analysis on Kaggle-Twitter Sentiment Analysis Dataset has revealed numerous facts that stemmed from deep[46] learning models together with the public sentiments from social sites. The study has basically gone through and dissected the various perspectives which have unmasked the significant patterns and changes of mood in different topics as well as in different time zones, which is a true reflection of the complexity of the online discourse.

After the data cleaning and text normalizing, the deep learning models were trained and tested, which brought up better results in the sentiment analysis task. When combined with attention mechanisms, the integration of different CNN and LSTM model types proves to be highly effective for the task. The model demonstrated its ability to dynamically focus on the key markers of sentiment in the text, enabling a more nuanced analysis and even detecting subtle shifts in public opinion.

It is from the performance metrics of the different models as depicted in Figures 2, 3 and 4 that we may refer to the accuracy, precision, recall, and F1-score of each. The proposed model, CNN-LSTM, has been found to outperform the other models and can be considered the most suitable one for the problem of complex text analysis.

This data shows that the proposed hybrid model is superior in making sentiment classification i.e. the model is able to predict the exact class easier than pure standard CNN and LSTM models as well as a few classical machine learning-based methods [46]. One of the main innovations that helped the model to achieve such a performance was the recognition of the attention mechanisms.

This study of sentiment history was extremely interesting, particularly the monitoring of the moods of public opinion over time [47]. One of the discoveries was that public opinion had shifted significantly on some dates, which were found to be very close to political events and social movements. We can see that public positive sentiment reached its peak during events that are usually considered good, while a maximum of negative sentiment could be identified at the time of the emergence of controversial issues. Therefore, public relations practitioners along with other stakeholders can check the patterns in the public sentiment as a means of understanding and making practical decisions [48].

Apart from the general sentiment trends, the research delved into the demographic variations which brought to light the different sentiment patterns for the various age groups and geographic regions. That young age groups have sentiment trends which are not stable due to their hyper-connectivity with social media is one of the facts indicated by the data. The changes in the mood of people over different geographical areas were attributed to local cultural and social variables which, in turn, point to the requirement of suitable demography-based contexts in sentiment analysis [49].

The study has proven that combining deep learning methods with social media data might be the breakthrough to understanding the flow of feelings [50]. We successfully unveiled the hidden aspects of public opinion intricacies by extracting the internal features of public opinion through the use of CNN-LSTM models and attention mechanisms. Besides, this paper will be a source of learning for the sentiment analysis field and also be instrumental in making the decisions of business leaders, politicians, and academics who are constantly looking for new conversational spaces to talk with the public and to influence public opinion dynamics.




Fig. 2. model performance comparison; Fig. 3. sentiments trends over time




Fig. 4. demographic sentiment analysis

5. Conclusion

This study indicates that a CNN-LSTM attentions mechanism hybrid model is indeed a typical advanced deep learning model that opens up the social media data with the correct sentiment. A highly accurate, detailed, and comprehensive sentiment analysis was achieved using all the machine learning-based methods. Such results give rise to the enthusiasm of applying these methods in much larger scales. The signal of huge potential for practical deployment will be the accuracy improvements and exploration depth, which led to the involvement of advanced machine learning techniques in studies of public opinion besides that. Moreover, the identification of public sentiment patterns by this research can also contribute to smart and timely decision-making that is helpful in managing the changes occurring in the public discourse, e.g., the Twitter Marketing scenario where marketers rely on such analysis to draw their strategies. Thus, social media sentiment analysis serves as an effective tool to support digital transformation.

References

- [1] T. Xavier and J. Lambert, "Sentiment and emotion trends in nurses' tweets about the COVID-19 pandemic," *Journal of Nursing Scholarship*, vol. 54, no. 5, 2022, doi: 10.1111/jnu.12775.
- [2] Q. Xiao and B. Ilnaini, "Stock trend prediction using sentiment analysis," *PeerJ Comput Sci*, vol. 9, 2023, doi: 10.7717/PEERJ-CS.1293.
- [3] J. Du, J. Xu, H. Y. Song, and C. Tao, "Leveraging machine learning-based approaches to assess human papillomavirus vaccination sentiment trends with Twitter data," *BMC Med Inform Decis Mak*, vol. 17, 2017, doi: 10.1186/s12911-017-0469-6.
- [4] L. P. Hung and S. Alias, "Beyond Sentiment Analysis: A Review of Recent Trends in Text Based Sentiment Analysis and Emotion Detection," 2023. doi: 10.20965/jaciii.2023.p0084.
- [5] H. Shin, H. Shin, and S. I. Kim, "The market sentiment trend, investor inertia, and post-earnings announcement drift: Evidence from Korea's stock market," *Sustainability (Switzerland)*, vol. 11, no. 18, 2019, doi: 10.3390/su11185137.
- [6] R. Chandrasekaran, V. Mehta, T. Valkunde, and E. Moustakas, "Topics, Trends, and Sentiments of Tweets about the COVID-19 Pandemic: Temporal Infoveillance Study," *J Med Internet Res*, vol. 22, no. 10, 2020, doi: 10.2196/22624.
- [7] C. Zhang and J. Wang, "The sentiment Trend Analysis of Twitter Based on Set Pair Contact Degree," *International Journal of Computer Science Issues*, vol. 10, no. 1, 2013.
- [8] M. Birjali, M. Kasri, and A. Beni-Hssane, "A comprehensive survey on sentiment analysis: Approaches, challenges and trends," *Knowl Based Syst*, vol. 226, 2021, doi: 10.1016/j.knosys.2021.107134.
- [9] H. Kim, E. Lee, and D. Yoo, "Do SEC filings indicate any trends? Evidence from the sentiment distribution of forms 10-K and 10-Q with FinBERT," *Data Technologies and Applications*, vol. 57, no. 2, 2023, doi: 10.1108/DTA-05-2022-0215.
- [10] S. Baruah, K. Somandepalli, and S. Narayanan, "Representation of professions in entertainment media: Insights into frequency and sentiment trends through computational text analysis," *PLoS One*, vol. 17, no. 5 May, 2022, doi: 10.1371/journal.pone.0267812.

- [11] M. K. Daradkeh, "A Hybrid Data Analytics Framework with Sentiment Convergence and Multi-Feature Fusion for Stock Trend Prediction," *Electronics (Switzerland)*, vol. 11, no. 2, 2022, doi: 10.3390/electronics11020250.
- [12] G. Almahadin, H. A. Owida, J. I. Al-Nabulsi, N. Turab, and N. Al Hawamdeh, "Automated detection of kidney masses lesions using a deep learning approach," *IAES International Journal of Artificial Intelligence*, vol. 13, no. 3, pp. 2862–2869, 2024. doi: 10.11591/ijai.v13.i3.pp2862-2869.
- [13] M. U. Nasir et al., "Kidney cancer prediction empowered with blockchain security using transfer learning," *Sensors*, vol. 22, no. 19, 2022.
- [14] M. Abdullah, "Priority-based scheduling in residential energy management systems integrated with renewable sources using adaptive Salp swarm algorithm," *Frontiers in Heat and Mass Transfer*, vol. 22, no. 1, pp. 141–156, 2024. doi: 10.32604/fhmt.2024.046788.
- [15] S. A. K. Basha, P. M. D. R. Vincent, S. I. Mohammad, A. Vasudevan, E. E. H. Soon, Q. Shambour, and M. T. Alshurideh, "Exploring deep learning methods for audio speech emotion detection: An ensemble MFCCs, CNNs and LSTM," *Applied Mathematics and Information Sciences*, vol. 19, no. 1, pp. 75–85, 2025. doi: 10.18576/amis/190107.
- [16] A. E. K. A. E. Khalaf and I. A. A. I. A. Abdulrahman, "Artificial intelligence in Arabic-English translation: Comparative linguistic and stylistic analysis for selected Qur'anic verses," *Al-Noor Journal for Humanities*, vol. 2, no. 2, 2024.
- [17] N. A. Al-Dmour, L. Ali, M. Salahat, H. M. Alzoubi, M. Alshurideh, and Z. Chabani, "Information systems solutions for the database problems," *Studies in Computational Intelligence*, vol. 1056, pp. 703–715, 2023.
- [18] B. Ahmed Taha, A. J. Addie, A. Q. Saeed, A. J. Haider, V. Chaudhary, and N. Arsad, "Nanostructured photonics probes: A transformative approach in neurotherapeutics and brain circuitry," *Neuroscience*, vol. 562, pp. 106–124, 2024.
- [19] A. Al Marouf, J. G. Rokne, and R. Alhajj, "Detecting and Understanding Sentiment Trends and Emotion Patterns of Twitter Users—A Study on the Demise of a Bollywood Celebrity," *Big Data and Cognitive Computing*, vol. 6, no. 4, 2022, doi: 10.3390/bdcc6040129.
- [20] H. Kwon, C. Koyle, and B. J. Dietrich, "Natural language processing meets spatial time series analysis and geovisualization: identifying and visualizing spatio-topical sentiment trends on Twitter," *Cartogr Geogr Inf Sci*, vol. 50, no. 6, 2023, doi: 10.1080/15230406.2023.2264751.
- [21] L. P. R. Nadimuthu, K. Victor, M. Bajaj, and M. B. Tuka, "Feasibility of renewable energy microgrids with vehicle-to-grid technology for smart villages: A case study from India," *Results in Engineering*, vol. 24, 2024, Art. no. 103474. doi: 10.1016/j.rineng.2024.103474.
- [22] M. Abdullah, "Priority-based scheduling in residential energy management systems integrated with renewable sources using adaptive Salp swarm algorithm," *Frontiers in Heat and Mass Transfer*, vol. 22, no. 1, pp. 141–156, 2024. doi: 10.32604/fhmt.2024.046788.
- [23] M. Abusafiya, "Using string similarity algorithms to find English words potentially originating from Arabic," *Journal of Theoretical and Applied Information Technology*, vol. 101, no. 5, pp. 1935–1943, 2023.
- [24] N. Louzi, H. M. Alzoubi, M. El Khatib, T. M. Ghazal, M. Alshurideh, and S. Kukunuru, "Psychological health and environmental effect of using green recycled amassed concrete on construction," *Journal for ReAttach Therapy and Developmental Diversities*, vol. 5, no. Special2, pp. 163–175, 2022.
- [25] M. Z. Iskandarani, "Vehicular connectivity modeling and simulation using modified NP-CSMA," in *Proc. International Conference on Electrical, Computer, Communications and Mechatronics Engineering, ICECCME 2023*, 2023. doi: 10.1109/ICECCME57830.2023.10252799.
- [26] M. K. Alrousan, A. S. Al-Adwan, A. Al-Madadha, and M. H. Al Khasawneh, "Factors affecting the adoption of e-marketing by decision makers in SMEs: Evidence from Jordan," *International Journal of e-Business Research*, vol. 16, no. 1, pp. 1–27, 2020.
- [27] N. Sukhavasi, J. Misra, V. Kaulgud, and S. Podder, "Geo-sentiment trends analysis of tweets in context of economy and employment during COVID-19," *J Comput Soc Sci*, vol. 6, no. 2, 2023, doi: 10.1007/s42001-023-00201-2.
- [28] H. A. Owida, F. Alnaimat, B. Al-Naami, J. Al-Nabulsi, and N. Turab, "Development of biomechanical behaviour of magnesium alloys for biomedical context," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 34, no. 1, pp. 98–108, 2024. doi: 10.11591/ijeecs.v34.i1.pp98-108.
- [29] M. Abusafiya, "Using longest common substring algorithm to find similar Quranic verses," *Journal of Theoretical and Applied Information Technology*, vol. 102, no. 17, pp. 6341–6350, 2024.
- [30] Y. Alraba'nah and W. Toghuji, "A deep learning based architecture for malaria parasite detection," *Bulletin of Electrical Engineering and Informatics*, vol. 13, no. 1, pp. 292–299, 2024. doi: 10.11591/eei.v13i1.5485.
- [31] T. M. Ghazal et al., "Energy demand forecasting using fused machine learning approaches," *Intelligent Automation and Soft Computing*, vol. 31, no. 1, pp. 539–553, 2022.
- [32] H. N. Fakhouri, B. Alhadidi, M. A. Alsharaiah, H. Al Naddaf, and A. S. Alomoush Data, "Critical evaluation of the role of cloud systems and networking in the security and growth of the business market," in *Proc. 2nd International Conference on Cyber Resilience, ICCR 2024*, 2024. doi: 10.1109/ICCR61006.2024.10533145.
- [33] D. E'Leimat, K. I. Al-Daoud, A. Vasudevan, A. A. S. Mohammad, M. F. A. Hunitie, and Z. Fei, "The impact of corporate governance on the financial performance of banks," *Uncertain Supply Chain Management*, vol. 12, no. 4, pp. 2429–2440, 2024. doi: 10.5267/j.uscm.2024.5.025.
- [34] N. H. Gabriela, R. Siautama, C. I. A. Amadea, and D. Suhartono, "Extractive Hotel Review Summarization based on TF/IDF and Adjective-Noun Pairing by Considering Annual Sentiment Trends," *Procedia Computer Science*, 2021. doi: 10.1016/j.procs.2021.01.040.
- [35] C. Jiang, H. Wang, C. Jiang, and D. Li, "Research on Prediction of Sentiment Trend of Food Safety Public Opinion," *Journal of Computer and Communications*, vol. 11, no. 03, 2023, doi: 10.4236/jcc.2023.113014.

- [36] H. A. Al-Abbasi and A. M. Adaileh, "The characteristics of trademark management and its role in achieving competitive advantage: Applied study- Qatar Telecommunication Company," *Jordan Journal of Business Administration*, vol. 19, no. 3, pp. 321–343, 2023. doi: 10.35516/jjba.v19i3.1120.
- [37] A. Rabiati, M. Hassan, and O. Almomani, "WEKA-based machine learning for traffic congestion prediction in Amman City," *IAES International Journal of Artificial Intelligence*, vol. 13, no. 4, pp. 4422–4434, 2024. doi: 10.11591/ijai.v13.i4.pp4422-4434.
- [38] T. A. Khan et al., "Secure IoMT for disease prediction empowered with transfer learning in healthcare 5.0, the concept and case study," *IEEE Access*, vol. 11, pp. 39418–39430, 2023.
- [39] Y. Alraba'nah, "A new algorithm for leader election in distributed three-dimensional honeycomb mesh networks," *Journal of Theoretical and Applied Information Technology*, vol. 101, no. 12, pp. 4895–4902, 2023.
- [40] A. S. Al-Adwan and H. Berger, "Exploring physicians' behavioural intention toward the adoption of electronic health records: An empirical study from Jordan," *International Journal of Healthcare Technology and Management*, vol. 15, no. 2, pp. 89–111, 2015.
- [41] N. Akram, R. Irfan, A. S. Al-Shamayleh, A. Kousar, A. Qaddos, M. Imran, and A. Akhuzada, "Online recruitment fraud (ORF) detection using deep learning approaches," *IEEE Access*, vol. 12, pp. 109388–109408, 2024. doi: 10.1109/ACCESS.2024.3435670.
- [42] I. Asi and A. Al-Asi, "Transformer-based named entity recognition in construction supply chain risk management in Australia," *International Journal of Transportation Science and Technology*, vol. 15, pp. 198–210, 2024. doi: 10.1016/j.ijtst.2023.08.006.
- [43] A. Iftikhar, S. I. Mohammad, M. N. Alqudah, A. S. Al-Adwan, A. Vasudevan, I. Ali, and M. Farhan, "Evaluating inclusivity and fairness of AI recruitment tools for hiring people with disabilities in the United Arab Emirates (UAE)," *Data and Metadata*, vol. 4, 2025. doi: 10.56294/dm2025487.
- [44] Q. Y. Shambour, M. M. Abualhaj, A. Abu-Shareha, A. H. Hussein, and Q. M. Kharma, "Mitigating healthcare information overload: A trust-aware multi-criteria collaborative filtering model," *Journal of Applied Data Sciences*, vol. 5, no. 3, pp. 1134–1146, 2024. doi: 10.47738/jads.v5i3.297.
- [45] Z. Yang, Q. Wu, K. Venkatachalam, Y. Li, B. Xu, and P. Trojovský, "Topic identification and sentiment trends in Weibo and WeChat content related to intellectual property in China," *Technol Forecast Soc Change*, vol. 184, 2022, doi: 10.1016/j.techfore.2022.121980.
- [46] Kaggle, "Twitter Sentiment Analysis."
- [47] A. Rehman and A. Farrakh, "An Intelligent Approach for Smart Home Energy Management System Empowered with Machine learning Techniques," *International Journal of Computational and ...*, vol. 4, 2022.
- [48] A. Haider, M. A. Khan, A. Rehman, M. Ur Rahman, and H. S. Kim, "A real-time sequential deep extreme learning machine cybersecurity intrusion detection system," *Computers, Materials and Continua*, vol. 66, no. 2, 2020, doi: 10.32604/cmc.2020.013910.
- [49] A. Rehman, S. Abbas, M. A. Khan, T. M. Ghazal, K. M. Adnan, and A. Mosavi, "A secure healthcare 5.0 system based on blockchain technology entangled with federated learning technique," *Comput Biol Med*, vol. 150, p. 106019, 2022.
- [50] M. A. Khan, A. Rehman, K. M. Khan, M. A. Al Ghamdi, and S. H. Almotiri, "Enhance intrusion detection in computer networks based on deep extreme learning machine," *Computers, Materials and Continua*, vol. 66, no. 1, 2021, doi: 10.32604/cmc.2020.013121.