**MAHATMA GANDHI UNIVERSITY, KOTTAYAM MGU-UGP (HONOURS)**

**THIRD SEMESTER EXAMINATION (2024 ADMISION ONWARDS)**

**Semester- 3**

**MG3DSCPSY202**

**PSYCHOLOGICAL FIRST AID**

**Duration: 2 hours** **Maximum Marks: 70**

**Part A- MCQ .**

**Each carries 1 mark**

1. **Which of the following is a physiological indicia of dysfunction?**

   **A. Sleep disturbance**

   **B. Disturbance in libido**

   **C. Unconsciousness**

   **D. Headaches** **(CO2,CO3 R)**

2. Which behavior best shows affective and behavioral distress?

   A. Persistent avoidance

   B. Immobilizing compulsions

   C. Crying and sudden anger

   D. Suicidal thoughts **(CO2,CO3,U)**

3. Which of the following is considered a behavioral dysfunction?

   A. Temporary phobic avoidance

   B. Reclusiveness

   C. Sleep disturbance

   D. Reticence**(CO2,CO3 R)**

4. The primary goal of the Assessment phase in the RAPID PFA model is:

   A. To diagnose mental health conditions

   B. To evaluate medical history

C. To identify evidence of impairment or dysfunction

D. To prescribe appropriate psychopharmacological intervention **(CO2,CO3 R)**

5. Which of the following reflects a physiological dysfunction rather than distress?A. Appetite disturbance

   B. Psychogenic headaches

   C. Decreased immunity

   D. Chest pain with dizziness and numbness **(CO2,CO3, A)**

6. Which of the following statements best reflects the role of the helper in the Assessment phase?

   A. Diagnosing the client's psychiatric condition

   B. Using standardized tests to assess symptoms

   C. Engaging in a guided narrative to understand trauma and reactions

   D. Providing immediate medication or clinical therapy **(CO2,CO3, A)**

7. The presence of hallucinations and suicidal ideation after a disaster are categorized under:

   A. Emotional distress

   B. Spiritual indicators

   C. Cognitive dysfunction

   D. Psychophysiological resilience **(CO2,CO3, A)**

8. **Which basic need is addressed first in PSFA?***(K, CO1)*

   A) Job security

   B) Food and water

   C) Legal aid

   D) Internet connectivity

9. **Who can provide PSFA?***(U, CO1)*

   A) Only doctors

   B) Only psychologists

   C) Anyone with basic training

   D) Only police

10. **What is the first step in delivering Psychological First Aid?***(K, CO1)*

    A) Referring to a psychiatrist

B) Listening without interruption

C) Ensuring safety and meeting basic needs

D) Taking a mental health assessment

11. **Which of the following is considered a DO in PFA?***(U, CO1)*

A) Argue with the survivor

B) Offer to listen and stay with them

C) Force them to talk about the incident

D) Share your personal story

12. PTSD is classified in DSM-5 under which category? **(K, CO1, CO2)**

A) Anxiety disorders

B) Trauma- and stressor-related disorders

C) Mood disorders

D) Dissociative disorders

13. The **SIG-E-CAPSS** is used to assess: **(K, CO1, CO2)**

A) PTSD

B) Generalized Anxiety Disorder

C) Major Depressive Disorder

D) Panic Disorder

14. GAD is differentiated from fear because: **(U, CO1, CO2)**

A) It is stimulus-specific

B) It is free-floating, not linked to a specific stimulus

C) It always occurs at night

D) It requires a traumatic trigger

15. Panic disorder is characterized by: **(K, CO1, CO2)**

A) Persistent sadness

B) Recurrent unexpected panic attacks

C) General worry for 6 months

D) Avoidance of trauma reminders only

16. Two positive responses in the CAGE questionnaire suggest: **(U C01, CO2)**

A) Low risk drinking

B) Alcohol dependence

C) Anxiety disorder

D) Panic disorder

17. **Which category of disaster typically results in the highest PTSD prevalence?***(U, CO1. CO2)*

A. Natural

B. Technological

C. Human-made

D. All are equal

18. **What increases psychological vulnerability after disasters?***(U, CO1, CO2)*

A. Good sleep

B. Strong social support

C. Self-blame and isolation

D. Regular exercise

19. Grief and sadness fall under which category of impact? (K, CO1, CO2)

A) Social

B) Physical

C) Economic

D) Psychological

20. What factor can reduce disaster-related psychological distress? (U, CO1, CO2)

A) Ignoring symptoms

B) Post-disaster support

C) Media exposure

D) Displacement

(20x1=20)

## PART B

## SHORT ANSWER QUESTIONS

## EACH CARRIES 3 MARKS (OUT OF 13 ATTEMPT ANY 10)

**1.** Explain the concept of Psychosocial First Aid.***(U, CO1)***

**2.** Differentiate between fear and generalized anxiety. **(U, CO1, CO2)**

3. **Define the three main types of disasters and give examples.*(K, CO1, CO2)***

4. What are support needs of disaster-affected individuals? (**U , CO1, CO2**)

5. Why is it important not to force disaster survivors to talk? ***(U, CO1, CO2)***
6. Explain why PFA providers should be alert for substance use after trauma. **(U, CO1, CO2)**
7. List the five domains used in screening and appraisal of traumatic events. **(CO2,CO3 R)**
8. What does the "R" in the RAPID model stand for? **(CO2,CO3 R)**
9. Describe what each component (R-A-P-I-D) stands for ?**(CO2,CO3 ,U)**
10. During a disaster, how would you support an unaccompanied child in distress? **(CO2,CO3 A)**
11. What immediate steps would you take if a person with a locomotor disability lost their **mobility aid in a disaster? (CO2,CO3 A)**
12. **Describe how PSFA helps children during traumatic events. (CO2,CO3 ,U)**
13. **Explain the five domains in the assessment process. (CO2,CO3 ,U)**

(10x3=30)

## PART C
## ESSAY TYPE QUESTIONS
## (OUT OF 4 ATTEMPT ANY 2)

1. Explain the key principles of Psychological First Aid and how they help trauma survivors. *(U, CO1, CO2)*
2. Describe and apply the key PFA strategies when working with children, elderly individuals, and persons with disabilities in disaster settings. (CO2,CO3 A)
3. Plan a strategy using PFA for a survivor of sexual abuse in a disaster setting. (CO4,CO5 A)
4. Design a PFA-based care plan for a woman facing domestic violence post-disaster. (CO4,CO5 A)

(2x10=20)