25900974 **Reg.No : .....**

Name : .....

MAHATMA GANDHI UNIVERSITY, KOTTAYAM

MGU-UGP (HONOURS) REGULAR /IMPROVEMENT/ REAPPEARANCE EXAMINATION NOVEMBER 2025

FIRST SEMESTER

Multi-Disciplinary Courses (MDC) - MG1MDCSTA101 - DATA ANALYSIS USING LIBRE CALC

(2024 ADMISSION ONWARDS)

Duration: 1 Hour **Maximum Marks: 35**

Remember(K), Understand(U), Apply(A), Analyse(An), Evaluate(E), Create(C), Skill(S), Interest(I) and Appreciation(Ap)

Students should attempt at least one question from each course outcome to enhance their overall outcome attainability.

Part A

Multiple Choice Questions

Answer **All** Questions

Each Question carries **2** marks

1. To apply a specific number format (e.g., percentage, decimal) to a cell, you should use: [K] / [CO1]

   a). Format > Cells > Number b). Data > Validity

   c). Tools > Options > Decimal d). Format > Alignment

2. If a formula in cell C3 contains the reference A1, and it is copied to cell D4, what will the new reference be? [A] / [CO1]

   a). A1 b). B2

   c). A1 d). D4

3. Choose the correct syntax from the following [A] / [CO1]

   a). =MINIMUM(B1;B10) b). =MIN(B1:B10)

   c). =MINIMUM(B1:B10) d). =MIN(B1;B10)

4. In a line chart, what do the points connected by the lines represent? [U] / [CO2]

   a). Different categories b). The frequency of occurrences

c). Data values at specific time points

d). Percentages of a total

5. What is the function would you use to generate binomial random numbers in LibreOffice Calc? [An] / [CO3]

a). RAND()

b). BINOM.INV()

c). RANDBETWEEN()

d). NORM.DIST()

6. The function RAND() in LibreOffice Calc generates random numbers in the range: [K] / [CO3]

a). 0 to 1

b). -1 to 1

c). 0 to 10

d). -∞ to ∞

7. What is the purpose of a t-test? [U] / [CO4]

a). To compare means between two groups

b). To assess the relationship between two variables

c). To determine variance within a single group

d). To calculate correlation coefficients

8. Which of the following can be used as the data source for a Pivot Table in LibreOffice Calc? [U] / [CO4]

a). Data ranges within the spreadsheet

b). External data sources (e.g., databases, CSV files)

c). Other Pivot Tables

d). All of the above

9. Which is an assumption for parametric tests [K] / [CO4]

a). Normality

b). Equal variances

c). Independence

d). All the above

10. What is the non-parametric alternative of paired t test ? [K] / [CO4]

a). F - Test

b). Chi – squire test

c). Sign Test

d). Wilcoxon Signed-Rank Test

[10x2 = 20]

Part B

Short Essay Type Questions

Answer any **3** Questions

Each Question carries **5** marks

11. Explain the steps involved in importing a CSV file in to LibreOffice Calc. [U] / [CO1]

12. What is the purpose of data validation in LibreOffice Calc? [U] / [CO1]

13. Why is ratio data considered the most informative scale of measurement? [U] / [CO2]

14. What is the mode of a data and how is it calculated in LibreOffice Calc? [U] / [CO3]

15. What is correlation and how is it measured in LibreOffice Calc? [An] / [CO4]

[3x5 = 15]