QP code: **25901643**

MAHATMA GANDHI UNIVERSITY, KOTTAYAM

MGU-UGP (HONOURS) REGULAR/IMPROVEMENT/REAPPEARANCE

EXAMINATION APRIL 2026

SECOND SEMESTER

Multi-Disciplinary Courses (MDC) - MG2MDCCSC101 – MASTERING SPREADSHEETS

(2024 ADMISSION ONWARDS)

Duration: 1 Hours **Maximum Marks: 35**

Scheme of Evaluation

Part A

MCQ -Answer all questions - Each question carries 1 mark

1. Which option in LibreOffice Calc's AutoFilter allows you to filter text that contains a specific word? [U] / [CO1]
Ans: b) Contains

2. Identify the sorting order that will sort data from Z to A. [U] / [CO1]
Ans: d). Descending

3. In LibreOffice Calc, what happens when the condition in conditional formatting is not met? [U] / [CO1]
Ans: b) The cell retains its original format

4. What is the purpose of Fill Handle in a spreadsheet application? [K] / [CO1]
Ans: c). To quickly copy or extend a data

5. How does LibreOffice Calc treat a number entered with an apostrophe (e.g.,'123)? [U] / [CO1]
Ans: b). As text

6. How can you format a cell to display a value in scientific notation in a spreadsheet? [U] / [CO1]
Ans: a). Use the "Number" Formatting option and select Scientific

7. What is the primary function of a spreadsheet in data processing? [K] / [CO1]
Ans: b). Storing and organizing data

8. When importing a CSV file, what separates the data into columns in a spreadsheet? [U] / [CO1]
Ans: d). All of the above

9. Which function category in LibreOffice Calc is used to extract the first three letters of a cell's content? [K] / [CO2]
Ans: d). Text

10. What will =RIGHT("Programming", 4) return in LibreOffice Calc? [A] / [CO2]
Ans: c). ming

11. Which of the following scenarios would NOT be suitable for a pie chart [A] / [CO2]
Ans: d). Tracking monthly sales trendsover a year

12. Which of the following features helps recognize different data series in a chart [K] / [CO2]
Ans: b). Legend

13. What will happen if you copy the formula =A1 from cell B1 to cell C1 [U] / [CO2]
Ans: b). The formula will reference cellB1 in cell B1 and cell C1 in cell C1

14. A manager wants to analyze sales performance by filtering data for a specificyear in a Pivot Table. Which feature should they use? [A] / [CO2]
Ans: c). Filter Field

15. Which function calculates the monthly payment for a loan based on constantpayments and a constant interest rate in LibreOffice Calc? [K] / [CO2]
Ans: a). PMT

Part B

Short Answer Questions -Answer any 4 questions- Each question carries 5 marks

16. Explain the main components in LibreOffice Calc interface? [K] / [CO1]
Ans: Title Bar, Menu Bar, Toolbars(Standard , Formatting), Formula Bar, Worksheet Area (Cell Grid), Sheet Tabs, Status Bar

5 Marks for Components with description

17. What is a Named Range in a spreadsheet? How can it be useful in formulas? [K] / [CO1]
Ans: A **Named Range** is a user-defined name assigned to a cell or group of cells in a spreadsheet. Instead of using cell references like A1:A10, a meaningful name such as **Sales** or **Marks** can be used.

Uses of Named Range in Formulas

1. **Makes formulas easier to read**
   - Names are more meaningful than cell references.
2. **Improves formula accuracy**
   - Reduces mistakes while selecting ranges.
3. **Simplifies large spreadsheets**
   - Easier to understand and manage complex formulas.
4. **Speeds up formula creation**
   - Users can quickly select named ranges while writing formulas.
5. **Useful for data analysis**
   - Frequently used ranges can be reused easily in multiple formulas.

2 Marks for definition and 3 marks for Uses

18. Describe any 3 statistical functions available in spreadsheets. [U] / [CO2]
Ans: Statistical functions are used in spreadsheets to analyze, summarize, and interpret numerical data. They help users perform calculations quickly and accurately.
Functions- **AVERAGE(), COUNT() , MAX() , MIN(), MEDIAN(), MODE(), STDEV() etc**

Statistical Function definition – 0.5 mark
Any 3 Functions with description - 1.5 marks each

19. How do the IF and IFS functions differ in spreadsheets? [U] / [CO2]
Ans: The **IF** and **IFS** functions are logical functions used in spreadsheets to make decisions based on conditions. However, they differ in their usage and complexity.

IF Function

The **IF** function checks a single condition and returns one value if the condition is true and another value if it is false.

Syntax: =IF(condition, value_if_true, value_if_false)

Example: =IF(A1>=50,"Pass","Fail")

To test multiple conditions, nested IF statements are required, which can become lengthy and difficult to understand.

IFS Function

The **IFS** function is used to test multiple conditions in a single formula.

It returns the value corresponding to the first true condition.

Syntax: =IFS(condition1, result1, condition2, result2, ...)

Example: =IFS(A1>=90,"A", A1>=75,"B", A1>=50,"C")

It is easier to read and manage compared to nested IF functions.

2.5 marks for each Function

20. Outline the step-by-step procedure to create a macro in LibreOffice Calc [K] / [CO2]

Ans: A macro is a set of recorded actions used to automate repetitive tasks in LibreOffice Calc.

Steps to Create a Macro

1. Open LibreOffice Calc

Start LibreOffice Calc and open the spreadsheet.

2. Enable Macro Recording

Go to **Tools → Options → LibreOffice → Advanced**.

Ensure that **Enable macro recording** is activated.

3. Start Recording the Macro

Select **Tools → Macros → Record Macro**.

The macro recorder window appears.

4. Perform the Required Actions

Carry out the tasks you want to automate, such as formatting cells, entering data, or calculations.

LibreOffice records these actions.

5. Stop Recording

Click **Stop Recording** after completing the actions.

6. Save the Macro

The **LibreOffice Basic Macros** dialog box appears.

Choose a location (current document or My Macros).

Enter a name for the macro.

Click **Save**.

7. Run the Macro

Go to **Tools → Macros → Run Macro**.

Select the saved macro and click **Run**.

5 Marks for procedure

21. List the benefits of using AutoSum in spreadsheets. Explain the steps to apply AutoSum in cell B11 when sales data is entered in cells B2 to B10. [A] / [CO2]

Ans: AutoSum is a feature in spreadsheets that automatically adds a range of numbers using the SUM function.

Benefits of AutoSum

1. **Saves Time**
2. **Reduces Errors**
3. **Easy to Use**
4. **Improves Efficiency**
5. **Useful for Large Data**

Steps to Apply AutoSum in Cell B11

Assume sales data is entered in cells **B2 to B10**.

Step 1 : Select cell **B11** where the total should appear.

Step 2: Click the **AutoSum (Σ)** button on the toolbar or choose **Insert → Function → SUM**.

Step 3: LibreOffice Calc automatically selects the range **B2:B10**.

The formula displayed will be: =SUM(B2:B10)

Step 4 : Press **Enter**.

Step 5: The total sales value will be displayed in cell **B11**.

Benefits – 2.5 marks, Steps – 2.5 marks