QP Code: 25900909

MAHATMA GANDHI UNIVERSITY, KOTTAYAM MGU-UGP (HONOURS)

REGULAR /IMPROVEMENT/ REAPPEARANCE EXAMINATION NOVEMBER 2025

FIRST SEMESTER Multi-Disciplinary Courses (MDC)

MG1MDCPES100 - BASIC FIRST AID AND CPR

(2024 ADMISSION ONWARDS)

Duration: 1 Hour Maximum Marks: 35

ANSWER KEY

PART A – MCQs (1 mark each)

1. First aid is important because it helps to _____

Answer: b) Stabilize the patient's condition before professional help

2. The structure that connects muscles to bones.

Answer: b) Tendons

3. What does the "C" in the ABC's of emergency care stand for?

Answer: c) Circulation

4. What should you do if the person is choking but still conscious?

Answer: b) Give back blows and abdominal thrusts

5. What action should you take if the person does not have a pulse?

Answer: b) Begin CPR

6. What is the primary purpose of CPR?

Answer: b) To restore breathing and circulation

7. What is the primary cause of electrical injuries?

Answer: b) Contact with live electrical wires

8. If someone has a sprained ankle, what is the first step you should take?

Answer: c) Implement the RICE method

9. If you encounter someone who burned their hand on a stove, what is the first step you should take?

Answer: b) Run cool water over the burn for at least 10 minutes

10. What is the first step in controlling external bleeding?

Answer: a) Apply pressure to the wound

PART B – Short Answer (2 marks each)

11. What is a primary survey in first aid?

Answer: It is the first quick check of the casualty's condition. It uses DRABC: Danger, Response, Airway, Breathing, and Circulation.

12. Explain why checking for responsiveness is important when assessing a casualty.

Answer: It helps determine consciousness level and whether CPR or further intervention is needed.

13. What is the role of CPR in reducing fatalities from cardiac arrest?

Answer: CPR keeps blood and oxygen flowing to the brain and heart. It increases survival until medical help takes over.

14. Why is it important to compress at a steady rate?

Answer: It maintains proper blood flow to vital organs. It improves the chances of successful resuscitation.

15. What are the signs that a scald requires medical attention?

Answer: If the burn is large, deep, or forms blisters. If it affects the face, hands, feet, or shows infection.

16. Why is it important to ensure the power source is turned off before giving first aid for electrical injury?

Answer: To stop the electricity from harming the rescuer. To prevent further injury to the casualty.

17. What is fracture?

Answer: A fracture is a break or crack in a bone. It causes pain, swelling, and difficulty moving the area.

PART C – Short Essays (5 marks each)

18. Identify and discuss the key ethical principles that should guide the actions of a first aider.

Answer:

1. Consent – Always ask the person before helping. If they are unconscious, help is assumed.
2. Do No Harm – Give only the care you know. Do not do anything that can make the injury worse.
3. Confidentiality – Keep the person's details and condition private.
4. Duty of Care – Once you start helping, stay with the person until medical help arrives.
5. Act in Their Best Interest – Stay calm, be gentle, and do whatever is best for the injured person.

19. Describe the first aid protocol and its significance in the initial assessment of a casualty.

Answer: The first aid protocol begins with the steps of DRABC – Danger, Response, Airway, Breathing and Circulation. First, the first aider checks for any danger to ensure the scene is safe. Next, the casualty is checked for response to understand their condition. Then the airway is opened, and breathing is checked to see if the person is getting enough oxygen. Finally, circulation is assessed by looking for movement or signs of severe bleeding. This protocol is important because it helps the first aider act quickly, identify life-threatening problems, and give the right care without wasting time. It guides the helper to stay calm and treat the most serious problems first.

20. What are the signs that someone might need CPR?

Answer: Unresponsive, not breathing or gasping, no pulse.

A person may need CPR when they are completely unresponsive and do not react to calling or tapping. They may not be breathing at all, or they may only gasp weakly, which is not normal breathing. Their chest will not rise and fall normally. They may also have no pulse or signs of circulation. In such situations, the person's heart and breathing have stopped, and CPR must be started immediately to keep blood and oxygen flowing until medical help arrives.

21. Explain the concept of high-quality CPR and its components.

Answer: 100–120 compressions/min, proper depth, full recoil, minimal interruptions, good ventilation.

High-quality CPR means giving chest compressions and breaths in the most effective way to increase the person's chance of survival. It includes pushing hard and fast at a rate of 100–120 compressions per minute and pressing deep enough to help blood flow. The chest should be allowed to come back fully after each compression. There should be very

few interruptions, and breaths should be given gently so the chest rises without over-ventilating. Using an AED as soon as possible is also part of good CPR practice. All these components together help maintain the flow of oxygen to the heart and brain.

22. Describe the steps involved in providing first aid to a person with shock.

Answer: Lay them down, elevate legs, keep warm, control bleeding, monitor breathing, and call emergency help.

When giving first aid for shock, the first aider should quickly call for medical help and keep the person lying down. The legs can be raised slightly to improve blood flow to vital organs, unless there is a suspected injury that prevents it. The person should be kept warm using a blanket to prevent further heat loss. Any visible bleeding must be controlled immediately by applying pressure. The first aider should stay calm, reassure the person, and monitor their breathing and response. Nothing should be given to eat or drink, and the person must not be moved unnecessarily. These steps help maintain circulation and prevent the condition from getting worse.