25900586 **Reg.No : .....**

Name : .....

MAHATMA GANDHI UNIVERSITY, KOTTAYAM

MGU-UGP (HONOURS) Regular EXAMINATION October 2025

Third SEMESTER

Discipline Specific Core Course (DSC) - MG3DSCPSY202 - PSYCHOLOGICAL FIRST AID

(2024 ADMISSION ONWARDS)

Duration: 2 Hours **Maximum Marks: 70**

Remember(K), Understand(U), Apply(A), Analyse(An), Evaluate(E), Create(C), Skill(S), Interest(I) and Appreciation(Ap)

Students should attempt at least one question from each course outcome to enhance their overall outcome attainability.

Part A

Multiple Choice Question- Choose the most appropriate answer

Answer all questions

Each question carries **1** marks

1. What is the key principle behind offering practical information? [K] / [CO1]

   a). To demonstrate that you are an expert on the situation.

   b). To provide complex details so they understand the full scope.

   c). To reduce anxiety fueled by uncertainty.

   d). To take their mind off their problems.

2. Which of the following illustrates the use of PFA? [U] / [CO1]

   a). A counsellor conducting therapy for months

   b). A volunteer providing reassurance and a sense of safety

   c). A psychiatrist prescribing anti-depressants

   d). A researcher administering personality tests

3. A key outcome expected after PFA is- [U] / [CO1]

a). A complete recovery from trauma | b). Long-term personality changes | c). Improved coping and reduced distress | d). Diagnosis of PTSD

4. Which of the following is a long-term objective of PFA? [U] / [CO1]

a). Promoting resilience and community recovery | b). Eliminating all traumatic memories immediately | c). Preventing physical injuries during disaster | d). Conducting therapy for years

5. The core competency described as "interventions designed to stop escalating psychological and behavioral reactions" is known as: [K] / [CO1]

a). Assessment b). Stabilization

c). Triage d). Supportive Communication

6. Which of the following best discribes acute grief ? [U] / [CO1, CO2]

a). A permanent mental illness | b). A painful but natural reaction to loss

c). An abnormal psychological disorder | d). A process of forgetting the deceased quickly

7. What factor most strongly contributed to increased PTSD risk among recent Iraq and Afghanistan war veterans? [U] / [CO1, CO2]

a). Lack of training | b). Witnessing or being responsible for killing

c). Climate and environmental exposure | d). Military promotions

8. Which factor helps determine whether an emergency qualifies as a disaster? [U] / [CO1, CO2]

a). Media coverage of the event | b). Severity of impact, amount of damage, and support needed

c). Duration of the event only | d). Number of organizations involved in response

9. The Oklahoma City bombing resulted in approximately how much property damage? [U] / [CO1, CO2]

a). $25 million b). $125 million

c). $625 million d). $1 billion

10. Which disaster led to one of the largest increases in sexual violence reports? [U] / [CO1, CO2]

a). Hurricane Katrina b). Haiti Earthquake

c). Hurricane Sandy d). Sichuan Earthquake

11. Which of the following should be avoided in PFA? [U] / [CO2, CO3]

a). A) Using reflective listening b). B) Asking too many closed-ended questions

c). C) Demonstrating presence d). D) Showing empathy

12. Which of the following is NOT considered a symptom of MDD? [U] / [CO1, CO2]

a). Fatigue or loss of energy b). Diminished ability to concentrate

c). Increased self-esteem d). Suicidal ideation

13. Panic attacks are classified under: [U] / [CO2, CO3]

a). A) Emotional distress b). B) Emotional dysfunction

c). C) Bereavement d). D) Frustration

14. A set of biopsychosocial factors can make some people vulnerable in the wake of: [K] / [CO2, CO3]

a). Social stigma b). Financial instability

c). Disasters d). Illness

15. If a child is unaccompanied during a disaster, the PSFA strategy is to: [A] / [CO2, CO3]

a). Leave the child alone b). Provide entertainment

c). Link the child to child protection network d). Give complex information

16. Which type of professional support is recommended for elderly with psychological concerns? [U] / [CO2, CO3]

a). Teachers b). Mental health professionals

c). Shopkeepers d). Policemen

17. A patient shows dizziness, chest pain, and numbness of the arm after prolonged stress. This pattern indicates: [A] / [CO2, CO3]

a). A) Physiological distress b). B) Physiological dysfunction

c). C) Decreased immunity d). D) Psychogenic headache

18. Which behavior indicates dysfunction rather than distress? [K] / [CO2, CO3]

a). A) Mild sleep disturbance b). B) Temporary compulsions c). C) Persistent avoidance d). D) Reticence

19. Which vulnerable group does not include in factor Disability [U] / [CO2, CO3]

a). Dwarfism b). Intellectual disability

c). Muscular dystrophy d). Persons in palliative care

20. Cognitive indicia under distress include: [U] / [CO2, CO3]

a). A) Hopelessness and hallucinations b). B) Temporary confusion and inability to concentrate

c). C) Suicidal and homicidal thoughts d). D) Paranoid delusions

[1x20 = 20]

Part B

Short Answer type questions

Answer any **10** questions

Each question carries **3** marks

21. Mention any three factors that increase the severity of psychological symptoms for first responders [U] / [CO1, CO2]

22. Define Stress. Discuss the neural axes of stress response. [U] / [CO1, CO2]

23. Define panic disorder. Describe different disease, disorder and symptoms that are associated with it [U] / [CO1, CO2]

24. What is psychological triage in the context of mental health? [K] / [CO2, CO3]

25. Give two examples of professionals or agencies to whom a crisis worker might refer an individual for continued care [A] / [CO2, CO3]

26. Describe types of loss [K] / [CO1, CO2]

27. Discuss how the use of mood-altering substances can affect emergency responders after trauma. [U] / [CO1, CO2]

28. Differentiate between fear and anxiety [U] / [CO1, CO2]

29. What is supportive communication in PFA? [U] / [CO2, CO3]

30. Define PTSD and list out different group which are vulnerable to develop PTSD [U] / [CO1, CO2]

31. How does prioritization in the RAPID Model help mitigate distress in a multi-casualty scenario? [A] / [CO2, CO3]

32. Describe recovery and adaptation needs [K] / [CO1, CO2]

33. Explain the difference between spiritual distress and dysfunction. [U] / [CO2, CO3]

[3x10 = 30]

Part C

Essay type questions

Answer any **2** questions

Each question carries **10** marks

34.	The RAPID model is often used in Psychological First Aid. How would you use each step (Rapport, Assessment, Prioritization, Intervention, and Disposition) if you were helping someone after sexual abuse?	[A] / [CO4, CO5]
35.	Evaluate the Essential Psychological Skills Required for Effective Psychological First Aid.	[E] / [CO4, CO5]
36.	If you were the crisis interventionist in Matt's role, how would you apply the appraisal step to Claire's case and prioritize her needs after the flood?	[A] / [CO2, CO3]
37.	Discuss the impact and consequences of being a caregiver during disaster situations.	[A] / [CO2, CO3]

[10x2 = 20]