

DR TEST: 29-Jun-2024

Key recovery point:	2
Objective:.....	2
Procedure:.....	2
1. Check database backup.....	2
2. Restore the backup to new postgresql Database (DR).....	4
3. Verify database credentials and sanity test	5
4. Deploy container App and configure collation API with dR database	6
5. Verify REST APIs.....	7
6. Verify Excel add in can interact with REST API.....	8
7. Point powerbi workspace to DR database	9
8. Publish the report	10
9. Verify power reports available through portal	10
10. Results.....	10

Key recovery point:

1. PostgreSQL database
2. Rest API
3. Excel Add-in
4. PowerBi reports
5. Portal to display embedded reports

Objective:

Operations	Target
Database recovery:	120 Minutes
API	60 minutes
Excel Add-in	30 minutes
PowerBi reports	30 minutes
Portal to display embedded reports	30 minutes
	270 minutes (about 4 and a half hours)

Resources:

- Prashant Surana
- Tanmai Sharma
- Aman Khandelwal

Procedure:

Check database backup

Google ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

use1-staging-master - Micro...x

portal.azure.com/#@collation.ai/resource/subscriptions/71d6e79f-4241-46de-a5e6-43b26267d31a/resourceGroups/collation-primary/providers/Mi...

Microsoft AzureSearch resources, services, and docs (G+)

Copilot

prashant.surana@collati...COLLATION.AI INC. (COLLATION...

Home > Azure Database for PostgreSQL flexible servers > use1-staging-master

Azure Database fo...Collation.AI Inc. (collation.ai)

+ CreateManage view...

Filter for any field...

Name ↑

collation-db-test...

collation-dev2...

use1-staging-master...

Search

SaveDiscardRefreshFeedbackFAQs

Compute + storage

Networking

Databases

Connect

Server parameters

Replication

Maintenance

High availability

Backup and restore

Advisor recommendations

Locks

Power Platform

Power BI (preview)

Security

Data encryption

Authentication

Microsoft Defender for Cloud

use1-staging-master | Backup and restore

Azure Database for PostgreSQL flexible server

Azure Database for PostgreSQL flexible servers are backed up automatically. Available full backups for restores are listed below. [Learn more](#)

Backup retention period (in days) 35

Backup Redundancy Zone redundant

Earliest restore point 2024-05-26 09:53:49.642 UTC

	Completion timestamp (UTC)	Retained till (UTC)	Type	Actions
ed backup #35	2024-06-29 09:04:24.518	2024-08-03 09:04:24.518	Automated full backup	Fast restore
ed backup #34	2024-06-28 09:03:35.369	2024-08-02 09:03:35.369	Automated full backup	Fast restore
ed backup #33	2024-06-27 09:06:48.339	2024-08-01 09:06:48.339	Automated full backup	Fast restore
ed backup #32	2024-06-26 09:06:09.641	2024-07-31 09:06:09.641	Automated full backup	Fast restore
ed backup #31	2024-06-25 09:03:42.168	2024-07-30 09:03:42.168	Automated full backup	Fast restore
ed backup #30	2024-06-24 09:02:33.840	2024-07-29 09:02:33.840	Automated full backup	Fast restore
ed backup #29	2024-06-23 09:04:27.792	2024-07-28 09:04:27.792	Automated full backup	Fast restore
ed backup #28	2024-06-22 09:06:11.484	2024-07-27 09:06:11.484	Automated full backup	Fast restore
ed backup #27	2024-06-21 09:09:11.209	2024-07-26 09:09:11.209	Automated full backup	Fast restore
ed backup #26	2024-06-20 09:11:50.483	2024-07-25 09:11:50.483	Automated full backup	Fast restore
ed backup #25	2024-06-19 09:11:47.802	2024-07-24 09:11:47.802	Automated full backup	Fast restore

Page 1 of 1

Restore the backup to new PostgreSQL Database (DR)

Google Chrome File Edit View History Bookmarks Profiles Tab Window Help

portal.azure.com/view/Microsoft_Azure_OSSDatabases/RestorePostgreSqlFlexibleServerFromBackupBlade/fastestRestorePoint/2024-06-29T09...

Microsoft Azure Search resources, services, and docs (G+)

Home > Azure Database for PostgreSQL flexible servers > use1-staging-master | Backup and restore >

Create Azure Database for PostgreSQL Flexible server - Restore server

Microsoft

Source details

Select a backup source and detail. Additional settings will be defaulted where possible based on the backup selected.

Source server ☐ use1-staging-master

Geo-redundant restore ☐ Restore to paired region (westus)

Earliest restore point ☐ 2024-05-26 09:53:49.6424948 UTC

Point-in-time-restore (PITR) ☒ Latest restore point (Now)

Server details

Enter required settings for this server, including picking a location and configuring the compute and storage resources.

Name

Estimated costs

Compute Sku	USD 249.66/month
Standard_D4s_v3 (4 vCores, USD 62.42 per vCore)	4 x 62.42

Storage	USD 29.44/month
Storage selected 256 GiB (USD 0.12 per GiB)	256 x 0.12

Bandwidth
For outbound data transfer across services in different regions will incur additional charges. Any inbound data transfer is free. Learn more

Estimated total USD 279.10/month

Prices reflect estimates only. [View Azure pricing calculator](#). Final charges will appear in your local currency in cost analysis and billing views.

RestorePostgreSqlFlexibleServer_9658a5e8e3c64bff9dad5cbbf58566c | Overview

Deployment

Overview

Inputs

Outputs

Template

Deployment is in progress

Deployment name : RestorePostgreSqlFlexibleServer_9658a5e8e3c64... Start time : 6/29/2024, 10:25:01 PM

Subscription : Microsoft Azure Sponsorship Correlation ID : 79300019-3345-443b-913a-19427dffc9a

Resource group : collation-primary

Deployment details

Resource	Type	Status	Operation details
drtest	Azure Database for PostgreSQL	Accepted	Operation details

Microsoft Defender for Cloud

Secure your apps and infrastructure

[Go to Microsoft Defender for Cloud](#)

Free Microsoft tutorials

[Start learning today](#)

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

[Find an Azure expert](#)

Verify database credentials and sanity test

The screenshot displays the pgAdmin 4 web interface. The left sidebar shows a tree view of database objects, with 'collation-common' selected. The main panel shows the 'Query Editor' with a SQL query: `SELECT count(*) FROM public.ct_subscribers`. The 'Data Output' tab shows the result of the query, which is a single row with the value 14. The 'Notifications' panel at the bottom right shows a table with columns: Recorded time, Event, Process ID, and Payload. The table is currently empty, displaying 'No data found'.

pgAdmin 4

Browser

- > cdb_sea_175_blue
- > cdb_settle_954_lake
- > cdb_spruced_305_referee
- > cdb_sterilize_757_rimless
- > cdb_tray_4851_desert
- > cdb_tray_4851_edison
- > collation-common
 - > collation_bot
 - > Casts
 - > Catalogs
 - > Event Triggers
 - > Extensions
 - > Foreign Data Wrappers
 - > Languages
 - > Publications
 - > Schemas
 - > Subscriptions
- > collation_dev
- > collation_excel
- > excel_powerautomate
- > experiment_power_automate
- > fdb_barney_1746_lama
- > fdb_barney_1987_lama
- > fdb_barney_2187_lama
- > fdb_buckwheat_8044_tray
- > fdb_carbon_485_census
- > fdb_cauldron_9987_frostbite
- > fdb_cyclone_963_edison
- > fdb_diagram_4851_knapsack
- > fdb_lake_3636_husky
- > fdb_lama_5493_gemini
- > fdb_sahara_1521_duraflame
- > fdb_supernova_5916_zircon

Dashboard Properties SQL Statistics Dependencies Dependents public.ct_subs... collation-common/postgres@drtest.por

Query Editor Query History

```
1 SELECT count(*) FROM public.ct_subscribers
```

Data Output Explain Messages Scratch Pad

count
14

Notifications

Recorded time	Event	Process ID	Payload
No data found			

Deploy container App and configure collation API with new database

The image displays two screenshots of the Microsoft Azure portal, showing the configuration of a container app named 'collation-api-dev'.

Top Screenshot: The 'Environment variables' tab is selected. The 'Based on revision' dropdown is set to 'collation-api-dev--c1ujosp'. The 'Container' dropdown is set to 'collation-api-dev'. The 'Environment variables' table shows two entries:

Name	Source	Value
DB_HOSTNAME	Manual entry	drtest.postgres.database.azure.com
DB_PORT	Manual entry	5432

Bottom Screenshot: The 'Environment variables' tab is selected. The 'Based on revision' dropdown is set to 'collation-api-dev--c1ujosp'. The 'Container' dropdown is set to 'collation-api-dev'. The 'Environment variables' table shows four entries:

Name	Source	Value
DB_HOSTNAME	Manual entry	drtest.postgres.database.azure.com
DB_PORT	Manual entry	5432
MAIN_DB	Manual entry	collation-common
DB_USER	Manual entry	collation_common

Verify REST APIs

← → ↻ apidocs.collation.ai/docs#/Admin/get_subscribers_v1_admin_subscribers_get ☆

» | All Bookmarks

(query)

per_page (query)

sort_column (query)

sort_direction (query)

Responses

Curl

```
curl -X 'GET' \
  'https://api-dev.collation.ai/v1/be79685e-2dbf-4a39-a8f8-96de7349f816/entities/?page=1&per_page=20&sort_column=created_at&sort_direction=desc' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer 

Request URL



```
https://api-dev.collation.ai/v1/be79685e-2dbf-4a39-a8f8-96de7349f816/entities/?page=1&per_page=20&sort_column=created_at&sort_direction=desc

```



Server response



| Code | Details                                            |
|------|----------------------------------------------------|
| 200  | <p>Response body</p> <pre>{   "entities": [ </pre> |


```

Verify Excel add in can interact with REST API

The screenshot shows a Google Chrome browser window with multiple tabs. The active tab is 'collationaiinc.sharepoint.com'. The browser displays an Excel spreadsheet with the following data:

action	custodian_name	custodian_uuid	errors	warnings	created_at
test	Test Collation	9c69a1a2-97f8-46e5-9ffb-f3205164eaf9			2024-04-1


The Excel ribbon is set to 'Table Design'. The 'Collation.AI Staging' add-in panel is visible on the right, showing a 'Welcome to Collation.AI' message and a 'Manage Custodians' section with buttons for 'Add', 'Update', and 'Delete'. The 'Add' button is highlighted.

Point Powerbi workspace to DR database





Tanmai Sharma 11:06 PM
image.png

Saturday, June 29th



11:06 another screenshot


image.png




Publish the report

Tanmai Sharma 11:06 PM
image.png

Saturday, June 29th




11:06 another screenshot
image.png



NEW

Verify power reports available through portal



Results

- DR test completed in 36 minutes

- All key components and customer data restored
- There is not any data loss

Operations	Target	Start Time (IST)	End Time (IST)	Actual
Database recovery:	120 Minutes	2024-06-29 at 10.23.02 PM	2024-06-29 at 10.35.28 PM	12 minutes
API	60 minutes	2024-06-29 at 10.39.47 PM	2024-06-29 at 10.46.08 PM	7 minutes
Excel Add-in	30 minutes	2024-06-29 at 10.49.55 PM	2024-06-29 at 10.55.35 PM	6 minutes
PowerBi reports	30 minutes	2024-06-29 at 11.00.10 PM	2024-06-29 at 11.07.26 PM	8 minutes
Portal to display embedded reports	30 minutes	2024-06-29 at 11.09.00 PM	2024-06-29 at 11.12.00 PM	3 minutes
	270 minutes (about 4 and a half hours)			36 minutes