

Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier
Top entity

ISE

Designer	shanasz
Drawn by	*
Check.by	*
Last Mod.	-
File	VHF_AMP_top.SchDoc
Print Date	14.04.2024 22:50:42
Sheet	1 of 9

XX/XX/XXXX
14.04.2024

ARTIQ

Size A3 Rev *



R BIAS	
Vcc	"1%" Res. Values (ohms) for Optimum Biasing
7	28.7
8	41.2
9	53.6
10	66.5
11	78.7
12	90.9
13	102
14	115
15	127

Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier Preamplifier

ISE

Designer	shanasz
Drawn by	*
Check.by	*
Last Mod.	-
File	Preamp.SchDoc
Print Date	14.04.2024 22:50:42
Sheet	2 of 9
Size	A3
Rev	*

ARTIQ



Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier Power Stage

Designer	shanasz
Drawn by	*
Check.by	*
Last Mod.	-
File	PWR_stage.SchDoc
Print Date	14.04.2024 22:50:42
Sheet	3 of 9
	XX/XX/XXXX
	-
	14.04.2024

ISE

ARTIQ

Size A3 Rev *



Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier
Driver Amplifier

ISE

Designer	shanasz
Drawn by	*
Check.by	*
Last Mod.	-
File	RF_Driver.SchDoc
Print Date	14.04.2024 22:50:43
Sheet	4 of 9
Size	A3
Rev	*

ARTIQ

P1 connector



This design uses new revision of backplane assignments. MGT Rx is no longer shared with LVDS 15.

















This circuit delays startup by 20-40 ms, depending on GA pins.

Project/Equipment	VHF_AMP.PrjPcb
Document	**VHF Amplifier DIOT connectors**
Designer	G.Kasprowicz
Drawn by	G.Kasprowicz
Check.by	
Last Mod.	- 28.03.2024
File	VHFA_DIOT_Connectors_P1_P6.SchDoc
Print Date	14.04.2024 22:50:43 Sheet 5 of 9
Contact	gkasprow@gmail.com
Size	A3
Rev	2

PW ISE WUT ISE



Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier EEM connectors

Designer	G.Kasprowicz	
Drawn by	G.Kasprowicz	
Check.by		-
Last Mod.	-	14.04.2024
File	VHFA_EEM.SchDoc	
Print Date	14.04.2024 22:50:43	Sheet 6 of 9

PW ISE WUT ISE
Nowowiejska 15/19 00-665 Warsaw

ARTIQ

Size A3 Rev 2

P12V0_SW
highPower
IC21
C118 2.2uF
C119 2.2uF
C120 2.2uF
C121 2.2uF
C122 Undefined
C91 10uF
C92 10uF
C94 10uF
C115 10uF
C116 10uF
C117 10uF
GND
R64 0R01
P48V0
VHF_AMP_top[1B]
NSHDN
R126 0
R66 0
R67 200K
R70 6k98
R71 0
C133 Undefined
R69 42k2
R73 Undefined
R74 Undefined
R75 51
C135 1uF
IC23A
AD8397ARDZ
C137 1uF
IC23B
AD8397ARDZ
LTM8056IY#PBF
P12V0_SW
highPower
IC22
C129 2.2uF
C130 2.2uF
C131 2.2uF
C132 2.2uF
C123 10uF
C124 10uF
C125 10uF
C126 10uF
C127 10uF
C128 10uF
R65 0R01
C111 Undefined
R76 0
R77 200K
R79 6k34
R84 0
C136 Undefined
R78 42k2
R86 Undefined
R87 Undefined
LTM8056IY#PBF
Switching freq: 500kHz
MODE: forced continous mode (low EMI)

Two LTM8056s Paralleled to Get More Output Current. The Two µModules Are Synchronized and Switching 180° Out Of Phase



24V$_{OUT}$ from 9V$_{IN}$ to 58V$_{IN}$ with 1.1A Accurate Current Limit



Output Voltage vs Output Current



Project/Equipment ARTIQ/SINARA

Document

Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier Power Stage Supply

Designer	G.Kasprowicz
Drawn by	G.Kasprowicz
Check.by	
Last Mod.	- 28.03.2024
File	VHFA_PA_DCDC.SchDoc
Print Date	14.04.2024 22:50:43
Sheet	7 of 9

PW ISE WUT ISE
Nowowiejska 15/19 00-665 Warsaw

ARTIQ

Size A3 Rev 2



Figure 3. V_{RMS} vs. Input Level (P_{IN}) for Various Frequencies (30 MHz to 6 GHz) at 25°C

Figure 39. V_{IN-} vs. P_{IN} at Various Frequencies

Project/Equipment	Sampler		
Document	VHF Amplifier Power detector & protection	Designer G.Kasprowicz Drawn by G.Kasprowicz Check.by Last Mod. -	 - 14.04.2024
Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI		File VHFA_RF_detector.SchDoc Print Date 14.04.2024 22:50:43	Sheet 8 of 9
PW ISE WUT ISE Nowowiejska 15/19 00-665 Warsaw	ARTIQ	Size A3	Rev 2



Figure 3. V_{RMS} vs. Input Level (P_{IN}) for Various Frequencies (30 MHz to 6 GHz) at 25°C

Figure 39. V_{IN-} vs. P_{IN} at Various Frequencies

Project/Equipment	Sampler		
Document	***VHF Amplifier Power detector & protection***	Designer G.Kasprowicz	
		Drawn by G.Kasprowicz	
Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI		Check.by	-
		Last Mod. -	14.04.2024
		File VHFA_RF_detector.SchDoc	
		Print Date 14.04.2024 22:50:44	Sheet 8 of 9
PW ISE *WUT ISE* *Nowowiejska 15/19 00-665 Warsaw*	ARTIQ	Size A3	Rev 2





TABLE 5-1: R_{SENSE} VS. FAN CURRENT

Nominal Fan Current (mA)	R_{SENSE} (Ω)
50	9.1
100	4.7
150	3.0
200	2.4
250	2.0
300	1.8
350	1.5
400	1.3
450	1.2
500	1.0













Project/Equipment: ARTIQ/SINARA

Document: Cannot open file D:\Dropbox\DESIGNS\MTCA_projects\SI

VHF Amplifier Power supply & fan

Designer	G.Kasprowicz	
Drawn by	G.Kasprowicz	
Check.by		-
Last Mod.	-	14.04.2024
File	VHFA_PWR_Supply.SchDoc	
Print Date	14.04.2024 22:50:44	Sheet 9 of 9

PW ISE *WUT ISE*
Nowowiejska 15/19 00-665 Warsaw

ARTIQ

Size A3 | Rev 2