

# Place order

Choose your crate and drag/add the cards you want to the crate below to see how the combination would look like.

## Rack mountable crate

Desktop crate






# Kasli



**HKD 1,000**

- Artix 7 100T FPGA
- 4Gb DDR3 SDRAM
- 128 Mb SPI Flash
- 3 SFP 6Gb/s slots
- 1 SATA 6Gb/s connector
- Clock recovery and distribution
- 4 MMCX clock outputs
- 4 channel USB connectivity
- I2C tree to EEMs via USB and FPGA
- 8 EEM connectors on board






# Place order

Choose your crate and drag/add the cards you want to the crate below to see how the combination would look like.

## Rack mountable crate

Desktop crate



- (i) *It is recommended to use 2 EEM connectors for Novo, but it is possible to use only 1 EEM connector.*
- (i) *Add a backplane adapter to extend EEM connectors to 12 at an extra charge*

⚠ **Due to wiring constraints, a Kasli can only connect to EEM cards immediately at its right, without crossing another Kasli. Please reorder your cards.**

- (−) **Kasli** HKD 1,000
- (−) **Novo** HKD 1,000
- (−) **Novo** HKD 1,000
- (−) **Zotino** HKD 1,000
- (−) **Zotino** HKD 1,000
- (−) **Zotino** HKD 1,000
- (−) **Zotino** HKD 1,000
- (−) **Urukul** HKD 1,000

**Price estimate** HKD 8,000



**Request quote**