```
from sales_pkg import total_sales, best_seller, daily_average, validate_transacti

# Sample (simulated) transactions for one week
sales = [
    {"day": "Mon", "item": "Tea",      "quantity": 10, "price": 15.0},
    {"day": "Mon", "item": "Samosa",   "quantity": 8,  "price": 12.0},
    {"day": "Tue", "item": "Tea",      "quantity": 12, "price": 15.0},
    {"day": "Tue", "item": "Sandwich", "quantity": 5,  "price": 40.0},
    {"day": "Wed", "item": "Samosa",   "quantity": 20, "price": 12.0},
    {"day": "Wed", "item": "Tea",      "quantity": 6,  "price": 15.0},
]

print("=== Test 1: Normal data ===")
print(f"Total sales    : Rs. {total_sales(sales):.2f}")
item, units = best_seller(sales)
print(f"Best seller    : {item} ({units} units)")
print(f"Daily average  : Rs. {daily_average(sales):.2f}")

print("\n=== Test 2: Edge case - empty transaction list ===")
print("Total sales    : Rs.", total_sales([]))
print("Best seller    :", best_seller([]))
try:
    daily_average([])
except ValueError as e:
    print("Daily average  : Error ->", e)

print("\n=== Test 3: Invalid input - negative quantity ===")
bad = [{"day": "Mon", "item": "Tea", "quantity": -2, "price": 15.0}]
try:
    total_sales(bad)
except ValueError as e:
    print("Error ->", e)

print("\n=== Test 4: Invalid input - missing field ===")
try:
    validate_transaction({"day": "Mon", "item": "Tea", "quantity": 2})
except ValueError as e:
    print("Error ->", e)

print("\n=== Test 5: Single transaction ===")
one = [{"day": "Thu", "item": "Juice", "quantity": 4, "price": 25.0}]
print("Total:", total_sales(one), "| Best:", best_seller(one), "| Avg:", daily_av
```