

```

1 CREATE TABLE PERSON
2 (
3     d_id VARCHAR(20) PRIMARY KEY,
4     name VARCHAR(50),
5     address VARCHAR(100)
6 );
7
8

```

Automatic context help is disabled
get help for the current caret position

Context Help Shippets

Output

Action Output

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected, 1 warning(s): 1681 Integer display width is deprecated and will be removed in a future release.
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMARY KEY (d_id, reg_num))	0 row(s) affected
32	09:27:31	insert into PERSON values('101','havi','hassan'), ('102','rani','mysuru'), ('103','ramya','bengaluru'), ('104','havi','hassan'), ('105','havya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','Audi',2005)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11','03-JAN-01','MYSUSE'), ('13','03-JAN-21','BULL TEMPLE'), ('12','04-FEB-02','BANGALORE'), ('14','08-FEB-17','HASSAN'), ('15','09-MAR-20','MYSURU')	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values('11','2003-01-01','MYSUSE'), ('13','2003-01-21','BULL TEMPLE'), ('12','2004-02-02','BANGALORE'), ('14','2008-02-17','HASSAN'), ('15','2009-03-10','MYSURU')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250',11,'1000000'), ('102','KA031181',12,'1000000'), ('103','KA031180',13,'5000000'), ('104','KA053408',14,'2500000'), ('105','KA053408',15,'2500000')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values('05','2006-06-10','k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned

The screenshot shows the SQL Editor interface. At the top, there are tabs for various SQL files, with 'SQL File 5*' currently selected. Below the tabs is a toolbar with icons for file operations and a 'Limit to 1000 rows' dropdown. The main area contains a SQL query:

```
1 create table car(  
2   reg_num varchar(10) Primary Key,  
3   model char(10),  
4   year int);
```

 On the right side, there is a sidebar with the text 'Automatic cont' and 'get help for t'. At the bottom right, there are links for 'Context Help' and 'Snippets'.

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected, 1 warning(s): 1681 Integer display width is deprecated and will be removed in
30	09:22:19	create table accident1((report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050 Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMAR...	0 row(s) affected
32	09:27:31	insert into PERSON values('101','ravi','hasan'), ('102','rani','mysuru'), ('103','tanya','bangaluru'), ('104','havi','hasan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica','1990', ('KA031181','LANCER',1957, ('KA031180','TOYOTA',1998), ('KA03408','HONDA',2008), ('KA41702','A...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11-03-JAN-01','MYSUSE'), ('13-03-JAN-21','BULL TEMPLE'), ('12-04-FEB-02','BANGALORE'), ('14-08-FEB-17','HASSAN'), (...)	Error Code: 1292 Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values('11,2003-01-01','MYSUSE'), ('13,2003-01-21','BULL TEMPLE'), ('12,2004-02-02','BANGALORE'), ('14,2008-02-17','HASSAN'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250','11','1000000'), ('102','KA031181','12','1000000'), ('103','KA031180','13','5000000'), ('104','KA03408','14','2500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values('05-2006-06-10','k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned

[illegible]

Output:

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected. 1 warning(s): 1681 Integer display width is deprecated and will be removed in a future version.
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMARY KEY (d_id, reg_num))	0 row(s) affected
32	09:27:31	insert into PERSON values('101','javi','hassan'), ('102','rani','mysuru'), ('103','janya','bengaluru'), ('104','navi','hassan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','INCE',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA017402','AUDI',2000)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11-03-JAN-01','MYSUSE'), ('13-03-JAN-21','BULL TEMPLE'), ('12-04-FEB-02','BANGALORE'), ('14-08-FEB-17','HASSAN'), ('15-02-MAR-18','MYSURU')	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values('11-2003-01-01','MYSUSE'), ('13-2003-01-21','BULL TEMPLE'), ('12-2004-02-02','BANGALORE'), ('14-2008-02-17','HASSAN'), ('15-2018-03-18','MYSURU')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250','11','100000'), ('102','KA031181','12','100000'), ('103','KA031180','13','500000'), ('104','KA053408','14','250000'), ('105','KA017402','15','100000')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values('05-2006-06-10','k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned

Query 1SQL File 1"SQL File 4"SQL File 5"SQL File 7"SQL File 8"SQL File 9"SQL File 10"SQL File 11"SQL File 12"SQL File 13"SQL File 14"SQLAdditions

Limit to 1000 rows

SQLAdditionsAutomatic content get help for the

```
1 create table accident1(  
2   report_num int (10) Primary Key,  
3   accident_date date,  
4   location varchar(30));
```

Output					Context Help	Snippets
Action Output						
#	Time	Action	Message			
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected, 1 warning(s): 1681 Integer display width is deprecated and will be removed in a f			
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists			
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMAR...	0 row(s) affected			
32	09:27:31	insert into PERSON values('101','havi','hassan'), ('102','hani','mysuru'), ('103','hanya','bengaluru'), ('104','havi','hassan'), ('105','hanya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0			
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','A...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0			
34	09:38:48	insert into accident1 values('11','03-JAN-01','MYSUSE'), ('13','03-JAN-21','BULL TEMPLE'), ('12','04-FEB-02','BANGALORE'), ('14','08-FEB-17','HASSAN'), (...	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1			
35	09:40:25	insert into accident1 values('11','2003-01-01','MYSUSE'), ('13','2003-01-21','BULL TEMPLE'), ('12','2004-02-02','BANGALORE'), ('14','2008-02-17','HASSAN'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0			
36	09:44:41	insert into participated values('101','KA052250','11','100000'), ('102','KA031181','12','100000'), ('103','KA031180','13','500000'), ('104','KA053408','14','2500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0			
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0			
38	09:48:58	insert into accident1 values('05','2006-06-10','k r puram')	1 row(s) affected			
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned			
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned			
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned			

Limit to 1000 rows

SQLAdditionsAutomatic content get help for the

```
1 CREATE TABLE participated (  
2   d_id VARCHAR(20),  
3   reg_num VARCHAR(10),  
4   report_num INT,  
5   damage_amount VARCHAR(10),  
6  
7   PRIMARY KEY (d_id, reg_num,report_num),  
8  
9   FOREIGN KEY (d_id) REFERENCES person(d_id),  
10  FOREIGN KEY (reg_num) REFERENCES car(reg_num),  
11  FOREIGN KEY (report_num) REFERENCES accident1(report_num)  
12 );  
13
```

Output					Context Help	Snippets
Action Output						
#	Time	Action	Message			
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected, 1 warning(s): 1681 Integer display w			
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists			
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMAR...	0 row(s) affected			
32	09:27:31	insert into PERSON values('101','havi','hassan'), ('102','hani','mysuru'), ('103','hanya','bengaluru'), ('104','havi','hassan'), ('105','hanya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings			
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','A...	5 row(s) affected Records: 5 Duplicates: 0 Warnings			
34	09:38:48	insert into accident1 values('11','03-JAN-01','MYSUSE'), ('13','03-JAN-21','BULL TEMPLE'), ('12','04-FEB-02','BANGALORE'), ('14','08-FEB-17','HASSAN'), (...	Error Code: 1292. Incorrect date value: '03-JAN-01' fo			
35	09:40:25	insert into accident1 values('11','2003-01-01','MYSUSE'), ('13','2003-01-21','BULL TEMPLE'), ('12','2004-02-02','BANGALORE'), ('14','2008-02-17','HASSAN'...	5 row(s) affected Records: 5 Duplicates: 0 Warnings			
36	09:44:41	insert into participated values('101','KA052250','11','100000'), ('102','KA031181','12','100000'), ('103','KA031180','13','500000'), ('104','KA053408','14','2500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings			
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Wan			
38	09:48:58	insert into accident1 values('05','2006-06-10','k r puram')	1 row(s) affected			
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned			
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned			
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned			

Query 1 SQL File 1* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14*

Limit to 1000 rows

```
3 ('103','ramya','bengaluru'),
4 ('104','navi','hassan'),
5 ('105','navya','mysuru');
6
7 insert into car values('KA052250','indica',1990),
8 ('KA031181','LANCER',1957),
9 ('KA031180','TOYOTA',1998),
10 ('KA053408','HONDA',2008),
11 ('KA41702','AUDI',2005);
12
13 insert into accident1 values(11,'2003-01-01','MYSUSE'),
14 (13,'2003-01-21','BULL TEMPLE'),
15 (12,'2004-02-02','BANGALORE'),
16 (14,'2008-02-17','HASSAN'),
17 (15,'2005-03-04','SOUTH END CIRCLE');
18
19 insert into participated values('101','KA052250',11,'100000'),
20 ('102','KA031181',12,'100000'),
21 ('103','KA031180',13,'500000'),
22 ('104','KA053408',14,'250000'),
23 ('105','KA41702',15,'5000');
24
```

Automat get hel

Context Help

Output

Action Output

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected. 1 warning(s): 1681 Integer display width is deprecated and will be removed in a future version of MySQL.
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMARY KEY (d_id, reg_num))	0 row(s) affected
32	09:27:31	insert into PERSON values('101','navi','hassan'), ('102','navi','mysuru'), ('103','ramya','bengaluru'), ('104','navi','hassan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','AUDI',2005)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values(11,'03-JAN-01','MYSUSE'), (13,'03-JAN-21','BULL TEMPLE'), (12,'04-FEB-02','BANGALORE'), (14,'08-FEB-17','HASSAN'), (15,'03-JAN-01','SOUTH END CIRCLE')	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values(11,'2003-01-01','MYSUSE'), (13,'2003-01-21','BULL TEMPLE'), (12,'2004-02-02','BANGALORE'), (14,'2008-02-17','HASSAN'), (15,'2005-03-04','SOUTH END CIRCLE')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250',11,'100000'), ('102','KA031181',12,'100000'), ('103','KA031180',13,'500000'), ('104','KA053408',14,'250000'), ('105','KA41702',15,'5000')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values(05,'2005-06-10','kr puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned

Query 1 SQL File 1* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13* SQL File 14*

Limit to 1000 rows

```
1 insert into accident1 values(05,'2005-06-10','kr puram');
```

Automatic cont get help for th

Context Help Snippets

Output

Action Output

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected. 1 warning(s): 1681 Integer display width is deprecated and will be removed in a future version of MySQL.
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMARY KEY (d_id, reg_num))	0 row(s) affected
32	09:27:31	insert into PERSON values('101','navi','hassan'), ('102','navi','mysuru'), ('103','ramya','bengaluru'), ('104','navi','hassan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','AUDI',2005)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values(11,'03-JAN-01','MYSUSE'), (13,'03-JAN-21','BULL TEMPLE'), (12,'04-FEB-02','BANGALORE'), (14,'08-FEB-17','HASSAN'), (15,'03-JAN-01','SOUTH END CIRCLE')	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values(11,'2003-01-01','MYSUSE'), (13,'2003-01-21','BULL TEMPLE'), (12,'2004-02-02','BANGALORE'), (14,'2008-02-17','HASSAN'), (15,'2005-03-04','SOUTH END CIRCLE')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250',11,'100000'), ('102','KA031181',12,'100000'), ('103','KA031180',13,'500000'), ('104','KA053408',14,'250000'), ('105','KA41702',15,'5000')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values(05,'2005-06-10','kr puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned

Query 1SQL File 1"SQL File 4"SQL File 5"SQL File 7"SQL File 8"SQL File 9"SQL File 10"SQL File 11"SQL File 12"SQL File 13"SQL File 14"SQLAdditions

Limit to 1000 rows

Automatic cont
get help for th

```
1 insert into accident1 values(05,'2006-06-10','k r puram'));
```

OutputContext HelpSnippets

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected. 1 warning(s): 1681 Integer display width is deprecated and will be removed in
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMAR...	0 row(s) affected
32	09:27:31	insert into PERSON values('101','ravi','hassan'), ('102','rani','mysuru'), ('103','amyia','bengaluru'), ('104','havi','hassan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','A...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11,03-JAN-01','MYSUSE'), ('13,03-JAN-21','BULL TEMPLE'), ('12,04-FEB-02','BANGALORE'), ('14,08-FEB-17','HASSAN'), (...	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values('11,2003-01-01','MYSUSE'), ('13,2003-01-21','BULL TEMPLE'), ('12,2004-02-02','BANGALORE'), ('14,2008-02-17','HASSAN...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250','11','100000'), ('102','KA031181','12','100000'), ('103','KA031180','13','500000'), ('104','KA053408','14','2500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values(05,2006-06-10,'k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned

Query 1SQL File 1"SQL File 4"SQL File 5"SQL File 7"SQL File 8"SQL File 9"SQL File 10"SQL File 11"SQL File 12"SQL File 13"SQL File 14"SQLAdditions

Limit to 1000 rows

Autom
get h

```
1 UPDATE participated
2 SET damage_amount = 25000
3 WHERE reg_num='KA053408'
4 AND Report_num = 12;
```

OutputContext Help

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected. 1 warning(s): 1681 Integer display width is deprecated and will
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMAR...	0 row(s) affected
32	09:27:31	insert into PERSON values('101','ravi','hassan'), ('102','rani','mysuru'), ('103','amyia','bengaluru'), ('104','havi','hassan'), ('105','navya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','A...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11,03-JAN-01','MYSUSE'), ('13,03-JAN-21','BULL TEMPLE'), ('12,04-FEB-02','BANGALORE'), ('14,08-FEB-17','HASSAN'), (...	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' a
35	09:40:25	insert into accident1 values('11,2003-01-01','MYSUSE'), ('13,2003-01-21','BULL TEMPLE'), ('12,2004-02-02','BANGALORE'), ('14,2008-02-17','HASSAN...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250','11','100000'), ('102','KA031181','12','100000'), ('103','KA031180','13','500000'), ('104','KA053408','14','2500...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values(05,2006-06-10,'k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned

The screenshot shows the SQL Editor interface. At the top, there is a toolbar with various icons for file operations, undo, redo, and search. Below the toolbar, the SQL query is entered in the editor:

```
1 select accident_date,location from accident1;
```

Below the query editor, there is a section for the results. It includes a "Result Grid" tab, a "Filter Rows:" input field, and an "Export:" button. The results are displayed in a table with two columns: "accident_date" and "location".

accident_date	location
2006-06-10	k r puram
2003-01-01	MYSUSE
2004-02-02	BANGALORE
2003-01-21	BULL TEMPLE
2008-02-17	HASSAN
2005-03-04	SOUTH END CIRCLE

On Sat, Sep 19, 2026 at 9:16 AM Sinchana N R <sinchananr.cs26@bmsce.ac.in> wrote:

```

1 CREATE TABLE PERSON
2 (
3     d_id VARCHAR(20) PRIMARY KEY,
4     name VARCHAR(50),
5     address VARCHAR(100)
6 );
7
8

```

Automatic context help is disabled
get help for the current caret position

Context Help Shippets

Output

Action Output

#	Time	Action	Message
29	09:22:15	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	0 row(s) affected, 1 warning(s): 1681 Integer display width is deprecated and will be removed in a future release.
30	09:22:19	create table accident1(report_num int (10) Primary Key, accident_date date, location varchar(30))	Error Code: 1050. Table 'accident1' already exists
31	09:22:44	CREATE TABLE participated (d_id VARCHAR(20), reg_num VARCHAR(10), report_num INT, damage_amount VARCHAR(10), PRIMARY KEY (d_id, reg_num))	0 row(s) affected
32	09:27:31	insert into PERSON values('101','havi','hassan'), ('102','rani','mysuru'), ('103','ramya','bengaluru'), ('104','havi','hassan'), ('105','havya','mysuru')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
33	09:32:03	insert into car values('KA052250','indica',1990), ('KA031181','LANCER',1957), ('KA031180','TOYOTA',1998), ('KA053408','HONDA',2008), ('KA41702','Audi',2005)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
34	09:38:48	insert into accident1 values('11','03-JAN-01','MYSUSE'), ('13','03-JAN-21','BULL TEMPLE'), ('12','04-FEB-02','BANGALORE'), ('14','08-FEB-17','HASSAN'), ('15','10-MAR-20','MYSURU')	Error Code: 1292. Incorrect date value: '03-JAN-01' for column 'accident_date' at row 1
35	09:40:25	insert into accident1 values('11','2003-01-01','MYSUSE'), ('13','2003-01-21','BULL TEMPLE'), ('12','2004-02-02','BANGALORE'), ('14','2008-02-17','HASSAN'), ('15','2009-03-03','MYSURU')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
36	09:44:41	insert into participated values('101','KA052250',11,'1000000'), ('102','KA031181',12,'1000000'), ('103','KA031180',13,'5000000'), ('104','KA053408',14,'2500000'), ('105','KA053408',15,'2500000')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
37	09:47:46	UPDATE participated SET damage_amount = 25000 WHERE reg_num='KA053408' AND Report_num = 12	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0
38	09:48:58	insert into accident1 values('05','2006-06-10','k r puram')	1 row(s) affected
39	09:50:11	SELECT d_id FROM participated WHERE damage_amount = 25000 LIMIT 0, 1000	0 row(s) returned
40	09:51:53	select accident_date,location from accident1 LIMIT 0, 1000	6 row(s) returned
41	09:52:46	SELECT d_id FROM participated WHERE damage_amount >= 250000 LIMIT 0, 1000	2 row(s) returned

Sinchana N R <sinchananr.cs26@bmsce.ac.in>
To: Sinchana N R <sinchananr.cs26@bmsce.ac.in>

Sat, 3 Oct, 2026 at 9:59 am

The screenshot shows a database query tool interface. At the top, there is a toolbar with various icons for file operations, search, and execution. Below the toolbar, a SQL query is entered in a text area:

```
1 SELECT d_id
2 FROM participated
3 WHERE damage_amount >= 250000;
```

Below the query, there is a horizontal line separating it from the results. The results are displayed in a table with the following structure:

d_id
103
104

On the right side of the interface, there is a vertical toolbar with icons for 'Result Grid', 'Form Editor', 'Field Types', and 'Query Stats'. The 'Result Grid' icon is currently selected. At the bottom of the interface, there is a status bar that says 'participated 2 x' and 'Read Only'.