






1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
File 12*
SQL File 13*
SQL File 14*
SQL File 14*
SQL File 15*
SQL File 18*
SQL File 19*
Limit to 1000 rows
1 use Bank_Database;
2 CREATE TABLE Branch(
3 BRANCHNAME VARCHAR(50) PRIMARY KEY,
4 BRANCHCITY VARCHAR(30) NOT NULL,
5 ASSETS DECIMAL(15,2) CHECK (ASSETS >= 0)
6);
7 DESC Branch;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Field Type Null Key Default Extra
BRANCHNAME varchar(50) NO PRI NULL
BRANCHCITY varchar(30) NO NULL
ASSETS decimal(15,2) YES NULL



1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
File 12*
SQL File 13*
SQL File 14*
SQL File 14*
SQL File 15*
SQL File 18*
Limit to 1000 rows
8 CREATE TABLE BankAccount (
9 ACCNO INT PRIMARY KEY,
10 BRANCHNAME VARCHAR(50) NOT NULL,
11 BALANCE DECIMAL(12,2) DEFAULT 0,
12 CHECK (BALANCE >= 0),
13 FOREIGN KEY(BRANCHNAME)REFERENCES Branch(BRANCHNAME));
14
15
16 DESC BankAccount;
17
18
19
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Field Type Null Key Default Extra
ACCNO int NO PRI NULL
BRANCHNAME varchar(50) NO MUL NULL
BALANCE decimal(12,2) YES 0.00



1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator:
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
File 12*
SQL File 13*
SQL File 14*
SQL File 14*
SQL File 15*
SQL File 18*
SQL File 19
Limit to 1000 rows
15
16 CREATE TABLE LOAN (
17 LOANNUMBER INT PRIMARY KEY,
18 BRANCHNAME VARCHAR(50)NOT NULL,
19 AMOUNT DECIMAL(12,2) NOT NULL
20 CHECK (AMOUNT > 0),
21 FOREIGN KEY (BRANCHNAME)REFERENCES Branch(BRANCHNAME));
22
23
24 DESC LOAN ;
25
26
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Field Type Null Key Default Extra
LOANNUMBER int NO PRI NULL
BRANCHNAME varchar(50) NO MUL NULL
AMOUNT decimal(12,2) NO NULL



1BM26CS496
Edit View Query Database Server Tools Scripting Help
File 12* SQL File 13* SQL File 14* SQL File 14* SQL File 15* SQL File 18*
Limit to 1000 rows
NAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
TANCE
Startup / Shutdown
Server Logs
Options File
FORMANCE
Dashboard
Performance Reports
Performance Schema Setup
ministration Schemas
23
24
25 CREATE TABLE BankCustomer(
26 CUSTOMERNAME VARCHAR(50) NOT NULL,
27 CUSTOMERSTREET VARCHAR(100),
28 CUSTOMERCITY VARCHAR(30),
29 PRIMARY KEY (CUSTOMERNAME));
30
31 DESC BankCustomer;
32
33
34
Result Grid Filter Rows: Export: Wrap Cell Content:
Field Type Null Key Default Extra
CUSTOMERNAME varchar(50) NO PRI NULL
CUSTOMERSTREET varchar(100) YES NULL
CUSTOMERCITY varchar(30) YES NULL



1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
File 12*
SQL File 13*
SQL File 14*
SQL File 14*
SQL File 15*
SQL File 18*
SQL File 19*
Limit to 1000 rows
32 CREATE TABLE Depositer (
33 CUSTOMERNAME VARCHAR(50) NOT NULL,
34 ACCNO INT NOT NULL,
35 PRIMARY KEY (CUSTOMERNAME,ACCNO),
36 FOREIGN KEY(CUSTOMERNAME)REFERENCES BankCustomer(CUSTOMERNAME),
37 FOREIGN KEY(ACCNO)REFERENCES BankAccount(ACCNO));
38
39
40 DESC Depositer;
41
42
43
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Field Type Null Key Default Extra
CUSTOMERNAME varchar(50) NO PRI NULL
ACCNO int NO PRI NULL



1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration Schemas
Information
No object selected
File 12* SQL File 13* SQL File 14* SQL File 14* SQL File 15* SQL File 18* SQL File 19* SQL File 20* SQL File 21*
Limit to 1000 rows
38
39 CREATE TABLE Borrower (
40 CUSTOMERNAME VARCHAR(50),
41 LOANNUMBER INT,
42 PRIMARY KEY (CUSTOMERNAME,LOANNUMBER),
43 FOREIGN KEY(CUSTOMERNAME)REFERENCES BankCustomer(CUSTOMERNAME),
44 FOREIGN KEY(LOANNUMBER)REFERENCES Loan(LOANNUMBER));
45 DESC Borrower;
46
47
48
49
Result Grid Filter Rows: Export: Wrap Cell Content:
Field Type Null Key Default Extra
CUSTOMERNAME varchar(50) NO PRI NULL
LOANNUMBER int NO PRI NULL
Result 6



1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
File 13*
SQL File 14*
SQL File 14*
SQL File 15*
SQL File 18*
SQL File 19*
SQL File 20*
Limit to 1000 rows
1 INSERT INTO Branch VALUES
2 ('SBI_Chamrajpet', 'Bangalore', 50000),
3 ('SBI_ResidencyRoad', 'Bangalore', 10000),
4 ('SBI_ShivajiRoad', 'Bangalore', 10000),
5 ('SBI_ParliamentRoad', 'Delhi', 10000),
6 ('SBI_JantarMantar', 'Delhi', 20000);
8 SELECT * FROM Branch;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
BRANCHNAME BRANCHCITY ASSETS
SBI_Chamrajpet Bangalore 50000.00
SBI_JantarMantar Delhi 20000.00
SBI_ParliamentRoad Delhi 10000.00
SBI_ResidencyRoad Bangalore 10000.00
SBI_ShivajiRoad Bangalore 10000.00
Branch 1



1BM26CS496
Edit View Query Database Server Tools Scripting Help
File 13* SQL File 14* SQL File 14* SQL File 15* SQL File 18*
Limit to 1000 rows
('Nikil', 'Akbar_Road', 'Delhi'),
('Ravi', 'Prithviraj_Road', 'Delhi');
SELECT * FROM BankCustomer;
INSERT INTO Loan VALUES
(1, 'SBI_Chamrajpet', 1000),
(2, 'SBI_ResidencyRoad', 2000),
(3, 'SBI_ShivajiRoad', 3000),
(4, 'SBI_ParliamentRoad', 4000),
(5, 'SBI_JantarMantar', 5000);
SELECT * FROM Loan;
Result Grid
Filter Rows:
Edit:
Export/Imp
LOANNUMBER BRANCHNAME AMOUNT
1 SBI_Chamrajpet 1000.00
2 SBI_ResidencyRoad 2000.00
3 SBI_ShivajiRoad 3000.00
4 SBI_ParliamentRoad 4000.00
5 SBI_JantarMantar 5000.00
NULL NULL NULL
AGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
ANCE
Startup / Shutdown
Server Logs
Options File
ORMANCE
Dashboard
Performance Reports
Performance Schema Setup
istration
Schemas



1BM26CS496
Edit View Query Database Server Tools Scripting Help
File 13* SQL File 14* SQL File 14* SQL File 15* SQL File 18*
Limit to 1000 rows
GEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
NCE
Startup / Shutdown
Server Logs
Options File
RMANCE
Dashboard
Performance Reports
Performance Schema Setup
stration Schemas
ation
15 (8, 'SBI_ResidencyRoad', 4000),
16 (9, 'SBI_ParliamentRoad', 3000),
17 (10, 'SBI_ResidencyRoad', 5000),
18 (11, 'SBI_JantarMantar', 2000);
19 SELECT * FROM BankAccount;
20 INSERT INTO BankCustomer VALUES
21 ('Avinash', 'Bull_Temple_Road', 'Bangalore'),
22 ('Dinesh', 'Bannerghatta_Road', 'Bangalore'),
23 ('Mohan', 'NationalCollege_Road', 'Bangalore'),
24 ('Nikil', 'Akbar_Road', 'Delhi'),
25 ('Ravi', 'Prithviraj_Road', 'Delhi');
26 SELECT * FROM BankCustomer;
Result Grid Filter Rows: Edit: Export/Imp
CUSTOMERNAME CUSTOMERSTREET CUSTOMERCITY
Avinash Bull_Temple_Road Bangalore
Dinesh Bannerghatta_Road Bangalore
Mohan NationalCollege_Road Bangalore
Nikil Akbar_Road Delhi
Ravi Prithviraj_Road Delhi
NULL NULL NULL



1BM26CS496
Edit View Query Database Server Tools Scripting Help
File 13* SQL File 14* SQL File 14* SQL File 15*
Limit to 1000 rows
1 INSERT INTO BankAccount VALUES
2 (1, 'SBI_Chamrajpet', 2000),
3 (2, 'SBI_ResidencyRoad', 5000),
4 (3, 'SBI_ShivajiRoad', 6000),
5 (4, 'SBI_ParliamentRoad', 9000),
6 (5, 'SBI_JantarMantar', 8000),
7 (6, 'SBI_ShivajiRoad', 4000),
8 (8, 'SBI_ResidencyRoad', 4000),
9 (9, 'SBI_ParliamentRoad', 3000),
10 (10, 'SBI_ResidencyRoad', 5000),
11 (11, 'SBI_JantarMantar', 2000);
12 SELECT * FROM BankAccount;
NAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
ANCE
Startup / Shutdown
Server Logs
Options File
FORMANCE
Dashboard
Performance Reports
Performance Schema Setup
inistration Schemas
rmation
Result Grid Filter Rows: Edit:
ACCNO BRANCHNAME BALANCE
1 SBI_Chamrajpet 2000.00
2 SBI_ResidencyRoad 5000.00
3 SBI_ShivajiRoad 6000.00
4 SBI_ParliamentRoad 9000.00
5 SBI_JantarMantar 8000.00
6 SBI_ShivajiRoad 4000.00
8 SBI_ResidencyRoad 4000.00
9 SBI_ParliamentRoad 3000.00
10 SBI_ResidencyRoad 5000.00
11 SBI_JantarMantar 2000.00



1BM26CS496
View
Query
Database
Server
Tools
Scripting
Help
File 13*
SQL File 14*
SQL File 14*
SQL File 15*
Limit to 1000 rows
34 SELECT * FROM Loan;
35
36 INSERT INTO Depositer VALUES
37 ('Avinash', 1),
38 ('Dinesh', 2),
39 ('Nikil', 4),
40 ('Ravi', 5),
41 ('Avinash', 8),
42 ('Nikil', 9),
43 ('Dinesh', 10),
44 ('Nikil', 11);
45 SELECT * FROM Depositer;
Result Grid
Filter Rows:
Edit:
CUSTOMERNAME
ACCNO
Avinash 1
Dinesh 2
Nikil 4
Ravi 5
Avinash 8
Nikil 9
Dinesh 10
Nikil 11
Depositer 5
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
Startup / Shutdown
Server Logs
Options File
Dashboard
Performance Reports
Performance Schema Setup
Schemas



1BM26CS496
Edit View Query Database Server Tools Scripting Help
SQL File 5* SQL File 6* SQL File 7* SQL File 8*
Limit to 1000 rows
('Nikhil', 11);
SELECT * FROM Depositer;
INSERT INTO Borrower VALUES
('Avinash', 1),
('Dinesh', 2),
('Mohan', 3),
('Nikhil', 4),
('Ravi', 5);
SELECT * FROM Borrower;
Result Grid
Filter Rows:
Edit:
CUSTOMERNAME LOANNUMBER
Avinash 1
Dinesh 2
Mohan 3
Nikhil 4
Ravi 5
NULL NULL
bank
college
collegedb
collegedb1
insurance
insurancedb
sys
vathsala
Schemas



1BM26CS496
Edit View Query Database Server Tools Scripting Help
Query 1 SQL File 1* SQL File 4* SQL File 5* SQL File 6*
Limit to 1000 rows
1 SELECT BRANCHNAME,
2 ASSETS / 100000 AS 'assets in lakhs'
3 FROM Branch;
bank
college
collegedb
collegedb1
insurance
insurancedb
sys
vathsala
Schemas
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
BRANCHNAME
assets in lakhs
SBI_Chamrajpet 0.500000
SBI_JantarMantar 0.200000
SBI_ParliamentRoad 0.100000
SBI_ResidencyRoad 0.100000
SBI_ShivajiRoad 0.100000



1BM26CS496
Edit View Query Database Server Tools Scripting Help
SQL File 5*
SQL File 6*
SQL File 7*
SQL File 8*
SQL File 9*
Limit to 1000 rows
1 SELECT D.CUSTOMERNAME, A.BRANCHNAME
2 FROM Depositer D, BankAccount A
3 WHERE D.ACCNO = A.ACCNO
4 GROUP BY D.CUSTOMERNAME, A.BRANCHNAME
5 HAVING COUNT(A.ACCNO) >= 2;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMERNAME BRANCHNAME
Dinesh SBI_ResidencyRoad
Nikhil SBI_ParliamentRoad
Result 1
Output
Schemas
object selected


1BM26CS496
dit View Query Database Server Tools Scripting Help
SQL File 5*
SQL File 6*
SQL File 7*
SQL File 8*
SQL File 9*
Limit to 1000 rows
1 • CREATE VIEW Loan_View AS
2 SELECT BRANCHNAME, SUM(AMOUNT) AS total_amount
3 FROM Loan
4 GROUP BY BRANCHNAME;
5
6 • SELECT * FROM Loan_View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
BRANCHNAME total_amount
SBI_Chamrajpet 1000.00
SBI_JantarMantar 5000.00
SBI_ParliamentRoad 4000.00
SBI_ResidencyRoad 2000.00
SBI_ShivajiRoad 3000.00
Schemas
Loan_View 1
Output
Action Output
Time Action


1BM26CS496
Edit View Query Database Server Tools Scripting Help
SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9*
Limit to 1000 rows
1 SELECT * FROM Loan
2 ORDER BY AMOUNT DESC;
bank
college
collegedb
collegedb1
insurance
insurancedb
sys
vathsala
Result Grid
Filter Rows:
Edit:
Export/Imp
LOANNUMBER BRANCHNAME AMOUNT
5 SBI_JantarMantar 5000.00
4 SBI_ParliamentRoad 4000.00
3 SBI_ShivajiRoad 3000.00
2 SBI_ResidencyRoad 2000.00
1 SBI_Chamrajpet 1000.00
NULL NULL NULL
Schemas


MySQL Workbench
1BM26CS496
File Edit View Query Database Server Tools Scripting Help
Navigator:
SCHEMAS
Filter objects
bank
college
collegedb
collegedb1
insurance
insurancedb
sys
vathsala
SQL File 5*
SQL File 6*
SQL File 7*
SQL File 8*
SQL File 9*
Limit to 1000 rows
1 SELECT BRANCHNAME
2 FROM Branch
3 WHERE ASSETS > ALL
4 (
5 SELECT ASSETS FROM Branch
6 WHERE BRANCHCITY = 'Bangalore'
7);
Result Grid
Filter Rows:
Edit:
Export/Imp
BRANCHNAME
NULL


1BM26CS496
Edit View Query Database Server Tools Scripting Help
SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9*
Limit to 1000 rows
1 SELECT CUSTOMERNAME FROM Depositer
2 UNION
3 SELECT CUSTOMERNAME FROM Borrower;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMERNAME
Avinash
Dinesh
Nikhil
Ravi
Schemas
Result 1
Output


1BM26CS496
Edit View Query Database Server Tools Scripting Help
SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9*
Limit to 1000 rows
1 SELECT CUSTOMERNAME FROM Depositer
2 UNION
3 SELECT CUSTOMERNAME FROM Borrower;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
CUSTOMERNAME
Avinash
Dinesh
Nikhil
Ravi
Schemas
Result 1
Output