Run Debug Stop Share Save {} Beautify Language C

main.c

```c
#include <stdio.h>
#define MAX 5

int stack[MAX];
int top = -1;

// Push
void push(int value) {
    if (top == MAX - 1)
        printf("Stack Overflow\n");
    else {
        top++;
        stack[top] = value;
        printf("Pushed %d\n", value);
    }
}

// Pop
void pop() {
    if (top == -1)
        printf("Stack Underflow\n");
    else {
```

Work
in con
files.
Learn mo
Adob

input

```
Stack elements:
20
10


...Program finished with exit code 0
Press ENTER to exit console.
```

Activate
Go to Settin

main.c

```c
        printf("Popped %d\n", stack[top]);
        top--;
    }
}

// Display
void display() {
    if (top == -1)
        printf("Stack is empty\n");
    else {
        printf("Stack elements:\n");
        for (int i = top; i >= 0; i--)
            printf("%d\n", stack[i]);
    }
}

// Main
int main() {
    push(10);
    push(20);
    push(30);
    display();
    pop();
```

input

```
Stack elements:
20
10


...Program finished with exit code 0
Press ENTER to exit console.
```

23°C Partly

main.c

```c
// Display
void display() {
    if (top == -1)
        printf("Stack is empty\n");
    else {
        printf("Stack elements:\n");
        for (int i = top; i >= 0; i--)
            printf("%d\n", stack[i]);
    }
}

// Main
int main() {
    push(10);
    push(20);
    push(30);
    display();
    pop();
    display();
    return 0;
}
```

input

```
Stack elements:
20
10


...Program finished with exit code 0
Press ENTER to exit console.
```

Run Debug Stop Share Save {} Beautify Language C

main.c

```c
#include <stdio.h>
#include <stdlib.h>

// Define node structure
struct Node {
    int data;
    struct Node* next;
};
struct Node* top = NULL;  // Top of stack
// Push operation
void push(int value) {
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));

    if (newNode == NULL) {
        printf("Stack Overflow (Memory not available)\n");
        return;
    }

    newNode->data = value;
    newNode->next = top;
    top = newNode;

    printf("%d pushed to stack\n", value);
}
// Pop operation
void pop() {
    if (top == NULL) {
        printf("Stack Underflow (Empty stack)\n");
        return;
```

close ad [x]
Work faster in complex files.
Learn more
Adobe Creative Cloud
Activate Windows
Go to Settings to activate Windows.

main.c

```c
    top = top->next;
    free(temp);
}

// Peek operation
void peek() {
    if (top == NULL) {
        printf("Stack is empty\n");
    } else {
        printf("Top element is: %d\n", top->data);
    }
}

// Display stack
void display() {
    if (top == NULL) {
        printf("Stack is empty\n");
        return;
    }

    struct Node* temp = top;
    printf("Stack elements: ");

    while (temp != NULL) {
        printf("%d -> ", temp->data);
        temp = temp->next;
    }
    printf("NULL\n");
}
```

close ad [x]
Work faster in complex files.
Learn more
Adobe Creative Cloud
Activate Windows
Go to Settings to activate Windows.

Run Debug Stop Share Save {} Beautify Language C

main.c

```c
        switch (choice) {
            case 1:
                printf("Enter value: ");
                scanf("%d", &value);
                push(value);
                break;

            case 2:
                pop();
                break;

            case 3:
                peek();
                break;

            case 4:
                display();
                break;

            case 5:
                exit(0);

            default:
                printf("Invalid choice\n");
        }
    }

    return 0;
}
```

Work
in con
files.
Learn mo
Ad
Adob
Activate Wi
Go to Setting

input

```
--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 1
Enter value: 52
52 pushed to stack

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 4
Stack elements: 52 -> NULL

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 1
Enter value: 56
```

Activate Windows
Go to Settings to activate Windows.

23°C Partly sunny ENG IN 10:14 AM 5/8/2026

input

```
--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 2
56 popped from stack

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 3
Top element is: 52

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 4
Stack elements: 52 -> NULL
```

Activate Windows
Go to Settings to activate Windows.

23°C Partly sunny ENG IN 10:14 AM 5/8/2026

input

```
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 3
Top element is: 52

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 4
Stack elements: 52 -> NULL

--- Stack Menu ---
1. Push
2. Pop
3. Peek
4. Display
5. Exit
Enter your choice: 5


...Program finished with exit code 0
Press ENTER to exit console.
```

Activate Windows
Go to Settings to activate Windows.

23°C Partly sunny ENG IN 10:14 AM 5/8/2026