Language C

```c
#include <stdio.h>

int main() {
    int matrix[10][10], triplet[50][3], transpose[50][3];
    int i, j, m, n, k = 1;

    printf("Enter rows and columns: ");
    scanf("%d %d", &m, &n);

    printf("Enter matrix elements:\n");
    for(i = 0; i < m; i++) {
        for(j = 0; j < n; j++) {
            scanf("%d", &matrix[i][j]);
        }
    }

    // Convert to triplet form
    triplet[0][0] = m;
    triplet[0][1] = n;
    triplet[0][2] = 0;

    for(i = 0; i < m; i++) {
        for(j = 0; j < n; j++) {
            if(matrix[i][j] != 0) {
                triplet[k][0] = i;
                triplet[k][1] = j;
                triplet[k][2] = matrix[i][j];
                k++;
                triplet[0][2]++;
```

close ad [x]

input

main.c

Language C

```c
            }
        }
    }

    printf("\nTriplet Representation:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", triplet[i][0], triplet[i][1], triplet[i][2]);
    }

    // Transpose
    transpose[0][0] = triplet[0][1];
    transpose[0][1] = triplet[0][0];
    transpose[0][2] = triplet[0][2];

    k = 1;

    for(i = 0; i < n; i++) {
        for(j = 1; j <= triplet[0][2]; j++) {
            if(triplet[j][1] == i) {
                transpose[k][0] = triplet[j][1];
                transpose[k][1] = triplet[j][0];
                transpose[k][2] = triplet[j][2];
                k++;
            }
        }
    }
    printf("\nTranspose Triplet:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", transpose[i][0], transpose[i][1], transpose[i][2]);
```

close ad [x]

main.c

Language C

```c
    printf("\nTriplet Representation:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", triplet[i][0], triplet[i][1], triplet[i][2]);
    }

    // Transpose
    transpose[0][0] = triplet[0][1];
    transpose[0][1] = triplet[0][0];
    transpose[0][2] = triplet[0][2];

    k = 1;

    for(i = 0; i < n; i++) {
        for(j = 1; j <= triplet[0][2]; j++) {
            if(triplet[j][1] == i) {
                transpose[k][0] = triplet[j][1];
                transpose[k][1] = triplet[j][0];
                transpose[k][2] = triplet[j][2];
                k++;
            }
        }
    }
    printf("\nTranspose Triplet:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", transpose[i][0], transpose[i][1], transpose[i][2]);
    }
    return 0;
}
```

close ad [x]

input

WhatsApp | Secure and
(2) WhatsApp
Online C Compiler - Pro
Online C Compiler - onli
GitHub
Ask Gemini
onlinegdb.com/online_c_compiler

OnlineGDB
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
Opportunity for Intern
Sign Up
Login

Run | Debug | Stop | Share | Save | { } Beautify | Language C

main.c

```c
    printf("\nTriplet Representation:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", triplet[i][0], triplet[i][1], triplet[i][2]);
    }
```

close ad [x]

input

```
Enter rows and columns: 3
3
Enter matrix elements:
2
4
5
67
3
6
2
9
4

Triplet Representation:
3 3 9
0 0 2
0 1 4
0 2 5
1 0 67
1 1 3
1 2 6
2 0 2
2 1 9
2 2 4

Transpose Triplet:
3 3 9
0 0 2
```

About • FAQ • Docs • Blog • Terms of Use •
Contact Us • GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

HDFCBANK
-1.38%
Search
09:54
08-05-2026

WhatsApp | Secure and
(2) WhatsApp
Online C Compiler - Pro
Online C Compiler - onli
GitHub
Ask Gemini
onlinegdb.com/online_c_compiler

OnlineGDB
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
Opportunity for Intern
Sign Up
Login

Run | Debug | Stop | Share | Save | { } Beautify | Language C

main.c

```c
    printf("\nTriplet Representation:\n");
    for(i = 0; i < k; i++) {
        printf("%d %d %d\n", triplet[i][0], triplet[i][1], triplet[i][2]);
    }
```

close ad [x]

input

```
Triplet Representation:
3 3 9
0 0 2
0 1 4
0 2 5
1 0 67
1 1 3
1 2 6
2 0 2
2 1 9
2 2 4

Transpose Triplet:
3 3 9
0 0 2
0 1 67
0 2 2
1 0 4
1 1 3
1 2 9
2 0 5
2 1 6
2 2 4


...Program finished with exit code 0
Press ENTER to exit console.
```

About • FAQ • Docs • Blog • Terms of Use •
Contact Us • GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

HDFCBANK
-1.38%
Search
09:54
08-05-2026