

# FYS4150 - Project 3

VEGARD RØNNING & HEINE H. NESS & SINDRE R. BILDEN

University of Oslo

vegard.ronning@fys.uio.no ; h.h.ness@fys.uio.no ; s.r.bilden@fys.uio.no

github.com/sindrerb/FYS4150-Collaboration/tree/master/Doc/Project3

October 5, 2016

## Abstract

### I. INTRODUCTION

Quantum Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### II. METHODS

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis

fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

### III. IMPLEMENTATION

Every planet in our solar system is affected by the gravitational force from the sun and other nearby planets. Where the gravitational force is

$$F_G = G \frac{M_o M_\bullet}{r^2} \quad (1)$$

where  $M_o$  and  $M_\bullet$  are the masses of two arbitrary objects. Decomposing the force into Cartesian coordinates, the components may be represented

$$F_x = -\frac{GM_o M_\bullet x}{r^3}, F_y = -\frac{GM_o M_\bullet y}{r^3}, F_z = -\frac{GM_o M_\bullet z}{r^3}$$

By Newton's second law the relation between acceleration and position, we have the relation between the position of the planet and the total force component acting on the planet.

$$\frac{d^2x}{dt^2} = \frac{F_x}{M_\bullet}, \quad \frac{d^2y}{dt^2} = \frac{F_y}{M_\bullet}, \quad \frac{d^2z}{dt^2} = \frac{F_z}{M_\bullet}$$

Using the fact that Earth orbits the Sun in an almost circular motion [1], units of earth masses may be achieved by setting the centripetal force of the orbit equal to the gravitational force and solve for  $GM_\odot$ . Where  $M_\odot$  is the mass of the Sun.

$$GM_\odot = 4\pi^2 \frac{\text{AU}^3}{\text{Yr}^2} \quad (2)$$

Astronomical Units AU and years Yr are defined as the distance from Earth to the sun and the orbit time of Earth respectively. Equation 2 introduces Earth masses, Astronomical Units and Years as natural units for this system.

In total the system gets three sets of coupled differential equations per object in the system, which has to be solved to describe the system properly.

$$\frac{dx}{dt} = v_x \quad \wedge \quad \frac{dv_x}{dt} = \frac{F_x}{M_\bullet} \quad (3)$$

$$\frac{dy}{dt} = v_y \quad \wedge \quad \frac{dv_y}{dt} = \frac{F_y}{M_\bullet} \quad (4)$$

$$\frac{dz}{dt} = v_z \quad \wedge \quad \frac{dv_z}{dt} = \frac{F_z}{M_\bullet} \quad (5)$$

The system may be described with numerical methods by discretizing equations (3-5). Letting  $t \rightarrow t_i = t_0 + ih, i \in \mathbb{N}$ ,  $x \rightarrow x_i$  and  $v \rightarrow v_i$  be the new discretized relations with the initial conditions  $x(t_0) = x_0$  and  $v(t_0) = v_0$  where  $x_0$  and  $v_0$  is known, and  $h = \frac{t_{\max} - t_0}{N}$ . The equations may be solved by Euler's method resulting in an algorithm with an error  $\mathcal{O}(h^2)$  at each calculation. Here  $a_{k,i} = \frac{F_k(k_i)}{M_\bullet}$  where  $k$  represents an axis label.

$$\begin{aligned} x[i+1] &= x[i] + h * xV[i] \\ y[i+1] &= y[i] + h * yV[i] \\ z[i+1] &= z[i] + h * zV[i] \\ xV[i+1] &= xV[i] + h * xA[i] \\ yV[i+1] &= yV[i] + h * yA[i] \\ zV[i+1] &= zV[i] + h * zA[i] \end{aligned}$$

Or with the more stable Verlet Vocity method reducing the error to  $\mathcal{O}(h^3)$  for a calculation.

$$\begin{aligned} x[i+1] &= x[i] + h * xV[i] + 0.5 * h * xA[i] \\ y[i+1] &= y[i] + h * yV[i] + 0.5 * h * yA[i] \\ z[i+1] &= z[i] + h * zV[i] + 0.5 * h * zA[i] \\ xV[i+1] &= xV[i] + 0.5 * h * h * (xA[i+1] + xA[i]) \\ yV[i+1] &= yV[i] + 0.5 * h * h * (yA[i+1] + yA[i]) \\ zV[i+1] &= zV[i] + 0.5 * h * h * (zA[i+1] + zA[i]) \end{aligned}$$

These algorithms were implemented in a script that simulates the dynamics of the Sun and Earth.

All code and results are found in the GitHub repository

[github.com/sindrerb/FYS4150-Collaboration/](https://github.com/sindrerb/FYS4150-Collaboration/)

### IV. RESULTS AND DISCUSSION

**Table 1:** Table showing the three lowest computed eigenvalues  $\lambda$  with  $N$  mesh points, compared to the exact  $\lambda_0 = 3, \lambda_1 = 7$  and  $\lambda_2 = 11$ .

$N$	$\lambda_0$	$\lambda_1$	$\lambda_2$
10	2.68672	6.11302	11.0574
50	2.98745	6.93692	10.8453
100	2.99687	6.98432	10.9617
200	2.99916	6.99610	10.9904
300	2.99961	6.99828	10.9958
400	2.99986	6.99903	10.9976
500	2.99993	6.99937	10.9986

## V. SUMMARY AND CONCLUSION

### REFERENCES

- [1] Sandra May. What is orbit? , 2010. [Online; accessed 04-October-2016].

**Figure 1:** *Graph over the number of iterations for a given set of mesh points  $N$ . The solid red line is proportional to  $N^2$  as a comparison.*