

0.1 The Equality Sign, Sets, and Number Lines

The Equality Sign

As the name suggests, the **equality sign** $=$ indicates that something is equal. To what extent and when something can be considered equal is a philosophical discussion, so initially, we are left with this: *The kind of equality $=$ referred to must be understood from the context in which the sign is used.* This way, we can study some basic properties of our numbers and later return to more precise meanings of the sign.

Språkboksen

Common ways to say $=$ are:

- "is equal to"
- "is the same as"
- "corresponds to"

Sets and Number Lines

In this book, we will use two ways to represent numbers: numbers as a *set* and numbers as a *position on a line*. All representations of numbers are based on the understanding of the numbers 0 and 1.

Numbers as Quantities


When we talk about a set, the number 0 means ¹ "nothing". A figure where nothing is present will thus be the same as 0:

$= 0$

1 will be represented as a single square:

 = 1

Other numbers will then be defined based on how many unit squares ('ones') we have:




Numbers as Positions on a Line


When we place numbers on a line, 0 will be our starting point:



Then we place 1 a certain distance to the right of 0:



Other numbers will then be defined based on how many unit lengths ('ones') we are away from 0:



¹In [kapittel ??](#) we will see that there are other interpretations of 0.

Positive Integers

We will soon see that numbers do not necessarily have to be *whole* numbers of ones, but numbers that *are* have a special name:

0.1 Positive Integers

Numbers that are a whole number of ones are called **positive¹integers**. The positive integers are

1, 2, 3, 4, 5 and so on.

Positive integers are also called **natural numbers**.

What about 0?

Some authors also include 0 in the concept of natural numbers. In some contexts, this makes sense, while in others it does not.

Inequality Signs

We also have symbols that indicate that values are *not* equal. Sometimes it is enough to say that they are not equal, while other times there is also a need to specify which value is larger (and which is smaller).

Språkboksen

$\neq$	"is not equal to"
$<$	"is less than"
$>$	"is greater than"
$\leq$	"is less than or equal to"
$\geq$	"is greater than or equal to"

¹What the word *positive* means will be discussed in [kapittel ??](#).

Eksempel

$$0 \neq 1$$

$$7 < 9$$

$$5 > 2$$

$$\text{positive even numbers} \geq 2$$

$$3 \leq \text{positive odd numbers}$$

Reading Direction


Strictly speaking, we only have three symbols for inequality, namely $\neq$, $<$ and $\leq$. The last two symbols require a reading direction from left to right. The inequality $3 < 5$ is read as "3 is less than 5". But we can also say that $<$ is a directional symbol, where the pointed end should point toward the smaller value. This means that we can read $3 < 5$ from the right as "5 is greater than 3". The fact that we also use the symbols $>$ and $\geq$ is a result of sometimes wanting to say "greater than" when reading from the left.

0.2 Numbers, Digits, and Value

Our numbers are built from the **digits** 0, 1, 2, 3, 4, 5, 6, 7, 8, and 9, and their *position*. The digits and their positions define ¹ the **value** of the number.


Integers Greater Than 9

Let's take the number 'fourteen' as an example and write it using our digits.



A group of ten 'ones' we call a 'ten'. From 'fourteen', we can make 1 'ten', and in addition, we have 4 'ones'. So we write 'fourteen' like this:



$$\text{fourteen} = 14$$





¹Eventually, we will also see that *sign* helps define the value of the number (see [kapittel ??](#)).

Decimal Numbers



In many cases, we do not have a whole number of ones, and then we will need to divide 1 into smaller parts. Let's start by drawing a ¹:





Then we divide our unit into 10 smaller parts:



Since we have divided 1 into 10 parts, we call such a part a 'tenth':




Tenths are written using the **decimal point** :



¹Here we define the unit length as larger than before.

Eksempel



Språkboksen

In many countries, a comma , is used as the decimal separator:

3,5 (*Norwegian, German and 'others'*)

3.5 (*English*)

When we combine mathematical symbols ¹, we get what we call a mathematical **expression**.

¹Digits are considered mathematical symbols.

The Decimal System


We have now seen how we can express the value of numbers by placing digits according to the number of tens, ones, and tenths, and it doesn't stop there:

0.2 The Decimal System

The value of a number is given by the digits 0, 1, 2, 3, 4, 5, 6, 7, 8, and 9, and their position. With the digit representing ones as the starting point:

- digits to the left (in order) represent the number of tens, hundreds, thousands, and so on.
- digits to the right (in order) represent the number of tenths, hundredths, thousandths, and so on.

Eksempel 1



Eksempel 2

thousands
hundreds
tens
ones
tenths
hundredths
3805.72

0.3 Even and Odd Numbers

Integers that have 0, 2, 4, 6, or 8 in the ones place are called **even numbers**.

Integers that have 1, 3, 5, 7, or 9 in the ones place are called **odd numbers**.

Eksempel

The first ten (positive) even numbers are

0, 2, 4, 6, 8, 10, 12, 14, 16, and 18

The first ten (positive) odd numbers are

1, 3, 5, 7, 9, 11, 13, 15, 17, and 19

0.3 Coordinate System

In many cases, it is useful to use two number lines simultaneously. This is called a **coordinate system**¹. We then place one number line (an axis) that runs *horizontally* and one that runs *vertically*. A position in a coordinate system is called a **point**.

0.4 Coordinate System


A point is written as two numbers inside a parenthesis. The two numbers are called the **first coordinate** and the **second coordinate** of the point.

The first coordinate shows the point's position along the horizontal axis.

The second coordinate shows the point's position along the vertical axis.

Eksempel 1

In the figure, we see the points $(2, 3)$, $(5, 1)$ and $(0, 0)$.



Språkboksen

The point where the axes meet, that is, $(0, 0)$, is called the **origin**.

¹Strictly speaking, there are many types of coordinate systems, but in this book, we use the term for only one type, namely the **Cartesian coordinate system**. It is named after the French philosopher and mathematician René Descartes.

Note

The size of a unit length can be different on the two axes.

Eksempel 2

