



Feature			Scer	nario			St	Step		
Name	Duration	T	P	F	S	T	P	F	S	
Login Functionality	22.452 s	1	0	1	0	4	2	1	1	
Login Functionality	21.257 s	1	0	1	0	4	2	1	1	
Login Test	34.831 s	4	4	0	0	20	20	0	0	
Add to cart Test	15.838 s	1	1	0	0	6	6	0	0	
Add to cart Test	15.669 s	1	1	0	0	6	6	0	0	

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	0	1	0	22.452 s
2	Login Functionality	1	0	1	0	21.257 s
3	<u>Login Test</u>	4	4	0	0	34.831 s
4	Add to cart Test	1	1	0	0	15.838 s
5	Add to cart Test	1	1	0	0	15.669 s

SCENARIOS SUMMARY -- 4 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Successfully register	4	2	1	1	22.447 s
2	Login Functionality	Successfully register	4	2	1	1	21.252 s
3	Login Test	Login Functionality	5	5	0	0	17.313 s
4	Login Test	Login Functionality	5	5	0	0	16.490 s
5	Login Test	Login Functionality	5	5	0	0	17.508 s
6	Login Test	Login Functionality	5	5	0	0	17.135 s
7	Add to cart Test	Add to cart Test	6	6	0	0	15.837 s
8	Add to cart Test	Add to cart Test	6	6	0	0	15.668 s

DETAILED SECTION -- 5 --

Login Functionality

FAILED	DURATION - 22.452 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:58:15.139 PM //	4:58:37.591 PM /	Pass - 0	1	Pass - 2	4
		Fail - 1		Fail - 1	🚺 ' 🥒
		Skip - 0		Skip - 1	

Successfully register



#	Step / Hook Details	Status	Duration
1	Given Naviagate to cleverppc	PASSED	8.646 s
2	When Create an account	PASSED	3.350 s
3	And Fill the registration form	FAILED	3.127 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.cssSelector: input[id='id_gender1]' (tried for 3 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitUntilClickable(Parent.java:47) at Pages.Parent.clickFunction(Parent.java:49) at Pages.DialogContent.findAndClick(DialogContent.java:145) at StepDefinitions01_RegisterSteps.fillTheRegistrationForm(_01_RegisterSteps.java:28) at ?.Fill the registration form(file:///c://Users/Aziz%20Sevi/IdeaProjects/GithubDeneme/src/test/java/FeatureFiles/_01_Register.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"input[id='id_gender1]"} (Session info: chrome=108.0.5359.98) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2aab25e9cc87c4b12449787f0155f39f, findElement {using=css selector, value=input[id='id_gender1']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.98, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\AZIZSE~1\AppData\L goog:chromeOptions: {debuggerAddress: localhost:50044}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50044/devtoo, se:cdp\ersion: 108.0.5359.98, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	2aab25e9cc87c4b12449787f0155f39f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.bute.couter.teprosporisecoutec.uccoute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.\$Proxy27.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openga.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openga.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openga.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openga.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at Pages.Parent.waitUntilClickable(Parent.java:47)		
	at Pages.Parent.clickFunction(Parent.java:29)		
	at Pages.DialogContent.findAndClick(DialogContent.java:145)		
	at StepDefinitions01_RegisterSteps.fillTheRegistrationForm(_01_RegisterSteps.java:28)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:714)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)		
	at org.testng.TestRunner.privateRun(TestRunner.java:767)		
	at org.testng.TestRunner.run(TestRunner.java:617)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:334)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:37)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:368)		
	at org.testng.internal.thread.ThreadUtil\$2.call(ThreadUtil.java:64)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	* Not displayable characters are replaced by '?'.		
4	Then User should register successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	7.305 s
	screenshot name		

#	Step / Hook Details	Status	Duration
	E-manus.		
	Server 1 of 1 o		

Login Functionality

FAILED	DURATION - 21.257 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:58:15.139 PM // ·	4:58:36.396 PM /	Pass - 0	1	Pass - 2	4
		Fail - 1		Fail - 1	🚺 ' 🥒
		Skip - 0		Skip - 1	
		SKIP - U		SKIP - 1	

Successfully register



#	Step / Hook Details	Status	Duration
1	Given Naviagate to cleverppc	PASSED	8.730 s
2	When Create an account	PASSED	3.267 s
3	And Fill the registration form	FAILED	3.117 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.cssSelector: input[id='id_gender1']' (tried for 3 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitUntilClickable(Parent.java:47) at Pages.Parent.clickFunction(Parent.java:29) at Pages.DialogContent.findAndClick(DialogContent.java:145)		

#	Step / Hook Details	Status	Duration
	at StepDefinitions01_RegisterSteps.fillTheRegistrationForm(_01_RegisterSteps.java:28)		
	at ?.Fill the registration form(file:///C:/Users/Aziz%20Sevi/IdeaProjects/GithubDeneme/src/test/java/FeatureFiles/_01_Register.feature:7)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		
	selector", "selector": "input[id='id_gender1']"} (Session info: chrome=108.0.5359.98) For documentation on this error, please visit:		
	https://selenium.dev/exceptions/#no_such_element Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 11', os.		
	arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [194cf23d1d3a205b14a6f24266ca5145, findElement {using=css selector, value=input[id='id_gender1']}] Capabilities {acceptInsecureCerts:		
	false, browserName: chrome, browserVersion: 108.0.5359.98, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir:		
	C:\Users\AZIZSE~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50045}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50045/devtoo, se:cdpVersion: 108.0.5359.98,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	194cf23d1d3a205b14a6f24266ca5145 at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.\$Proxy27.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:47)		
	at Pages.Parent.clickFunction(Parent.java:41) at Pages.Parent.clickFunction(Parent.java:29)		
	at Pages.DialogContent.findAndClick(DialogContent.java:145)		
	at StepDefinitions01_RegisterSteps.fillTheRegistrationForm(_01_RegisterSteps.java:28)		


#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 129)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:714)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)		
	at org.testng.TestRunner.privateRun(TestRunner.java:767)		
	at org.testng.TestRunner.run(TestRunner.java:617)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:334)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:37)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:368)		
	at org.testng.internal.thread.ThreadUtil\$2.call(ThreadUtil.java:64)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		

#	Step / Hook Details	Status	Duration
	at java.lang.Thread.run(Thread.java:750) * Not displayable characters are replaced by '?'.		
4	Then User should register successfully	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	6.117 s
	screenshot name		
	Mondate of the state of the sta		
	SAVY TRENOS CONTRACTOR OF THE PROPERTY OF THE		

Login Test

DURATION - 34.831 s	Scenarios		Steps	
	Total - 4		Total - 20	
M // 4:59:11.255 PM /	Pass - 4	4	Pass - 20	20
	Fail - 0		Fail - 0	20
	Skip - 0		Skip - 0	
		Total - 4 Pass - 4 Fail - 0	Total - 4 Pass - 4 Fail - 0	Total - 4 Pass - 4 Fail - 0 Secritarios Total - 20 Pass - 20 Fail - 0

Login Functionality




#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	6.630 s
2	And Click on the Sign In Button	PASSED	3.793 s
	signInButton		
3	And User sending the keys in Dialog content	PASSED	0.276 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	eMailConfirm ttttttt@gmail.com passWordConfirm 12345		
4	And Click on the element in the Dialog	PASSED	0.747 s
	signInConfirm		
5	Then Unsuccessful message should be displayed	PASSED	0.051 s


Login Functionality



#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	6.937 s
2	And Click on the Sign In Button	PASSED	2.779 s
	signInButton		
3	And User sending the keys in Dialog content	PASSED	0.235 s
	eMailConfirm ttttttt@gmail.com passWordConfirm 12345		
4	And Click on the element in the Dialog	PASSED	0.817 s
	signInConfirm		
5	Then Unsuccessful message should be displayed	PASSED	0.045 s


Login Functionality

DETAILED SECTION -- 13 --



#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	7.523 s
2	And Click on the Sign In Button	PASSED	2.683 s
	signInButton		
3	And User sending the keys in Dialog content	PASSED	0.273 s
	eMailConfirm davidwoods1@gmail.com passWordConfirm 12345		
4	And Click on the element in the Dialog	PASSED	1.234 s
	signInConfirm		
5	Then Success message should be displayed	PASSED	0.032 s

Login Functionality




#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	7.069 s
2	And Click on the Sign In Button	PASSED	2.710 s
	signInButton		

#	Step / Hook Details	Status	Duration
3	And User sending the keys in Dialog content	PASSED	0.259 s
	eMailConfirm davidwoods1@gmail.com passWordConfirm 12345		
4	And Click on the element in the Dialog	PASSED	1.250 s
	signInConfirm		
5	Then Success message should be displayed	PASSED	0.038 s

Add to cart Test

PASSED	DURATION - 15.838 s	Scenarios				Steps			
		Total - 1				Total - 6	l /		
/ 4:59:11.263 PM //	4:59:27.101 PM /	Pass - 1		1		Pass - 6		6	
		Fail - 0		' /		Fail - 0		, i	
		Skip - 0	•		•	Skip - 0	. .		
						· 1			

Add to cart Test




#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	6.360 s
2	And navigate to women on the top bar	PASSED	0.155 s
3	And click on summer dresses	PASSED	2.645 s
4	And move to product photo	PASSED	0.161 s
5	And Add to cart a random item	PASSED	0.093 s
6	Then Successfull message should be displayed	PASSED	0.554 s

Add to cart Test

Scenarios		Steps	
Total - 1		Total - 6	
Pass - 1	1	Pass - 6	6
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fail - 0 Total - 6 Pass - 6 Fail - 0

Add to cart Test



#	Step / Hook Details	Status	Duration
1	When Naviagate to cleverppc	PASSED	6.292 s
2	And navigate to women on the top bar	PASSED	0.180 s
3	And click on summer dresses	PASSED	2.639 s
4	And move to product photo	PASSED	0.167 s
5	And Add to cart a random item	PASSED	0.091 s
6	Then Successfull message should be displayed	PASSED	0.578 s