


| Feature            |          |   | Scer | nario |   |    | St | ер |   |
|--------------------|----------|---|------|-------|---|----|----|----|---|
| Name               | Duration | T | P    | F     | S | T  | P  | F  | S |
| Login to vastu web | 57.446 s | 3 | 1    | 2     | 0 | 14 | 8  | 2  | 4 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name       | Scenario Name          |
|---|--------------------|------------------------|
| 1 | Login to vastu web | verify Dashboard Items |
| 2 |                    | verify Dashboard       |

| TAG    |   | Scei | nario |   |   | Fea | ture |   |
|--------|---|------|-------|---|---|-----|------|---|
| Name   | T | P    | F     | S | T | P   | F    | S |
| @smoke | 3 | 1    | 2     | 0 | 1 | 0   | 1    | 0 |


FEATURES SUMMARY



-- 5 --

| 7 | # | Feature Name       | T | P | F | S | Duration |
|---|---|--------------------|---|---|---|---|----------|
|   | 1 | Login to vastu web | 3 | 1 | 2 | 0 | 57.446 s |

SCENARIOS SUMMARY




| 7 | # Feat  | ture Name       | Scenario Name          | T | P | F | S | Duration |
|---|---------|-----------------|------------------------|---|---|---|---|----------|
| - | 1 Logir | in to vastu web | <u>login Feature</u>   | 4 | 4 | 0 | 0 | 7.427 s  |
|   | 2       |                 | verify Dashboard Items | 3 | 0 | 1 | 2 | 22.736 s |
|   | 3       |                 | verify Dashboard       | 7 | 4 | 1 | 2 | 27.070 s |

## Login to vastu web


| FAILED              | DURATION - 57.446 s | Scenarios |   | Steps      |        |
|---------------------|---------------------|-----------|---|------------|--------|
|                     |                     | Total - 3 |   | Total - 14 |        |
| / 3:29:29.229 PM // | 3:30:26.675 PM /    | Pass - 1  | 3 | Pass - 8   | 14     |
|                     |                     | Fail - 2  | J | Fail - 2   | 🔼 '7 📕 |
|                     |                     | Skip - 0  |   | Skip - 4   |        |
|                     |                     |           |   |            |        |

## **login Feature**



| # | Step / Hook Details                             | Status | Duration |
|---|---|--------|----------|
| 1 | And enter "user_4650@vastuhfc.com" into "Email" | PASSED | 0.166 s  |
| 2 | And enter "123456" into "Password"              | PASSED | 0.070 s  |
| 3 | And click on the 2nd "Login"                    | PASSED | 2.074 s  |
| 4 | And wait 5 sec                                  | PASSED | 5.016 s  |


## verify Dashboard Items



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | And check that screen contains following   | FAILED | 0.028 s  |
|   | io.cucumber.core.exception.CucumberException: Step [^check that screen (contains does not contain) following\$] is defined with 2 parameters at 'com.nimble.stepDefinitions.AssertSteps.checkTextListOnScreen(java.lang.String,java.util.List <java.lang.string>)'. However, the gherkin step</java.lang.string> |        |          |
|   | has 1 arguments: * contains Step text: check that screen contains following  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)  |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:95)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)   |        |          |
|   | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:566)  |        |          |
|   | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)   |        |          |
|   | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)  |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)  |        |          |
|   | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  |        |          |
|   | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  |        |          |
|   | at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)  |        |          |
|   | at org.testng.TestRunner.privateRun(TestRunner.java:829)   |        |          |
|   | at org.testng.TestRunner.run(TestRunner.java:602)  |        |          |
|   | at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)  |        |          |
|   | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)  |        |          |
|   | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)   |        |          |
|   | at org.testng.SuiteRunner.run(SuiteRunner.java:330)  |        |          |
|   | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  |        |          |
|   | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)   |        |          |
|   | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)   |        |          |
|   | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)  |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) |         |          |
| 2 | And  Applications   | SKIPPED | 0.032 s  |
| 3 | And  Search   | SKIPPED | 0.016 s  |
|   | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  verify_Dashboard_Items  java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)   | FAILED  | 22.621 s |

## verify Dashboard



DETAILED SECTION -- 10 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | And check that screen contains "Sales"  | PASSED  | 0.176 s  |
| 2 | And wait 3 sec  | PASSED  | 3.010 s  |
| 3 | And click "Sales"   | PASSED  | 0.387 s  |
| 4 | And wait 3 sec  | PASSED  | 3.010 s  |
| 5 | And wait for "Login Sales"  | FAILED  | 0.032 s  |
|   | com.nimble.exception.ElementNotFoundException: Element with text [Login Sales] not found or not visible. at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:175) at com.nimble.interactors.WebAppInteractor.getElementByVisibleText(WebAppInteractor.java:80) at com.nimble.interactors.WebAppInteractor.waitForText(WebAppInteractor.java:560) at com.nimble.stepDefinitions.WaitSteps.waitFor(WaitSteps.java:62) at ?.wait for "Login Sales"(file:///C:/Users/ADMIN/Documents/VIOM/viom-studio/viom-studio/test_suite_repositories/practice-repo- 1760606693129/test-suite-1760606919157/execution_20251021_152859/src/test/java/com/nimble/feature/login.feature:24) * Not displayable characters are replaced by '?'. |         |          |
| 6 | And click "Login Sales"   | SKIPPED | 0.021 s  |
| 7 | And wait for "Applications in Login Stage"  | SKIPPED | 0.000 s  |
|   | AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 20.400 s |
|   | verify_Dashboard  |         |          |
|   | java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)   |         |          |
|   |   |         |          |