
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to vastu web	0.604 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

- :	# Feature Name	Scenario Name
	Login to vastu web	login Feature


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to vastu web	1	0	1	0	0.604 s

SCENARIOS SUMMARY -- 6 --




1	# Feature N	ame	Scenario Name	T	P	F	S	Duration
	Login to va	stu web	login Feature	5	0	1	4	0.599 s

DETAILED SECTION -- 7 --

Login to vastu web

FAILED	DURATION - 0.604 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 2:59:36.842 PM //	/ 2:59:37.446 PM /	Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

login Feature



#	Step / Hook Details	Status	Duration
1	And click on the element with class "{form-control}"	FAILED	0.076 s
	com.microsoft.playwright.PlaywrightException: Error { message="Unexpected token "" while parsing css selector ".". Did you mean to CSS. escape it? name="Error stack="Error: Unexpected token "" while parsing css selector ".". Did you mean to CSS.escape it? at unexpected (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:69:12) at consumeSimpleSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:160:17) at consumeComplexSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:133:40) at consumeArgument (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:125:12) at consumeFunctionArguments (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:109:22) at parseCSS (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:217:18) at parseSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:217:18) at parseSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:23.13:35) at splitSelectorByFrame (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cselectorParser.js:85:20) at FrameSelectors.resolveFrameForSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cselectorParser.js:138:33) } at FrameSelectors.resolveInjectedForSelector (C:\Users\ADMIN\AppData\Loca\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cselectors.js:138:33) } at Call log: waiting for . at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:158) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwn		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131)		
	at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)		
	at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)		
	at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80)		
	at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)		
	at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)		
	at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)		
	at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:38)		
	at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:365)		
	at ?.click on the element with class "{form-control}"(file:///C:/Users/ADMIN/Documents/VIOM/viom-studio/viom-studio/test_suite_repositories/		
	practice-repo-1760606693129/test-suite-1760606919157/execution_20251016_145913/src/test/java/com/nimble/feature/login.feature:4)		
	Caused by: com.microsoft.playwright.impl.DriverException: Error { message='Unexpected token "" while parsing css selector ".". Did you mean		
	to CSS.escape it? name='Error stack='Error: Unexpected token "" while parsing css selector ".". Did you mean to CSS.escape it? at		
	unexpected (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:69:12)		
	at consumeSimpleSelector (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-		
	16934600101046272882\package\lib\utils\isomorphic\cssParser.js:160:17) at consumeComplexSelector (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:133:40) at		
	consumeArgument (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\cssParser.		
	js:125:12) at consumeFunctionArguments (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-		
	16934600101046272882\package\lib\utils\isomorphic\cssParser.js:109:22\) at parseCSS (C:\Users\ADMIN\AppData\Local\Temp\playwright-		
	java-16934600101046272882\package\lib\utils\isomorphic\cssParser.js:217:18) at parseSelector		
	(C:\Users\ADMIN\AppData\Local\Temp\playwright-java-16934600101046272882\package\lib\utils\isomorphic\selectorParser.js:43:55) at		
	splitSelectorByFrame (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-		
	16934600101046272882\package\lib\utils\isomorphic\selectorParser.js:85:20) at FrameSelectors.resolveFrameForSelector		
	(C:\Users\ADMIN\AppData\Local\Temp\playwright-java-16934600101046272882\package\lib\server\frameSelectors.js:102:72) at		
	FrameSelectors.resolveInjectedForSelector (C:\Users\ADMIN\AppData\Local\Temp\playwright-java- 16934600101046272882\package\lib\server\frameSelectors.js:138:33) } Call log: waiting for .		
	at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:262)		
	at com.microsoft.playwright.impl.Connection.uispatch(Connection.java.202) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214)		
	at com.microsoft.playwright.impl.Comnection.processOfieMessage(Comnection.java.214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136)		
	at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130)		
	at com.microsoft.playwright.impl.Comnection.sendMessage(Comnection.java.131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985)		
	at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:965) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975)		
	at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211)		
	at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80)		
	at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98)		
	at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71)		
	at contamicrosoft.praywngnt.impi.cocatorimpi.witncienienit.cocatorimpi.java.71)		

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2879)		
	at com.microsoft.playwright.Locator.evaluate(Locator.java:2910)		
	at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:38)		
	at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:365)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$3 (Cucumber Execution Context. java: 110)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(TestRunner.java:437) at org.testng.SuiteRunner.runTest(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGFrovider.invoke(TestNGFrovider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
2	And enter "{user_4650@vastuhfc.com}"	SKIPPED	0.024 s
3	And click "{password}" inside input	SKIPPED	0.017 s
4	And enter "{123456}"	SKIPPED	0.021 s
5	And click on the "{Login}" inside button	SKIPPED	0.015 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario) login_Feature java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)	FAILED	0.395 s