

Cucumber Report

20-Nov-2025, 2:26:46 PM

Start : Nov 20, 2:25:37.136 PM

End : Nov 20, 2:26:45.355 PM

Duration : 1 m 8.219 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 14
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Different Element</u>	1 m 8.219 s	2	1	1	0	16	14	1	1

#	Feature Name	Scenario Name
1	<u>Different Element</u>	<u>Form scenario</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@element	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Different Element</u>	2	1	1	0	1 m 8.219 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Different Element</u>	<u>First scenario</u>	8	8	0	0	7.142 s
2		<u>Form scenario</u>	8	6	1	1	1 m 1.060 s

Different Element



FAILED	DURATION - 1 m 8.219 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 16 Pass - 14 Fail - 1 Skip - 1	
/ 2:25:37.136 PM // 2:26:45.355 PM /					

First scenario

<div>PASSED</div> <div>DURATION - 7.142 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:25:37.140 PM // 2:25:44.282 PM /</div>			
<div>Different Element</div>			
<div>@element</div>			

#	Step / Hook Details	Status	Duration
1	And click "Elements"	PASSED	0.291 s
2	And click "Text Box"	PASSED	0.493 s
3	And wait 3 sec	PASSED	3.009 s
4	And enter "swati" into the 2nd "Full Name"	PASSED	0.067 s
5	And wait 3 sec	PASSED	3.010 s
6	And enter "disha@dk.com" into "name@example.com"	PASSED	0.060 s
7	And enter "vk road Mumbai" into the 2nd "Current Address"	PASSED	0.053 s
8	And click "Submit"	PASSED	0.119 s


Form scenario

FAILED	DURATION - 1 m 1.060 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 2:25:44.295 PM // 2:26:45.355 PM /				
Different Element				
@element				

#	Step / Hook Details	Status	Duration
1	And click "Forms"	PASSED	0.145 s
2	And click "Practice Form"	PASSED	0.366 s
3	And enter "swati" into "First Name"	PASSED	0.056 s
4	And enter "singh" into "Last Name"	PASSED	0.059 s
5	And enter "hyj@jkh.com" into "name@example.com"	PASSED	0.064 s
6	And enter "9865324567" into "Mobile Number"	PASSED	0.058 s
7	And click on the element with class "dateOfBirthInput"	FAILED	1 m 0.048 s
	com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-13626885966689767687\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-13626885966689767687\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-13626885966689767687\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator(".dateOfBirthInput") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:396) at ?.click on the element with class "dateOfBirthInput"(file:///C:/Users/ADMIN/Documents/VIOM/viom-studio/test_suite_repositories/practice-		

#	Step / Hook Details	Status	Duration
	<p>repo/test-suite-1763550305787/execution_20251120_142521/src/test/java/com/nimble/feature/Element.feature:22)</p> <p>Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 60000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 60000ms exceeded. at ProgressController.run (C:\Users\ADMIN\AppData\Local\Temp\playwright-java- 13626885966689767687\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\ADMIN\AppData\Local\Temp\playwright-java-13626885966689767687\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\ADMIN\AppData\Local\Temp\playwright-java- 13626885966689767687\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator('.dateOfBirthInput') at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:985) at com.microsoft.playwright.impl.FrameImpl.waitForSelector(FrameImpl.java:975) at com.microsoft.playwright.impl.LocatorImpl.elementHandle(LocatorImpl.java:211) at com.microsoft.playwright.impl.LocatorImpl.lambda\$withElement\$0(LocatorImpl.java:80) at com.microsoft.playwright.impl.ChannelOwner.withTitle(ChannelOwner.java:98) at com.microsoft.playwright.impl.LocatorImpl.withElement(LocatorImpl.java:71) at com.microsoft.playwright.impl.LocatorImpl.evaluate(LocatorImpl.java:226) at com.microsoft.playwright.Locator.evaluate(Locator.java:2879) at com.microsoft.playwright.Locator.evaluate(Locator.java:2910) at com.nimble.stepDefinitions.UserActionSteps.performClickAction(UserActionSteps.java:33) at com.nimble.stepDefinitions.UserActionSteps.clickOnElementGeneric(UserActionSteps.java:396) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:324) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:74) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:123) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
8	And click "20"	SKIPPED	0.005 s
	AFTER - com.nimble.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.247 s
	Form_scenario		

#	Step / Hook Details	Status	Duration
	<div>java.lang.RuntimeException: Teardown step failed because scenario failed at com.nimble.hooks.Hooks.tearDown(Hooks.java:202)</div> <div></div>		