

Cucumber Report

28-Oct-2025, 11:50:33 AM

Start : Oct 28, 11:50:26.659 AM

End : Oct 28, 11:50:31.426 AM

Duration : 4.767 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0

PASSED - 8
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>API</u>	4.767 s	2	2	0	0	8	8	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@api	2	2	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>API</u>	2	2	0	0	4.767 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	API	First scenario	3	3	0	0	3.620 s
2		Second scenario	5	5	0	0	1.108 s

API



PASSED	DURATION - 4.767 s	Scenarios		Steps	
/ 11:50:26.659 AM // 11:50:31.426 AM /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

First scenario

<div>PASSED</div>	<div>DURATION - 3.620 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:50:26.664 AM // 11:50:30.284 AM /				
API				
@api				

#	Step / Hook Details	Status	Duration
1	And compose a get request to "https://postman-echo.com/get?foo1=bar1&foo2=bar2" with headers <div> <div>Cookie</div> <div>__cf_bm=0YwjBACSN5MBoyBaFbD_B7XTe2FwQsL0xrBXUZII4YU-1761552418-1.0.1.1-fKRyHRKjGnYQsqF8Ba7Hm6xmCPwavJ*</div> </div> <div>* The data cell text(s) have been cropped to fit in the available space.</div>	PASSED	0.052 s
2	And execute and save the response as "apiResponse"		
3	And check that response {apiResponse} has "200" as status code	PASSED	0.053 s

Second scenario

<div>PASSED</div> <div>DURATION - 1.108 s</div>	<div></div> <table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.32</td></tr><tr><td>3</td><td>0.72</td></tr><tr><td>4</td><td>0.01</td></tr><tr><td>5</td><td>0.04</td></tr></tbody></table>	Step	Duration (s)	1	0.01	2	0.32	3	0.72	4	0.01	5	0.04	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)													
1		0.01													
2		0.32													
3	0.72														
4	0.01														
5	0.04														
<div>/ 11:50:30.318 AM // 11:50:31.426 AM /</div>															
<div>API</div>															
<div>@api</div>															

#	Step / Hook Details	Status	Duration
1	And compose a post request to "https://jsonplaceholder.typicode.com/posts" with headers	PASSED	0.013 s
	Content-Type application/json		
2	And with the below JSON request { "title": "foo", "body": "bare", "userId": 1 }	PASSED	0.316 s
3	And execute and save the response as "api__response"	PASSED	0.712 s
4	And check that response {api__response} has "201" as status code	PASSED	0.008 s
5	And check that API response {api__response} contains "foo" at "\$.title"	PASSED	0.036 s