

1. What is HTML? What does HTML stand for?

HTML stands for Hyper text markup language

HTML is used to structure the unstructured information in web page

Eg → Heading, title, paragraph, img.

Hyper → connect to one to one

Text → content

Language → Rules and syntax used for communication

2. What is called markup language? Is HTML an programming language?

HTML is not a programming language is

called markup language because it used tags to structure the content in web page.

3. What is difference between an HTML tag and HTML elements?

Tag: HTML tag is pre defined keyword enclosed with angular bracket. It has types there

* closing tag

* self closing tag.

Element

HTML element contain an opening tag, closing tag and content between opening and closing tag.

4. What is `<!doctype html>`? If it is an HTML?

`<!doctype html>`

* It is not a HTML Tag

* It is used for declaration of document type.

`<!doctype html>`

* It tells the Browser that it is an HTML 5 document

* Otherwise the Browser unit is old Browser and HTML 5 Features may not work.

5. Explain the Basic Structure of HTML document
What are purpose of `<html>`, `<head>`

`<doctype html>`

`<html lang="en">`

`<html>`

`<head>`

`<meta charset="UTF-8">`

`<meta viewport="system width">`

`<meta property="og:title" content="Structure">`

`</head>`

`<body>`

`<section>`

`<h1>` Basic Structure `</h1>`

`<p>` This Structure `</p>`

`</section>`

`</body>`

`</html>`

6. What are HTML Attribute ? Explain with an Example?

HTML Attribute

HTML Attribute are used to add additional information to webpage every attribute should have value.

Eg: `<img src "value">`

7. What is difference between src and href
src and href both are attribute but they have different behavior

src = It is called source it shows the value given in this display of webpage path usually

href = It is hyper text reference it shows the value given in another webpage it usually link.

8. What is the next purpose of alt Attribute in `<img>` tag

`<img src = "value" alt = "image">`

Alt Attribute is used and developers to understand developers needs the problem.

9. Explain the difference between Block level elements and inline element

Block Level

- * Block Level elements usually start with the new line and it takes total width

- * Don't put a Block level element in block level element

Eg: `<h1>`, `<div>`

Inline element

- * Inline element usually not start with new line and it takes width.

- * It usually like helping tag or formatting tag.

`<p>`, `<span>`

`<strong>`

10. What is Semantic HTML? What is diff between semantic and non semantic?

Semantic HTML

Semantic means having a meaning. It usually has behaviour. It helps a developer to understand structure.

non semantic.

non semantic doesn't have behaviour. It is used to wrap the content or element.

11. What difference between `<div>` and `<span>`

`<div>` is an block level non Semantic tag

It usually wrap the element can use multiple `<div>` in a `<div>` to structure.

`<span>`

`<span>` is an inline non Semantic it is used to between tag and content between

`<span>` can be used formatting etc