



MORNING ROUTINE

Priming & Energy

6:00–6:30 AM — Wake & Activate

Immediate upon waking (<2 min)

- ☐ No phone/screens (preserve dopamine baseline)
- ☐ Get out of bed immediately
- ☐ Morning sunlight 5–10 min, bare eyes (cloudy: 10–20 min)
- ☐ Warm water + lime (500 ml)
- ☐ Meditation / breathing 10–15 min (box breathing or Anulom-Vilom)

6:30–7:30 AM — Exercise

Log everything you did — combining is encouraged (e.g. strength + short Zone 2). **Weekly targets: Resistance x3 · Zone 2 40–45 min x3–4 · HIIT x1–2 + daily post-meal walks.**

- ☐ Pre-workout prep (transition, mental prep; L-Tyrosine optional)
- ☐ Strength training (aim x3/wk — muscle + insulin sensitivity)
- ☐ Zone 2 cardio 40–45 min (aim x3–4/wk — raises HDL, lowers TG)
- ☐ HIIT / Zone 5 intervals (aim x1–2/wk — best lever for low HDL 32)
- ☐ Light/recovery mobility (Surya Namaskar / stretching)
- ☐ Post-workout cool-down (wait 10–15 min before shower)

7:30–8:00 AM — Shower, Skin Care & Green Tea

90–120 min after waking. Cold exposure NOT right after strength training.

- ☐ Shower (cold exposure optional, 2–3x/wk)
- ☐ Skin care: face wash → Vitamin C serum → moisturizer → **sunscreen SPF 30+** (non-negotiable)
- ☐ Green tea (fine in AM; keep ≥2 h away from the 3:30 PM iron dose)

8:00–8:45 AM — Deep Work

- ☐ Deep work session (45 min — hardest tasks first)
- ☐ Phone in another room

Breakfast (8:45–9:15 AM, or 10:00 AM if 15-h fast)

Per diet plan: last bite ~7 PM → first meal 10 AM (15-h fast — best for TG 227).

- ☐ High-protein meal (30–40 g protein) — **+1 scoop whey/pea isolate** (daily, for 135 g/day target)
- ☐ No red meat · salmon Tue/Thu · low-fat paneer only
- ☐ Post-breakfast walk (15 min)

Morning Supplements (with breakfast)

- ☐ **Vitamin D3 — 50,000 IU ONCE WEEKLY (Sun)** with fattiest meal (Vit D was 10 ng/mL)
 - ☐ **Omega-3 ~2 g EPA/DHA** (lowers TG, raises HDL)
 - ☐ **Creatine 5 g** (muscle + strength; any consistent time)
- Optional — CoQ10 · Vitamin K2 · Turmeric (away from iron) · NR/NMN · Spermidine
Vitamin C moved to the 3:30 PM iron slot · Vitamin E dropped



AFTERNOON ROUTINE

Performance & Maintenance



Lunch (12:00–1:00 PM)



Psyllium 1 tsp + water 10–15 min before the meal.

- ☐ Apple cider vinegar + psyllium husk (before meal)
- ☐ High-protein meal (25–35 g) + steamed veg + fermented foods
- ☐ No red meat · foxtail millet not brown rice · 1 tsp EVOO/mustard oil
- ☐ Post-lunch walk (10–15 min)



Lunch Supplements — all optional

Vitamin K2 · Garlic extract · B-Complex (Mon & Thu)

Magnesium moved to evening (keeps it ≥5 h from the iron dose)

1:00–3:30 PM — Work & Energy

- ☐ 1:00–2:00 Light cognitive tasks (email, admin, meetings)
- ☐ 2:00–2:15 Green tea (finish ≥90 min before the 3:30 iron) + break
- ☐ 2:15–3:30 Collaborative work / study

3:30–4:00 PM — NSDR + Snack



NSDR before 4 PM consolidates learning & addresses the 2–3 PM dip.

- ☐ NSDR / Yoga Nidra 10–20 min
- ☐ Snack — **dairy-free, with a Vitamin C source** (orange/berries)



3:30 PM — Iron Anchor (essential, every day)



Dairy-free · no tea/coffee within 2 h · not with turmeric/calcium.

- ☐ **Iron — ferrous bisglycinate 25–50 mg**  (ferritin 14 ng/mL)
 - ☐ **Vitamin C 500 mg** (doubles iron absorption)
- Ashwagandha 600 mg — optional (snack OR evening, not both)

4:00–6:00 PM — Wrap-Up & Movement

- ☐ Plan next day (3–4 key tasks) + journal reflection
- ☐ Light stretching / walk / evening workout if morning missed
- ☐ Hydration 500–750 ml



EVENING ROUTINE

Recovery & Reflection

6:00–7:00 PM — Personal Time

- ☐ Light review / reading · plan tomorrow's meals · hydration

Dinner (7:00–8:00 PM)

 3–4 h before bed. Lighter than lunch. Psyllium before.

- ☐ Apple cider vinegar + psyllium husk (before meal)
- ☐ Lighter meal (25–35 g protein) — **no brown rice, no aloo**
- ☐ Family time / play with daughter
- ☐ Post-dinner walk (15 min)

8:15–9:00 PM — Skin Care & Wind-Down

- ☐ Skin care: cleanse → retinol/niacinamide (alternate) → moisturizer → eye cream
- ☐ Digital sunset (no screens 2 h before bed) · dim lights · herbal tea
- ☐ Journal & gratitude (3 things)

Evening Supplements & Medication (9–10 PM)

- ☐ **Atorvastatin 10 mg — 10 PM, EVERY NIGHT (DAILY, not sporadic)**  no grapefruit
 - ☐ **Magnesium glycinate 400 mg** — 9 PM (sleep + insulin)
- Optional — Ashwagandha · L-Theanine · Melatonin 300 mcg (only if needed)

9:00–9:30 PM — Sleep Prep

 Target bed 9:30–10:00 PM · 7–9 h · consistent wake ± 30 min.

- ☐ Cool (18–20 °C), dark, quiet · phone out of room
- ☐ Deep breathing / meditation 5–10 min
- ☐ Prepare tomorrow's clothes

Key Reminders — calibrated to Apr 2026 labs

- **Statin EVERY night** — the #1 adherence gap (was sporadic)
- **Iron** daily at 3:30 PM, with Vit C, dairy-free, ≥ 2 h from tea/coffee
- **Vitamin D** 50,000 IU weekly with a fatty meal (retest 3 mo)
- **Protein ~135 g/day** + creatine 5 g · no red meat · salmon $\times 2/\text{wk}$
- **Exercise weekly:** Resistance $\times 3$ · Zone 2 $\times 3\text{--}4$ · HIIT $\times 1\text{--}2$
-  **Doctor:** sleep study for snoring · Lp(a)/LDL-P plan · retest labs Jul 2026