

SWAGGER-WIDE API TEST REPORT

CargoCore Backend Quality Reference

Comprehensive OpenAPI operation coverage with direct pytest evidence and swagger-driven probe validation.

303 operations | 303 pass | 0 fail | 86 direct cases


1. Executive Summary

This report combines direct pytest case evidence with swagger-wide probe validation to produce a complete operation-level API verification matrix.


Executive Metrics

Metric	Value
OpenAPI operations	303
Directly covered operations	45
Probe-validated operations	258
PASS rows	303
FAIL rows	0
UNVERIFIED rows	0
Direct test cases	86

Result Mix



Coverage Split



Coverage quality: 303 PASS rows, 0 FAIL rows, 0 UNVERIFIED rows.

2. Swagger-Wide Operation Matrix

Each OpenAPI operation appears exactly once. DIRECT rows come from pytest evidence, while PROBE rows come from the contract-driven missing-endpoint scanner.

#	Operation	Mode	Doc	Obs	Result	Source
1	DELETE /api/v1/ai/contact-submissions/{submission_id}	PROBE	204, 401, 422	401	PASS	Swagger probe scan
2	DELETE /api/v1/ai/knowledge-articles/{article_id}	PROBE	204, 401, 422	401	PASS	Swagger probe scan
3	DELETE /api/v1/ai/tickets/{ticket_id}	PROBE	204, 401, 422	401	PASS	Swagger probe scan
4	DELETE /api/v1/customer/account	PROBE	200, 401, 422	401	PASS	Swagger probe scan
5	DELETE /api/v1/customer/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
6	DELETE /api/v1/dev/seed-gps	PROBE	200, 401, 422	401	PASS	Swagger probe scan
7	DELETE /api/v1/inventory/{item_id}	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
8	DELETE /api/v1/labourers/{labourer_id}	PROBE	204, 401, 422	401	PASS	Swagger probe scan
9	DELETE /api/v1/logistics/chats/{thread_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
10	DELETE /api/v1/logistics/meetings/{meeting_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
11	DELETE /api/v1/logistics/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
12	DELETE /api/v1/logistics/tasks/{task_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
13	DELETE /api/v1/logistics/zones/{zone_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
14	DELETE /api/v1/users/{user_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
15	DELETE /api/v1/vendor/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
16	DELETE /api/v1/vendor/recurring-rules/{rule_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
17	DELETE /api/v1/vendor/team-members/{member_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
18	DELETE /api/v1/warehouses/{warehouse_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
19	GET /api/v1/ai/contact-submissions	DIRECT	200, 401	200,401	PASS	AISUP-INT-002, AISUP-INT-006
20	GET /api/v1/ai/conversations/{session_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
21	GET /api/v1/ai/escalation-center	PROBE	200, 401, 422	401	PASS	Swagger probe scan
22	GET /api/v1/ai/escalations	PROBE	200, 401, 422	401	PASS	Swagger probe scan
23	GET /api/v1/ai/knowledge-articles	PROBE	200, 401, 422	401	PASS	Swagger probe scan
24	GET /api/v1/ai/knowledge-articles/{article_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
25	GET /api/v1/ai/recovery-tickets/count	PROBE	200, 401, 422	401	PASS	Swagger probe scan
26	GET /api/v1/ai/sessions	PROBE	200, 401, 422	401	PASS	Swagger probe scan
27	GET /api/v1/ai/support/analytics	DIRECT	200, 401, 422	-	PASS	S2-INT-003
28	GET /api/v1/ai/support/customer-history/{user_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
29	GET /api/v1/ai/support/damage-reports	PROBE	200, 401, 422	401	PASS	Swagger probe scan
30	GET /api/v1/ai/support/dashboard	DIRECT	200, 401	200,401	PASS	S2-CON-001, S2-INT-001
31	GET /api/v1/ai/support/refund-cases	PROBE	200, 401, 422	401	PASS	Swagger probe scan
32	GET /api/v1/ai/support/sessions	PROBE	200, 401, 422	401	PASS	Swagger probe scan
33	GET /api/v1/ai/support/sessions/{session_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
34	GET /api/v1/ai/support/settings	PROBE	200, 401, 422	401	PASS	Swagger probe scan
35	GET /api/v1/ai/tickets	DIRECT	200, 401	200,401	PASS	AISUP-CON-002, AISUP-INT-004, AISUP-INT-005
36	GET /api/v1/auth/me	DIRECT	200, 401	200,401	PASS	AUTH-INT-006, AUTH-INT-007
37	GET /api/v1/customer/damage-reports	PROBE	200, 401, 422	401	PASS	Swagger probe scan
38	GET /api/v1/customer/dashboard	PROBE	200, 401, 422	401	PASS	Swagger probe scan
39	GET /api/v1/customer/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
40	GET /api/v1/customer/payments	PROBE	200, 401, 422	401	PASS	Swagger probe scan
41	GET /api/v1/customer/profile	PROBE	200, 401, 422	401	PASS	Swagger probe scan
42	GET /api/v1/customer/quotes	PROBE	200, 401, 422	401	PASS	Swagger probe scan
43	GET /api/v1/customer/settings	DIRECT	200, 401	200,401	PASS	CV-CON-001, CV-INT-001, CV-INT-003
44	GET /api/v1/customer/tracking	PROBE	200, 401, 422	401	PASS	Swagger probe scan
45	GET /api/v1/customer/wallet	PROBE	200, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
46	GET /api/v1/damage-reports	DIRECT	200, 401, 422	200,401	PASS	S2-CON-002, S2-INT-005
47	GET /api/v1/finance/summary	DIRECT	200, 401, 422	200,401	PASS	FR-CON-001, FR-INT-001, FR-INT-002
48	GET /api/v1/geocoding/reverse	PROBE	200, 422	422	PASS	Swagger probe scan
49	GET /api/v1/geocoding/search	PROBE	200, 422	422	PASS	Swagger probe scan
50	GET /api/v1/inventory	PROBE	200, 401, 422	401	PASS	Swagger probe scan
51	GET /api/v1/inventory/categories	PROBE	200, 401, 422	401	PASS	Swagger probe scan
52	GET /api/v1/inventory/low-stock	PROBE	200, 401, 422	401	PASS	Swagger probe scan
53	GET /api/v1/inventory/material-requests	PROBE	200, 401, 422	401	PASS	Swagger probe scan
54	GET /api/v1/inventory/movements	PROBE	200, 401, 422	401	PASS	Swagger probe scan
55	GET /api/v1/inventory/packing-catalog	PROBE	200, 401, 422	401	PASS	Swagger probe scan
56	GET /api/v1/inventory/restock-requests	PROBE	200, 401, 422	401	PASS	Swagger probe scan
57	GET /api/v1/inventory/{item_id}	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
58	GET /api/v1/labourers	PROBE	200, 401, 422	401	PASS	Swagger probe scan
59	GET /api/v1/labourers/availability	PROBE	200, 401, 422	401	PASS	Swagger probe scan
60	GET /api/v1/labourers/{labourer_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
61	GET /api/v1/logistics/alerts	DIRECT	200, 401	200,401	PASS	LT-CON-001, LT-INT-001, LT-INT-002
62	GET /api/v1/logistics/bootstrap	PROBE	200, 401, 422	401	PASS	Swagger probe scan
63	GET /api/v1/logistics/chats	PROBE	200, 401, 422	401	PASS	Swagger probe scan
64	GET /api/v1/logistics/dispatch-contacts	PROBE	200, 401, 422	401	PASS	Swagger probe scan
65	GET /api/v1/logistics/drivers	PROBE	200, 401, 422	401	PASS	Swagger probe scan
66	GET /api/v1/logistics/drivers/me/audit	PROBE	200, 401, 422	401	PASS	Swagger probe scan
67	GET /api/v1/logistics/drivers/me/crew	PROBE	200, 401, 422	401	PASS	Swagger probe scan
68	GET /api/v1/logistics/drivers/me/dashboard	PROBE	200, 401, 422	401	PASS	Swagger probe scan
69	GET /api/v1/logistics/drivers/me/dispatch-thread	PROBE	200, 401, 422	401	PASS	Swagger probe scan
70	GET /api/v1/logistics/drivers/me/hos	PROBE	200, 401, 422	401	PASS	Swagger probe scan
71	GET /api/v1/logistics/drivers/me/manager-thread	PROBE	200, 401, 422	401	PASS	Swagger probe scan
72	GET /api/v1/logistics/drivers/me/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
73	GET /api/v1/logistics/drivers/me/shift	PROBE	200, 401, 422	401	PASS	Swagger probe scan
74	GET /api/v1/logistics/drivers/me/telemetry	PROBE	200, 401, 422	401	PASS	Swagger probe scan
75	GET /api/v1/logistics/manifests	PROBE	200, 401, 422	401	PASS	Swagger probe scan
76	GET /api/v1/logistics/meeting-participants	PROBE	200, 401, 422	401	PASS	Swagger probe scan
77	GET /api/v1/logistics/meetings	PROBE	200, 401, 422	401	PASS	Swagger probe scan
78	GET /api/v1/logistics/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
79	GET /api/v1/logistics/tasks	PROBE	200, 401, 422	401	PASS	Swagger probe scan
80	GET /api/v1/logistics/vehicles	PROBE	200, 401, 422	401	PASS	Swagger probe scan
81	GET /api/v1/logistics/zones	PROBE	200, 401, 422	401	PASS	Swagger probe scan
82	GET /api/v1/orders	DIRECT	200, 401, 422	200,401	PASS	ORD-CON-003, ORD-INT-002, ORD-INT-006
83	GET /api/v1/orders/ai-driver-suggestions	DIRECT	200, 401	200,401	PASS	S2-CON-003, S2-INT-009
84	GET /api/v1/orders/assignment-preview	DIRECT	200, 401, 422	200	PASS	S2-INT-008
85	GET /api/v1/orders/return-suggestions	DIRECT	200, 401	200	PASS	S2-INT-010
86	GET /api/v1/orders/track/{tracking_code}	DIRECT	200, 404, 422	404	PASS	ORD-INT-010
87	GET /api/v1/orders/trip-intelligence	PROBE	200, 401, 422	401	PASS	Swagger probe scan
88	GET /api/v1/orders/{order_id}	DIRECT	200, 401, 422	200	PASS	ORD-INT-003
89	GET /api/v1/orders/{order_id}/items	DIRECT	200, 401, 422	200	PASS	ORD-CON-004, ORD-INT-007
90	GET /api/v1/orders/{order_id}/proof-of-delivery	PROBE	200, 401, 422	401	PASS	Swagger probe scan
91	GET /api/v1/orders/{order_id}/trip-intelligence	PROBE	200, 401, 422	401	PASS	Swagger probe scan
92	GET /api/v1/rates	DIRECT	200, 400	200	PASS	FR-CON-002, FR-INT-005
93	GET /api/v1/rates/inventory-seeded	PROBE	200, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
94	GET /api/v1/tracking/drivers	DIRECT	200, 401	200,401	PASS	LT-CON-002, LT-INT-004, PUB-CON-003, TRK-INT-001, TRK-INT-002
95	GET /api/v1/tracking/orders/{order_id}/driver	DIRECT	200, 401, 422	200,401	PASS	LT-INT-005, TRK-INT-003, TRK-INT-004
96	GET /api/v1/users	PROBE	200, 401, 422	401	PASS	Swagger probe scan
97	GET /api/v1/users/{user_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
98	GET /api/v1/vendor/api-keys	PROBE	200, 401, 422	401	PASS	Swagger probe scan
99	GET /api/v1/vendor/bulk-uploads	PROBE	200, 401, 422	401	PASS	Swagger probe scan
100	GET /api/v1/vendor/damage-reports	PROBE	200, 401, 422	401	PASS	Swagger probe scan
101	GET /api/v1/vendor/dashboard	PROBE	200, 401, 422	401	PASS	Swagger probe scan
102	GET /api/v1/vendor/notifications	PROBE	200, 401, 422	401	PASS	Swagger probe scan
103	GET /api/v1/vendor/recurring-rules	PROBE	200, 401, 422	401	PASS	Swagger probe scan
104	GET /api/v1/vendor/settings	DIRECT	200, 401	200,401	PASS	CV-CON-002, CV-INT-004, CV-INT-006
105	GET /api/v1/vendor/shipments	PROBE	200, 401, 422	401	PASS	Swagger probe scan
106	GET /api/v1/vendor/support-tickets	PROBE	200, 401, 422	401	PASS	Swagger probe scan
107	GET /api/v1/vendor/team-members	PROBE	200, 401, 422	401	PASS	Swagger probe scan
108	GET /api/v1/vendor/wallet	PROBE	200, 401, 422	401	PASS	Swagger probe scan
109	GET /api/v1/warehouses	PROBE	200, 401, 422	401	PASS	Swagger probe scan
110	GET /api/v1/warehouses/{warehouse_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
111	GET /api/v1/warehouses/{warehouse_id}/dashboard	PROBE	200, 401, 422	401	PASS	Swagger probe scan
112	GET /api/v1/warehouses/{warehouse_id}/kpis	PROBE	200, 401, 422	401	PASS	Swagger probe scan
113	GET /api/v1/warehouses/{warehouse_id}/operations/inbound	DIRECT	200, 401, 422	200,401	PASS	WHOPS-CON-001, WHOPS-INT-001, WHOPS-INT-003
114	GET /api/v1/warehouses/{warehouse_id}/operations/loading-docks	DIRECT	200, 401, 422	200	PASS	WHOPS-CON-002, WHOPS-INT-005
115	GET /api/v1/warehouses/{warehouse_id}/operations/orders/{order_id}/ai-receive-plan	PROBE	200, 401, 422	401	PASS	Swagger probe scan
116	GET /api/v1/warehouses/{warehouse_id}/operations/orders/{order_id}/pick-progress	PROBE	200, 401, 422	401	PASS	Swagger probe scan
117	GET /api/v1/warehouses/{warehouse_id}/operations/packing-stations	PROBE	200, 401, 422	401	PASS	Swagger probe scan
118	GET /api/v1/warehouses/{warehouse_id}/operations/performance	PROBE	200, 401, 422	401	PASS	Swagger probe scan
119	GET /api/v1/warehouses/{warehouse_id}/operations/quality-checks	PROBE	200, 401, 422	401	PASS	Swagger probe scan
120	GET /api/v1/warehouses/{warehouse_id}/operations/quality-checks/{check_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
121	GET /api/v1/warehouses/{warehouse_id}/operations/returns	PROBE	200, 401, 422	401	PASS	Swagger probe scan
122	GET /api/v1/warehouses/{warehouse_id}/operations/zones/{zone_id}/metrics	PROBE	200, 401, 422	401	PASS	Swagger probe scan
123	GET /health	DIRECT	200, 400	200	PASS	PUB-CON-002
124	POST /api/v1/ai/chat	PROBE	200, 401, 422	401	PASS	Swagger probe scan
125	POST /api/v1/ai/contact-submissions/public	DIRECT	201, 422	201,422	PASS	AISUP-CON-001, AISUP-INT-001, AISUP-INT-003
126	POST /api/v1/ai/contact-submissions/{submission_id}/reply	PROBE	200, 401, 422	401	PASS	Swagger probe scan
127	POST /api/v1/ai/escalate/{conversation_id}	PROBE	201, 401, 422	401	PASS	Swagger probe scan
128	POST /api/v1/ai/estimate-image	PROBE	200, 422	422	PASS	Swagger probe scan
129	POST /api/v1/ai/knowledge-articles	PROBE	201, 401, 422	401	PASS	Swagger probe scan
130	POST /api/v1/ai/knowledge-articles/{article_id}/like	PROBE	200, 401, 422	401	PASS	Swagger probe scan
131	POST /api/v1/ai/support/analytics/insights/{insight_id}/execute	PROBE	200, 401, 422	401	PASS	Swagger probe scan
132	POST /api/v1/ai/support/damage-reports	PROBE	201, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
133	POST /api/v1/ai/support/damage-reports/{report_id}/message	PROBE	201, 401, 422	401	PASS	Swagger probe scan
134	POST /api/v1/ai/support/sessions/{session_id}/escalate	PROBE	200, 401, 422	401	PASS	Swagger probe scan
135	POST /api/v1/ai/support/sessions/{session_id}/reply	PROBE	200, 401, 422	401	PASS	Swagger probe scan
136	POST /api/v1/ai/support/sessions/{session_id}/take-over	PROBE	200, 401, 422	401	PASS	Swagger probe scan
137	POST /api/v1/ai/tickets	PROBE	201, 401, 422	401	PASS	Swagger probe scan
138	POST /api/v1/ai/tickets/{ticket_id}/reply	PROBE	200, 401, 422	401	PASS	Swagger probe scan
139	POST /api/v1/auth/change-password	DIRECT	200, 401, 422	200	PASS	AUTH-INT-008
140	POST /api/v1/auth/forgot-password	PROBE	200, 422	422	PASS	Swagger probe scan
141	POST /api/v1/auth/google-login	PROBE	200, 422	422	PASS	Swagger probe scan
142	POST /api/v1/auth/login	DIRECT	200, 422	200	PASS	AUTH-CON-003, AUTH-INT-003
143	POST /api/v1/auth/logout	DIRECT	200, 422	401	PASS	AUTH-INT-005
144	POST /api/v1/auth/refresh	PROBE	200, 422	422	PASS	Swagger probe scan
145	POST /api/v1/auth/register	DIRECT	201, 422	201,422	PASS	AUTH-CON-002, AUTH-CON-004, AUTH-INT-001, AUTH-INT-002
146	POST /api/v1/auth/reset-password	PROBE	200, 422	422	PASS	Swagger probe scan
147	POST /api/v1/auth/send-otp	DIRECT	200, 422	200	PASS	AUTH-INT-009
148	POST /api/v1/auth/token	DIRECT	200, 422	200	PASS	AUTH-INT-004
149	POST /api/v1/auth/verify-otp	DIRECT	200, 422	200	PASS	AUTH-INT-010
150	POST /api/v1/customer/damage-reports	DIRECT	200, 401, 422	422	PASS	CV-INT-002
151	POST /api/v1/customer/notifications/mark-all-read	PROBE	200, 401, 422	401	PASS	Swagger probe scan
152	POST /api/v1/customer/quotes/{quote_id}/convert	PROBE	200, 401, 422	401	PASS	Swagger probe scan
153	POST /api/v1/customer/wallet/backfill-debits	PROBE	200, 401, 422	401	PASS	Swagger probe scan
154	POST /api/v1/customer/wallet/top-up	PROBE	200, 401, 422	401	PASS	Swagger probe scan
155	POST /api/v1/damage-reports/{reference_code}/review	DIRECT	200, 401, 422	200,422	PASS	S2-INT-006, S2-INT-007
156	POST /api/v1/dev/seed-gps	PROBE	200, 401, 422	401	PASS	Swagger probe scan
157	POST /api/v1/finance/payroll/run	DIRECT	200, 401, 422	200,422	PASS	FR-INT-003, FR-INT-004
158	POST /api/v1/inventory	PROBE	201, 401, 422	401	PASS	Swagger probe scan
159	POST /api/v1/inventory/material-requests	PROBE	201, 401, 422	401	PASS	Swagger probe scan
160	POST /api/v1/inventory/movements	PROBE	201, 401, 422	401	PASS	Swagger probe scan
161	POST /api/v1/inventory/pick-list/{order_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
162	POST /api/v1/inventory/restock-requests	PROBE	201, 401, 422	401	PASS	Swagger probe scan
163	POST /api/v1/inventory/restock-requests/{request_id}/escalate	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
164	POST /api/v1/labourers	PROBE	201, 401, 422	401	PASS	Swagger probe scan
165	POST /api/v1/labourers/{labourer_id}/assign/{order_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
166	POST /api/v1/labourers/{labourer_id}/check-in	PROBE	200, 401, 422	401	PASS	Swagger probe scan
167	POST /api/v1/labourers/{labourer_id}/check-out	PROBE	200, 401, 422	401	PASS	Swagger probe scan
168	POST /api/v1/logistics/ai/query	PROBE	200, 401, 422	401	PASS	Swagger probe scan
169	POST /api/v1/logistics/alerts	PROBE	200, 401, 422	401	PASS	Swagger probe scan
170	POST /api/v1/logistics/alerts/{alert_id}/resolve	PROBE	200, 401, 422	401	PASS	Swagger probe scan
171	POST /api/v1/logistics/capital-investment	PROBE	201, 401, 422	401	PASS	Swagger probe scan
172	POST /api/v1/logistics/chats	PROBE	201, 401, 422	401	PASS	Swagger probe scan
173	POST /api/v1/logistics/chats/{thread_id}/messages	PROBE	200, 401, 422	401	PASS	Swagger probe scan
174	POST /api/v1/logistics/documents	PROBE	201, 401, 422	401	PASS	Swagger probe scan
175	POST /api/v1/logistics/drivers	PROBE	201, 401, 422	401	PASS	Swagger probe scan
176	POST /api/v1/logistics/drivers/me/bind-vehicle	PROBE	200, 401, 422	401	PASS	Swagger probe scan
177	POST /api/v1/logistics/drivers/me/cashout	PROBE	200, 401, 422	401	PASS	Swagger probe scan
178	POST /api/v1/logistics/drivers/me/crew/{labourer_id}/check-in	PROBE	200, 401, 422	401	PASS	Swagger probe scan
179	POST /api/v1/logistics/drivers/me/crisis-alert	PROBE	200, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
180	POST /api/v1/logistics/drivers/me/dispatch-thread/messages	PROBE	200, 401, 422	401	PASS	Swagger probe scan
181	POST /api/v1/logistics/drivers/me/fuel-receipt	PROBE	200, 401, 422	401	PASS	Swagger probe scan
182	POST /api/v1/logistics/drivers/me/location	PROBE	200, 401, 422	401	PASS	Swagger probe scan
183	POST /api/v1/logistics/drivers/me/manager-thread/messages	PROBE	200, 401, 422	401	PASS	Swagger probe scan
184	POST /api/v1/logistics/drivers/me/return-vehicle	PROBE	200, 401, 422	401	PASS	Swagger probe scan
185	POST /api/v1/logistics/drivers/me/shift/end	PROBE	200, 401, 422	401	PASS	Swagger probe scan
186	POST /api/v1/logistics/drivers/me/shift/start	PROBE	200, 401, 422	401	PASS	Swagger probe scan
187	POST /api/v1/logistics/manifests	PROBE	201, 401, 422	401	PASS	Swagger probe scan
188	POST /api/v1/logistics/manifests/{manifest_id}/push	PROBE	200, 401, 422	401	PASS	Swagger probe scan
189	POST /api/v1/logistics/meetings	PROBE	201, 401, 422	401	PASS	Swagger probe scan
190	POST /api/v1/logistics/notifications/broadcast	PROBE	200, 401, 422	401	PASS	Swagger probe scan
191	POST /api/v1/logistics/notifications/mark-all-read	PROBE	200, 401, 422	401	PASS	Swagger probe scan
192	POST /api/v1/logistics/returns/{case_id}/issue-refund	PROBE	200, 401, 422	401	PASS	Swagger probe scan
193	POST /api/v1/logistics/returns/{case_id}/schedule-pickup	PROBE	200, 401, 422	401	PASS	Swagger probe scan
194	POST /api/v1/logistics/tasks	DIRECT	201, 401, 422	422	PASS	LT-INT-003
195	POST /api/v1/logistics/transactions	PROBE	201, 401, 422	401	PASS	Swagger probe scan
196	POST /api/v1/logistics/vehicles	PROBE	201, 401, 422	401	PASS	Swagger probe scan
197	POST /api/v1/logistics/zones	PROBE	201, 401, 422	401	PASS	Swagger probe scan
198	POST /api/v1/orders	DIRECT	201, 401, 422	201,422	PASS	ORD-CON-002, ORD-INT-001, ORD-INT-005
199	POST /api/v1/orders/auto-balance	PROBE	200, 401, 422	401	PASS	Swagger probe scan
200	POST /api/v1/orders/batch-assign	DIRECT	200, 401, 422	-	PASS	S2-INT-011
201	POST /api/v1/orders/cluster	PROBE	200, 401, 422	401	PASS	Swagger probe scan
202	POST /api/v1/orders/optimize-routes	DIRECT	200, 401, 422	-	PASS	S2-INT-011
203	POST /api/v1/orders/{order_id}/asset-log	PROBE	200, 401, 422	401	PASS	Swagger probe scan
204	POST /api/v1/orders/{order_id}/assign	PROBE	200, 401, 422	401	PASS	Swagger probe scan
205	POST /api/v1/orders/{order_id}/cancel	PROBE	200, 401, 422	401	PASS	Swagger probe scan
206	POST /api/v1/orders/{order_id}/complete-return	PROBE	200, 401, 422	401	PASS	Swagger probe scan
207	POST /api/v1/orders/{order_id}/confirm	PROBE	200, 401, 422	401	PASS	Swagger probe scan
208	POST /api/v1/orders/{order_id}/delivery-otp/send	DIRECT	200, 401, 422	200	PASS	ORD-INT-009
209	POST /api/v1/orders/{order_id}/escalate	PROBE	200, 401, 422	401	PASS	Swagger probe scan
210	POST /api/v1/orders/{order_id}/house-shift-signoff	PROBE	200, 401, 422	401	PASS	Swagger probe scan
211	POST /api/v1/orders/{order_id}/items	DIRECT	200, 401, 422	200	PASS	ORD-INT-008
212	POST /api/v1/orders/{order_id}/job-rating	PROBE	200, 401, 422	401	PASS	Swagger probe scan
213	POST /api/v1/orders/{order_id}/packing-return	PROBE	200, 401, 422	401	PASS	Swagger probe scan
214	POST /api/v1/orders/{order_id}/pay	PROBE	200, 401, 422	401	PASS	Swagger probe scan
215	POST /api/v1/orders/{order_id}/proof-of-delivery	PROBE	200, 401, 422	401	PASS	Swagger probe scan
216	POST /api/v1/orders/{order_id}/simulate-arrival	PROBE	200, 401, 422	401	PASS	Swagger probe scan
217	POST /api/v1/orders/{order_id}/transition	PROBE	200, 401, 422	401	PASS	Swagger probe scan
218	POST /api/v1/orders/{order_id}/trip-intelligence/deviation	PROBE	200, 401, 422	401	PASS	Swagger probe scan
219	POST /api/v1/orders/{order_id}/trip-intelligence/push	PROBE	200, 401, 422	401	PASS	Swagger probe scan
220	POST /api/v1/orders/{order_id}/wallet-pay	PROBE	200, 401, 422	401	PASS	Swagger probe scan
221	POST /api/v1/rates/seed-inventory	PROBE	200, 401, 422	401	PASS	Swagger probe scan
222	POST /api/v1/users	PROBE	201, 401, 422	401	PASS	Swagger probe scan
223	POST /api/v1/users/{user_id}/assign-role	PROBE	200, 401, 422	401	PASS	Swagger probe scan
224	POST /api/v1/users/{user_id}/assign-warehouse	PROBE	200, 401, 422	401	PASS	Swagger probe scan
225	POST /api/v1/vendor/api-keys	PROBE	200, 401, 422	401	PASS	Swagger probe scan
226	POST /api/v1/vendor/api-keys/{key_id}/revoke	PROBE	200, 401, 422	401	PASS	Swagger probe scan
227	POST /api/v1/vendor/bulk-uploads	PROBE	200, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
228	POST /api/v1/vendor/damage-reports	PROBE	200, 401, 422	401	PASS	Swagger probe scan
229	POST /api/v1/vendor/invoices/{order_id}/pay	PROBE	200, 401, 422	401	PASS	Swagger probe scan
230	POST /api/v1/vendor/notifications/mark-all-read	PROBE	200, 401, 422	401	PASS	Swagger probe scan
231	POST /api/v1/vendor/recurring-rules	PROBE	200, 401, 422	401	PASS	Swagger probe scan
232	POST /api/v1/vendor/recurring-rules/{rule_id}/toggle	PROBE	200, 401, 422	401	PASS	Swagger probe scan
233	POST /api/v1/vendor/support-tickets	DIRECT	200, 401, 422	422	PASS	CV-INT-005
234	POST /api/v1/vendor/support-tickets/{ticket_id}/reply	PROBE	200, 401, 422	401	PASS	Swagger probe scan
235	POST /api/v1/vendor/support-tickets/{ticket_id}/resolve	PROBE	200, 401, 422	401	PASS	Swagger probe scan
236	POST /api/v1/vendor/team-members	PROBE	200, 401, 422	401	PASS	Swagger probe scan
237	POST /api/v1/vendor/wallet/top-up	PROBE	200, 401, 422	401	PASS	Swagger probe scan
238	POST /api/v1/warehouses	PROBE	201, 401, 422	401	PASS	Swagger probe scan
239	POST /api/v1/warehouses/{warehouse_id}/operations/in bound/schedule	DIRECT	201, 401, 422	201,422	PASS	WHOPS-INT-002, WHOPS-INT-004
240	POST /api/v1/warehouses/{warehouse_id}/operations/lo ading-docks	PROBE	201, 401, 422	401	PASS	Swagger probe scan
241	POST /api/v1/warehouses/{warehouse_id}/operations/lo ading-docks/{dock_id}/assign	PROBE	200, 401, 422	401	PASS	Swagger probe scan
242	POST /api/v1/warehouses/{warehouse_id}/operations/lo ading-docks/{dock_id}/maintenance	PROBE	200, 401, 422	401	PASS	Swagger probe scan
243	POST /api/v1/warehouses/{warehouse_id}/operations/lo ading-docks/{dock_id}/release	PROBE	200, 401, 422	401	PASS	Swagger probe scan
244	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/accept	PROBE	200, 401, 422	401	PASS	Swagger probe scan
245	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/complete-packing	PROBE	200, 401, 422	401	PASS	Swagger probe scan
246	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/complete-picking	PROBE	200, 401, 422	401	PASS	Swagger probe scan
247	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/generate-take-back	PROBE	200, 401, 422	401	PASS	Swagger probe scan
248	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/mark-arrived	PROBE	200, 401, 422	401	PASS	Swagger probe scan
249	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/pick-item	PROBE	200, 401, 422	401	PASS	Swagger probe scan
250	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/quality-check	PROBE	201, 401, 422	401	PASS	Swagger probe scan
251	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/receive-inbound	PROBE	200, 401, 422	401	PASS	Swagger probe scan
252	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/report-damage	PROBE	200, 401, 422	401	PASS	Swagger probe scan
253	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/report-mismatch	PROBE	200, 401, 422	401	PASS	Swagger probe scan
254	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/revert-picking	PROBE	200, 401, 422	401	PASS	Swagger probe scan
255	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/start-packing	PROBE	200, 401, 422	401	PASS	Swagger probe scan
256	POST /api/v1/warehouses/{warehouse_id}/operations/or ders/{order_id}/start-picking	PROBE	200, 401, 422	401	PASS	Swagger probe scan
257	POST /api/v1/warehouses/{warehouse_id}/operations/pa cking-stations	PROBE	201, 401, 422	401	PASS	Swagger probe scan
258	POST /api/v1/warehouses/{warehouse_id}/operations/qu ality-checks/{check_id}/pass	PROBE	200, 401, 422	401	PASS	Swagger probe scan
259	POST /api/v1/warehouses/{warehouse_id}/operations/returns	PROBE	201, 401, 422	401	PASS	Swagger probe scan
260	POST /api/v1/warehouses/{warehouse_id}/operations/ret urns/{grading_id}/complete	PROBE	200, 401, 422	401	PASS	Swagger probe scan
261	POST /api/v1/warehouses/{warehouse_id}/operations/ret urns/{grading_id}/photo	PROBE	200, 401, 422	401	PASS	Swagger probe scan
262	POST /api/v1/warehouses/{warehouse_id}/operations/zo nes/metrics	PROBE	201, 401, 422	401	PASS	Swagger probe scan

#	Operation	Mode	Doc	Obs	Result	Source
263	POST /api/v1/warehouses/{warehouse_id}/orders/{order_id}/complete	PROBE	200, 401, 422	401	PASS	Swagger probe scan
264	POST /api/v1/warehouses/{warehouse_id}/orders/{order_id}/reassign	PROBE	200, 401, 422	401	PASS	Swagger probe scan
265	POST /api/v1/warehouses/{warehouse_id}/restock	PROBE	200, 401, 422	401	PASS	Swagger probe scan
266	PUT /api/v1/ai/contact-submissions/{submission_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
267	PUT /api/v1/ai/escalation-center/{escalation_id}/resolve	PROBE	200, 401, 422	401	PASS	Swagger probe scan
268	PUT /api/v1/ai/escalations/{escalation_id}/resolve	PROBE	200, 401, 422	401	PASS	Swagger probe scan
269	PUT /api/v1/ai/knowledge-articles/{article_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
270	PUT /api/v1/ai/support/damage-reports/{report_id}/notes	PROBE	200, 401, 422	401	PASS	Swagger probe scan
271	PUT /api/v1/ai/support/refund-cases/{case_id}/urgent	PROBE	200, 401, 422	401	PASS	Swagger probe scan
272	PUT /api/v1/ai/support/settings	DIRECT	200, 401, 422	200,422	PASS	S2-INT-002, S2-INT-004
273	PUT /api/v1/ai/tickets/{ticket_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
274	PUT /api/v1/auth/me	PROBE	200, 401, 422	401	PASS	Swagger probe scan
275	PUT /api/v1/customer/notifications/{notification_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
276	PUT /api/v1/customer/settings	PROBE	200, 401, 422	401	PASS	Swagger probe scan
277	PUT /api/v1/inventory/material-requests/{request_id}/approve	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
278	PUT /api/v1/inventory/material-requests/{request_id}/reject	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
279	PUT /api/v1/inventory/restock-requests/{request_id}/status	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
280	PUT /api/v1/inventory/{item_id}	PROBE	200, 401, 404, 422	404	PASS	Swagger probe scan
281	PUT /api/v1/labourers/{labourer_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
282	PUT /api/v1/logistics/chats/{thread_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
283	PUT /api/v1/logistics/documents/{doc_id}/status	PROBE	200, 401, 422	401	PASS	Swagger probe scan
284	PUT /api/v1/logistics/drivers/{driver_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
285	PUT /api/v1/logistics/escalations/{escalation_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
286	PUT /api/v1/logistics/meetings/{meeting_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
287	PUT /api/v1/logistics/notifications/{notification_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
288	PUT /api/v1/logistics/returns/{case_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
289	PUT /api/v1/logistics/tasks/{task_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
290	PUT /api/v1/logistics/vehicles/{vehicle_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
291	PUT /api/v1/logistics/zones/{zone_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
292	PUT /api/v1/orders/{order_id}	DIRECT	200, 401, 422	200	PASS	ORD-INT-004
293	PUT /api/v1/rates	DIRECT	200, 401, 422	200,400,401	PASS	FR-INT-006, FR-INT-007, FR-INT-008
294	PUT /api/v1/users/{user_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
295	PUT /api/v1/vendor/bulk-uploads/{upload_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
296	PUT /api/v1/vendor/notifications/{notification_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
297	PUT /api/v1/vendor/recurring-rules/{rule_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
298	PUT /api/v1/vendor/settings	PROBE	200, 401, 422	401	PASS	Swagger probe scan
299	PUT /api/v1/warehouses/{warehouse_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
300	PUT /api/v1/warehouses/{warehouse_id}/floor-plan	PROBE	200, 401, 422	401	PASS	Swagger probe scan
301	PUT /api/v1/warehouses/{warehouse_id}/operations/packing-stations/{station_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
302	PUT /api/v1/warehouses/{warehouse_id}/operations/quality-checks/{check_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan
303	PUT /api/v1/warehouses/{warehouse_id}/operations/returns/{grading_id}	PROBE	200, 401, 422	401	PASS	Swagger probe scan

3. Direct Test Case Evidence

Direct rows preserve test input, expected output, and actual output to maintain traceability for reviewer verification.

Case	Test	File	Endpoint	Input	Expected	Actual	Status
AISUP-CO N-001	test_public_contact_s ubmission_contract	tests/contract/test_ai _support_flows_contr act.py	POST /api/v1/ai/contact-sub missions/public	{"category": "support", "email": "ava@example.co m", "message": "Please help me che..."}	{"required_keys": ["id", "reference_code", "subject", "status"], "status_code": 201}	{"body": {"assigned _agent_name": null, "assigned_to_ user_id": null, "category": "s..."}	PASS
AISUP-CO N-002	test_tickets_list_contr act	tests/contract/test_ai _support_flows_contr act.py	GET /api/v1/ai/tickets	{"authorization": "Bearer "}	{"required_keys": ["tickets", "stats", "agents"], "status_code": 200}	{"body": {"agents": [], "stats": {"in_progress": 0, "new": 1, "resolved": 0, "total..."}	PASS
AISUP-INT- 001	test_public_contact_s ubmission_success	tests/integration/test_ai _support_flows_api. py	POST /api/v1/ai/contact-sub missions/public	{"category": "support", "email": "ava@example.co m", "message": "Please help me che..."}	{"reference_code": "CS-1001", "status_code": 201}	{"body": {"assigned _agent_name": null, "assigned_to_ user_id": null, "category": "s..."}	PASS
AISUP-INT- 002	test_contact_submiss ions_requires_authen tication	tests/integration/test_ai _support_flows_api. py	GET /api/v1/ai/contact-subm issions	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
AISUP-INT- 003	test_public_contact_s ubmission_validation _error_422	tests/integration/test_ai _support_flows_api. py	POST /api/v1/ai/contact-sub missions/public	{}	{"error_key": "detail", "status_code": 422}	{"body": {"detail": {"input": {}, "loc": ["body", "name"], "msg": "Field required..."}	PASS
AISUP-INT- 004	test_tickets_list_succ ess	tests/integration/test_ai _support_flows_api. py	GET /api/v1/ai/tickets	{"authorization": "Bearer "}	{"first_reference": "TCK-1001", "stats.total": 1, "status_code": 200}	{"body": {"agents": [], "stats": {"in_progress": 0, "new": 1, "resolved": 0, "total..."}	PASS
AISUP-INT- 005	test_tickets_list_requi res_authentication	tests/integration/test_ai _support_flows_api. py	GET /api/v1/ai/tickets	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
AISUP-INT- 006	test_contact_submiss ions_list_success	tests/integration/test_ai _support_flows_api. py	GET /api/v1/ai/contact-subm issions	{"authorization": "Bearer "}	{"first_reference": "CS-1001", "stats.total": 1, "status_code": 200}	{"body": {"agents": {"email": "support @example.com", "id": "206e45cb-e8 13-4cc1-bd..."}	PASS
AUTH-CON -002	test_register_respons e_contract	tests/contract/test_au th_contract.py	POST /api/v1/auth/register	{"email": "bob@ex ample.com", "name": "Bob", "password": "StrongPass123", "phone": ...}	{"required_keys": ["access_token", "refresh_token", "token_type"], "status_code": ...}	{"body": {"access_token": " access-token-123", "message": "Registration successful"..."}	PASS
AUTH-CON -003	test_login_response_ contract	tests/contract/test_au th_contract.py	POST /api/v1/auth/login	{"email": "bob@ex ample.com", "password": "StrongPass123"}	{"required_keys": ["access_token", "refresh_token", "user"], "status_code": 200}	{"body": {"access_token": " access-token-123", "refresh_token": "r efresh-token-123".. }	PASS
AUTH-CON -004	test_register_validati on_error_contract	tests/contract/test_au th_contract.py	POST /api/v1/auth/register	{"email": "bob@ex ample.com", "name": "Bob", "password": "StrongPass123", "role": "...}	{"detail_type": "list", "status_code": 422}	{"body": {"detail": {"ctx": {"expected": "INDIVIDUAL" or "VENDOR"}, "input": "U..."}	PASS
AUTH-INT- 001	test_auth_register_su ccess	tests/integration/test_ auth_api.py	POST /api/v1/auth/register	{"email": "alice@ex ample.com", "name": "Alice", "password": "StrongPass123", "phon..."}	{"pending_approva l": false, "status_code": 201}	{"body": {"access_token": " access-token-123", "message": "Registration successful"..."}	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
AUTH-INT-002	test_auth_register_invalid_role_returns_422	tests/integration/test_auth_api.py	POST /api/v1/auth/register	{ "email": "alice@example.com", "name": "Alice", "password": "StrongPass123", "phon...	{ "error_key": "detail", "status_code": 422}	{ "body": { "detail": { "ctx": { "expected": "INDIVIDUAL" or "VENDOR"}, "input": "I...	PASS
AUTH-INT-003	test_auth_login_success	tests/integration/test_auth_api.py	POST /api/v1/auth/login	{ "email": "alice@example.com", "password": "StrongPass123"} }	{ "keys": ["access_token", "refresh_token", "user"], "status_code": 200}	{ "body": { "access_token": "access-token-123", "refresh_token": "refresh-token-123"..	PASS
AUTH-INT-004	test_auth_token_login_success	tests/integration/test_auth_api.py	POST /api/v1/auth/token	{ "password": "StrongPass123", "username": "alice@example.com"} }	{ "status_code": 200, "token_type": "bearer"} }	{ "body": { "access_token": "access-token-123", "refresh_token": "refresh-token-123"..	PASS
AUTH-INT-005	test_auth_logout_missing_header_returns_401	tests/integration/test_auth_api.py	POST /api/v1/auth/logout	{ "authorization": null}	{ "detail": "Missing or invalid Authorization header", "status_code": 401}	{ "body": { "detail": "Missing or invalid Authorization header"}, "status_code": 401}	PASS
AUTH-INT-006	test_auth_me_requires_authentication	tests/integration/test_auth_api.py	GET /api/v1/auth/me	{ "authorization": null}	{ "detail": "Not authenticated", "status_code": 401}	{ "body": { "detail": "Not authenticated"}, "status_code": 401}	PASS
AUTH-INT-007	test_auth_me_success	tests/integration/test_auth_api.py	GET /api/v1/auth/me	{ "authorization": "Bearer "}	{ "keys": ["id", "email", "role"], "status_code": 200}	{ "body": { "address": "123 Test Street", "approval_status": "APPROVED", "business_e...	PASS
AUTH-INT-008	test_auth_change_password_success	tests/integration/test_auth_api.py	POST /api/v1/auth/change-password	{ "current_password": "old-pass-123", "new_password": "new-pass-123"} }	{ "message": "Password changed successfully", "status_code": 200}	{ "body": { "message": "Password changed successfully"}, "status_code": 200}	PASS
AUTH-INT-009	test_auth_send_otp_success	tests/integration/test_auth_api.py	POST /api/v1/auth/send-otp	{ "email": "alice@example.com"} }	{ "message": "OTP sent", "status_code": 200}	{ "body": { "debug_otp": "123456", "email": "alice@example.com", "message": "OTP sen...	PASS
AUTH-INT-010	test_auth_verify_otp_success	tests/integration/test_auth_api.py	POST /api/v1/auth/verify-otp	{ "email": "alice@example.com", "otp": "123456"} }	{ "status_code": 200, "verified": true}	{ "body": { "message": "OTP verified", "verified": true}, "status_code": 200}	PASS
CV-CON-001	test_customer_settings_contract	tests/contract/test_customer_vendor_contract.py	GET /api/v1/customer/settings	{ "authorization": "Bearer "}	{ "required_keys": ["settings"], "status_code": 200}	{ "body": { "settings": { "currency": "INR", "default_payment": "Full Payment", "lang...	PASS
CV-CON-002	test_vendor_settings_contract	tests/contract/test_customer_vendor_contract.py	GET /api/v1/vendor/settings	{ "authorization": "Bearer "}	{ "required_keys": ["settings"], "status_code": 200}	{ "body": { "settings": { "address": "Dock Road", "company_name": "Vendor Co", "conta...	PASS
CV-INT-001	test_customer_settings_success	tests/integration/test_customer_vendor_api.py	GET /api/v1/customer/settings	{ "authorization": "Bearer "}	{ "settings.language": "en", "status_code": 200}	{ "body": { "settings": { "currency": "INR", "default_payment": "Full Payment", "lang...	PASS
CV-INT-002	test_customer_damage_report_validation_error_422	tests/integration/test_customer_vendor_api.py	POST /api/v1/customer/damage-reports	{}	{ "error_key": "detail", "status_code": 422}	{ "body": { "detail": { "input": {}, "loc": ["body", "order_id"], "msg": "Field requ...	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
CV-INT-003	test_customer_requirements_authentication	tests/integration/test_customer_vendor_api.py	GET /api/v1/customer/settings	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
CV-INT-004	test_vendor_settings_success	tests/integration/test_customer_vendor_api.py	GET /api/v1/vendor/settings	{"authorization": "Bearer "}	{"settings.email": "vendor@example.com", "status_code": 200}	{"body": {"settings": {"address": "Dock Road", "company_name": "Vendor Co", "conta...	PASS
CV-INT-005	test_vendor_support_ticket_validation_error_422	tests/integration/test_customer_vendor_api.py	POST /api/v1/vendor/support-tickets	{}	{"error_key": "detail", "status_code": 422}	{"body": {"detail": [{"input": {}, "loc": ["body", "subject"], "msg": "Field requi...	PASS
CV-INT-006	test_vendor_requires_authentication	tests/integration/test_customer_vendor_api.py	GET /api/v1/vendor/settings	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
FR-CON-001	test_finance_summary_contract	tests/contract/test_finance_rates_contract.py	GET /api/v1/finance/summary	{"authorization": "Bearer "}	{"required_keys": ["total_revenue", "total_expenses", "net_profit", "pending_cod"]...	{"body": {"net_profit": 5000.0, "pending_cod": 1000.0, "total_expenses": 5000.0, "...	PASS
FR-CON-002	test_rates_get_contract	tests/contract/test_finance_rates_contract.py	GET /api/v1/rates	{}	{"required_keys": ["baseBookingFee", "perKmRate", "dynamic"], "status_code": 200}	{"body": {"baseBookingFee": 220, "dynamic": {"peak": 1.2}, "perKmRate": 12}, "stat...	PASS
FR-INT-001	test_finance_summary_success	tests/integration/test_finance_rates_api.py	GET /api/v1/finance/summary	{"authorization": "Bearer "}	{"net_profit": 6000.0, "status_code": 200}	{"body": {"net_profit": 6000.0, "pending_cod": 1200.0, "total_expenses": 4000.0, "...	PASS
FR-INT-002	test_finance_summary_requires_authentication	tests/integration/test_finance_rates_api.py	GET /api/v1/finance/summary	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
FR-INT-003	test_finance_payroll_run_success	tests/integration/test_finance_rates_api.py	POST /api/v1/finance/payroll/run	{"user_payouts": [{"amount": 3500, "name": "Staff One", "record_type": "staff", "u...	{"processed": 1, "status_code": 200}	{"body": {"processed": 1, "total_amount": 3500.0}, "status_code": 200}	PASS
FR-INT-004	test_finance_payroll_validation_error_422	tests/integration/test_finance_rates_api.py	POST /api/v1/finance/payroll/run	{}	{"error_key": "detail", "status_code": 422}	{"body": {"detail": [{"input": {}, "loc": ["body", "user_payouts"], "msg": "Field ...	PASS
FR-INT-005	test_rates_get_public_success	tests/integration/test_finance_rates_api.py	GET /api/v1/rates	{}	{"baseBookingFee": 220, "status_code": 200}	{"body": {"baseBookingFee": 220, "dynamic": {"peak": 1.2}}, "status_code": 200}	PASS
FR-INT-006	test_rates_update_success	tests/integration/test_finance_rates_api.py	PUT /api/v1/rates	{"dynamic": {"peak": 1.3}}	{"dynamic.peak": 1.3, "status_code": 200}	{"body": {"baseBookingFee": 220, "dynamic": {"emergency": 2.5, "peak": 1.3}}, "sta...	PASS
FR-INT-007	test_rates_update_empty_payload_returns_400	tests/integration/test_finance_rates_api.py	PUT /api/v1/rates	{}	{"detail": "Empty payload", "status_code": 400}	{"body": {"detail": "Empty payload"}, "status_code": 400}	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
FR-INT-008	test_rates_update_requires_authentication	tests/integration/test_finance_rates_api.py	PUT /api/v1/rates	{"authorization": null, "json": {"baseBookingFee": 300}}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated", "status_code": 401}}	PASS
LT-CON-001	test_logistics_alerts_contract	tests/contract/test_logistics_tracking_contract.py	GET /api/v1/logistics/alerts	{"authorization": "Bearer "}	{"response_type": "list", "status_code": 200}	{"body": [], "status_code": 200}	PASS
LT-CON-002	test_tracking_drivers_contract	tests/contract/test_logistics_tracking_contract.py	GET /api/v1/tracking/drivers	{"authorization": "Bearer "}	{"required_keys": ["driver_id", "driver_name", "latitude", "longitude", "status"], ...}	{"body": {"driver_id": "9b80d40c-e1cb-4007-8874-8efae0d8e9d5", "driver_name": "Dr..."}}	PASS
LT-INT-001	test_logistics_alerts_success	tests/integration/test_logistics_tracking_api.py	GET /api/v1/logistics/alerts	{"authorization": "Bearer "}	{"body": [], "status_code": 200}	{"body": [], "status_code": 200}	PASS
LT-INT-002	test_logistics_alerts_requires_authentication	tests/integration/test_logistics_tracking_api.py	GET /api/v1/logistics/alerts	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated", "status_code": 401}}	PASS
LT-INT-003	test_logistics_task_validation_error_422	tests/integration/test_logistics_tracking_api.py	POST /api/v1/logistics/tasks	{}	{"error_key": "detail", "status_code": 422}	{"body": {"detail": [{"input": {}, "loc": ["body", "text"], "msg": "Field required..."}]}}	PASS
LT-INT-004	test_tracking_drivers_success_with_db_override	tests/integration/test_logistics_tracking_api.py	GET /api/v1/tracking/drivers	{"authorization": "Bearer "}	{"first_driver_name": "Driver One", "status_code": 200}	{"body": {"driver_id": "85f9f40b-c40e-4da1-86f3-88bed9d66e6e", "driver_name": "Dr..."}}	PASS
LT-INT-005	test_tracking_order_driver_requires_authentication	tests/integration/test_logistics_tracking_api.py	GET /api/v1/tracking/orders/{order_id}/driver	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated", "status_code": 401}}	PASS
ORD-CON-002	test_order_create_contract	tests/contract/test_orders_contract.py	POST /api/v1/orders	{"delivery_addr": "456 Delivery Road", "order_type": "MOVE", "pickup_addr": "123 P..."}	{"required_keys": ["id", "tracking_code", "status"], "status_code": 201}	{"body": {"arrived_at": null, "assigned_driver_id": null, "assigned_driver_name": ...}}	PASS
ORD-CON-003	test_order_list_contract	tests/contract/test_orders_contract.py	GET /api/v1/orders	{"query": {"page": 1, "page_size": 20}}	{"required_keys": ["items", "total", "page", "page_size"], "status_code": 200}	{"body": {"items": [{"arrived_at": null, "assigned_driver_id": null, "assigned_driver_name": ...}]}}	PASS
ORD-CON-004	test_order_items_contract	tests/contract/test_orders_contract.py	GET /api/v1/orders/{order_id}/items	{"path": {"order_id": "8c6d1d5c-7535-4a83-b6d3-09098ad727c6"}}	{"required_keys": ["id", "sku", "quantity"], "status_code": 200}	{"body": {"box_count": 2, "estimated_volume": 1.5, "id": "0f2e8f24-c346-4730-a2b3..."/>	PASS
ORD-INT-001	test_orders_create_success	tests/integration/test_orders_api.py	POST /api/v1/orders	{"delivery_addr": "456 Delivery Road", "order_type": "MOVE", "pickup_addr": "123 P..."}	{"status": "CREATED", "status_code": 201}	{"body": {"arrived_at": null, "assigned_driver_id": null, "assigned_driver_name": ...}}	PASS
ORD-INT-002	test_orders_list_success	tests/integration/test_orders_api.py	GET /api/v1/orders	{"query": {"page": 1, "page_size": 20}}	{"status_code": 200, "total": 1}	{"body": {"items": [{"arrived_at": null, "assigned_driver_id": null, "assigned_driver_name": ...}]}}	PASS
ORD-INT-003	test_orders_get_success	tests/integration/test_orders_api.py	GET /api/v1/orders/{order_id}	{"path": {"order_id": "a21786ea-602d-47c1-9c42-2beda74ca6c3"}}	{"id": "a21786ea-602d-47c1-9c42-2beda74ca6c3", "status_code": 200}	{"body": {"arrived_at": null, "assigned_driver_id": null, "assigned_driver_name": ...}}	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
ORD-INT-004	test_orders_update_success	tests/integration/test_orders_api.py	PUT /api/v1/orders/{order_id}	{ "json": {"pickup_addr": "999 Updated Pickup Road"}, "path": {"order_id": "371ac54..."	{ "pickup_addr": "999 Updated Pickup Road", "status_code": 200}	{ "body": {"arrived_at": null, " assigned_driver_id ": null, "assigned_d river_name": ...	PASS
ORD-INT-005	test_orders_create_validation_error_422	tests/integration/test_orders_api.py	POST /api/v1/orders	{}	{ "error_key": "detail", "status_code": 422}	{ "body": {"detail": [{"input": {}, "loc": ["body", "order_type"], "msg": "Field re...	PASS
ORD-INT-006	test_orders_requires_authentication	tests/integration/test_orders_api.py	GET /api/v1/orders	{ "authorization": null}	{ "detail": "Not authenticated", "status_code": 401}	{ "body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
ORD-INT-007	test_orders_get_item_success	tests/integration/test_orders_api.py	GET /api/v1/orders/{order_id}/items	{ "path": {"order_id": "b2007263-7976-4 9b5-959a-62b4f62 15ff0"}}	{ "item_count": 1, "status_code": 200}	{ "body": [{"box_count": 2, "e stimated_volume": 1.5, "id": "0b700c5 0-7962-4416-ba71. ...	PASS
ORD-INT-008	test_orders_upsert_items_success	tests/integration/test_orders_api.py	POST /api/v1/orders/{order_id}/items	{ "json": [{"box_count": 1, "quantity": 3, "sku": "BOX-MEDIUM"}], "path": {"order_i...	{ "item_count": 1, "status_code": 200}	{ "body": [{"box_count": 2, "e stimated_volume": 1.5, "id": "9a73ac8 8-432c-4ef0-9000.. ...	PASS
ORD-INT-009	test_orders_send_delivery_otp_success_for_driver	tests/integration/test_orders_api.py	POST /api/v1/orders/{order_id}/delivery-otp/send	{ "json": {"force_resend": false, "path": {"order_id": "6ccb6 934-8345-4d78-83 a5-41..."	{ "message": "Delivery OTP sent", "status_code": 200}	{ "body": {"debug_otp": "123456", "email": "customer@examp le.com", "message": "Deli...	PASS
ORD-INT-010	test_orders_track_unknown_returns_404	tests/integration/test_orders_api.py	GET /api/v1/orders/track/{tracking_code}	{ "path": {"tracking_code": " UNKNOWN-TRAC KING"}}	{ "detail": "Tracking code not found", "status_code": 404}	{ "body": {"detail": "Tracking code not found"}, "status_code": 404}	PASS
PUB-CON-002	test_health_endpoint_contract	tests/contract/test_public_endpoints_contract.py	GET /health	{}	{ "body": {"status": "ok"}, "status_code": 200}	{ "body": {"status": "ok"}, "status_code": 200}	PASS
PUB-CON-003	test_tracking_schema_contract_defined	tests/contract/test_public_endpoints_contract.py	GET /api/v1/tracking/drivers	{ "authorization": null}	{ "openapi_200_ite m_schema_ref": "# /components/sche mas/DriverLocatio nItem", "runtim...	{ "body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
S2-CON-001	test_support_dashboard_authentication	tests/contract/test_support2_updates_contract.py	GET /api/v1/ai/support/dashboard	{ "authorization": null}	{ "detail": "Not authenticated", "status_code": 401}	{ "body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
S2-CON-002	test_damage_review_queue_requires_authentication	tests/contract/test_support2_updates_contract.py	GET /api/v1/damage-reports	{ "authorization": null}	{ "detail": "Not authenticated", "status_code": 401}	{ "body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
S2-CON-003	test_dispatcher_intelligence_requires_authentication	tests/contract/test_support2_updates_contract.py	GET /api/v1/orders/ai-driver-suggestions	{ "authorization": null}	{ "detail": "Not authenticated", "status_code": 401}	{ "body": {"detail": "Not authenticated"}, "status_code": 401}	PASS
S2-INT-001	test_support_dashboard_success	tests/integration/test_ai_support_api.py	GET /api/v1/ai/support/dashboard	{}	{ "stats.active_sessi ons": 2, "status_code": 200}	{ "body": {"activity_feed": [], "priority_sessions": [], "recent_contact _submission...	PASS
S2-INT-002	test_support_settings_update_success	tests/integration/test_ai_support_api.py	PUT /api/v1/ai/support/settings	{ "autonomous_repl ies": true, "language_mode": "English", "legal_th reat_detection":...	{ "settings.sentimen t_threshold": 80, "status_code": 200}	{ "body": {"autonom ous_reply_guidanc e": "Autonomous mode is active.", "integrations...	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
S2-INT-003	test_support_analytics_and_execute_insight_success	tests/integration/test_ai_support_api.py	GET/POST /api/v1/ai/support/analytics*	{"insight_id": "escalation-spike", "range": "7D"}	{"analytics_status": 200, "execute_status": 200}	{"analytics_body": {"escalation_reasons": [{"count": 2, "label": "Legal risk", "pc...	PASS
S2-INT-004	test_support_settings_validation_error_422	tests/integration/test_ai_support_api.py	PUT /api/v1/ai/support/settings	{"autonomous_replies": true, "language_mode": "English", "legal_threat_detection": "...	{"detail_key": "detail", "status_code": 422}	{"body": {"detail": [{"ctx": {"le": 100}, "input": 101, "loc": [{"body", "sentiment...	PASS
S2-INT-005	test_damage_review_queue_success	tests/integration/test_damage_review_api.py	GET /api/v1/damage-reports	{"query": {"flow_type": "pickup_inspection", "status": "Reported"}}	{"first_id": "DMG-REF-1001", "status_code": 200}	{"body": {"customer": "Casey Customer", "description": "Box arrived damaged.", "f...	PASS
S2-INT-006	test_damage_review_submit_success	tests/integration/test_damage_review_api.py	POST /api/v1/damage-reports/{reference_code}/review	{"json": {"damage_severity": "LOW", "is_genuine": true, "new_status": "Claims Revi...	{"status": "Claims Reviewed", "status_code": 200}	{"body": {"customer": "Vendor Ops", "description": "Transit scratch report.", "flo...	PASS
S2-INT-007	test_damage_review_validation_error_422	tests/integration/test_damage_review_api.py	POST /api/v1/damage-reports/{reference_code}/review	{"json": {"new_status": 123, "path": {"reference_code": "DMG-REF-3001"}}}	{"detail_key": "detail", "status_code": 422}	{"body": {"detail": [{"input": 123, "loc": [{"body", "new_status"}], "msg": "Input s...	PASS
S2-INT-008	test_assignment_preview_success	tests/integration/test_dispatcher_order_intelligence_api.py	GET /api/v1/orders/assignment-preview	{"query": {"warehouse_id": "c915e814-d946-45f1-af5b-80be5ecaa8d2"}}	{"assignment_type": "selected", "status_code": 200}	{"body": {"assignment_type": "selected", "message": "Manual assignment ready", "wa...	PASS
S2-INT-009	test_ai_driver_suggestions_success	tests/integration/test_dispatcher_order_intelligence_api.py	GET /api/v1/orders/ai-driver-suggestions	{}	{"status_code": 200, "total": 1}	{"body": {"suggestions": [{"ai_powered": true, "confidence": 93, "delivery_addr": ...	PASS
S2-INT-010	test_return_suggestions_success	tests/integration/test_dispatcher_order_intelligence_api.py	GET /api/v1/orders/return-suggestions	{}	{"status_code": 200, "total": 1}	{"body": {"suggestions": [{"ai_powered": true, "delivered_minutes_ago": 30, "deliv...	PASS
S2-INT-011	test_optimize_routes_and_batch_assignment_success	tests/integration/test_dispatcher_order_intelligence_api.py	POST /api/v1/orders/optimize-routes + POST /api/v1/orders/batch-assign	{"batch": {"assignments": [{"driver_id": "ec2385fc-7332-465f-81b6-5347ed45ccb7", "...	{"batch_status": 200, "optimize_status": 200}	{"batch_body": [{"assigned_driver_id": "ec2385fc-7332-465f-81b6-5347ed45ccb7", "as...	PASS
TRK-INT-001	test_tracking_requirements_authentication	tests/integration/test_tracking_api.py	GET /api/v1/tracking/drivers	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated", "status_code": 401}	PASS
TRK-INT-002	test_tracking_active_drivers_success	tests/integration/test_tracking_api.py	GET /api/v1/tracking/drivers	{"authorization": "Bearer "}	{"driver_count": 1, "status_code": 200}	{"body": [{"driver_id": "e7dfa491-12c3-4ea7-89e8-37fa539f800b", "driver_name": "Dr...	PASS
TRK-INT-003	test_tracking_order_driver_success	tests/integration/test_tracking_api.py	GET /api/v1/tracking/orders/{order_id}/driver	{"path": {"order_id": "0c1c7454-0266-441d-9177-72f78f4f9b8b"}}	{"driver_name": "Driver Two", "status_code": 200}	{"body": {"driver_id": "9a9b03a7-92b2-40b5-9b57-732e9a572fe1", "driver_name": "Dri...	PASS
TRK-INT-004	test_tracking_order_driver_returns_null_when_unassigned	tests/integration/test_tracking_api.py	GET /api/v1/tracking/orders/{order_id}/driver	{"path": {"order_id": "f6bf5889-7e47-4b7e-945e-c7d03b0211d2"}}	{"body": null, "status_code": 200}	{"body": null, "status_code": 200}	PASS

Case	Test	File	Endpoint	Input	Expected	Actual	Status
WHOPS-C ON-001	test_inbound_overview_contract	tests/contract/test_warehouse_operations_contract.py	GET /api/v1/warehouses/{warehouse_id}/operations/inbound	{"warehouse_id": "11111111-1111-1111-1111-1111"}	{"required_keys": ["stats", "shipments", "dock_schedule"], "status_code": 200}	{"body": {"dock_schedule": [], "shipments": [], "stats": {"arrived_today": 1, "dam..."}}	PASS
WHOPS-C ON-002	test_loading_docks_contract	tests/contract/test_warehouse_operations_contract.py	GET /api/v1/warehouses/{warehouse_id}/operations/loading-docks	{"warehouse_id": "11111111-1111-1111-1111-1111"}	{"required_keys": ["items", "total"], "status_code": 200}	{"body": {"items": [], "total": 0}, "status_code": 200}	PASS
WHOPS-IN T-001	test_inbound_overview_success	tests/integration/test_warehouse_operations_api.py	GET /api/v1/warehouses/{warehouse_id}/operations/inbound	{"warehouse_id": "11111111-1111-1111-1111-1111"}	{"stats.in_transit": 3, "status_code": 200}	{"body": {"dock_schedule": [], "shipments": [], "stats": {"arrived_today": 2, "dam..."}}	PASS
WHOPS-IN T-002	test_schedule_inbound_success	tests/integration/test_warehouse_operations_api.py	POST /api/v1/warehouses/{warehouse_id}/operations/inbound/schedule	{"dock_preference": "Dock 2", "expected_qty": 120, "notes": "Handle pallets carefully..."}	{"message_contains": "QC-8800112233", "status_code": 201}	{"body": {"message": "Inbound delivery scheduled as QC-8800112233", "status_code": ...}}	PASS
WHOPS-IN T-003	test_inbound_overview_requires_authentication	tests/integration/test_warehouse_operations_api.py	GET /api/v1/warehouses/{warehouse_id}/operations/inbound	{"authorization": null}	{"detail": "Not authenticated", "status_code": 401}	{"body": {"detail": "Not authenticated", "status_code": 401}}	PASS
WHOPS-IN T-004	test_schedule_inbound_validation_error_422	tests/integration/test_warehouse_operations_api.py	POST /api/v1/warehouses/{warehouse_id}/operations/inbound/schedule	{}	{"error_key": "detail", "status_code": 422}	{"body": {"detail": [{"input": {}, "loc": ["body", "supplier_name"], "msg": "Field..."}}	PASS
WHOPS-IN T-005	test_loading_docks_success	tests/integration/test_warehouse_operations_api.py	GET /api/v1/warehouses/{warehouse_id}/operations/loading-docks	{"warehouse_id": "11111111-1111-1111-1111-1111"}	{"status_code": 200, "total": 0}	{"body": {"items": [], "total": 0}, "status_code": 200}	PASS

4. Mismatch and Historical Fixes

Mismatch rows highlight expected vs actual status differences discovered by either direct tests or probe validation.

Type	Case	Operation	Expected	Actual	Explanation
-	-	No mismatches found in current run.	-	-	Current operation matrix is fully aligned.

Historical fixes from this sprint

- FR-INT-003 payroll run: commit-capable DB override fixed mocked DB commit path in the integration flow.
- AI support flow tests: keyword-compatible monkeypatch signatures fixed router call mismatch.

5. Test File Inventory and Evidence Artifacts

#	Test File	Discovered Test Functions
1	tests/contract/test_ai_support_flows_contract.py	3
2	tests/contract/test_auth_contract.py	4
3	tests/contract/test_customer_vendor_contract.py	3
4	tests/contract/test_finance_rates_contract.py	3
5	tests/contract/test_logistics_tracking_contract.py	3
6	tests/contract/test_openapi_backend_parity_contract.py	1
7	tests/contract/test_orders_contract.py	4
8	tests/contract/test_public_endpoints_contract.py	3
9	tests/contract/test_sprint2_updates_contract.py	5
10	tests/contract/test_warehouse_operations_contract.py	3
11	tests/integration/test_ai_support_api.py	4
12	tests/integration/test_ai_support_flows_api.py	6
13	tests/integration/test_auth_api.py	10
14	tests/integration/test_customer_vendor_api.py	6
15	tests/integration/test_damage_review_api.py	3
16	tests/integration/test_dispatcher_order_intelligence_api.py	4
17	tests/integration/test_finance_rates_api.py	8
18	tests/integration/test_logistics_tracking_api.py	5
19	tests/integration/test_orders_api.py	10
20	tests/integration/test_tracking_api.py	4
21	tests/integration/test_warehouse_operations_api.py	5
22	tests/unit/schemas/test_ai_chat_request_unit.py	2
23	tests/unit/schemas/test_ai_escalate_request_unit.py	2
24	tests/unit/schemas/test_ai_support_settings_unit.py	3
25	tests/unit/schemas/test_auth_change_password_unit.py	2
26	tests/unit/schemas/test_auth_user_login_unit.py	2
27	tests/unit/schemas/test_auth_user_register_unit.py	2
28	tests/unit/schemas/test_auth_verify_otp_unit.py	2
29	tests/unit/schemas/test_customer_damage_review_update_unit.py	2
30	tests/unit/schemas/test_inventory_create_unit.py	2
31	tests/unit/schemas/test_inventory_movement_create_unit.py	2
32	tests/unit/schemas/test_inventory_restock_status_update_unit.py	2
33	tests/unit/schemas/test_logistics_ai_query_request_unit.py	2
34	tests/unit/schemas/test_logistics_driver_create_unit.py	2
35	tests/unit/schemas/test_logistics_vehicle_create_unit.py	2
36	tests/unit/schemas/test_orders_cancel_order_request_unit.py	2
37	tests/unit/schemas/test_orders_create_unit.py	2
38	tests/unit/schemas/test_orders_dispatcher_schemas_unit.py	3
39	tests/unit/schemas/test_orders_item_upsert_unit.py	2
40	tests/unit/schemas/test_users_assign_role_request_unit.py	2
41	tests/unit/schemas/test_users_user_admin_create_unit.py	2
42	tests/unit/schemas/test_wallet_payment_request_unit.py	2
43	tests/unit/schemas/test_warehouse_create_unit.py	2
44	tests/unit/schemas/test_warehouse_ops_assign_truck_request_unit.py	2
45	tests/unit/schemas/test_warehouse_ops_confirm_pick_item_request_unit.py	2
46	tests/unit/schemas/test_warehouse_ops_zone_metrics_create_unit.py	2
47	tests/unit/schemas_bulk/test_ai_chat_request_bulk_unit.py	2
48	tests/unit/schemas_bulk/test_ai_escalate_request_bulk_unit.py	2

#	Test File	Discovered Test Functions
49	tests/unit/schemas_bulk/test_auth_change_password_bulk_unit.py	2
50	tests/unit/schemas_bulk/test_auth_user_login_bulk_unit.py	2
51	tests/unit/schemas_bulk/test_auth_user_register_bulk_unit.py	2
52	tests/unit/schemas_bulk/test_auth_verify_otp_bulk_unit.py	2
53	tests/unit/schemas_bulk/test_inventory_create_bulk_unit.py	2
54	tests/unit/schemas_bulk/test_inventory_movement_create_bulk_unit.py	2
55	tests/unit/schemas_bulk/test_inventory_restock_status_bulk_unit.py	2
56	tests/unit/schemas_bulk/test_logistics_ai_query_bulk_unit.py	2
57	tests/unit/schemas_bulk/test_logistics_driver_create_bulk_unit.py	2
58	tests/unit/schemas_bulk/test_logistics_vehicle_create_bulk_unit.py	2
59	tests/unit/schemas_bulk/test_orders_cancel_request_bulk_unit.py	2
60	tests/unit/schemas_bulk/test_orders_create_bulk_unit.py	2
61	tests/unit/schemas_bulk/test_orders_item_upsert_bulk_unit.py	2
62	tests/unit/schemas_bulk/test_users_admin_create_bulk_unit.py	2
63	tests/unit/schemas_bulk/test_users_assign_role_bulk_unit.py	2
64	tests/unit/schemas_bulk/test_wallet_payment_request_bulk_unit.py	2
65	tests/unit/schemas_bulk/test_warehouse_create_bulk_unit.py	2
66	tests/unit/schemas_bulk/test_warehouse_ops_assign_truck_bulk_unit.py	2
67	tests/unit/schemas_bulk/test_warehouse_ops_confirm_pick_bulk_unit.py	2
68	tests/unit/schemas_bulk/test_warehouse_ops_zone_metrics_bulk_unit.py	2
69	tests/unit/services/test_ai_support_service_helpers_unit.py	19
70	tests/unit/services/test_auth_service_unit.py	9
71	tests/unit/services/test_customer_service_unit.py	14
72	tests/unit/services/test_dispatch_ai_service_unit.py	6
73	tests/unit/services/test_inventory_service_unit.py	10
74	tests/unit/services/test_logistics_service_helpers_unit.py	14
75	tests/unit/services/test_orders_service_helpers_unit.py	20
76	tests/unit/services/test_vendor_service_unit.py	18
77	tests/unit/services/test_warehouse_operations_service_unit.py	19
78	tests/unit/test_data_builders.py	6

Terminal evidence artifacts

Artifact	Purpose
tests/reports/screenshots/phase_d/01_finance_rates_targeted.txt	Finance and rates targeted run output
tests/reports/screenshots/phase_d/02_warehouse_ops_targeted.txt	Warehouse operations targeted run output
tests/reports/screenshots/phase_d/03_logistics_tracking_targeted.txt	Logistics and tracking targeted run output
tests/reports/screenshots/phase_d/04_ai_support_flows_targeted.txt	AI support flows targeted run output
tests/reports/screenshots/phase_d/05_full_suite_regression.txt	Full suite regression output