
26 Jan 2023 More with C.SS Assignment RANKA-D what is padding and margin and when do you use them? surround an element, a space is created using the US margin attributes, you have complete control over the element can have its margin set using attributes (TDP night; bottom and left). Property of Function CSS Margio This property is used to declared Maryin all the properties in a single declaration Margin-left the is used to speify the left, Margin- sight spelfy the right margin of an ela sperify the top margin of a element Margin-top Maszin-Lottom Speify the bottom margin of a clem



	DATE
(\Ç)	Padalina
1	Padding:— Properties are used to generate space around an element; content inside of any defined Lorders.
	generate space around an element's
	land inside of any defined
S. E	Tolders.
	Similar of a support polysing it
	Similar to margin, CSS has properties you specifying the padding for pack side in
	the padding for each side by an element,
1	Padding - Top
11	padding - left
	padeling - right
	padding - right Padding - bottom
G G	
	All the padding. properties can have
	the following ralues:
	length - Speifies a padding in PX, Pt, CM etc
	PX pt cm cfr
6	1/0 - Specifies a padding in 1/2 of the
	leidth of the containing elevent
A	Lette Wirthus Up chements as See
53	inherit - specifies that the paololing should be
121	inherit - specifies that the padeling should be inherited from the parent element
-	speck faline level - pioch Chadeha
-	Marth. E week to aligned at some
	and the state of the water
4	lessed the way wed to designer our cleared and
	The state of the s
·	
1	

	•	PAGE	
2.	what	is desplay property and explain	
· wien	display	is display property and explain	
		The Id I'ven Janiar'	
		2 3 treat	
フ	The de	splay property specifies the display of the type of renderings	
464:72d	behaviou	The type of rendering)	
1 - A - 3 C	09 a	n element.	
	0	The State of the s	
<u> </u>	The dy	olay property in CSS defines how the	
	Compon	ents (dir, hyperlink, heading etc)	411
To produce the second	are go	ing to be placed on the wel	al T
- CALL	page.	- 100150d - शेर्डी 7150 ·	
	0 000		A M
3	nr Sy	ndad to gaily on the HA	4
-		display ? rable;	4
		U .	
	M 2017	2004 1 COMP 1443 - Head	
2/2	value		
34-1	inline	this used to display an clement as an	
Melecal	11001	intine element.	- Fall
	block	displays an element as a block	100
Sten 1	0 13000	The west desides as also as a	A SE
- Leman	inline-	Et is used display on element as an Poline-level block Container.	Y
		It is used to display an element as	
	1	a block-level flex confainer.	
	bird	It is used to display on element as	
<u> </u>	01819	a stock-level grid	13.2
_			
_			
	1		
	Him to Park		1



(a)	PAGE S
	Zaline: - This property is the default of
	the clir inline in this is used to place
•	the cliv inline in horizontal manner.
-5	and display property ignores the field.
	and width set by the user.
	Rioci
	Block - This property is used as the default
	the die very of dir. This property places
9	The loigh after another vertically
5	Changed wind width of the dir can be
	the dir one after another vertically. The height and width of the dir can be changed using the shock property
	Inline - block - The Is-land
D	Inline-block-This features used the both
-	and introne, so, this property alingns
\$	The are set the 1.10. U
	the desaff
	the well of block.
70	U
9 0	The second secon
3	Explain min-height, min-width, max-height and max-width Ph CSS.
	and max-width Ph Cas.
-	
→	
	And the second s
3	