

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Dot .Net Core and Progressive Web Application Practical

Practical – VIII

Roll No.: T028	Name: Akash Negi
Class: TYIT	Batch: 1
Date of Assignment: 06-08-2026	Date/Time of Submission: 06-08-2026

a. Create an HTML page that would be the starting point of the application. This HTML will contain a link to the file named manifest.json. This is an important file that would be created in the next step.

Code:

Index.cshtml

```
<h2> Student Record</h2>
<button onclick="loadStudent()">Load Student</button>
<p id="data"></p>
<script>
    function loadStudent(){
        fetch("/api/student")
        .then(response => response.json())
        .then(student =>{
            document.getElementById("data").innerHTML =
                "Roll No : "+student.rollNo+
                "<br>Name: "+student.name;



        });
    }
</script>
```

Manifest.json

```
{
  "name": "Student PWA",
  "short_name": "Student",
  "start_url": "/",
  "display": "standalone"
}
```

_Layout.cshtml

```
<link rel="manifest" href="/Manifest.json">
```

Output:

b. Create a simple Web API that returns Student data in JSON format.

Code:

Students.cs

```
namespace Practicl_8_A.Models
```

```
{
    public class Student
    {
        public int RollNo { get; set; }
        public string Name { get; set; }
    }
}
```

StudentController.cs

```
using Microsoft.AspNetCore.Http;
using Microsoft.AspNetCore.Mvc;
```


```
namespace Practicl_8_A.Controllers
{
    [Route("api/[controller]")]
    [ApiController]
    public class StudentController : ControllerBase
    {
        [HttpGet]
        public IActionResult Get()
        {
            return Ok(new
            {
                RollNo = 28,
                Name = "Akash"
            });
        }
    }
}
```

Index.cshtml

```
<h2> Student Record</h2>
<button onclick="loadStudent()">Load Student</button>
<p id="data"></p>
<script>
    function loadStudent(){
        fetch("/api/student")
        .then(response => response.json())
        .then(student =>{
            document.getElementById("data").innerHTML =
                "Roll No : "+student.rollNo+
                "<br>Name: "+student.name;

        });
    }
</script>
```

Output:



Practicl_8_A Home Privacy

Student Record

Load Student

Roll No : 28

Name: Akash