Example 1: *Weather Forecast of Pune City for Last 2 Weeks (14 Days)*

example1.dat | example2.dat | example3.dat | example4.dat

File Edit View

```
1 40
2 40
3 40
4 39
5 39
6 39
7 39
8 38
9 38
10 31
11 36
12 37
13 38
14 37
```

```
gnuplot> cd 'C:\Users\singh\OneDrive\Desktop\CL Assignments\Assignment10'
gnuplot> set xrange [1:14]
gnuplot> set yrange [25:45]
gnuplot> set xlabel "Days"
gnuplot> set ylabel "Maximum Temperature"
gnuplot> plot "example1.dat" linetype 16 linecolor 7 with linespoints
gnuplot>
```



Example 2: *Dollar to Rupee Conversion Data for the Last Month*

example1.dat | example2.dat | example3.dat | example4.dat

File Edit View

```
1 83.296
2 83.42
3 83.424
4 83.512
5 83.494
6 83.544
7 83.547
8 83.527
9 83.457
10 83.463
11 83.475
12 83.499
13 83.372
14 83.716
15 83.338
16 83.457
17 83.42
18 83.451
19 83.433
20 83.406
21 84.395
22 83.261
23 83.352
24 83.334
25 83.268
26 83.427
27 83.37
28 83.37
29 83.417
30 83.516
```

```
gnuplot> cd 'C:\Users\singh\OneDrive\Desktop\CL Assignments\Assignment10'
gnuplot> set xrange[1:30]
gnuplot> set yrange[82:85]
gnuplot> set xlabel "Days"
gnuplot> set ylabel "USD to INR Conversion Rate"
gnuplot> plot "example2.dat" linetype 16 linecolor 9 with linespoints
gnuplot>
```



Example 3: *Stock Prediction Data for Next Two Weeks (14 Days)*

example1.dat | example2.dat | example3.dat | example4.dat

File Edit View

```
1 2120
2 2340
3 2450
4 2890
5 2600
6 2650
7 2790
8 2960
9 3190
10 3580
11 3330
12 3220
13 3980
14 4220
```

```
gnuplot> cd 'C:\Users\singh\OneDrive\Desktop\CL Assignments\Assignment10'
gnuplot> set xrange [1:14]
gnuplot> set yrange [2000:4500]
gnuplot> set xlabel "Days"
gnuplot> set ylabel "Stock Value"
gnuplot> plot "example3.dat" linetype 16 linecolor 13 with linespoints
gnuplot>
```



Example 4: *Sales Forecast of Water Heater for 12 Months (1 Year)*

example1.dat | example2.dat | example3.dat | example4.dat

File Edit View

```
1 2983
2 3810
3 1202
4 1294
5 3022
6 3309
7 2719
8 3102
9 2866
10 2567
11 1399
12 3124
```

```
gnuplot> cd 'C:\Users\singh\OneDrive\Desktop\CL Assignments\Assignment10'
gnuplot> set xrange [1:12]
gnuplot> set yrange [1000:4000]
gnuplot> set xlabel "Month"
gnuplot> set ylabel "Sale Price (Predicted)"
gnuplot> plot "example4.dat" linetype 16 linecolor 15 with linespoints
gnuplot>
```