

## **Inventory Data Warehouse**

The Inventory Data Warehouse provides data to answer business intelligence questions about inventory transaction cycles.

This document provides background on inventory transaction concepts, details about the snowflake schema to support inventory transaction cycles, and a data dictionary about the table design for the data warehouse. You will use the Inventory Data Warehouse for Homework 1 and Homework 2.

The course website contains SQL statements to create and populate the Inventory Data Warehouse tables for Oracle.

When using Oracle for the assignment in HW 1 you need to create a sequence. The Oracle CREATE SEQUENCE statement is contained in the document with Oracle CREATE TABLE statements.

### **1. Inventory Transaction Cycles**

Inventory that is bought, sold, consumed, and produced is the heart of any manufacturing and/or distribution company. Inventory transactions are frequent and commonplace. The volume and significance of inventory transactions make them important in a data warehouse design.

Because inventory management is a common and important yet difficult activity in many organizations, ERP vendors have developed Enterprise Resource Management (ERP) software to provide software support. Typically, ERP software provides modules related to Manufacturing, Distribution/Logistics, Financials, and HR/Payroll. Inventory is at the heart of the Manufacturing and Distribution/Logistics modules. The work order, sales, and purchase life cycles affect the perpetual inventory balance as shown in the figure below. In addition, inventory transactions including adjustments, transfers, issues, and reclassifications affect the perpetual inventory balance.




Figure 1: Life Cycles Affecting the Perpetual Inventory Balance

## 2. Snowflake Schema Description

To support reporting about inventory management, Figure 2 shows a snowflake schema for the perpetual inventory balance. The snowflake schema provides a template that can be customized to individual organizations. Dimension entity types such as Addr\_Cat\_Code1 allow an organization to customize the design to specific requirements. The fact entity type, Inventory\_Fact, contains several measures along with relationships to associated dimension entity types. Several dimension entity types are related directly to the Inventory\_Fact entity type. Other dimension entity types such as Item\_Cat\_Code1 are indirectly related to the Inventory\_Fact entity type.

The ERD representation of the snowflake schema is converted to a table design using the normal conversion rules. In the conversion process, 1-M relationships convert to foreign keys in the child tables. Appendix A contains a data dictionary for the table design.




Figure 2: Generic Snowflake Schema for the Perpetual Inventory Balance

## **Appendix A:**

Data Dictionary for the Snowflake Schema Table Design: contains a brief description of each column in the tables of the Inventory Data Warehouse Schema. A number of columns are based on the Oracle OneWorld product specifications.

### 1. Address Category 1 Table (addr\_cat\_code1)

This table defines address category codes related to customers/vendors. These codes allow customers/vendors to be group. Example grouping might be customer type, customer area, etc.

AddrCatCodeKey	Unique primary key value
AddrCatCodeId	Four character category code
AddrCatDesc	Thirty character category code description

### 2. Address Category 2 Table (addr\_cat\_code2)

This table defines address category codes related to customers/vendors. These codes allow customers/vendors to be group. Example grouping might be customer type, customer area, etc.

AddrCatCodeKey	Unique primary key value
AddrCatCodeId	Four character category code
AddrCatDesc	Thirty character category code description

### 3. Item Category 1 Table (item\_cat\_code1)

This table defines item master category codes related to item masters (parts) These codes allow part numbers to be group. Example grouping might be product class, spare part, finish good, etc.

ItemCatCodeKey	Unique primary key value
ItemCatCodeId	Four character category code
ItemCatDesc	Thirty character category code description

### 4. Item Category 2 Table (item\_cat\_code2)

This table defines item master category codes related to item masters (parts) These codes allow part numbers to be group. Example grouping might be product class, spare part, finish good, etc.

ItemCatCodeKey	Unique primary key value
ItemCatCodeId	Four character category code
ItemCatDesc	Thirty character category code description

## 5. Zip Codes Table (zip\_codes)

This table provides the basis to create many unique customer records for a variety with a variety of zip codes.

ZipKey	Primary Key, user defined.
ZipCity	City related to zip code
ZipState	State related to zip code
ZipZip	Zip Code
ZipConsec	The zip code plus this number define the range of zip codes for this city
ZipWeight	The weight (percentage * 100) that will be applied to creating customers. All ZipWeight columns totaled should equal 100.

## 6. Date Sequence Table (date\_dim)

This table provides the date pattern. Date patterns can be daily, five days per week, weekly or monthly.

DateKey	Unique primary key value
DateJulian	Julian date in the form of YYYYDDD. Where YYYY is the year and DDD is the sequential date.
CalDay	Calendar day from 1 to 31.
CalMonth	Calendar month from 1 to 12
CalQuarter	Calendar quarter from 1 to 4
CalYear	Calendar year valid for ranges from 1900 to 2100
DayOfWeek	Day of the week, 1 to 7, 1 is Sunday, 2 is Monday, etc
FiscalYear	Corresponding Fiscal Year
FiscalPeriod	Corresponding Fiscal Period

## 7. Transaction Type Table (trans\_type\_dim)

This table defines the various types of inventory transactions. Examples include transfers, adjustments, shipments, receipts, etc. Some of the codes may not be used in the sample data for the trans\_type\_dim table.

TransTypeKey Primary Key, coded to the following values.

TransTypeid =1 then inventory adjustment (IA)

TransTypeid =2 then inventory transfer (IT)

TransTypeid =3 then inventory simple issue (IS)

TransTypeid =4 then purchase order receipt (OV)

TransTypeid =5 then sales order shipment (AR)

TransTypeid =6 then mfg issue (IM)

TransTypeid =7 then mfg completion (IC)

TransTypeid =8 then mfg parent scrap (IS)

TransTypeid =9 then mfg component scrap (IZ)

TransTypeCodeid Corresponding One World cardex code, an example is IA for an adjustment.

TransDescription Transaction Type Description

## 8. Customer Vendor Table (cust\_vendor\_dim)

This table defines possible customers and vendors involved with related sales and purchasing related transactions.

CustVendorKey	Unique primary key value
AddrBookId	One World related address book number
Name	Customer Name
Address	Address
City	
State	
PrimZip	Integer form of the zip code
Zip	Zip code that could be in various forms (nnnnn, nnnnn-nnnn, etc)
Country	Country
AddrCatCode1	OneWorld related Category code, foreign key to the address category code 1
AddrCatCode2	OneWorld related Category code, foreign key to the address category code 2

#### 9. Item Master Table (item\_master\_dim)

This table defines item masters (ie part numbers).

ItemMasterKey	Unique primary key value
ShortItemId	OneWorld related short item id
SecondItemId	OneWorld related 2nd item number
ThirdItemId	OneWorld related 3rd item number
ItemCatCode1	OneWorld related category code, foreign key to the item category code1 table
ItemCatCode2	OneWorld related category code, foreign key to the item category code2 table
ItemDesc	OneWorld related item master description
UOM	OneWorld related primary unit of measure

#### 10. Company Table (company\_dim)

This table contains company records including the base currency.

CompanyKey	Unique primary key value
CompanyId	OneWorld related 5 character company id
CompanyName	OneWorld related company name
CurrencyCode	OneWorld related currency code
CurrencyDesc	OneWorld related currency description

#### 11. Branch Plant Table (branch\_plant\_dim)

This table contains the Branch Plant information.

BranchPlantKey	Unique primary key value
BranchPlantId	JDE related Branch Plant Id (12 character MCU)
CompanyKey	Owning company for this branch, foreign key to Company table.
CarryingCost	Carrying Cost percentage defined as a decimal
CostMethod	OneWorld related Cost Method.
BPName	OneWorld related Branch Plant Name

## 12. Inventory Transaction Fact Table (inventory\_fact)

This table contains the inventory transactions facts. Integer keys are used to help limit the size of the rows. The measures are unit cost, quantity, and extended cost. InventoryKey is generated by an Oracle sequence object (inventory\_seq) in the data integration assignment in module 5 of course 2. For the MySQL assignment in module 5, InventoryKey has an auto increment data type.

InventoryKey	Unique primary key value
BranchPlantKey	Transaction Branch, Foreign key to the branch plant table
DateKey	Transaction Date, foreign key to the date table
ItemMasterKey	Transaction Part Number, foreign key to the item master table
TransTypeKey	Transaction Type, foreign key to the transaction type table
CustVendorKey	Optional address book key that is a foreign key to the customer vendor table. This column allows null values. The column is not null only on sales and purchasing transactions.
UnitCost	Unit cost with up to 4 decimals of precision
Quantity	Quantity with up to 4 decimals of precision
ExtCost	Extended Cost with up to 2 decimals of precision