
File Edit Selection View Go Run Terminal Help
passop
EXPLORER
PASSOP
.vscode
launch.json
node_modules
public
src
assets
components
Manager.jsx
Navbar.jsx
react.svg
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
OUTLINE
TIMELINE
vite.config.js
main.jsx
App.css
tailwind.config.js
package.json
README.md
index.css
eslint.config.js
Navbar.jsx
vite.config.js > ...
import { defineConfig } from 'vite'
import tailwindcss from '@tailwindcss/vite'
export default defineConfig({
plugins: [
tailwindcss(),
],
})
Launchpad
Cloud Code - Sign in
Kodezi
Compile Hero: Off
Ln 1, Col 1
Spaces: 2
UTF-8
LF
Babel JavaScript
CodeMate
Go Live
Ninja
Prettier+
Prettier
Finance headline
India reported 1...
Search
ENG
IN
2:50 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

App.css | tailwind.config.js | package.json | README.md | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6 | index.html

tailwind.config.js > default

```
/** @type {import('tailwindcss').Config} */
export default {
  content: [
    "./index.html",
    "./src/**/*{js,ts,jsx,tsx}",
  ],
  theme:{
    extend: {}
  },
  plugins:[],
}
```

OUTLINE

TIMELINE

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Compile Hero: Off | Ln 11, Col 2 | Spaces: 2 | UTF-8 | LF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:50 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
    - components
      - Manager.jsx 6
      - Navbar.jsx
    - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

OUTLINE

TIMELINE

app.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6 | index.html | package-lock.json

package-lock.json > {} packages > {} "" > {} devDependencies

```
6     "packages": {
82      "node_modules/@babel/core": {
83        "version": "7.26.9",
84        "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.26.9.tgz",
85        "integrity": "sha512-lWBYIrF7qK5+GjY5Uy+/hEgp8OJWOD/rpy74GplYRhEauvbHDeFB8t5hPOZxCZ0Oxf4Cc36tK51/l
86        "dev": true,
87        "license": "MIT",
88        "dependencies": {
89          "@ampproject/remapping": "^2.2.0",
90          "@babel/code-frame": "^7.26.2",
91          "@babel/generator": "^7.26.9",
92          "@babel/helper-compilation-targets": "^7.26.5",
93          "@babel/helper-module-transforms": "^7.26.0",
94          "@babel/helpers": "^7.26.9",
95          "@babel/parser": "^7.26.9",
96          "@babel/template": "^7.26.9",
97          "@babel/traverse": "^7.26.9",
98          "@babel/types": "^7.26.9",
99          "convert-source-map": "^2.0.0",
100         "debug": "^4.1.0",
101         "gensync": "^1.0.0-beta.2",
102         "json5": "^2.2.3",
103         "semver": "^6.3.1"
104       },
105       "engines": {
106         "node": ">=6.9.0"
107       },
108       "funding": {
109         "type": "opencollective",
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 16, Col 33 | Spaces: 2 | UTF-8 | LF | JSON | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:49 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
  - .gitignore
  - eslint.config.js
  - index.html
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
  - tailwind.config.js
  - vite.config.js

OUTLINE

TIMELINE

app.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6 | index.html | package-lock.json

package-lock.json > {} packages > {} "" > {} devDependencies

```
6     "packages": {
43      "node_modules/@ampproject/remapping": {
55        }
56      },
57      "node_modules/@babel/code-frame": {
58        "version": "7.26.2",
59        "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.26.2.tgz",
60        "integrity": "sha512-RJlIHRueQgwWitWgF8OdFYGZX328Ax5BCemNGlqHfplnRT9ESi8JkFlvaVYbS+UubVY6dpv87Fs2u
61        "dev": true,
62        "license": "MIT",
63        "dependencies": {
64          "@babel/helper-validator-identifier": "^7.25.9",
65          "js-tokens": "^4.0.0",
66          "picocolors": "^1.0.0"
67        },
68        "engines": {
69          "node": ">=6.9.0"
70        }
71      },
72      "node_modules/@babel/compat-data": {
73        "version": "7.26.8",
74        "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.26.8.tgz",
75        "integrity": "sha512-oH5UPLMWR3L2wEFLnFJ1TZXqHufiTKAiLfqw5zkhS4dKXLJ10yVztfil/twG8EDTA4F/tvVNw9nOl
76        "dev": true,
77        "license": "MIT",
78        "engines": {
79          "node": ">=6.9.0"
80        }
81      },
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 16, Col 33 | Spaces: 2 | UTF-8 | LF | JSON | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:49 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
  - .gitignore
  - eslint.config.js
  - index.html
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
  - tailwind.config.js
  - vite.config.js

OUTLINE

TIMELINE

pp.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6 | index.html | package-lock.json

package-lock.json > {} packages > {} "" > {} devDependencies


```
{
  "name": "package.json",
  "version": "0.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "package.json",
      "version": "0.0.0",
      "dependencies": {
        "@tailwindcss/vite": "^4.0.9",
        "react": "^19.0.0",
        "react-dom": "^19.0.0"
      },
      "devDependencies": {
        "@eslint/js": "^9.21.0",
        "@types/react": "^19.0.10",
        "@types/react-dom": "^19.0.4",
        "@vitejs/plugin-react": "^4.3.4",
        "autoprefixer": "^10.4.20",
        "eslint": "^9.21.0",
        "eslint-plugin-react-hooks": "^5.1.0",
        "eslint-plugin-react-refresh": "^0.4.19",
        "globals": "^15.15.0",
        "postcss": "^8.5.3",
        "tailwindcss": "^3.4.17",
        "vite": "^6.2.0"
      }
    },
```


Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 16, Col 33 | Spaces: 2 | UTF-8 | LF | JSON | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:49 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
    - components
      - Manager.jsx 6
    - Navbar.jsx
    - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

OUTLINE

TIMELINE

App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | react.svg | Manager.jsx 6 | index.html

index.html > html > body > script

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <link rel="icon" type="image/svg+xml" href="/vite.svg" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Vite + React</title>
  </head>
  <body>
    <div id="root"></div>
    <script src=" https://cdn.lordicon.com/lordicon.js"></script>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 11, Col 57 | Spaces: 2 | UTF-8 | LF | HTML | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:48 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
  - .gitignore
  - eslint.config.js
  - index.html
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
  - tailwind.config.js
  - vite.config.js

OUTLINE

TIMELINE

App.jsx | vite.config.js | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx

src > App.jsx > ...

```jsx
//import {useState} from 'react'
import './App.css'
import Navbar from '/.components/Navbar'
import Manager from '/.componrnts/Manager'

Zencoder | CodeMate
function App() {

  return (
    <>
      <Navbar/>
      <Manager/>
    </>
  )
}

export default App
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 17, Col 1 | Spaces: 2 | UTF-8 | LF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Top Stories
'Pune rape accus...

Search

ENG IN

2:48 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
    - components
      - Manager.jsx 6
      - Navbar.jsx
    - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

OUTLINE

TIMELINE

ge-lock.json | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6

src > assets > components > Manager.jsx > Manager

```
3   const Manager = () => {
22      border border-green-500 w-full p-4 py-1' type="text" name="" id="" />
23      <div className = 'relative'>
24      <input placeholder="Enter Password" className ='rounded-full
25      border border-green-500 w-full p-4 py-1' type="text" name="" id="" />
26      <span className ='absolute right -0'>
27      show
28      </span>
29
30
31
32      </div>
33      <button className = 'flex text-white justify-center items-center gap-2 bg-green-600
34      hover:bg-green-500 rounded-full px-8 py-2 w-fit border-1 border-green-900'>
35      <lord-icon
36      src="https://cdn.lordicon.com/jgnvfzqg.json"
37      trigger="hover">
38
39      </lord-icon>
40     Add Password</button>
41      </div>
42
43
44      </div>
45      </>
46     )
47  }
48
49  export default Manager
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 34, Col 23 | Spaces: 2 | UTF-8 | CRLF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Top Stories 'Pune rape accus...

Search

ENG IN 2:47 PM 1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
  - .gitignore
  - eslint.config.js
  - index.html
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
  - tailwind.config.js
  - vite.config.js

OUTLINE

TIMELINE

App.jsx | vite.config.js | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx

eslint.config.js > default

```
import js from '@eslint/js'
import globals from 'globals'
import reactHooks from 'eslint-plugin-react-hooks'
import reactRefresh from 'eslint-plugin-react-refresh'

export default [
  { ignores: ['dist'] },
  {
    files: ['**/*.{js,jsx}'],
    languageOptions: {
      ecmaVersion: 2020,
      globals: globals.browser,
      parserOptions: {
        ecmaVersion: 'latest',
        ecmaFeatures: { jsx: true },
        sourceType: 'module',
      },
    },
    plugins: {
      'react-hooks': reactHooks,
      'react-refresh': reactRefresh,
    },
    rules: {
      ...js.configs.recommended.rules,
      ...reactHooks.configs.recommended.rules,
      'no-unused-vars': ['error', { varsIgnorePattern: '^[A-Z_]' }],
      'react-refresh/only-export-components': [
        'warn',
        { allowConstantExport: true },
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Compile Hero: Off | Ln 14, Col 31 | Spaces: 2 | UTF-8 | LF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:48 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
  - components
    - Manager.jsx 6
    - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

OUTLINE

TIMELINE

App.jsx | vite.config.js | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx

src > main.jsx

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import './index.css'
import App from './App.jsx'


createRoot(document.getElementById('root')).render(
  <StrictMode>
    <App />
  </StrictMode>,
)

```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 5, Col 1 | Spaces: 2 | UTF-8 | LF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Finance headline
India reported 1...

Search

ENG IN

2:48 PM
1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
    - components
      - Manager.jsx 6
    - Navbar.jsx
    - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
- .gitignore
- eslint.config.js
- index.html
- package-lock.json
- package.json
- postcss.config.js
- README.md
- tailwind.config.js
- vite.config.js

OUTLINE

TIMELINE

App.jsx | vite.config.js | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx

src > index.css

```
@tailwind base;
@tailwind components;
@tailwind utilities;

@layer components {
    .myContainer{
        @apply container px40 py-16 mx-auto;

    }
}
```

Launchpad ⊗ 6 ⚠ 0 Cloud Code - Sign in Kodezi Ln 7, Col 44 Spaces: 4 UTF-8 LF PostCSS CodeMate Go Live Ninja Prettier+ Prettier

Finance headline
India reported 1...

Search

ENG IN 2:48 PM 1/03/2025

File Edit Selection View Go Run Terminal Help

passop

EXPLORER

PASSOP

- .vscode
  - launch.json
- node_modules
- public
- src
  - assets
    - components
      - Manager.jsx 6
      - Navbar.jsx
  - react.svg
  - App.css
  - App.jsx
  - index.css
  - main.jsx
  - .gitignore
  - eslint.config.js
  - index.html
  - package-lock.json
  - package.json
  - postcss.config.js
  - README.md
  - tailwind.config.js
  - vite.config.js

OUTLINE

TIMELINE

ge-lock.json | main.jsx | App.css | tailwind.config.js | package.json | index.css | eslint.config.js | Navbar.jsx | Manager.jsx 6

src > assets > components > Navbar.jsx > Navbar

```jsx
import React from 'react'

const Navbar = () => {
  return (
    <nav className = 'bg-slate-800 text-white'>
    <div className ="myContainer flex justify-between items-center px-4 h-14">

    <div className = "logo font-bold text-white text-2x1">
    <span className= 'text-green-700'>&lt;</span>
    <span>Pass</span>
    <span className ='text-green-700'>OP/&gt;</span>

    </div>
    <ul>
        <li className= 'flex gap-4'>
            <a className= 'hover:font-bold' href = '/'>Home</a>
            <a className= 'hover:font-bold' href = '#'>About</a>
            <a className= 'hover:font-bold' href = '#'>Contact</a>
        </li>
    </ul>
    </div>

    </nav>
  )
}

export default Navbar
```

Launchpad | 6 0 | Cloud Code - Sign in | Kodezi | Ln 11, Col 53 | Spaces: 2 | UTF-8 | CRLF | Babel JavaScript | CodeMate | Go Live | Ninja | Prettier+ | Prettier

Top Stories
'Pune rape accus...

Search

ENG IN

2:48 PM
1/03/2025