SIMPLEX · BETALBATIM PUB · KITCHEN

Bill of quantities (BOQ)

90 priced lines in 8 trades, numbered A.01 to H.06, taken from the model and the two A3 sheets. Each line gives the item or appliance type, its size (W × D × H in mm), and its capacity or rating. Suppliers fill the rate, make and model; the Excel file multiplies and totals. Quantities marked “measure on site” are estimates for pricing. Concept drawings for briefing suppliers, not construction drawings.

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
A	**Stainless steel fabrication (SS 304 throughout)** Worktops 1.2 mm or thicker, bodies 1.0 mm, legs 38 mm tube, welded and polished joints, adjustable feet. Supplier confirms or corrects the gauges.							
A.01	**Non-veg prep bench**	800 × 650 × 900	Open undershelf for the board rack, 100 mm back upstand	nos	1			Sheet 1
A.02	**Dumpling and veg prep bench**	800 × 650 × 900	Top over the under-counter freezer (B.07); two wall shelves over	nos	1			Sheet 1
A.03	**Pass counter**	650 × 650 × 900	Heat-lamp bracket; hatch ledge 700 mm through the wall	nos	1			Sheet 1
A.04	**Dish sink, 2 bowls**	800 × 650 × 900	Pre-rinse spray bracket, undershelf, legs	nos	1			Sheet 1
A.05	**Wall shelf over the dish line**	1,400 × 350	One plain, one slatted for bamboo steamer baskets	nos	2			Sheet 1
A.06	**Veg and herb wash sink**	450 × 500 × 900	Single bowl, legs, undershelf	nos	1			Sheet 1
A.07	**Sauce and oil wall shelf**	900 × 300	Back-up stock, fixed at 1.45 m	nos	1			Sheet 1
A.08	**Wok seasoning rail**	440 × 220	At 1.0 m; 8 lidded pots and a rack for 8 squeeze bottles	set	1			Sheet 1
A.09	**Wok tool rail**	470 long	At 1.4 m with 4 hooks	nos	1			Sheet 1
A.10	**Chilled mise-en-place rail**	760 × 260 × 220	Counter-top unit for 5 pans	nos	1			Sheet 1
A.11	**Dip and garnish rail**	650 × 120	5 inserts, on the pass	nos	1			Sheet 1
A.12	**Ticket rail**	650 long	Above the pass hatch	nos	1			Sheet 1
A.13	**Magnetic knife strip**	400 long		nos	2			Sheet 1
A.14	**Cutting-board rack**	280 × 420 × 420	Slots for 4 colour-coded boards, under the non-veg bench	nos	1			Sheet 1
A.15	**Floor channel drain**	3,150 × 80	SS grating, falls to the grease trap	m	3.15			Sheet 1

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
A.16	**Canopy hood**	3,350 × 950 × 550	Bottom edge at 2.05 m; baffle filters, grease cup, LED lights; overhang 0.20 m at the open end, 0.15 m over the wok range	nos	1			Sheet 2
A.17	**Exhaust ductwork**	400 × 400 section	SS at 2.35 to 2.75 m: hood collar, wall penetration, along the back wall, round the corner, to the ESP, fan and discharge; brackets, bends and access doors	m	5			Sheet 2 · measure on site
A.18	**Discharge elbow**	400 × 400 section	About 2.6 m high, pointing away from the building; bird mesh and rain cowl	nos	1			Sheet 2
A.19	**Storage deck racking**	450 × 2,050 · 1,900 × 450 · 800 × 450	SS or galvanised, 3 tiers, one rack of each size	nos	3			Model
A.20	**Ceiling hatch frame with fold-down ladder**	600 × 800 opening	For light goods; heavy stock goes on the hoist (B.21)	nos	1			Sheet 1
B	**Cooking, cold and kitchen equipment (branded)** State make and model, kW or litres, and who services it in Goa. Sizes are the space available; do not quote a wider unit.							
B.01	**Chinese wok range, 2 burners**	1,200 × 800 × 800	LPG; state burner kW. 750 to 900 mm deep is acceptable (aisle is 0.95 m at the range)	nos	1			Sheet 1
B.02	**Dim sum steamer, 2 holes**	600 × 700 × 800	LPG; with water top-up	nos	1			Sheet 1
B.03	**Twin-tank fryer**	600 × 700 × 900	LPG; two tanks (veg and non-veg oil)	nos	1			Sheet 1
B.04	**Stock range, 2 burners**	600 × 700 × 850	LPG; for 20 L stock pots	nos	1			Sheet 1
B.05	**Reach-in, 2 doors, dual temperature**	950 × 750 × 2,000	About 800 L: fridge door at the front, freezer door at the back, doors open into the aisle; state litres of each side	nos	1			Sheet 1
B.06	**Under-counter fridge (pass)**	600 × 550 × 700	Sauce bases and cut veg; state litres	nos	1			Sheet 1
B.07	**Under-counter freezer, 2 doors**	fits under 800 × 650	State litres (target about 650 L of freezer in all with the reach-in)	nos	1			Sheet 1
B.08	**Under-counter dishwasher**	600 × 650 × 900	With drainboard and its own booster heater	nos	1			Sheet 1
B.09	**Rice cooker**	Ø 260	5 L; one for jasmine, one for sticky rice	nos	2			Sheet 1
B.10	**Mixer-grinder**		Commercial, for sauces and batter	nos	1			Sheet 1
B.11	**Kitchen blowtorch**			nos	1			Sheet 1
B.12	**Storage water heater**	Ø 330 × 500	35 L, 3 kW, 70 °C, high on the left wall over the dish line	nos	1			Sheet 2

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
B.13	**Water heater for a hand-wash basin**		6 L, under each basin	nos	2			Sheet 2
B.14	**Insect killer**	500 × 180	Over the kitchen door	nos	1			Sheet 1
B.15	**Heat lamp over the pass**		On its own switch	nos	2			Sheet 1
B.16	**ESP with carbon odour filter**	500 × 1,000 × 900	Outside at 2.05 to 2.95 m	nos	1			Sheet 2
B.17	**Inline exhaust fan**	Ø 440	4,000 to 5,000 m³/h; anti-vibration mounts, speed control	nos	1			Sheet 2
B.18	**Fresh-air intake fan**	500 × 480	High on the back wall; interlocked with the exhaust	nos	1			Sheet 2
B.19	**Make-up air diffuser**	600 × 500	Perforated, low velocity, in the kitchen ceiling	nos	2			Sheet 2
B.20	**Make-up air cooling coil with condenser**	condenser 800 × 550 × 300	1.5 TR; condenser on the right side wall at about 3.0 m	set	1			Sheet 2
B.21	**Goods hoist**		Electric, 200 kg, over the ceiling hatch, with limit switch	nos	1			Sheet 2
B.22	**Smallware**		To the chef's list: carbon-steel woks, ladle, spatula, spider, wok brush, pans, food pans, knives, boards, stone mortar	lot	1			Chef
B.23	**Bamboo steamer stack**	Ø 260	3 baskets and a lid, for the drying shelf (the steamer comes with its own baskets, B.02)	nos	3			Sheet 1
C	**Gas installation (licensed contractor, for the fire NOC)** Pressure test and a written certificate are part of the work.							
C.01	**LPG cage**	350 × 1,700 × 1,600	Locked and ventilated, on the right strip	nos	1			Sheet 2
C.02	**LPG cylinder with changeover manifold and regulator**	19 kg each	4 on line and 1 spare, 95 kg in all	nos	5			Sheet 2
C.03	**Copper gas pipe**	size by contractor	With clamps and sleeves: along the right outside wall at 1.3 m, in at the back corner, drop to the manifold at 0.4 m, along the back of the hot line	m	9			Sheet 2 · measure on site
C.04	**Gas solenoid valve**		Weatherproof, outside on the entry; closes with the exhaust fan or the hood suppression	nos	1			Sheet 2
C.05	**Ball valve, one per appliance**		On the manifold	nos	6			Sheet 2

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
C.06	**Flexible gas hose, certified**		One per appliance	nos	6			Sheet 2
C.07	**LPG leak detector**		With cut-off signal, low on the right wall	nos	1			Sheet 2
C.08	**Pressure test, commissioning and certificate**			lot	1			
D	**Plumbing and drainage** Sizes and fittings by the plumber. All kitchen drains go to the grease trap, then the grey-water line (never the biodigester).							
D.01	**Water sump, buried**	1,300 × 1,000 × 800	1,000 L, with lid and tanker inlet, under the garden	nos	1			Plan
D.02	**Pressure pump set with sediment filter and softener**		0.5 HP pump; fits in the water cabinet (D.03)	set	1			Sheet 2
D.03	**Water cabinet**	450 × 800 × 1,500	Ventilated, on the right strip; fabrication included	nos	1			Sheet 2
D.04	**Cold and hot water pipe with fittings and isolation valves**	CPVC or PPR	Cabinet to the kitchen along the strip, and the hot-water run to the sink and dishwasher	lot	1			Sheet 2 · about 20 m
D.05	**Hand-wash basin, wall-mounted**	330 × 400 and 250 × 250	Hands-free tap and soap dispenser: one at the door, one at the prep corner	nos	2			Sheet 1
D.06	**Swan-neck wok tap**		Wall-mounted, tall, at the wok range	nos	1			Sheet 2
D.07	**Mixer taps for the veg sink and the dish sink**		Tall mixer tap for the veg sink; sink mixer with pre-rinse spray for the dish sink	set	1			Sheet 2
D.08	**Pot filler**		Wall-mounted swing arm, cold, over the stock range	nos	1			Sheet 2
D.09	**Steamer water feed with isolation valve**		At the back wall	nos	1			Sheet 2
D.10	**Grease trap**	450 × 450	Outside back corner, with cover	nos	1			Sheet 2
D.11	**Drain pipe uPVC with fittings**	100 mm	Floor channel, sinks, hand-wash basins and dishwasher to the grease trap and grey-water line	m	12			Sheet 2 · measure on site
D.12	**Floor trap with grating**		SS	nos	2			Sheet 2
E	**Electrical** Three-phase supply about 15 to 20 kW. The fridges, exhaust fan, ESP, lights and water pump are on the power backup. Point numbers are on sheet 2.							

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
E.01	**Socket or switch points 1 to 14**		As marked on sheet 2 (fridge, freezer, rice cookers, mise-en-place rail, heat lamps, dishwasher, insect killer, hood and panel, pass fridge, grinder, heater isolator, hand-wash heaters, hoist), with their own MCBs where marked	nos	14			Sheet 2
E.02	**Kitchen sub-distribution board**		With RCCB and MCBs, earthing and labelling	nos	1			Sheet 1
E.03	**Exhaust fan and ESP control panel**		With hood-light switch and interlocks (fan, make-up air, gas solenoid, suppression)	nos	1			Sheet 2
E.04	**LED hood light**	300 × 200	Vapour-proof	nos	3			Sheet 2
E.05	**LED ceiling panel**	600 × 600		nos	3			Model
E.06	**Cable, conduit, trunking and fixings**		For all kitchen points	lot	1			
E.07	**Emergency light and EXIT sign**		At the rear door	set	1			Sheet 1
E.08	**Testing and commissioning of all circuits**			lot	1			
F	**Civil and finishes** Quantities from the 4.9 × 2.4 m kitchen; add wastage as usual. Ceiling must be non-combustible (no PVC).							
F.01	**Wall tiles, white glazed**	75 mm tile	To 2.1 m on the left wall and the partition, 0.85 to 2.1 m on the back and right walls; grout and corner trims	m²	22.4			Model
F.02	**Anti-slip epoxy floor, grey**		With falls to the channel drain	m²	11.8			Model
F.03	**Cement-board ceiling at 2.70 m**		Non-combustible, with frame and white paint	m²	11.8			Model
F.04	**Double-acting kitchen door**	800 × 2,050	Stainless, spring pivots, vision panel, push plates and kick plate	nos	1			Sheet 1
F.05	**Rear exit door**	800 × 2,100	Opening outward; closer, rubber sweep, PVC strip curtain and panic bar	set	1			Sheet 1
F.06	**Cutting and making good**	400 × 400 duct opening	Duct opening in the back wall, gas and water sleeves, fan and intake openings	lot	1			Sheet 2
F.07	**Storage deck over the kitchen**	4,900 × 2,400	Plywood on steel joists, rated for storage only	m²	11.8			Model

Item	Item / type	Size W × D × H mm	Capacity, rating, specification	Unit	Qty	Rate ₹	Amount ₹	Drawing
G	**Fire and safety** Needed for the fire NOC.							
G.01	**Wet-chemical hood suppression**		Nozzles over each appliance, manual pull and automatic gas cut-off	set	1			Sheet 2
G.02	**Extinguisher, wet chemical (Class K)**	6 L	On the back wall at the end of the hot line	nos	1			Sheet 1
G.03	**Extinguisher, CO_2**	4.5 kg	Beside the electrical board at the kitchen door	nos	1			Model
G.04	**Fire blanket in a wall box**			nos	1			Sheet 1
G.05	**First-aid box**		On the wall	nos	1			Model
G.06	**Heat detector**		On the kitchen ceiling, wired to the alarm panel	nos	1			Sheet 2
H	**Outside, bins and housekeeping**							
H.01	**Bin store**	450 × 900 × 1,000	Timber slats, on the right strip	nos	1			Plan
H.02	**Wheeled bin**	60 L	Wet, dry and glass	nos	3			Plan
H.03	**Foot-pedal bin**	Ø 200 × 600	Wet under the veg sink, dry by the rear door	nos	2			Sheet 1
H.04	**Steel bollard**	Ø 130 × 900	On the edge of the strip	nos	6			Plan
H.05	**Apron hook rail**	3 hooks	Above the prep-corner hand-wash	nos	1			Sheet 1
H.06	**Dirty-linen bag with lid; used-oil can with spill tray**	oil can 20 L		set	1			Sheet 1

Every quote must state

- Steel grade and thickness (304 stainless only); make and model of every branded item.
- Price ex-GST, itemised, with the GST rate shown separately; delivery to Betalbatim and unloading; installation and connections, included or extra.
- Lead time, payment schedule, warranty and who services it in Goa, and how long the quote is valid.