



**NAME OF THE PROJECT**

**Car-Price-Prediction**

**SUBMITTED BY:**

**Divya Trivedi**

**FLIPROBO SME:**

**Gulshana Chaudhary**

# ACKNOWLEDGMENT

I would like to express my special gratitude to “Flip Robo” team, who has given me this opportunity to deal with a beautiful dataset and it has helped me to improve my analyzation skills. And I want to express my huge gratitude to Ms.Gulshana Chaudhary (SME Flip Robo), she is the person who has helped me to get out of all the difficulties I faced while doing the project.

A huge thanks to “Data trained” who are the reason behind my Internship at Fliprobo. Last but not least my parents who have been my backbone in every step of my life.

References use in this project:

SCIKIT Learn Library Documentation

Blogs from towardsdatascience, Analytics Vidya, Medium

Andrew Ng Notes on Machine Learning (GitHub)

Data Science Projects with Python Second Edition by Packt

Hands on Machine learning with scikit learn and tensor flow by Aurelien

Geron

Stackoverflow.com to resolve some project related queries.

Predicting Credit Default among Micro Borrowers in Ghana Kwame Simpe Ofori, Eli Fianu

Predicting Microfinance Credit Default: A Study of Nsoatreman Rural Bank, Ghana Ernest Yeboah Boateng

A Machine Learning Approach for Micro-Credit Scoring Apostolos Ampountolas And also thank you for many other persons who has helped me directly or indirectly to complete the project.

# INTRODUCTION

## Business Problem Framing

### Impact of COVID-19 on Indian automotive sector

The Indian automotive sector was already struggling in FY20, before the Covid-19 crisis. It saw an overall growth of nearly 18 per cent. This situation was worsened by the onset of the Covid-19 pandemic and the ongoing lockdowns across India and the rest of the world. These two years (FY20 and FY21) are challenging times for the Indian automotive sector on account of slow economic growth, negative consumer sentiment, BS-VI transition, changed axle load norms, liquidity crunch, low-capacity utilisation and potential bankruptcies.

The return of daily life and manufacturing activity to near normalcy in China and South Korea, along with extended lockdown in India, gives hope for a U-shaped economic recovery. Our analysis indicates that the Indian automotive sector will start to see recovery in the third quarter of FY21. We expect the industry demand to be down 15-25 per cent in FY21. With such growth, OEMs, dealers and suppliers with strong cash reserves and better access to capital will be better positioned to sail through.

Auto sector has been under pressure due to a mix of demand and supply factors. However, there are also some positive outcomes, which we shall look at.

- With India's GDP growth rate for FY21 being downgraded from 5% to 0% and later to (-5%), the auto sector will take a hit. Auto demand is highly sensitive to job creation and income levels and both have been impacted. CII has estimated the revenue impact at \$2 billion on a monthly basis across the auto industry in India.
- Supply chain could be the worst affected. Even as China recovers, supply chain disruptions are likely to last for some more time. The problems on the Indo-China border at Ladakh are not helping matters. Domestic

suppliers are chipping in but they will face an inventory surplus as demand remains tepid.

- The Unlock 1.0 will coincide with the implementation of the BS-VI norms and that would mean heavier discounts to dealers and also to customers. Even as auto companies are managing costs, the impact of discounts on profitability is going to be fairly steep.
- The real pain could be on the dealer end with most of them struggling with excess inventory and lack of funding options in the post COVID-19 scenario. The BS-VI price increases are also likely to hit auto demand.

There are two positive developments emanating from COVID-19. The China supply chain shock is forcing major investments in the “Make in India” initiative. The COVID-19 crisis has exposed chinks in the automobile business model and it could catalyse a big move towards electric vehicles (EVs). That could be the big positive for auto sector.

## Conceptual Background of the Domain Problem

Understanding the above business problem, there are certain factors that will influence the automotive industries in the future. Some of them include digital technologies, changing customer preferences, electrical vehicles, intelligent ability, and technical advancements. Technologies such as artificial intelligence, machine learning, cloud computing, and internet of things will also play an important role in developing new business models. Apart from that, they enable customers to ensure a better mobility experience. In other words, technologies may impact automotive industry units significantly that will change the markets. The introduction of electrical cars and hybrid vehicles may transform the automobile industries in coming years.

## Review of Literature.

As per the requirement of our client, I have scrubbed data from different used cars selling merchants websites, and so based on the data collected I have tried analysing based on what factors the used car price is decided? What is the

relationship between cost of the used cars and other factors like Fuel type, Brand and Model, year the car is purchased and No. Of owners before selling? And so based on all the above consideration I have developed a model that will predict the price of the used cars.

### Motivation for the Problem Undertaken

I have taken this problem based on the requirement of the client and also, with a curiosity to know how the used cars markets are at the time of pandemic.

# Analytical Problem Framing

## Mathematical/ Analytical Modelling of the Problem

On importing the data that is collected I have done some initial play around to understand the data and to cleanse the data.

### Data Cleansing.

On data cleansing I have detecting duplicate records in the data collected and the null values in the data.

```
In [22]: df.duplicated().sum()
```

```
Out[22]: 3665
```

As like we can see I had 3665 duplicate records, I decided to drop all the duplicate records because it will not help us in creating a perfect model.

```
In [23]: #Because we have too many duplicate records we will detete them to have a good model  
df = df.drop_duplicates()
```

After dropping the duplicate records, I checked for null values in the data.

```
In [26]: df.isnull().sum()
```


```
Out[26]: MNF_YEAR      0  
        BRAND        0  
        MODEL        0  
        VARIANT      332  
        DRIVEN_KM     0  
        NOOF_OWNERS   0  
        PRICE        0  
        FUELTYPE      0  
        dtype: int64
```

We have 332 null values in Variant column, I have used those null values in the model building but I have changed null values as not mentioned, this will also help the client to predict the values on the used cars without the Variant values.


# Data correlations

To better understanding the mathematical concept of the problem we have

to see the correlation of the data.




Correlation of Fetures with the target column



### Key Observations:

- From above we can clearly see that MNF\_YEAR is positively correlated to PRICE and FUEL\_TYPE and VARIENT is negative correlated to PRICE.

## Univariate Analysis




MATHEMATICAL SUMMARY OF PRICE :

```
count    3.016000e+03
mean     7.497534e+05
std      3.659718e+05
min      1.350990e+05
25%      4.872740e+05
50%      6.574990e+05
75%      9.251615e+05
max      3.237699e+06
Name: PRICE, dtype: float64
```

### Key observations:

- Mean of the prize is Rs: 7,49,753, the prize is distributed between Rs: 1,35,099 to Rs: 32,37,699.





MATHEMATICAL SUMMARY OF PRIZE :

```
count      3016.000000
mean       40782.460875
std        26159.452216
min         167.000000
25%        19302.250000
50%        37102.500000
75%        58932.000000
max        242614.000000
Name: DRIVEN_KM, dtype: float64
```

- Above we can understand that most of the Car price is lesser than the Mean i.e., Rs: 4,07,824.

## Data Sources and their formats

The Data is scrubbed on multiple ecommerce websites that sells used cars in India, Websites like cars 24, OLX and car Dekho. These data are scrubbed and stored in a CSV format. Data contains following columns.

1. 'MNF\_YEAR' – At what year the car is manufactured
2. 'BRAND' – Brand is manufacturer or which company made
3. 'MODEL' – It is basically the model of the car.
4. 'VARIANT' – Gear shift variant is (Automatic, Manual, Semi-Automatic)
5. 'DRIVEN\_KM' – no of Kms driven before selling
6. 'FUELTYPE' – Petrol, diesel, CNG, LPG, Electric
7. 'NOOF\_OWNERS' – 1end, 2end or 3end car
8. 'PRICE' – our target variable that tells what is the price of the used car.

## Data Pre-processing Done


On pre-processing the data, I have tried in finding out the skewness of the data and the outliers, have changed the data into numbers with label encoders.

```
In [40]: 1 catagorical_data = [ 'MNF_YEAR', 'BRAND', 'MODEL', 'VARIANT', 'FUELTYPE', 'NOOF_OWNERS' ]
          2
          3 for i in catagorical_data:
          4     DF[i]=DF[i].astype('str')
          5     DF[i]=LE.fit_transform(DF[i])
```

```
In [41]: 1 DF['PRICE'] = DF['PRICE'].str.replace(r'\D', '').astype(int)
          2 DF['DRIVEN_KM'] = DF['DRIVEN_KM'].str.replace(r'\D', '').astype(int)
```

After changing all the data with label encoders, I have tried in identifying skewness and outliers as follows.

We actually can see there are more skewness in the data let also see about the outliers in the data.



We have many outliers and we also have skewness in the data. Because its more, correcting them will have loss in the data or data will be deformed. I am deciding to build the model with the skewness and outliers present in the data and this will also help the client to get an accurate prediction on the car prices with the data he gets.

And final step in pre-processing I have split the data and converted it into an array with Pre-processing Standard Scaler.

```
In [49]: from scipy.stats import zscore
```

```
z= np.abs(zscore(Df))
threshold= 3
df_new = Df[(z < 3).all(axis=1)]
```

```
In [50]: print(f"Original Data {Df.shape}\nAfter Removing outliers {df_new.shape}\nThe percentage of data loss {(8308-7765)/8308}*100%")
```

```
Original Data (3016, 8)
After Removing outliers (2915, 8)
The percentage of data loss 6.535869041887338%
```

We have many outliers and we also have skewness in the data. Because its more, correcting them will have loss in the data orr data will be deformed. So we are deciding to work with the same.

```
In [51]: x_1=Df.drop(["PRICE"], axis = 1)
y_1=Df.PRICE
```

```
In [52]: x_1
```


```
Out[52]:
```

	MNF_YEAR	BRAND	MODEL	VARIANT	DRIVEN_KM	NOOF_OWNERS	FUELTYPE
0	11	11	722	2	30557	0	1
1	10	11	731	1	84472	0	0
2	10	11	724	1	40883	0	0
3	13	11	721	2	22158	0	1
4	9	11	378	1	65179	0	0
...	...	...	...	...	...	...	...
6145	12	12	530	1	15467	0	1
6163	6	5	251	1	64355	1	1
6164	10	12	457	1	14049	0	1
6165	9	5	260	1	61579	0	1
6258	5	12	582	1	53152	0	1

3016 rows × 7 columns


## Data Inputs- Logic- Output Relationships

I have done some visualizations to understand the input output logic of the data collected.




### Key observations:

When comes to the Brand MG and Audi are being the costliest in country followed by the likes of BMW , KIA , Jeep etc .




## Key observations:

1. 2019, 2020, 2021 , 2022 model are being sold higher in PRICE and also above average PRICE.
2. Above we can understand that cars sold in lesser kms driven and also in lesser years used are sold in high price.




## Key observations:

1. We can see that the automatic engines are costliest in the market. And also, most costlier cars come in Automatic shift.




### Key observations:

1. Diesel being the cheapest and most efficient fuel type, and so the Diesel engines are being the costliest fuel types.
2. Petrol bend second preferred followed by CNG and LPG fuel types



### Key observation:

1st owner cars are costliest followed by second and third.



### Key Observations:

The lesser kms driven are evidently sold costlier.



## Hardware and Software Requirements and Tools Used

1. Python 3.8.
2. NumPy.
3. Pandas.
4. Matplotlib.
5. Seaborn.
6. Data science.
7. SciPy
8. Sklearn.
9. Anaconda Environment, Jupyter Notebook.

## Model/s Development and Evaluation

### Identification of possible problem-solving approaches (methods).

Considering the business requirement of the client, I have collected the precise data to predict the used car price but there were multiple data of the car that are available. Data like colour of the car, sun roof attached, music system brand, electronics in the car, tyre brands, seat colours and much more. But after analysing all these data I have selected the data that have more correlation with the price of the car. Data like manufacturing year, number of owners used before, mode, fuel variant, gear shift variant, Brand of the car. I experimented and visualized how these variables contributed more towards the deciding factor of the car price. Based on such visualization I have built the model.

## Testing of Identified Approaches (Algorithms)

After the pre-processing of the data that is collected, I have split the data as  $x_1$  and  $y_1$  and I have imported the required libraries to train my model.

```
In [36]: x_1=DF.drop(["PRICE"], axis = 1)
        y_1=DF.PRICE
```

```
In [70]: 1 from sklearn.linear_model import LinearRegression, Lasso, Ridge, ElasticNet
        2 from sklearn.svm import SVR
        3 from sklearn.neighbors import KNeighborsRegressor
        4 from sklearn.tree import DecisionTreeRegressor
        5 from sklearn.ensemble import RandomForestRegressor, AdaBoostRegressor
```

on selecting the best random state parameter, I have used nine regression algorithms to train my model. Based on the best model score and best CV score I have selected Random Forest Regressor as the final model.

## Run and evaluate selected models

I have used nine different regression algorithms to shortlist the best model.

### **Shortlisting the best model**

```
In [2]: models = [LinearRegression(), Lasso(), Ridge(alpha=1, random_state=42), ElasticNet(), SVR(), KNeighborsRegressor(), DecisionTreeRegressor(),
                AdaBoostRegressor()]
        model_names = ["LinearRegression", "Lasso", "Ridge", "ElasticNet", "SVR", "KNeighborsRegressor", "DecisionTreeRegressor", "AdaBoostRegressor"]
```

Cross validation mean score and the model score.

As live saw above Random forest Regression model stands at the top with the model score of 97.73 with the CV score of 83.39 further I am going to hyperparameter tune the model to reduce over fitting and to increase the performance of the model.

```
In [62]: Regression_result = pd.DataFrame({"MODEL": model_names,
                                         "SCORE": score,
                                         "CV_mean_score": mean_score,
                                         "CV_STD": STD,
                                         "MBE": mean_abs_e,
                                         "MSE": mean_sqr_e,
                                         "RMSE": root_mean_e,
                                         "R2": r2
                                         })
Regression_result.sort_values(by="CV_mean_score", ascending=False)
```




```
Out [62]:
```




	MODEL	SCORE	CV_mean_score	CV_STD	MBE	MSE	RMSE	R2
8	RandomForestRegressor	0.977363	0.833922	0.013724	82928.488873	1.844686e+10	135819.222651	0.854431
6	DecisionTreeRegressor	1.000000	0.742483	0.029480	108654.314324	3.851131e+10	196242.985281	0.696097
5	KNeighborsRegressor	0.799950	0.681957	0.013879	132939.643236	3.710050e+10	192614.889538	0.707230
7	AdaBoostRegressor	0.452898	0.439309	0.053622	218614.367891	6.978904e+10	264176.145332	0.449275
2	Ridge	0.430709	0.435564	0.041957	191405.609339	6.311641e+10	251229.794016	0.501931
1	Lasso	0.430709	0.435551	0.041954	191412.493236	6.311446e+10	251225.920543	0.501946
0	LinearRegression	0.430709	0.435551	0.041954	191412.567957	6.311439e+10	251225.783450	0.501947
3	ElasticNet	0.381628	0.390650	0.040314	199609.585509	7.114330e+10	266727.010924	0.438588
4	SVR	-0.067094	-0.065783	0.024058	269399.673053	1.347099e+11	367028.422512	-0.063033

Model

selecting

Visualization:





From above observation, we can come to a conclusion that Random Forest is the best model with Score of 98.78 let's try in Hyper tuning the same for improved performance and also to reduce the over fitting the Data.

### Interpretation of the Results

From the visualization above we can clearly understand that the used car price factors are decided by the factors such as brand, location, model, year made, number of owners used the car before, fuel type of the car.

From that we can clearly say that the used car price depending on the Brand that is the manufacturer and model it varies. The manufacturer like Land Rover, Benz, BMW cars are costliest used car in the market comparatively to other cars, the low kilometres driven and also if the manufacturing year is lesser on these brands those card sells in much higher rates or closest to the buying new car rates. The Diesel variant and Automatic shift variants are also costliest user car variants in the used car market

# CONCLUSION

## Key Findings and Conclusions of the Study

The manufacturer like Land Rover, Benz, BMW cars are costliest used car in the market comparatively to other cars, the low kilometres driven and also if the manufacturing year is lesser on these brands those card sells in much higher rates or closest to the buying new car rates. The Diesel variant and Automatic shift variants are also costliest user car variants in the used car market.

## Learning Outcomes of the Study in respect of Data

### Science

The above research will help our client to study about the latest used car market and with the help of the model built he can easily predict the price ranges of the cars, and also will helps him to understand based on what factors the Car Price is decided.

## Limitations of this work and Scope for Future Work

The limitation of the study is that in the volatile changing market we have taken the data, to be more precise we have taken the data at the time of pandemic, so when the pandemic ends the market correction might happen slowly. So based on that again the deciding factors of the used car prize might change and we have shortlisted and taken these data from the important cities across India, if the seller is from the different city our model might fail to predict the accurate prize of that used car.