

## 1 LOW Level Design (LLD)

# Low-Level Document (LLD)

# Financial Analytics

Revision Number: 1.0

Last Date of Revision:

**Kiran Kumari**

## Document Version Control

Date Issued	Version	Description	Author
8 <sup>th</sup> April 2023	<b>1.0</b>	First Version Complete LLD	<b>Kiran Kumari</b>

## 2 LOW Level Design (LLD)


## Contents



### 1. Introduction

#### 1.1 What is Low-Level design document?

The goal of the LDD or Low-level design document (LLDD) is to give the internal logic design of the actual program code for the Financial Analytics dashboard. LDD describes the class diagrams with the methods and relations between classes and programs specs. It describes the modules so that the programmer can directly code the program from the document.

#### 1.2 Scope

Low-level design (LLD) is a component-level design process that follows a step-by-step refinement process. The process can be used for designing data structures, required software architecture, source code and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work.

### 2. Architecture

#### Tableau Server Architecture

Tableau has a highly scalable, n-tier client-server architecture that serves mobile clients, web clients and desktop-installed software. Tableau Server architecture supports fast and flexible deployments.

The following diagram shows Tableau Server's architecture:

### 3 LOW Level Design (LLD)

#### Tableau Communication Flow




Tableau Server is internally managed by the multiple server processes.

#### 1) Gateway/Load Balancer

It acts as an Entry gate to the Tableau Server and also balances the load to the Server if multiple Processes are configured.

#### 2) Application Server: -

Application Server processes (wgserver.exe) handle browsing and permissions for the Tableau Server web and mobile interfaces. When a user opens a view in a client device, that user starts a session on Tableau Server. This means that an Application Server thread starts and checks the permissions for that user and that view.

#### 3) Repository: -

Tableau Server Repository is a PostgreSQL database that stores server data. This data includes information about Tableau Server users, groups and group assignments, permissions, projects, data sources, and extract metadata and refresh information.

#### 4) VIZQL Server: - HOUSE PRICE PREDICTION

Once a view is opened, the client sends a request to the VizQL process (vizqlserver.exe). The VizQL process then sends queries directly to the data source, returning a result set that is rendered as images and presented to the user. Each VizQL Server has its own cache that can be shared across multiple users

#### 5) Data Engine: -

## 4 LOW Level Design (LLD)

It Stores data extracts and answers queries.

### 6) Backgrounder: -

The backgrounder Executes server tasks which includes refreshes scheduled extracts, tasks initiated from tabcmd and manages other background tasks.

### 7) Data Server: -

Data Server Manages connections to Tableau Server data sources

It also maintains metadata from Tableau Desktop, such as calculations, definitions, and groups.

## 3. Architecture Description

### 3.1. Data Description

Here we have three types of columns

1. Company Name: This is the company name
2. Mar Cap-Crore: Current Market value of the company
3. Sales Qtr-Crore: Quarter-wise sales in crore (Three-month sales)

### 3.2. Data Transformation

In the Transformation Process, we will convert our original datasets with other necessary attributes format. And will merge it with the Scrapped dataset.

### 3.3. Data Insertion into Database

- a. Database Creation and connection - Create a database with name passed. If the database is already created, open the connection to the database.
- b. Table creation in the database.
- c. Insertion of files in the table

### 3.4. Data Transformation

In the Transformation Process, we will convert our original datasets with other necessary attributes format. And will merge it with the Scrapped dataset.

### 3.5. Data Insertion into Database


- a. Database Creation and connection - Create a database with name passed. If the database is already created, open the connection to the database.
- b. Table creation in the database.
- c. Insertion of files in the table

### 3.6 Deployment.


Once you've completed your dashboard, follow these steps: - **Server, Tableau Public, Save to Tableau Public As**

You may be prompted to log into your Tableau Public profile first if this is your first-time publishing.

## 5 LOW Level Design (LLD)



Next, fill out the title you want your viz to have and click “save”.



This message means that your connection to the Sample-Superstore data set is a live connection. Tableau Public cannot host live connections, so you'll need to convert your connection to an extract (like a frozen screenshot of your data). Here in the below screenshot, we can see that our workbook has been published to tableau public.