

FinFetch — Coverage & Adoption

1. Install and run — no API key, no account

```
$ pip install finfetch
Successfully installed finfetch-0.2.1
$ python ff_proof.py
```

```
import finfetch as ff

# 1 — no API key, no account, no config
t = ff.Ticker("RELIANCE")

# 2 — canonical schema, across four statements
f = ff.available_fields()
for k in ("pl", "bs", "cf", "ratios"):
    print(f"{k:8} {len(f[k]):>3} fields")
print(f"{'TOTAL':8} {sum(len(v) for v in f.values()):>3} fields")

# 3 — price: 7 fields, three decades
h = t.history(period="max", interval="1d")
yrs = (h.index[-1] - h.index[0]).days / 365.25
print(f"\nprice fields {len(h.columns)} {list(h.columns)}")
print(f"daily bars {len(h):,} {h.index[0].date()} -> {h.index[-1].date()} ({yrs:.1f} yrs)")
print(f"points/company {len(h.columns) * len(h):,}")
```

2. Output — 137 canonical fields, 7 price fields, 30.7 years

```
pl      43 fields
bs      41 fields
cf      16 fields
ratios  37 fields
TOTAL   137 fields

price fields 7 ['open', 'high', 'low', 'close', 'volume', 'dividends', 'stock_splits']
daily bars   7,696 1996-01-01 -> 2026-08-28 (30.7 yrs)
points/company 53,872
```

3. 859 installs — summed from the PyPI download API

```
curl -s "https://pypistats.org/api/packages/finfetch/overall?mirrors=false" \
| python3 -c "
import sys, json
from collections import defaultdict
d = [x for x in json.load(sys.stdin)['data'] if x['downloads'] > 0]
m = defaultdict(int)
for x in d: m[x['date'][:7]] += x['downloads']
for k in sorted(m): print(f'{k} {m[k]:>4}')
print(f'{"TOTAL":7} {sum(m.values()):>4} ({len(d)} active days, {d[0]["date"]} to {d[-1]["date"]})')
"
```

```
2026-03    44
2026-04    53
2026-05   221
2026-06   286
2026-07   121
2026-08   134
TOTAL    859 (123 active days, 2026-03-02 to 2026-08-28)
```

4. 108M price points — measured depth × 3,500 companies

```
import finfetch as ff

# measure daily-bar depth across the size spectrum: mega-cap -> 2025 listing
SAMPLE = ["RELIANCE", "TCS", "ITC", "HDFCBANK", "AMBER", "QUESS", "KSOLVES", "TRUALT"]

bars, cols = [], None
for s in SAMPLE:
    h = ff.Ticker(s).history(period="max", interval="1d")
    cols = len(h.columns)
    bars.append(len(h))
    print(f"{s:10} {len(h):>6,} bars    {h.index[0].date()} -> {h.index[-1].date()}")

mean = sum(bars) / len(bars)
COMPANIES = 3500
print(f"\nprice fields          {cols}")
print(f"mean bars / company    {mean:,.0f}    (min {min(bars):,} max {max(bars):,})")
print(f"companies              {COMPANIES:,}")
print(f"\n{COMPANIES:,} x {cols} x {mean:,.0f} = {COMPANIES*cols*mean/1e6:.1f}M price points")
```

RELIANCE	7,696 bars	1996-01-01 -> 2026-08-28
TCS	5,972 bars	2002-08-12 -> 2026-08-28
ITC	7,696 bars	1996-01-01 -> 2026-08-28
HDFCBANK	7,699 bars	1996-01-01 -> 2026-08-28
AMBER	2,122 bars	2018-01-30 -> 2026-08-28
QUESS	2,507 bars	2016-07-12 -> 2026-08-28
KSOLVES	1,504 bars	2020-08-07 -> 2026-08-28
TRUALT	226 bars	2025-10-06 -> 2026-08-28

price fields 7
mean bars / company 4,428 (min 226 max 7,699)
companies 3,500

3,500 × 7 × 4,428 = 108.5M price points

5. PyPI — pypi.org/packages/finfetch

finfetch

PyPI page

Home page

Author: Khushmeet Narwal, Karan Veer Singh

Summary: Free financial data for Indian stocks — no API key needed.

Latest version: 0.2.1

Required dependencies: [beautifulsoup4](#) | [curl_cffi](#) | [lxml](#) | [openpyxl](#) | [pandas](#) | [requests](#) | [tabulate](#) | [yfinance](#)

Optional dependencies: [build](#) | [pytest](#) | [ruff](#) | [twine](#)

Downloads last day: 0

Downloads last week: 70

Downloads last month: 138

Daily Download Quantity of finfetch package - Overall

30d60d90d120dall

Downloads

With_Mirrors

Without_Mirrors

Date