



Examples

```

public static class Strings
{
    public static void main (String[] args)
    {
        String name = new String ("Mahip");
        System.out.println (name);
        System.out.print ("The name is :");
        System.out.print ("MAHIP SINGH");
        // formal
        int a = 8;
        float b = 7.66666f;
        System.out.printf ("The value of a is %d and
        The value of b is %f", a, b);
    }
}

```


★ String Methods

String Methods operate on Java Strings. They can be used to find length of the string, convert to lowercase, etc.

Some of the commonly used String Methods

String name = "Hawry";
^{0 1 2 3 4}

1) name.length() → Returns length of the string name (5 in this case).

2) name.toLowerCase() → Returns new string which has all the lowercase characters from the string name.

3) name.toUpperCase() → Returns new string which has all the uppercase characters from the string name.

4) name.trim() → Returns a new string after removing all the leading and trailing spaces from the original string.

5) name.substring(int start) → Returns a substring from start to the end. substring(3) returns "ry".

[Note that index starts from 0]

6) name.substring(int start, int end) → Returns a substring from start index to the end index.

Start index is included and end is excluded.

Examples: \n, \t, \', \", etc.

Examples

```
public class StringMethod
```

```
{
```

```
    public static void main (String[] args)
```

```
{
```

```
    String name = "Hanny";
```

```
    System.out.println(name);
```

```
    int value = name.length();
```

```
    System.out.println(value);
```

```
    String lString = name.toLowerCase();
```

```
    System.out.println(lString);
```

```
    String uString = name.toUpperCase();
```

```
    System.out.println(uString);
```

```
    String trimmedString = name.trim();
```

```
    System.out.println(trimmedString);
```

```
    String subString = name.substring(3);
```

```
    System.out.println(subString);
```

```
    String subString = name.substring(1,3);
```

```
    System.out.println(subString);
```

```
    String Replace = name.replace('h', 'p');
```

```
    System.out.println(Replace);
```

```
    String Replace = name.replaceAll("Hanny", "Malik");
```

```
    System.out.println(Replace);
```

```
    boolean swString = name.startsWith("Hann");
```

```
    System.out.println(swString);
```

```
    boolean ewString = name.endsWith("dd");
```

```
    System.out.println(ewString);
```

```
    char Char = name.charAt(4);
```

```
    System.out.println(Char);
```



```

int Index = name.indexOf("my");
System.out.println(Index);
int lastIndex = name.lastIndexOf("e");
System.out.println(lastIndex);
int lastIndex = name.lastIndexOf("y", 1);
System.out.println(lastIndex);
boolean Equal = name.equals("Malip");
System.out.println(Equal);
boolean EqualIgnore = name.equalsIgnoreCase("harry");
System.out.println(EqualIgnore);
  
```

• Escape Sequence characters Examples

```

public class StringsMethod
{
    public static void main (String[] args)
    {
        String poem = ("John Johnny yes Papa \n I eating  

        a sugar no Papa \n telling a  

        He No Papa \n open your  

        mouth \n hahahaha \n");

        System.out.println(poem);
    }
}
  
```